



## DAFTAR PUSTAKA

- Abdullah, F.N., A.S. Jaya, dan Widayat. 2017. Penentuan waktu perendaman sel (fase mitosis) akar bawang merah (*Allium ascalonicum* L.) menggunakan safranin untuk mendukung praktikum biologi. *BIOLEUSER* 1(3): 86-91
- Abidin, A.Z., J.D. Budiono, dan Isnawati. 2014. Studi Indeks Mitosis Bawang Untuk Pembuatan Media Pembelajaran Preparat Mitosis. *BioEdu* 3(3): 571-579
- Ashok, S. and Ashok, K.P. 2017. Aceto-orcein squash technique for barr body detection. *RGUHS Journal of Dental Sciences* 9(1): 15-22
- Aldini, G.M., Y.A. Trisyono, A. Wijonarko, Witjaksono, and H. de Putter. 2020. Farmers' Practices in Using Insecticides to Control *Spodoptera exigua* Infesting Shallot *Allium cepa var. aggregatum* in the Shallot Production Centers of Java. *Jurnal Perlindungan Tanaman Indonesia* 24(1): 75-81
- Amilia, E., B. Joy., dan Sunardi. 2016. Residu Pestisida pada Tanaman Hortikultura (Studi Kasus di Desa Cihanjuang Rahayu Kecamatan Parongpong Kabupaten Bandung Barat). *Jurnal Agrikultura* 27(1): 23-29
- Aryanta, I.W.R. 2019. Bawang Merah dan Manfaatnya Bagi Kesehatan. *E-Jurnal Widya Kesehatan* 1(1): 7 hlm
- Budiman, A.B. 2021. Morfotoksik dan Genotoksik Fungisida berbahan Aktif Mancozeb pada Tanaman Bawang Merah (*Allium ascalonicum* L.). (*Skripsi*). Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta. 39 hlm
- Çavuşoğlu, K., S. Cadil, and D. Çavuşoğlu. 2017. Role of Potassium Nitrate (KNO<sub>3</sub>) in Alleviation of Detrimental Effects of Salt Stress on Some Physiological and Cytogenetical Parameters in *Allium cepa* L. *Cytologia* 82(3): 279-286
- Datta, S., J. Singh, J. Singh, S. Singh, and S. Singh. 2018. Assessment of genotoxic effects of pesticide and vermicompost treated soil with *Allium cepa* test. *Sustainable Environment Research* 28: 171-178
- de Putter, H., W. Adiyoga, and J. Sugiharto. 2017. Effect of pesticide mixing on control of Anthracnose and *Spodoptera exigua* in shallot. *vegIMPACT Report* 10: 1-17
- Direktorat Pupuk dan Pestisida. 2021. *Rekapitulasi Ijin Pestisida LANNATE 40 SP.* [http://pestisida.id/simpes\\_app/rekap\\_formula\\_nama.php?s\\_keyword=LANN%20ATE%2040%20SP](http://pestisida.id/simpes_app/rekap_formula_nama.php?s_keyword=LANN%20ATE%2040%20SP). Diakses pada 18 Juni 2021
- Direktorat Pupuk dan Pestisida. 2021. *Rekapitulasi Ijin Pestisida DITHANE-M45 80 WP.* [http://pestisida.id/simpes\\_app/rekap\\_formula\\_nama.php?s\\_keyword=DITHANE-M45%2080%20WP](http://pestisida.id/simpes_app/rekap_formula_nama.php?s_keyword=DITHANE-M45%2080%20WP). Diakses pada 18 Juni 2021



Elisabeth, D.W., M. Santosa, dan N. Herlina. 2013. Pengaruh Pemberian Berbagai Komposisi Bahan Organik pada Pertumbuhan dan Hasil Tanaman Bawang Merah (*Allium ascalonicum* L.). *Jurnal Produksi Tanaman* 1(3): 21-29

Fatma, F., S. Verma, A. Kamal, and A. Srivastava. 2017. Phytotoxicity of pesticides mancozeb and chlorpyrifos: correlation with the antioxidative defence system in *Allium cepa*. *Physiology and Molecular Biology of Plants*: 9 p

Fatma, F., S. Verma, A. Kamal, and A. Srivastava. 2018. Monitoring of morphotoxic, cytotoxic and genotoxic potential of mancozeb using *Allium* assay. *Chemosphere* 195: 864-870

Fauziah, R. 2017. Budidaya Bawang Merah (*Allium cepa* var. *aggregatum*) pada Lahan Kering Menggunakan Irigasi Spray Hose pada Berbagai Volume Irigasi dan Frekuensi Irigasi. (*Tesis*). Sekolah Pascasarjana. Institut Pertanian Bogor. Bogor. 47 hlm

GBIF Backbone Taxonomy. 2019. *Allium ascalonicum* L. in GBIF Secretariat. <https://doi.org/10.15468/39omei>. Accessed on April 19, 2020

Hamilton, W.D. 1981. Factors to consider before tank mixing pesticides. *Ornamentals Northwest Archives* 5(3): 5-6

Hazra, D.K. and A. Purkait. 2019. Role of pesticide formulations for sustainable crop protection and environment management: A review. *Journal of Pharmacognosy and Phytochemistry* 8(2): 686-693

Held, P. 2015. *An Introduction to Reactive Oxygen Species: Measurement of ROS in Cells*. BioTek Instruments. Winooski, Vermont. p: 1-2

Hendra, I.M.R.D, I. K. Sumiartha, dan I. W. Susila. 2018. Efektivitas Insektisida Metomil 40% Terhadap Serangan Ulat Grayak (Spodoptera Exigua Humber) pada Tanaman Bawang Merah (*Allium Cepa* L.) di Desa Songan Kintamani Bangli. *E-Jurnal Agroteknologi Tropika* 7(2): 184-191

Hudayya, A. dan H. Jayanti. 2012. *Pengelompokan Pestisida Berdasarkan Cara Kerjanya (Mode of Action)*. Yayasan Bina Tani Sejahtera. Lembang. hlm: 1-37

Kishk, A.M.S., H.M. Abdel-Rahman, A.A. El-Mouhamady, and K.A. Aboud. 2017. Sophisticated Genetic Studies on Onion through Using Gamma Rays. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* 8(4): 202-220

Kumari, V. and A. K. Tripathi. 2019. Characterization of pharmaceuticals industrial effluent using GC-MS and FT-IR analyses and defining its toxicity. *Applied Water Science* 9: 185

Mahmood, Q., M. Bilal, and S. Jan. 2014. Herbicides, Pesticides, and Plant Tolerance: An Overview. *Emerging Technologies and Management of Crop Stress Tolerance* 1: 426-436

Mesi, A. and D. Kopliku. 2013. Cytotoxic and Genotoxic Potency Screening of Two Pesticides on *Allium cepa* L. *Procedia Technology* 8:19-26



- Moekasan, T.K. and L. Prabaningrum. 2011. *Penggunaan Pestisida Berdasarkan Konsepsi Pengendalian Hama Terpadu (PHT)*. Yayasan Bina Tani Sejahtera. Lembang, Bandung Barat. hlm: 6-10, 13-14, 26
- Moekasan, T.K. and L. Prabaningrum. 2012. *Daftar Pestisida yang Terdaftar dan Dijinkan pada Tanaman Bawang Merah dan Cabai Merah Berdasarkan Cara Kerjanya*. Balai Penelitian Tanaman Sayuran. Lembang, Bandung Barat. hlm: 1-4, 9-10
- Moekasan, T.K., L. Prabaningrum, dan W. Adiyoga. 2014. Cara kerja dan daftar pestisida serta strategi pergilirannya pada budidaya tanaman sayuran dan palawija. *vegIMPACT Report* 10: 7-23
- Mol S.N.P. and J.E. Thoppil. 2019. Evaluation of cytotoxicity and apoptotic potential of *Ophiorrhiza pectinata* Arn. – a potent anticancer agent. *Asian Journal of Pharmaceutical and Clinical Research* 12(8): 97-102
- Muliawati, A.H. 2021. Efek Morfotoksik dan Genotoksik Metomil pada Bawang Merah (*Allium ascalonicum* L.). (*Skripsi*). Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta. 37 hlm
- Neelamkavil, S.V. and J.E. Thoppil. 2015. Genotoxic assessment of calcium hypochlorite and *Strychnos potatorum* Linn. seeds – two commonly used water purifying agents. *Reviews on Environmental Health* 30(1): 19-23
- Özkara, A., D. Akyıl, Y. Eren, and S.F. Erdoğmuş. 2015. Potential cytotoxic effect of Anilofos by using *Allium cepa* assay. *Cytotechnology* 67: 783-791
- Prajitha, V. and J.E. Thoppil. 2016. Genotoxic and antigenotoxic potential of the aqueous leaf extracts of *Amaranthus spinosus* Linn. using *Allium cepa* assay. *South African Journal of Botany* 102: 18-25
- Pujiati, N. Primiani, dan Marheny. 2017. *Budidaya Bawang Merah pada Lahan Sempit*. Program Studi Pendidikan Biologi FKIP Universitas PGRI. Madiun. hlm: 9-10
- Raini, M. 2007. Toksikologi Pestisida dan Penanganan Akibat Keracunan Pestisida. *Media Litbang Kesehatan* 17(3): 10-18
- Redza-Dutordoir, M. and D.A. Averill-Bates. 2016. Activation of apoptosis signalling pathways by reactive oxygen species. *Biochimica et Biophysica Acta* 1863: 2977-2992
- Renjana, P.K. and J.E. Thoppil. 2013. Toxicological Evaluation of Root Methanolic Extract of *Strobilanthes heyneanus* Nees Using *Allium* Test. *International Journal of Pharmaceutical Sciences and Drug Research* 5(3): 125-128
- Rodríguez, Y.A., C.Ap. Christofoletti, J. Pedro, O.C. Bueno, O. Malaspina, R.A.C. Ferreira, and C.S. Fontanetti. 2015. *Allium cepa* and *Tradescantia pallida* bioassays to evaluate effects of the insecticide imidacloprid. *Chemosphere* 120: 438-442



- Sari, M.P., B. Hadisutrisno, dan Suryanti. 2016. Penekanan Perkembangan Penyakit Bercak Ungu pada Bawang Merah oleh Cendawan Mikoriza Arbuskula. *Jurnal Fitopatologi Indonesia* 12(5): 159-167
- Septiani, T.W. dan Erwin. 2013. Uji toksisitas (brine shrimp lethality test) dan penentuan aktivitas antioksidan alami dari daun terap (*Artocarpusodoratissimus*B.) dengan metode DPPH (2,2-diphenyl-1-picrylhidrazyl). *Prosiding Seminar Nasional Kimia*. hlm: 211-217
- Sharma, P., A.B. Jha, R.S. Dubey, and M. Pessarakli. 2012. Reactive Oxygen Species, Oxidative Damage, and Antioxidative DefenseMechanism in Plants under Stressful Conditions. *Journal of Botany* 2012: 26 p
- Soodan, R.K., J.K. Katnoria, and A. Nagpal. 2014. *Allium cepa* Root Chromosomal Aberration Assay: An Efficient Test System for Evaluating Genotoxicity of Agricultural Soil. *International Journal of Science and Research* 3(8): 245-250
- Soodan, R.K., J.K. Katnoria, R. Bhardwaj, Y.B. Pakade, and A. Nagpal. 2015. Assessment of oxidative stress and genotoxicity in *Allium cepa* exposed to soils from rice fields. *Journal of Chemical and Pharmaceutical Research* 7(8): 542-555
- Souza, T.d.S., F.A. Hencklein, D.d.F. de Angelis, and C.S. Fontanetti. 2013. Clastogenicity of landfarming soil treated with sugar cane vinasse. *Environmental Monitoring and Assessment* 185: 1627-1636
- Sujono, S. 2017. *Pedoman Identifikasi Bawang Merah dan Bawang Bombay*. Kementerian Pertanian Dikertorat Jendral Hortikultura. Jakarta. hlm: 1-6
- Sumarni, N. dan A. Hidayat. 2005. *Budidaya Bawang Merah*. Balai Penelitian Tanaman Sayuran. Bandung. hlm: 3-4
- Supriadi. 2013. Optimasi Pemanfaatan Beragam Jenis Pestisida Untuk Mengendalikan Hama dan Penyakit Tanaman. *Jurnal Litbang Pertanian* 32(1): 1-9
- Suwandi. 2014. *Budi Daya Bawang Merah di Luar Musim: Teknologi Unggulan Mengantisipasi Dampak Perubahan Iklim*. IAARD Press. Jakarta. hlm: 15-16
- Udiarto, B.K., W. Setiawati, dan E. Suryaningsih. 2005. *Pengenalan Hama dan Penyakit pada Tanaman Bawang Merah dan Pengendaliannya*. Balai Penelitian Tanaman Sayuran. Bandung. hlm: 1-4
- US EPA. 1996. *Environmental Test Methods and Guidelines*. U.S. Government Printing Office. Washington, D.C. p: 1-8
- US EPA. 1998. *Reregistration Eligibility Decision (RED): Methomyl*. U.S. Government Printing Office. Washington, D.C. p: 16-17
- US EPA. 2005. *Reregistration Eligibility Decision for Mancozeb*. U.S. Government Printing Office. Washington, D.C. p: 12-13



UNIVERSITAS  
GADJAH MADA

**Efek Morfotoksik dan Genotoksik Campuran Pestisida Berbahan Aktif Metomil dan Mankozeb pada Bawang Merah (*Allium ascalonicum* L. 'Tuktuk')**  
CLARISA DESSY UIJAYA, Dr. rer. nat. Andhika Puspito Nugroho, S.Si., M.Si.  
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

US EPA. 2018. *Label Review Manual Chapter 7: Precautionary Statements*. U.S. Government Printing Office. Washington, D.C. p: 2-3

Van Scoy, A.R., M. Yue, X. Deng, and R.S. Tjeerdema. 2013. Environmental Fate and Toxicology of Methomyl. *Reviews of Environmental Contamination and Toxicology* 222: 93-109

Vazhangat, P. and J.E. Thoppil. 2016. Apoptotic induction via membrane/DNA damage and metabolic inactivation by synthetic food colorants in *Allium cepa* root meristem. *Turkish Journal of Biology* 40: 922-933

Wisnupriyono, B., A. Yanuar, dan L. Fitria. 2013. Tingkat Keamanan Konsumsi Residu Karbamat dalam Buah dan Sayur Menurut Analisis Pascakolom Kromatografi Cair Kinerja Tinggi. *Jurnal Kesehatan Masyarakat Nasional* 7(7): 317-323