



DAFTAR PUSTAKA

- Acito, N., Diani, M., & Corsini, G. (2011). Signal-dependent noise modeling and model parameter estimation in hyperspectral images. *IEEE Transactions on Geoscience and Remote Sensing*, 49(8), 2957–2971.
- Astuty, Indinna, S., & Wicaksono, P. (2019). Seagrass species composition and above-ground carbon stock mapping in Parang Island using Planetscope image. *Proceedings SPIE Volume 11311, Sixth Geoinformation Science Symposium, 11311*.
- Bangira, T., Alfieri, S. M., Menenti, M., van Niekerk, A., & Vekerdy, Z. (2017). A spectral unmixing method with ensemble estimation of endmembers: Application to flood mapping in the Caprivi floodplain. *Remote Sensing*, 9(10), 1013.
- Belgiu, M., & Drăgu, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS Journal of Photogrammetry and Remote Sensing*, 114, 24–31.
- Borengasser, M., Hungate, W. S., & Watkins, R. L. (2008). *Hyperspectral Remote Sensing: Principles and Applications*. CRC Press.
- Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5–32.
- Chang, N.-B., & Bai, K. (2008). *Multisensor Data Fusion and Machine Learning for Environmental Remote Sensing*. CRC Press.
- Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices* (3th ed.). CRC Press.
- Conger, C. L., Hochberg, E. J., Fletcher, C. H., & Atkinson, M. J. (2006). Decorrelating remote sensing color bands from bathymetry in optically shallow waters. *IEEE Transactions on Geoscience and Remote Sensing*, 44(6), 1655–1660.
- Crooks, S., Herr, D., Tamelander, J., Laffoley, D., & Vandever, J. (2011). Mitigating Climate Change through Restoration and Management of Coastal Wetlands and Near-shore Marine Ecosystems: Challenges and Opportunities.

Environment Department Papers, 121(121), 1–69. http://www-wds.worldbank.org/external/default/WDSContentServer/WDSP/IB/2011/04/07/000333038_20110407024117/Rendered/PDF/605780REPLACEM10of0Coastal0Wetlands.pdf

Duarte, C. M., Borum, J., Short, F. T., & Walker, D. I. (2008). Seagrass ecosystems: Their global status and prospects. In *Aquatic Ecosystems: Trends and Global Prospects* (pp. 281–294). Cambridge University Press.

Ebadi, L., Shafri, H. Z. M., Mansor, S. B., & Ashurov, R. (2013). A review of applying second-generation wavelets for noise removal from remote sensing data. *Environmental Earth Sciences*, 70(6), 2679–2690.

Eugenio, F., Marcello, J., & Martin, J. (2015). High-Resolution Maps of Bathymetry and Benthic Habitats in Shallow-Water Environments Using Multispectral Remote Sensing Imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 53(7), 3539–3549.

Fyfe, S. K. (2003). Spatial and temporal variation in spectral reflectance: Are seagrass species spectrally distinct? *Limnology and Oceanography*, 48(1 II), 464–479.

Geladi, P., & Linderholm, J. (2020). Principal Component Analysis. In *Reference Module in Chemistry, Molecular Sciences, and Chemical Engineering*, Elsevier. Elsevier Inc.

Ghassemian, H. (2016). *A review of remote sensing image fusion methods*. 32, 75–89.

Green, A. A., Berman, M., Switzer, P., & Craig, M. D. (1988). A Transformation for Ordering Multispectral Data in Terms of Image Quality with Implications for Noise Removal. *IEEE Transactions on Geoscience and Remote Sensing*, 26(1), 65–74.

Green, E. P., Mumby, P. J., Edwards, A. J., & Clark, C. D. (2000). Remote Sensing Handbook for Tropical Coastal Management. In *Coastal Management Sourcebooks 3* (Issue April).

- Guo, L. J., & Moore, J. M. M. (1998). Pixel block intensity modulation: Adding spatial detail to tm band 6 thermal imagery. *International Journal of Remote Sensing*, 19(13), 2477–2491.
- Hamylton, S. (2011). An evaluation of waveband pairs for water column correction using band ratio methods for seabed mapping in the seychelles. *International Journal of Remote Sensing*, 32(24), 9185–9195.
- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107–2112.
- Heinz, D. C., & Chang, C. I. (2001). Fully constrained least squares linear spectral mixture analysis method for material quantification in hyperspectral imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 39(3), 529–545.
- Hochberg, E. J., Andréfouët, S., & Tyler, M. R. (2003). Sea surface correction of high spatial resolution ikonos images to improve bottom mapping in near-shore environments. *IEEE Transactions on Geoscience and Remote Sensing*, 41(7 PART II), 1724–1729.
- Holland, S. M. (2019). Principal Component Analysis. *Principal Components Analysis*, 12.
- Hotelling, H. (1933). Analysis of a complex of statistical variables into Principal Components. *The Journal of Educational Psychology*, 24, 417–441.
- Hughes, A. R., & Stachowicz, J. J. (2004). Genetic diversity enhances the resistance of a seagrass ecosystem to disturbance. *Proceedings of the National Academy of Sciences of the United States of America*, 101(24), 8998–9002.
- Jensen, J. R., & Lulla, K. (2015). Introductory digital image processing: A remote sensing perspective. In *Pearson Education, Inc.*
- Johson, R. A., & Wichiern, D. W. (2007). Applied Multivariate Statistical Analysis. In *Pearson Education* (6th Editio, Issue 6). Pearson Prentice Hall.
- Kahraman, S., & Ertürk, A. (2017). A COMPREHENSIVE REVIEW of

PANSHARPENING ALGORITHMS for GÖKTÜRK-2 SATELLITE IMAGES. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 4(4W4), 263–270.

Keshava, N. (2003). A Survey of Spectral Unmixing Algorithms. *Lincoln Laboratory Journal*, 14(1), 55–78.

Keshava, N., & Mustard, F. J. (2002). Spectral Unmixing. *IEEE Signal Processing Magazine*, 19(January), 44–57.

Kiswara, W., & Hutomo, M. (1985). *Habitat dan Sebaran Geografik Lamun* (pp. 21–30). Oseana.

Kohler, K. E., & Gill, S. M. (2006). *Coral Point Count with Excel extensions (CPCE): A Visual Basic program for the determination of coral and substrate coverage using random point count methodology*. 32, 1259–1269.

Kutser, T., Vahtmäe, E., & Praks, J. (2009). A sun glint correction method for hyperspectral imagery containing areas with non-negligible water leaving NIR signal. *Remote Sensing of Environment*, 113(10), 2267–2274.

Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Interpretation*. 7th Edition. In Wiley (7th ed.).

Liu, J. G. (2000). Smoothing Filter-based Intensity Modulation: A spectral preserve image fusion technique for improving spatial details. *International Journal of Remote Sensing*, 21(18), 3461–3472.

Loizzo, R., Daraio, M., Guarini, R., Longo, F., Lorusso, R., Dini, L., & Lopinto, E. (2019). PRISMA MISSION STATUS AND PERSPECTIVE R . Loizzo , M . Daraio , R . Guarini , F . Longo , R . Lorusso , L . Dini , E . Lopinto. *IGARSS 2019 - 2019 IEEE International Geoscience and Remote Sensing Symposium*, 4503–4506.

Loizzo, R., Guarini, R., Longo, F., Scopa, T., Formaro, R., Facchinetti, C., & Varacalli, G. (2018). PRISMA : THE ITALIAN HYPERSPECTRAL MISSION. *IGARSS 2018 - 2018 IEEE International Geoscience and Remote Sensing Symposium*, 175–178.



- Loncan, L., De Almeida, L. B., Bioucas-Dias, J. M., Briottet, X., Chanussot, J., Dobigeon, N., Fabre, S., Liao, W., Licciardi, G. A., Simoes, M., Tourneret, J. Y., Veganzones, M. A., Vivone, G., Wei, Q., & Yokoya, N. (2015). Hyperspectral Pansharpening: A Review. *IEEE Geoscience and Remote Sensing Magazine*, 3(3), 27–46.
- Luo, G., Chen, G., Tian, L., Qin, K., & Qian, S. E. (2016). Minimum Noise Fraction versus Principal Component Analysis as a Preprocessing Step for Hyperspectral Imagery Denoising. *Canadian Journal of Remote Sensing*, 42(2), 106–116.
- Lyons, M., Phinn, S., & Roelfsema, C. (2011). Integrating Quickbird multi-spectral satellite and field data: Mapping bathymetry, seagrass cover, seagrass species and change in Moreton Bay, Australia in 2004 and 2007. *Remote Sensing*, 3(1), 42–64.
- Lyzenga, D. R. (1978). Passive remote sensing techniques for mapping water depth and bottom features. *Applied Optics*, 17(3), 379.
- Lyzenga, D. R. (1981). Remote sensing of bottom reflectance and water attenuation parameters in shallow water using aircraft and landsat data. *International Journal of Remote Sensing*, 2(1), 71–82.
- Maxwell, A. E., Warner, T. A., & Fang, F. (2018). Implementation of machine-learning classification in remote sensing: An applied review. *International Journal of Remote Sensing*, 39(9), 2784–2817.
- Mtwana Nordlund, L., Koch, E. W., Barbier, E. B., & Creed, J. C. (2016). Seagrass ecosystem services and their variability across genera and geographical regions. *PLoS ONE*, 11(10), 1–23.
- Mumby, P. J., Clark, C. D., Green, E. P., & Edwards, A. J. (1998). Benefits of water column correction and contextual editing for mapping coral reefs. *International Journal of Remote Sensing*, 19(1), 203–210.
- Murtagh, F., & Legendre, P. (2014). Ward's Hierarchical Agglomerative Clustering Method: Which Algorithms Implement Ward's Criterion? *Journal of*

Classification, 31, 274–295.

- Nababan, M. ., Munasik, Yulianto, I., Kartawijaya, T., Prasetia, R., Ardiwijaya, R. L., Pardede, S. T., Sulisyati, R., Mulyadi, & Syaifudin, Y. (2010). *Status Ekosistem di Taman Nasional Karimunjawa 2010*. Wildlife Conservation Society-Indonesia Program.
- Orth, R. J., Carruthers, T. J. B., Dennison, W. C., Duarte, C. M., Fourqurean, J. W., Heck, K. L., Hughes, A. R., Kendrick, G. A., Kenworthy, W. J., Olyarnik, S., Short, F. T., Waycott, M., & Williams, S. L. (2006). A global crisis for seagrass ecosystems. *BioScience*, 56(12), 987–996.
- Pan, Z., Glennie, C., Fernandez-Diaz, J. C., & Starek, M. (2016). Comparison of bathymetry and seagrass mapping with hyperspectral imagery and airborne bathymetric lidar in a shallow estuarine environment. *International Journal of Remote Sensing*, 37(3), 516–536.
- Pearson, K. (1901). LIII. On lines and planes of closest fit to systems of points in space. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 2(11), 559–572.
- Phinn, S., Roelfsema, C., Dekker, A., Brando, V., & Anstee, J. (2008). Mapping seagrass species, cover and biomass in shallow waters: An assessment of satellite multi-spectral and airborne hyper-spectral imaging systems in Moreton Bay (Australia). *Remote Sensing of Environment*, 112(8), 3413–3425.
- PRISMA (Hyperspectral) - eoPortal Directory*. (n.d.). Retrieved March 9, 2021, from <https://earth.esa.int/web/eoportal/satellite-missions/p/prisma-hyperspectral>
- Rahmawati, S., Irawan, A., Supriyadi, I. H., & Azkab, M. H. (2014). *Panduan Monitoring Padang Lamun* (Issue 1).
- Richards, J. A. (2013). Remote sensing digital image analysis: An introduction. In *Remote Sensing Digital Image Analysis: An Introduction* (Vol. 9783642300).
- Roberts, D. A., Gardner, M., Church, R., Ustin, S., Scheer, G., & Green, R. O.

- (1998). Mapping chaparral in the Santa Monica Mountains using multiple endmember spectral mixture models. *Remote Sensing of Environment*, 65(3), 267–279.
- Roelfsema, C., Phinn, S., & Joyce, K. (2006). Evaluating benthic survey techniques for validating maps of coral reefs derived from remotely sensed images . *10th International Coral Reef Symposium, January*, 177–1780.
- Romesburg, H. C. (2004). *Cluster Analysis for Researchsers*. Lulu Press.
- Rustam, A., Puspita, Y., Ningsih, R., Suryono, D. D., Daulat, A., & Salim, H. L. (2019). Struktur Komunitas Lamun Perairan Dynamics of Seagrass Community Structure Karimunjawa Archipelago Coastal Water , Jepara Regency. *Jurnal Kelautan Nasional*, 14(3), 179–190.
- Sagawa, T., Boisnier, E., Komatsu, T., Mustapha, K. Ben, Hattour, A., Kosaka, N., & Miyazaki, S. (2010). Using bottom surface reflectance to map coastal marine areas: A new application method for Lyzenga's model. *International Journal of Remote Sensing*, 31(12), 3051–3064.
- Sen, R., Goswami, S., & Chakraborty, B. (2019). Jeffries-Matusita distance as a tool for feature selection. *2019 International Conference on Data Science and Engineering, ICDSE 2019*, 15–20.
- Suraji. (2015). *Profil Kawasan Konservasi Provinsi Jawa Tengah*. Direktorat Konservasi Kawasan dan Jenis Ikan.
- Suryanti. (2010). *Degradasi Pantai Berbasis Ekosistem Di Pulau Karimunjawa Kabupaten Jepara*. UNDIP.
- Thomas, C., Ranchin, T., Wald, L., Chanussot, J., & Member, S. (2008). *Synthesis of Multispectral Images to High Spatial Resolution : A Critical Review of Fusion Methods Based on Remote Sensing Physics*. 46(5), 1301–1312.
- Thorhaug, A., Richardson, A. D., & Berlyn, G. P. (2007). Spectral reflectance of the seagrasses: Thalassia testudinum, Halodule wrightii, Syringodium filiforme and five marine algae. *International Journal of Remote Sensing*, 28(7), 1487–1501.



Villa, A., Member, S., Chanussot, J., Member, S., Benediktsson, J. A., & Jutten, C. (2011). *Spectral Unmixing for the Classification of Hyperspectral Images at a Finer Spatial Resolution*. 5(3), 521–533.

Vivone, G., Restaino, R., Licciardi, G., Mura, M. D., & Chanussot, J. (2014). MultiResolution Analysis and Component Substitution techniques for hyperspectral Pansharpening. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 2649–2652.

Vivone, Gemine, Alparone, L., Chanussot, J., Mura, M. D., Garzelli, A., Member, S., Licciardi, G. A., Restaino, R., & Wald, L. (2015). *A Critical Comparison Among Pansharpening Algorithms*. 53(5), 2565–2586.

Waycott, M., Duarte, C. M., Carruthers, T. J. B., Orth, R. J., Dennison, W. C., Olyarnik, S., Calladine, A., Fourqurean, J. W., Heck, K. L., Hughes, A. R., Kendrick, G. A., Kenworthy, W. J., Short, F. T., & Williams, S. L. (2009). Accelerating loss of seagrasses across the globe threatens coastal ecosystems. *Proceedings of the National Academy of Sciences of the United States of America*, 106(30), 12377–12381.

Wicaksono, P., & Aryaguna, P. A. (2020). Analyses of inter-class spectral separability and classification accuracy of benthic habitat mapping using multispectral image. *Remote Sensing Applications: Society and Environment*, 19(May), 100335.

Wicaksono, P., Fauzan, M. A., Kumara, I. S. W., Yogyantoro, R. N., Lazuardi, W., & Zhafarina, Z. (2019). Analysis of reflectance spectra of tropical seagrass species and their value for mapping using multispectral satellite images. *International Journal of Remote Sensing*, 40(23), 8955–8978.

Wicaksono, P., & Lazuardi, W. (2018). Assessment of PlanetScope images for benthic habitat and seagrass species mapping in a complex optically shallow water environment. *International Journal of Remote Sensing*, 39(17), 5739–5765.

Wicaksono, P., & Lazuardi, W. (2019). Random Forest Classification Scenarios for Benthic Habitat Mapping using Planetscope Image. *International Geoscience*

and Remote Sensing Symposium (IGARSS), 346, 8245–8248.

Wicaksono, P., Wulandari, S. A., Lazuardi, W., & Munir, M. (2021). Sentinel-2 images deliver possibilities for accurate and consistent multi-temporal benthic habitat maps in optically shallow water. *Remote Sensing Applications: Society and Environment*, 23(April), 100572.

Wicaksono, S. G., Widianingsih, & Hartati, S. T. (2012). Struktur Vegetasi Dan Kerapatan Jenis Lamun Di Perairan Kepulauan Karimunjawa Kabupaten Jepara. *Journal of Marine Research*, 1(2), 1–7.

Wulandari, S. A. (2021). *Kajian Efektivitas Koreksi Kolom Air pada Kondisi Topografi Bawah Laut yang Berbeda untuk Pemetaan Habitat Bentik di Pulau Kemujan, Kepulauan Karimunjawa*. Universitas Gadjah Mada.

Zhang, C. (2015). Applying data fusion techniques for benthic habitat mapping and monitoring in a coral reef ecosystem. *ISPRS Journal of Photogrammetry and Remote Sensing*, 104, 213–223.

Zhang, C., Selch, D., Xie, Z., Roberts, C., Cooper, H., & Chen, G. (2013). Object-based benthic habitat mapping in the Florida Keys from hyperspectral imagery. *Estuarine, Coastal and Shelf Science*, 134, 88–97.

Zhao, Y. Q., & Yang, J. (2015). Hyperspectral image denoising via sparse representation and low-rank constraint. *IEEE Transactions on Geoscience and Remote Sensing*, 53(1), 296–308.

Zoffoli, M. L., Frouin, R., & Kampel, M. (2014). Water column correction for coral reef studies by remote sensing. In *Sensors (Switzerland)* (Vol. 14, Issue 9).