

DAFTAR PUSTAKA

- Anjani KD, Ilmi M. (2018) "Penapisan isolat khamir oleaginous dari nektar bunga dan madu hutan. "Jurnal Mikologi Indonesia, vol. 2 no. 2, 100-103.
- Agustini, N. W., & Febrian, N. (2019). Hidrolisis Biomassa Mikroalga *Porphyridium cruentum* Menggunakan Asam (H₂SO₄ dan HNO₃) dalam Produksi Bioetanol. Jurnal Kimia Dan Kemasan, 41(1), 1. doi:10.24817/jkk.v41i1.3962
- Anwar S.H., Harzaki S., Sulaiman M.I. and Rinanda T. 2018. Utilization of different nitrogen sources for the growth of microalgae isolated from mangrove leaves in Banda Aceh Indonesia. *Earth and Environmental Science*, 207(2018): 012049
- Arora, N., Pienkos, P. T., Pruthi, V., Poluri, K. M., & Guarnieri, M. T. (2018). Leveraging algal omics to reveal potential targets for augmenting TAG accumulation. *Biotechnology Advances*, 36(4), 1274-1292. doi:10.1016/j.biotechadv.2018.04.005
- Athenaki, M., Gardeli, C., Diamantopoulou, P., Tchakouteu, S., Sarris, D., Philippoussis, A., & Papanikolaou, S. (2018). Lipids from yeasts and fungi: Physiology, production, and analytical considerations. *Journal of Applied Microbiology*, 124(2), 336-367. doi:10.1111/jam.13633
- Athenstaedt, K., & Daum, G. (2006). The life cycle of neutral lipids: Synthesis, storage, and degradation. *Cellular and Molecular Life Sciences*, 63(12), 1355-1369. doi:10.1007/s00018-006-6016-8
- Arora N, Alok P, Juhi M, Parul AP, Vikas P, dan Krisna MP. (2019) "Co-culturing of oleaginous microalgae and yeast: paradigm shift towards enhanced lipid productivity" *Environmental Science and Pollution Research*. Doi.org/10.1007/s11356-019-01538-6.
- Azaman, S. N. A., Nagao, N., Yusoff, F. M., Tan, S. W. & Yeap, S. K. A. (2017). comparison of the morphological and biochemical characteristics of *Chlorella sorokiniana* and *Chlorella zofingiensis* cultured under photoautotrophic and mixotrophic conditions. *Peer J*. 5, e3473
- Badrani A. & Ilmi Miftahul. (2020). Penentuan rasio C/N optimum pada medium khamir penghasil lipid *Zygosaccharomyces siamensis* AP1 dengan molase sebagai sumber karbon. Skripsi. Fakultas Biologi. Universitas Gadjah Mada.
- Baldwin G., Allen M.S., and Leskes P. (1997). *Advances in Juice Clarification and Yeast Inoculation*. Melbourne: World Congress Centre, 4
- Balaji MH. 2013. *Spirulina*-small but a spectacular species. *Int J Drug Dev Res*. 5:76-82
- Barahona P.P., Martin-Gil J., Martin-Ramos P., Perez A.B. and Barriga E.J.C. 2019. Assessment of the Effect of Nitrogen Concentration on Fermentation and Selection of a Highly Competitive *Saccharomyces cerevisiae* Strain for Efficient Ethanol Production. *Energies*, 12(13):2614
- Bashir K.M.I., Mansoor S., Kim N.R., Grohmann F.R., Shah A.A and Cho, M.G. (2019). Effect of organic carbon sources and environmental factors on cell growth and lipid content of *Pavlovla lutheri*. *Annals of Microbiology*, 69: 353-368

- Berthold, D. E., Shetty, K. G., Jayachandran, K., Laughinghouse, H. D., & Gantar, M. (2019). Enhancing algal biomass and lipid production through bacterial co-culture. *Biomass and Bioenergy*, 122(February), 280–289. <https://doi.org/10.1016/j.biombioe.2019.01.033>
- Berthold E.B., (2016). Enhancing Algal Biomass and Lipid Production Through Bacterial and Fungal Co-culture, p. 2563, <https://doi.org/10.25148/etd.FIDC000792>.FIU Electronic Theses and Dissertations.
- Budiman A, Suyono EA, Merdekawati A, Pradana YS, Sudibyo H, Seniorita L, Rahma FN, Prasakti L dan Evasari ER. (2019). MIKROALGA (Kultivasi, Pemanenan, Ekstraksi, dan Konversi Energi). Gadjah Mada University Press. Yogyakarta.
- Beopoulos Athanasios, Jean-Marc Nicaud & Claude Gaillardin. (2011). An overview of lipid metabolism in yeasts and its impact on biotechnological processes. *Appl Microbiol Biotechnol*. 90:1193–1206. DOI 10.1007/s00253-011-3212-8
- Bold, H.C. and Wynne, M.J., (1985). Introduction to the Algae. Structure and Reproduction. Englewood Cliffs. New Jersey, Prentice-Hall, xvi+720 p.
- Buzzini, P., & Vaughan-Martini, A. (n.d.). Yeast Biodiversity and Biotechnology. The Yeast Handbook Biodiversity and Ecophysiology of Yeasts, 533-559. doi:10.1007/3-540-30985-3_22
- Bellou S, Baeshen MN, Elazzazy AM, Aggeli D, Sayegh F, Aggelis G. (2011) “Microalgal lipids biochemistry and biotechnological perspectives. *Biotechnol Adv*. 32:1476-1493.
- Bligh, E.G. and W.J. Dyer, 1959. A rapid method of Hu, H., and K. Gao, (2005). Response of Growth and total lipid extraction and purification. *Can. J. Fatty Acid Compositions of Nannochloropsis sp. to Biochem. Physiol.*, 37: 911-917. DOI: Environmental Factors Under Elevated CO2 10.1139/o59-099
- Cai, S.Q., Hu, C.Q., Du., S.B., (2007). Comparison of growth and biochemical composition between mixed culture of alga and yeast and monocultures. *J. Biosci. Bioeng*. 104: 391-397.
- Cheirsilp, B., Suwannarat, W., & Niyomdecha, R. (2011). Mixed culture of oleaginous yeast *Rhodotorula glutinis* and microalga *Chlorella vulgaris* for lipid production from industrial wastes and its use as biodiesel feedstock. *New Biotechnology*, 28(4), 362-368. doi: 10.1016/j.nbt.2011.01.004
- Coleman R.A., T.M. Lewin., C.G.V. Horn., M.R. Gonzales-Baro, do long-chain acyl-CoA synthetases regulate fatty acid entry into synthetic versus degradative pathways? *J. Nutr*. 132 (2002) 2123-2126.
- Courchesne, N.M., Parisien, A., Wang, B., Lan, C.Q., (2009). Enhancement of lipid production using biochemical, genetic and transcription factor engineering approaches. *Journal of Biotechnology* 141, 31–41.
- Coutteau, P., (1996), Microalgae, In P. Lavens and P. Sorgeloos (Eds.), Manual and The Production and Use of Live Food for Aquaculture, FAO Series Technical Paper 361, Rome, FAO., (295p.
- Cheah, W. Y., Show, P. L., Juan, J. C., Chang, J. S., & Ling, T. C. (2018). Waste to energy: the effects of *Pseudomonas* sp. on *Chlorella sorokiniana* biomass

- and lipid productions in palm oil mill effluent. *Clean Technologies and Environmental Policy*, 20(9), 2037–2045. <https://doi.org/10.1007/s10098-018-1505-7>
- Chen, C., & Chang, H. (2016). Lipid production of Microalga *Chlorella sorokiniana* CY1 is improved by light source arrangement, bioreactor operation mode and deep-sea water supplements. *Biotechnology Journal*, 11(3), 356–362. doi:10.1002/biot.201500288
- Chisti Yusuf. Biodiesel from microalgae. *Biotechnology advances*. (2007). doi: 10.1016/j.biotechadv.2007.02.001
- Coleman, R. (2004). Enzymes of triacylglycerol synthesis and their regulation. *Progress in Lipid Research*, 43(2), 134–176. doi:10.1016/s0163-7827(03)00051-1
- Dyer, S. J., Neill, J. P. O., Wasel, S. M., & Boutin, S. (2002). *Quantifying barrier effects of roads and seismic lines on movements of female woodland caribou in northeastern Alberta. 1984*, 839–845. <https://doi.org/10.1139/Z02-060>
- Elystia, S., Muria, S. R., & Pertiwi, S. I. (2019). Pemanfaatan Mikroalga *Chlorella* Sp Untuk Produksi Lipid Dalam Media Limbah Cair Hotel Dengan Variasi Rasio C: N Dan Panjang Gelombang Cahaya. *Jurnal Sains & Teknologi Lingkungan*, 11(1). doi: 10.20885/jstl.vol11.iss1.art3
- Endrawati, H., Manulang, C., dan Widianingsih., (2012). Densitas dan kadar lipid mikroalga *Spirulina platensis* yang dikultur pada fotoperioda yang berbeda. *Buletin Oseanografi Marina. Universitas Diponegoro*
- Fahy E, Subramaniam S, Brown HA, Glass CK, Merrill AH Jr, Murphy RC, Raetz CR, Russell DW, Seyama Y, Shaw W, Shimizu T, Spener F, van Meer G, VanNieuwenhze MS, White SH, Witztum JL, Dennis EA (2005) A comprehensive classification system for lipids. *J Lipid Res* 46:839–861
- Griffiths M.J. and Harrison S.T.L. (2009). Lipid productivity as a key characteristic for choosing algal species for biodiesel production. *Journal of Applied Phycology*, 21(2009):493–507
- Goers L, Freemont P, Polizzi KM (2014) Co-culture systems and technologies: taking synthetic biology to the next level. *J Roy Soc Interface* 11:1058–1069
- Dyer, S. J., Neill, J. P. O., Wasel, S. M., & Boutin, S. (2002). *Quantifying barrier effects of roads and seismic lines on movements of female woodland caribou in northeastern Alberta. 1984*, 839–845. <https://doi.org/10.1139/Z02-060>
- Guo Z, Tong Y.W., (2013) The interactions between *Chlorella vulgaris* and algal symbiotic bacteria under photoautotrophic and photoheterotrophic conditions. *J Appl Phycol* 26: 1483–1492.
- Guur, M.I., Harwood, J.L., and Frayn K.N., *Lipid biochemistry*. (2002). Blackwell science Ltd, Blackwell publishing company. Oxford.
- Halim R., Danquah M.K., Webley, P.A., (2012). Extraction of oil from microalgae for biodiesel production: a review. *Biotechnology Advances*. 30:709–732.
- Hamedi S, Mahdavi MA, Gheshlaghi R (2012). Lipid content and biomass production of *Chlorella vulgaris* is affectedly growth conditions. 2012 Second Iranian Conference on Renewable Energy and Distributed Generation. IEEE, p. 65–68
- Hena S., Fatimah S. and Tabassum, S. 2015. Cultivation of algae consortium in a

- dairy farm wastewater for biodiesel production. *Water Resources and Industry*, 10(2015): 1-14
- Hogg S. Essential microbiology. Jhon Wiley and Sons Ltd., (2005). West Sussex.
- Hom, E. F., & Murray, A. W. (2014). Niche engineering demonstrates a latent capacity for fungal-algal mutualism. *Science*, 345(6192), 94-98. doi:10.1126/science.1253320
- Huo S., Dong R., Wang Z., Yuan Z., Zhu S. and Chen L. (2011). Available resources for algal biofuel development in China. *Energies*, 4(9):1321-1335
- Huss VAR, Sogin ML (1990) Phylogenetic position of some *Chlorella* species based upon complete small subunit ribosomal RNA sequences. *J Mol Evol* 31: 432–442
- Hiltunen JK, Mursula AM, Rottensteiner H, Wierenga RK, Kastaniotis AJ, Gurvitz A (2003) The biochemistry of peroxisomal [beta]- oxidation in the yeast *Saccharomyces cerevisiae*. *FEMS Microbiol Rev* 27:35–64
- Illman, A.M., Scragg, A.H., Shales, S.W., 2000. Increase in *Chlorella* strains calorific values when grown in low nitrogen medium. *Enzyme Microb. Technol.* 27, 631– 635.
- Ilmi M., & Siswanto M. 2021. Lipid production from *Zygosaccharomyces siamensis* AP1 using glycerol as a carbon source. doi: <https://doi.org/10.1101/2021.03.03.433823>
- Kitcha S. and Cheirsilp B. 2014. Enhanced lipid production by co-cultivation and co-encapsulation of oleaginous yeast *Trichosporonoides spathulate* with microalgae in alginate gel bead. *Applied Biochemistry and Biotechnology*, 173(2): 522-534
- Knop Michael., 2011. Yeast cell morphology and sexual reproduction – A short overview and some considerations. *Comptes Rendus Biologies*. doi: 10.1016/j.crv.2011.05.007
- Krishnan V., Uemura Y., Thanh N.T., Khalid N.A., Osman N. and Mansor N. 2015. Three types of Marine microalgae and *Nannochloropsis oculata* cultivation for potential source of biomass production. *Journal of Physics*, 622(2015):1-6
- Kumar dan Singh, 1979. A textbook on algae. London. Macmillan and Co Ltd.
- Liu Y, Chen, P.W., Chen, Li j. 2018. The synergistic effects for the co-cultivation of oleaginous yeast-*Rhodotorula glutinis* and microalgae-*Scenedesmus obliquus* on the biomass and total lipids accumulation. *Bioresource Technology*. 148-152.
- Li, Q., Du, W. and Liu, D. 2008. Perspectives of microbial oils for biodiesel production. *Applications Microbial Biotechnology*, 80(5):749-756
- Lopes, M., Gomes, A. S., Silva, C. M., & Belo, I. (2018). Microbial lipids and added value metabolites production by *Yarrowia lipolytica* from pork lard. *Journal of Biotechnology*, 265, 76-85. doi: 10.1016/j.jbiotec.2017.11.007
- Ling J, Nip S, Choek WL, de Toledo RA, Shim H. 2014. Lipid Production by a mixed culture of oleaginous yeast and microalgae from distillery and domestic mixed wastewater. *Bioresour Technol.* 173:132-139.
- Lutzu, G. A. (2018). Interactions of microalgae and other microorganisms for enhanced production of high-value compounds. *Frontiers in Bioscience*, 23(8), 1487-1504. doi:10.2741/4656

- Martin, C.E, Oh, C.S., Jiang, Y., 2007. Regulation of long chain unsaturated fatty acid synthesis in yeast. *Biochim. Biophys.*
- Miller, G. L. (1959). Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Analytical Chemistry*, 31(3), 426–428. <https://doi.org/10.1021/ac60147a030>
- Morais, M. G. de, Vaz, B. da S., Morais, E. G. de, & Costa, J. A. V. (2014). Biological Effects of Spirulina (Arthrospira) Biopolymers and Biomass in the Development of Nanostructured Scaffolds. *BioMed Research International*, 2014, 19. doi:10.1155/2014/762705
- Mubarak, M., Shaija, A., & Suchithra, T. V. (2015). A review on the extraction of lipid from microalgae for biodiesel production. *Algal Research*, 7, 117–123. <https://doi.org/10.1016/j.algal.2014.10.008>
- Magdouli S, Brar SK, Blais JF. 2016. Co-culture for lipid production: advances and challenges. *Biomass Bioenergy*. 92:20-30.
- Mata, T. M., Martins, A. A., & Caetano, N. S. (2010). Microalgae for biodiesel production and other applications: A review. *Renewable and Sustainable Energy Reviews*, 14(1), 217-232. doi: 10.1016/j.rser.2009.07.020
- Mirojiah, Mety. 2013. "Classification of Microalgae by Phylum". (online) diakses on 25 May 2020
- Musdalifah, M., Rustam, Y., & Amini, S. (2015). kultivasi dan ekstraksi minyak dari mikroalga *botryococcus braunii* dan *Nannochloropsis* sp. *Bioma*, 11(2), 98. doi:10.21009/bioma11(2).1
- Mullner, H., & Daum, G. (2004). Dynamics of natural lipid storage in yeast. *Acta Biochimica polonica*. 51(2),323-347. Doi:10.18388/abp.2004_3574
- Molina, D., Carvalho, J. C., Júnior, A. I., Faulds, C., Bertrand, E., & Soccol, C. R. (2019). Biological contamination and its chemical control in microalgal mass cultures. *Applied Microbiology and Biotechnology*, 103(23-24), 9345- 9358. doi:10.1007/s00253-019-10193-
- Moliné, M., Libkind, D., & Broock, M. V. (2012). Production of Torularhodin, Torulene, and β -Carotene by *Rhodotorula* Yeasts. *Microbial Carotenoids from Fungi Methods in Molecular Biology*, 275-283. doi:10.1007/978-1-61779-918-1_19
- Naidoo, R., Oosthuizen, J. R., & Simpson, Z. F. (2018). 1930 - Engineered yeast and microalgae mutualisms: Nutrient exchange as a driver to understand ecological interactions in synthetic ecosystems. doi:10.26226/morressier.5b519852b1b87b000ecee037
- Nigam, S., Rai, M. P., & Sharma, R. (2011). Effect of nitrogen on growth and lipid content of *Chlorella pyrenoidosa*. *American Journal of Biochemistry and Biotechnology*, 7(3), 126–131. <https://doi.org/10.3844/ajbbsp.2011.126.131>
- Northcote, D. H., Goulding, K. J., & Horne, R. W. (1958). The chemical composition and structure of the cell wall of *Chlorella pyrenoidosa*. *The Biochemical Journal*, 70(3), 391–397. <https://doi.org/10.1042/bj0700391>
- Ogbonna, I. O., & Ogbonna, J. C. (2018). Effects of Carbon Source on Growth Characteristics and Lipid Accumulation by Microalga *Dictyosphaerium* sp. with Potential for Biodiesel Production. *Energy and Power Engineering*, 10(02), 29-42. doi:10.4236/epe.2018.102003

- O'Reilly A, Scott J (1995) Defined coimmobilization of mixed microorganism cultures. *Enzym Microb Technol* 17(7):636–646
- Papone, T., Kookkhunthod, S., Leasing, R., 2012. Microbial oil production by monoculture and mixed cultures of microalgae and oleaginous yeasts using sugarcane juice as substrate. *IJRSI*. 6 (4), 195-199.
- Papone T, Kookkhunthod S, Paungbut M, Leasing R (2016) Producing of microbial oily mixed culture of microalgae and oleaginous yeast using sugarcane molasses as carbon substrate. *J Clean Energy Technol* 4:253–256
- Perez-Garcia O., Escalante F.M.E., de Bashan L.E. and Bashan Y. Heterotrophic cultures of microalgae metabolism and potential products. *Water Research*, 45(1): 11-36
- Podropa B., Swiderski F., Sadwska A., Rakowska R. and Wasiak-Zys G. 2016. Spent Brewer's Yeast Extracts as a New Component of Functional Food. *Food Technology and Economy, Engineering and Physical Properties*, 34(6): 554-563
- Pisman, T., & Somova, L. (2003). Interaction of a mixed yeast culture in an "autotroph-heterotroph" system with a closed atmosphere cycle and spatially separated components. *Advances in Space Research*, 31(7), 1751-1756. doi:10.1016/s0273-1177(03)00116-9
- Pratt, R., and Johnson, E., 1963. Production of protein and lipid by *Chlorella vulgaris* and *Chlorella pyrenoidosa*. School Pharmacy. University of California.
- Putra I.K.R.W., Anggreni A.A.M.D. and Arnata I.W. (2015). Pengaruh Jenis Media terhadap Konsentrasi Biomassa dan Klorofil Mikroalga *Tetraselmis chuii*. *Jurnal Rekayasa dan Manajemen Agroindustri*, 3(2): 4046
- Punchard, N.A. 2001. Haemocytometer Instruction Sheet (for improved Neubauer Haemocytometer). University of East London. London. UK.
- Ratledge, C., J.P. Wynn, (2002). The biochemistry and molecular biology of lipid accumulation in oleaginous microorganisms, *Adv. Appl. Micro biol.* 51: 1–51
- Ratledge C (2002) Regulation of lipid accumulation in oleaginous microorganisms. *Biochem Soc Trans* 30:1047–1050
- Ratledge, C. (1991). Yeast physiology? a micro-synopsis. *Bioprocess Engineering*, 6(5), 195-203. doi:10.1007/bf00369712
- Ratledge C and Tan K H. (1990) Oils and fats: production, degradation, and utilization by yeasts. In *Yeast Biotechnology and Biocatalysis* ed. Verachtert H and de Mot R, (New York: Marcel Dekker) p 223-254
- Ratledge, C., (1992) Industrial Applications of Single Cell Oils, *Am. Oil Chem. Soc.*, 1.
- Salsabila Rania & Miftahul Ilmi. (2019) peningkatan produksi lipid dari khamir *Zygosaccharomyces siamensis* AP1 menggunakan metode sequencing batch dengan asam asetat sebagai sumber karbon. Skripsi. Fakultas Biologi. UGM.
- Safi, C., Zebib, B., Merah, O., Pontalier, P. Y., & Vaca-Garcia, C. (2014). Morphology, composition, production, processing and applications of *Chlorella vulgaris*: A review. *Renewable and Sustainable Energy Reviews*, 35, 265–278. <https://doi.org/10.1016/j.rser.2014.04.007>

- Shu, C., Tsai, C., Chen, K., Liao, W., & Huang, H. (2013). Enhancing high quality oil accumulation and carbon dioxide fixation by a mixed culture of *Chlorella* sp. and *Saccharomyces cerevisiae*. *Journal of the Taiwan Institute of Chemical Engineers*, 44(6), 936-942. doi: 10.1016/j.jtice.2013.04.001
- Safitri, A., dan Suyono, E. A., 2018. Analisis metagenomik bakteri pada kultur konsorsium mikroalga dan bakteri yang diisolasi dari pantai Glagah Yogyakarta dengan metode T-RFLP. Skripsi, Biologi, UGM.
- Saksinchai Sujinan & Motofumi Suzuki & Panuwan Chantawannakul & Moriya Ohkuma & Saisamorn Lumyong. 2011. A novel ascosporeogenous yeast species, *Zygosaccharomyces siamensis*, and the sugar tolerant yeasts associated with raw honey collected in Thailand. *Fungal Diversity*. 52:123–139 DOI 10.1007/s13225-011-0115-z
- Saksinchai, S., Suzuki, M., Chantawannakul, P., Ohkuma, M., Lumyong, S., 2012. A novel ascosporeogenous yeast species, *Zygosaccharomyces siamensis*, and the sugar tolerant yeasts associated with raw honey collected in Thailand. *Fungal Divers.* 52, 123–139.
- Strijbis, K., & Distel, B. (2010). Intracellular Acetyl Unit Transport in Fungal Carbon Metabolism. *Eukaryotic Cell*, 9(12), 1809-1815. doi:10.1128/ec.00172-10
- Sindhu R., Binod P., Pandey A., Ankaram S., Duan Y., dan Awasthi MK., 2019. Biofuel Production from Biomass: Toward Sustainable Development. *Current Development in Biotechnology and Bioengineering*.
- Steen, E. J., Kang, Y., Bokinsky, G., Hu, Z., Schirmer, A., McClure, A., Del Cardayre, S. B., & Keasling, J. D. (2010). Microbial production of fatty-acid-derived fuels and chemicals from plant biomass. *Nature*, 463(7280), 559–562. <https://doi.org/10.1038/nature08721>
- Simpson-Lavy K. and Kupiec M. 2019. Carbon Catabolite Repression in Yeast is Not Limited to Glucose. *Scientific Reports*, 9(2019): 6491
- Sitepu et al., (2014). Sitepu I. R., David B., Ryan S., Bruce G., Oleaginous yeasts for biodiesel: Current and future trends in biology and production. *Biotechnology Advances*. 2014. DOI: 10.1016/j.biotechadv.2014.08.003.
- Sun H., Zhao W., Mao X., Li Y., Wu T. and Chen F. 2018. High-value biomass from microalgae production platforms: strategies and progress based on carbon metabolism and energy conversion. *Biotechnology for Biofuels*, 11(227):1-23
- Sitepu, I.R., Garay, L.A., Sestric, R., Levin, D., Block, D.E., German, G.B., Millis, K.L.B. 2019. Oleaginous yeast for biodiesel: Current and future trends in biology and production.
- Subramaniam, R., Dufreche, S., Zappi, M., & Bajpai, R. (2010). Microbial lipids from renewable resources: Production and characterization. *Journal of Industrial Microbiology and Biotechnology*, 37(12), 1271–1287. <https://doi.org/10.1007/s10295-010-0884-5>
- Sharma, K. K., Schuhmann, H., & Schenk, P. M. (2012). High lipid induction in microalgae for biodiesel production. *Energies*, 5(5), 1532–1553. <https://doi.org/10.3390/en5051532>

- Santos, C., Caldeira, M., Silva, T. L., Novais, J., & Reis, A. (2013). Enhanced lipidic algae biomass production using gas transfer from a fermentative *Rhodospiridium toruloides* culture to an autotrophic *Chlorella protothecoides* culture. *Bioresource Technology*, 138, 48-54.
- Srinuanpan S., Cheirsilp B. and Kassim M.A. 2020. *Microalgae Cultivation for Biofuels Production*, Cambridge: Academic Press, 69-82
- Thelivets, O., Scheuringer, K., Kohlwein, S.D., 2007. Fatty acid synthesis and elongation in yeast. *Biochim. Biophys. Acta* 1771, 255-270.
- Turcotte B., Liang X. B., Robert F. and Soontorngun N. 2009. Transcriptional regulation of nonfermentable carbon utilization in budding yeast. *FEMS Yeast Research*, 10(1):2-13
- Thevenieau F, icaud J-M (2013) Microorganisms as sources of oils. *Ocl* 20: D603
- Vuuren, S.J., Taylor, J., Ginkel, C., and Gerber, A. 2006. School of Environmental Sciences and Development.
- Widjaja, A., Chien, C., & Ju, Y. (2009). Study of increasing lipid production from freshwater microalgae *Chlorella vulgaris*. *Journal of the Taiwan Institute of Chemical Engineers*, 40(1), 13-20. doi: 10.1016/j.jtice.2008.07.007
- Wang S, Yong W dan Xu Wang. 2016 “Heterotrophic cultivation of *Chlorella pyrenoidosa* using sucrose as the sole carbon source by co-culture with *Rhodotorula glutinis*.” *Bioresource Technology*. <http://dx.doi.org/10.1016/j.biortech.2016.09.010>.
- Walker, J. A. (1998). *Visual Culture and Visual Culture Studies*. The Art Book, 5(1), 14-16. doi:10.1111/1467-8357.00071
- Xue F, Miao J, Zhang X, Tan T. 2010 “A new strategy for lipid production by mix cultivation of *Spirulina platensis* and *Rhodotorula glutinis*.” *Appl Biochem Biotechnol*. 160:498–503.
- Yamamoto M, Kurihara I, Kawano S. 2005. Late type of daughter cell wall synthesis in one of the *Chlorellaceae*, *Parachlorella kessleri* (Chlorophyta, Trebouxiaceae). *Planta*. 221: 766–75
- Yen HW, Liu YX, Chang JS. 2015. The effect of feeding criteria on the growth of oleaginous yeast *Rhodotorula glutinis* in a pilot scale airlift bioreactor. *J. Taiwan Inst Chem Eng*. 49:67-71.
- Zhao P, Yu X, Li J, Tang X, Huang Z (2014) Enhancing lipid productivity by co-cultivation of *Chlorella* sp. U4341 and *Monoraphidium* sp. FXY-10. *J Biosci Bioeng* 118:72–77
- Zhang Z, Ji H, Gong G, Zhang X, Tan T. (2014) Synergistic effects of oleaginous yeast *Rhodotorula glutinis* and microalga *Chlorella vulgaris* for enhancement of biomass and lipid yields. *Bioresour Technol*. 164:93-99
- Zucarro G., Steyer J.P. and Lis R.v. 2019. The algal trophic mode affects the interaction and oil production of a synergistic microalga-yeast consortium. *Bioresource Technology*, 273(2019):608-61
- Zuccaro G., Mondo A.d., Pinto G., Pollio A. and Natale A.D. 2021. Biorefinery-Based Approach to Exploit Mixed Cultures of *Lipomyces starkeyi* and *Chlororidium saccharophilum* for Single Cell Oil Production. *Energies*, 14(1340):1-22

