



DAFTAR PUSTAKA

- Ahmed, I., Islam, M., Arshad, W., Mannan, A., & Mirza, B. (2009). High-quality plant DNA extraction for PCR: An easy approach. *Journal of Applied Genetics*, 50(2), 105–107. <https://doi.org/10.1007/BF03195661>
- Ali, N., Rampazzo, R. D. C. P., Costa, A. Di. T., & Krieger, M. A. (2017). Current Nucleic Acid Extraction Methods and Their Implications to Point-of-Care Diagnostics. *BioMed Research International*, 2017. <https://doi.org/10.1155/2017/9306564>
- Aranda, P. S., Lajoie, D. M., & Jorcyk, C. L. (2012). Bleach gel: A simple agarose gel for analyzing RNA quality. *Electrophoresis*, 33(2), 366–369. <https://doi.org/10.1002/elps.201100335>
- Awasthi, P., Jamwal, V. L., Kapoor, N., & Rasool, S. (2016). Homology modeling and docking study of chalcone synthase gene (CfCHS) from Coleus forskohlii. *Cogent Biology*, 2(1), 1175332. <https://doi.org/10.1080/23312025.2016.1175332>
- Azuma, A., Yakushiji, H., Koshita, Y., & Kobayashi, S. (2012). Flavonoid biosynthesis-related genes in grape skin are differentially regulated by temperature and light conditions. *Planta*, 236(4), 1067–1080. <https://doi.org/10.1007/s00425-012-1650-x>
- Bailey, S., Thompson, E., Nixon, P. J., Horton, P., Mullineaux, C. W., Robinson, C., & Mann, N. H. (2002). A critical role for the Var2 FtsH homologue of *Arabidopsis thaliana* in the photosystem II repair cycle in vivo. *Journal of Biological Chemistry*, 277(3), 2006–2011. <https://doi.org/10.1074/jbc.M105878200>
- Bartlett, M. E., & Whipple, C. J. (2013). *Protein change in plant evolution : tracing one thread connecting molecular and phenotypic diversity*. 4(October), 1–16. <https://doi.org/10.3389/fpls.2013.00382>
- Bijay, R. S., Giri, R. T., & Ram, P. C. (2020). DNA isolation and optimization of PCR protocol for ISSR analysis of *Girardinia diversifolia*: A medicinal and economic plant species from Nepal Himalaya. *African Journal of Biotechnology*, 19(10), 747–753. <https://doi.org/10.5897/ajb2020.17228>
- Blancquaert, E. H., Oberholster, A., Ricardo-da-Silva, J. M., & Deloire, A. J. (2019). Grape Flavonoid Evolution and Composition Under Altered Light and Temperature Conditions in Cabernet Sauvignon (*Vitis vinifera* L.). *Frontiers in Plant Science*, 10(November), 1–19. <https://doi.org/10.3389/fpls.2019.01062>
- Broto Sudarmo, T. H. P., Limantara, L., Chandra, R. D., & Heriyanto. (2016). Chloroplast Pigments: Structure, Function, Assembly and Characterization. In *IntechOpen* (pp. 40–59).



- Cazzonelli, C. I. (2011). Carotenoids in nature: Insights from plants and beyond. *Functional Plant Biology*, 38(11), 833–847. <https://doi.org/10.1071/FP11192>
- Chakrabarti, S. (2016). *Spathoglottis - A beautiful garden orchids*. 11(1), 11–12.
- Chang, E., Zhao, Y., Wei, Q., Shi, S., & Jiang, Z. (2016). Isolation of high-quality RNA from *Platycladus orientalis* and other Cupressaceae plants. *Electronic Journal of Biotechnology*, 23, 21–27. <https://doi.org/10.1016/j.ejbt.2016.08.003>
- Chen, M. C. M., Chao, P. Y., Huang, M. Y., Yang, J. H., Yang, Z. W., Lin, K. H., & Yang, C. M. (2012). Chlorophyllase activity in green and non-green tissues of variegated plants. *South African Journal of Botany*, 81, 44–49. <https://doi.org/10.1016/j.sajb.2012.04.004>
- Chen, Y., Li, J., Fan, K., Du, Y., Ren, Z., Xu, J., ... Wang, G. (2017). Mutations in the maize zeta-carotene desaturase gene lead to viviparous kernel. *PLoS ONE*, 12(3), 1–17. <https://doi.org/10.1371/journal.pone.0174270>
- Chikmawati, T. (2013). Anatomical and Cytological Features of *Spathoglottis plicata* from Java Island. *Journal of Tropical Life Science*, 3(2), 87–90. <https://doi.org/10.11594/jtls.03.02.03>
- Conti, A., Pancaldi, S., Fambrini, M., Michelotti, V., Bonora, A., Salvini, M., & Pugliesi, C. (2004). A deficiency at the gene coding for ζ -carotene desaturase characterizes the sunflower non dormant-1 mutant. *Plant and Cell Physiology*, 45(4), 445–455. <https://doi.org/10.1093/pcp/pch052>
- Couto, M. C. M., Sudre, A. P., Lima, M. F., & Bomfim, T. C. B. (2013). Comparison of techniques for DNA extraction and agarose gel staining of DNA fragments using samples of *Cryptosporidium*. *Veterinarni Medicina*, 58(10), 535–542. <https://doi.org/10.17221/7085-VETMED>
- De Luca, D., & Lauritano, C. (2020). In silico identification of type III PKS chalcone and stilbene synthase homologs in marine photosynthetic organisms. *Biology*, 9(5). <https://doi.org/10.3390/biology9050110>
- Debes, M. A., Arias, M. E., Grellet-bournonville, C. F., Wulff, A. F., Martínez-zamora, M. G., Castagnaro, A. P., ... Díaz-ricci, J. C. (2011). *White-fruited Duchesnea indica (Rosaceae) is impaired in ANS gene expression Linked references are available on JSTOR for this article : White-fruited Duchesnea indica (Rosaceae) is impaired in*. 98(12), 2077–2083. <https://doi.org/10.3732/ajb>.
- Dhawi, F. (2020). Plant Growth Promoting Rhizobacteria (PGPR) Regulated Phyto and Microbial Beneficial Protein Interactions. *Open Life Sciences*, 15(1), 68–78. <https://doi.org/10.1515/biol-2020-0008>
- Dogra, V., Duan, J., Lee, K. P., & Kim, C. (2019). Impaired PSII proteostasis triggers a UPR-like response in the var2 mutant of *Arabidopsis*. *Journal of Experimental Botany*, 70(12), 3075–3088. <https://doi.org/10.1093/jxb/erz151>



- Dressler, R. L. (1982). *The Orchids: Natural History and Classification.* <https://doi.org/10.2307/4115582>
- Ergür, E. G., Kazaz, S., Kılıç, T., Dogan, E., & Aslansoy, B. (2019). How to manipulate hydrangea flower colour (*Hydrangea macrophylla* Thunb.)? *Acta Horticulturae*, 1263(November), 125–131. <https://doi.org/10.17660/ActaHortic.2019.1263.16>
- Gandía-Herrero, F., Escribano, J., & García-Carmona, F. (2016). Biological Activities of Plant Pigments Betalains. *Critical Reviews in Food Science and Nutrition*, 56(6), 937–945. <https://doi.org/10.1080/10408398.2012.740103>
- Gao, H., Xu, J., Liu, X., Liu, B., & Deng, X. (2011). Light effect on carotenoids production and expression of carotenogenesis genes in citrus callus of four genotypes. *Acta Physiologiae Plantarum*, 33(6), 2485–2492. <https://doi.org/10.1007/s11738-011-0793-x>
- Gargouri, H., & Kacem, H. H. (2018). Evaluation of alternative dna extraction protocols for the species determination in turkey salami authentication tests. *International Journal of Food Properties*, 21(1), 733–745. <https://doi.org/10.1080/10942912.2017.1422263>
- Ge, C., Wang, L., Ye, W., Wu, L., Cui, Y., Chen, P., ... Xue, D. (2017). Single-point Mutation of an Histidine-aspartic Domain-containing Gene involving in Chloroplast Ribosome Biogenesis Leads to White Fine Stripe Leaf in Rice. *Scientific Reports*, 7(1), 1–12. <https://doi.org/10.1038/s41598-017-03327-2>
- Gilchrist, M. J., Veenstra, G. J. C., Cho, K. W. Y., Kingdom, U., & Biology, C. (2020). *Transcriptomics and Proteomics Methods for Xenopus Embryos and Tissues Michael. 2.* <https://doi.org/10.1101/pdb.top098350.Transcriptomics>
- Gopaulchan, D., Lennon, A. M., & Umaharan, P. (2015). *Expression Analysis of the Anthocyanin Genes in Pink Spathes of Anthurium with Different Color Intensities.* 140(5), 480–489.
- Greco, M., Sáez, C. A., Brown, M. T., & Bitonti, M. B. (2014). A simple and effective method for high quality co-extraction of genomic DNA and total RNA from low biomass *Ectocarpus siliculosus*, the model brown alga. *PLoS ONE*, 9(5). <https://doi.org/10.1371/journal.pone.0096470>
- Griesbach, R. J., & Austin, S. (2005). Comparison of the Munsell and Royal Horticultural Society's color charts in describing flower color. *Taxon*, 54(3), 771–773. <https://doi.org/10.2307/25065433>
- Guo, N., Cheng, F., Wu, J., Liu, B., Zheng, S., Liang, J., & Wang, X. (2014). Anthocyanin biosynthetic genes in *Brassica rapa*. *BMC Genomics*, 15(1), 1–11. <https://doi.org/10.1186/1471-2164-15-426>
- Härtl, K., Denton, A., Franz-Oberdorf, K., Hoffmann, T., Spornraft, M., Usadel, B., & Schwab, W. (2017). Early metabolic and transcriptional variations in fruit of natural white-fruited *Fragaria vesca* genotypes. *Scientific Reports*, 7, 1–16.



<https://doi.org/10.1038/srep45113>

- Hermanns, A. S., Zhou, X., Xu, Q., Tadmor, Y., & Li, L. (2020). Carotenoid Pigment Accumulation in Horticultural Plants. *Horticultural Plant Journal*, 6(6), 343–360. <https://doi.org/10.1016/j.hpj.2020.10.002>
- Hinsley, A., De Boer, H. J., Fay, M. F., Gale, S. W., Gardiner, L. M., Gunasekara, R. S., ... Phelps, J. (2018). A review of the trade in orchids and its implications for conservation. *Botanical Journal of the Linnean Society*, 186(4), 435–455. <https://doi.org/10.1093/botlinnean/box083>
- Hu, L., He, H., Zhu, C., Peng, X., Fu, J., He, X., ... Liu, S. (2017). Genome-wide identification and phylogenetic analysis of the chalcone synthase gene family in rice. *Journal of Plant Research*, 130(1), 95–105. <https://doi.org/10.1007/s10265-016-0871-7>
- Iwashina, T. (2015). Contribution to flower colors of flavonoids including anthocyanins: A review. *Natural Product Communications*, 10(3), 529–544. <https://doi.org/10.1177/1934578x1501000335>
- Jaakola, L., Määttä, K., Pirttilä, A. M., Törrönen, R., Kärenlampi, S., & Hohtola, A. (2002). Expression of genes involved in anthocyanin biosynthesis in relation to anthocyanin, proanthocyanidin, and flavonol levels during bilberry fruit development. *Plant Physiology*, 130(2), 729–739. <https://doi.org/10.1104/pp.006957>
- Javadi, A., Shamaei, M., Ziazi, L. M., Pourabdollah, M., Dorudinia, A., Seyedmehdi, S. M., & Karimi, S. (2014). Qualification study of two genomic DNA extraction methods in different clinical samples. *Tanaffos*, 13(4), 41–47.
- Joshee, N., Parajuli, P., Medina-Bolivar, F., & Shannon, D. (2013). Scutellaria: Biotechnology, Phytochemistry and Its Potential as a Commercial Medicinal Crop. In *Biotechnology for Medicinal Plants: Micropropagation and Improvement* (Vol. 9783642299, pp. 1–462). <https://doi.org/10.1007/978-3-642-29974-2>
- Karaaslan, N. M., & Yaman, M. (2016). Determination of anthocyanins in cherry and cranberry by high-performance liquid chromatography–electrospray ionization–mass spectrometry. *European Food Research and Technology*, 242(1), 127–135. <https://doi.org/10.1007/s00217-015-2524-9>
- Kato, Y., Kouso, T., & Sakamoto, W. (2012). Variegated tobacco leaves generated by chloroplast FtsH suppression: Implication of ftsh function in the maintenance of thylakoid membranes. *Plant and Cell Physiology*, 53(2), 391–404. <https://doi.org/10.1093/pcp/pcr189>
- Kato, Y., & Sakamoto, W. (2018). FtsH protease in the thylakoid membrane: Physiological functions and the regulation of protease activity. *Frontiers in Plant Science*, 9(June), 1–8. <https://doi.org/10.3389/fpls.2018.00855>
- Katsumoto, Y., Fukuchi-Mizutani, M., Fukui, Y., Brugliera, F., Holton, T. A.,



- Karan, M., ... Tanaka, Y. (2007). Engineering of the rose flavonoid biosynthetic pathway successfully generated blue-hued flowers accumulating delphinidin. *Plant and Cell Physiology*, 48(11), 1589–1600. <https://doi.org/10.1093/pcp/pcm131>
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and anthocyanins: Colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food and Nutrition Research*, 61(1). <https://doi.org/10.1080/16546628.2017.1361779>
- Khoo, H. E., Prasad, K. N., Kong, K. W., Jiang, Y., & Ismail, A. (2011). Carotenoids and their isomers: Color pigments in fruits and vegetables. *Molecules*, 16(2), 1710–1738. <https://doi.org/10.3390/molecules16021710>
- Koh, R. B. L., Barbosa, C. F. C., Aquino, V. M., & Galvez, L. C. (2021). Extraction of high molecular weight DNA suitable for next-generation sequencing from the fiber crop abaca. *Industrial Crops and Products*, 161. <https://doi.org/10.1016/j.indcrop.2020.113194>
- Kumar, S., Stecher, G., Li, M., Knyaz, C., & Tamura, K. (2018). MEGA X: Molecular evolutionary genetics analysis across computing platforms. *Molecular Biology and Evolution*, 35(6), 1547–1549. <https://doi.org/10.1093/molbev/msy096>
- Kumari, P., Raju, D. V. S., Prasad, K. V., Singh, K. P. A. L., Saha, S., Arora, A., & Hossain, F. (2017). Quantification and correlation of anthocyanin pigments and their antioxidant activities in rose (*Rosa hybrida*) varieties. *Indian Journal of Agricultural Sciences*, 87(10), 1340–1346.
- Lever, M. A., Torti, A., Eickenbusch, P., Michaud, A. B., Šantl-Temkiv, T., & Jørgensen, B. B. (2015). A modular method for the extraction of DNA and RNA, and the separation of DNA pools from diverse environmental sample types. *Frontiers in Microbiology*, 6(MAY). <https://doi.org/10.3389/fmicb.2015.00476>
- Li, S., & Strid, Å. (2005). Anthocyanin accumulation and changes in CHS and PR-5 gene expression in *Arabidopsis thaliana* after removal of the inflorescence stem (decapitation). *Plant Physiology and Biochemistry*, 43(6), 521–525. <https://doi.org/10.1016/j.plaphy.2005.05.004>
- Liu, Lihong, Shao, Z., Zhang, M., & Wang, Q. (2015). Regulation of carotenoid metabolism in tomato. *Molecular Plant*, 8(1), 28–39. <https://doi.org/10.1016/j.molp.2014.11.006>
- Liu, Lulu, Han, R., Yu, N., Zhang, W., Xing, L., Xie, D., & Peng, D. (2018). A method for extracting high-quality total RNA from plant rich in polysaccharides and polyphenols using *Dendrobium huoshanense*. *PLoS ONE*, 13(5), 1–9. <https://doi.org/10.1371/journal.pone.0196592>
- Liu, X., Yu, F., & Rodermel, S. (2010). Arabidopsis Chloroplast FtsH, var2 and



- Suppressors of var2 Leaf Variegation: A Review. *Journal of Integrative Plant Biology*, 52(8), 750–761. <https://doi.org/10.1111/j.1744-7909.2010.00980.x>
- Liu, Yali, Lou, Q., Xu, W., Xin, Y., Bassett, C., & Wang, Y. (2011). Characterization of a chalcone synthase (CHS) flower-specific promoter from *Lilium oriental* “Sorbonne.” *Plant Cell Reports*, 30(12), 2187–2194. <https://doi.org/10.1007/s00299-011-1124-9>
- Liu, Yang, Feng, X., Zhang, Y., Zhou, F., & Zhu, P. (2021). Simultaneous changes in anthocyanin, chlorophyll, and carotenoid contents produce green variegation in pink-leaved ornamental kale. *BMC Genomics*, 22(1), 1–16. <https://doi.org/10.1186/s12864-021-07785-x>
- Lu, S., Wang, J., Chitsaz, F., Derbyshire, M. K., Geer, R. C., Gonzales, N. R., ... Marchler-Bauer, A. (2020). CDD/SPARCLE: The conserved domain database in 2020. *Nucleic Acids Research*, 48(D1), D265–D268. <https://doi.org/10.1093/nar/gkz991>
- Ma, C., Cao, J., Li, J., Zhou, B., Tang, J., & Miao, A. (2016). Phenotypic, histological and proteomic analyses reveal multiple differences associated with chloroplast development in yellow and variegated variants from *Camellia sinensis*. *Scientific Reports*, 6(September), 1–15. <https://doi.org/10.1038/srep33369>
- Ma, Y., Xu, X., Zhang, N., Guo, J., & Zang, D. (2017). cDNA Cloning and Expression Analysis of the Chalcone Synthases (CHS) in *< i>Osmanthus fragrans*; *American Journal of Molecular Biology*, 07(01), 41–48. <https://doi.org/10.4236/ajmb.2017.71004>
- Magnúsdóttir, S., Åkerman, B., & Jonsson, M. (1994). DNA electrophoresis in agarose gels: Three regimes of DNA migration identified and characterized by the electrophoretic orientational behavior of DNA. *Journal of Physical Chemistry*, 98(10), 2624–2633. <https://doi.org/10.1021/j100061a020>
- Mancinelli, A. L., & Walsh, L. (1979). Photocontrol of Anthocyanin Synthesis. *Plant Physiology*, 63(5), 841–846. <https://doi.org/10.1104/pp.63.5.841>
- Maoka, T. (2020). Carotenoids as natural functional pigments. *Journal of Natural Medicines*, 74(1), 1–16. <https://doi.org/10.1007/s11418-019-01364-x>
- Martin, J., Navas, M. J., Jimenez-Moreno, A. M., & Asuero, A. G. (2016). Anthocyanin Pigments: Importance, Sample Preparation and Extraction. In *IntechOpen* (pp. 117–151).
- Mekapogu, M., Vasamsetti, B. M. K., Kwon, O. K., Ahn, M. S., Lim, S. H., & Jung, J. A. (2020). Anthocyanins in floral colors: Biosynthesis and regulation in chrysanthemum flowers. *International Journal of Molecular Sciences*, 21(18), 1–24. <https://doi.org/10.3390/ijms21186537>
- Mezzomo, N., & Ferreira, S. R. S. (2016). Carotenoids functionality, sources, and processing by supercritical technology: A review. *Journal of Chemistry*,



2016(February). <https://doi.org/10.1155/2016/3164312>

- Minchin, S., & Lodge, J. (2019). Understanding biochemistry: Structure and function of nucleic acids. *Essays in Biochemistry*, 63(4), 433–456. <https://doi.org/10.1042/EBC20180038>
- Miura, E., Kato, Y., Matsushima, R., Albrecht, V., Laalami, S., & Sakamoto, W. (2007). The balance between protein synthesis and degradation in chloroplasts determines leaf variegation in *Arabidopsis* yellow variegated mutants. *Plant Cell*, 19(4), 1313–1328. <https://doi.org/10.1105/tpc.106.049270>
- Moldavski, O., Levin-Kravets, O., Ziv, T., Adam, Z., & Prag, G. (2012). The hetero-hexameric nature of a chloroplast AAA+ FtsH protease contributes to its thermodynamic stability. *PLoS ONE*, 7(4). <https://doi.org/10.1371/journal.pone.0036008>
- Moyroud, E., & Glover, B. J. (2017). The physics of pollinator attraction. *New Phytologist*, 216(2), 350–354. <https://doi.org/10.1111/nph.14312>
- Murray, M. G., & Thompson, W. F. (1980). Rapid isolation of high molecular weight plant DNA. *Nucleic Acids Research*, 8(19), 4321–4326. <https://doi.org/10.1093/nar/8.19.4321>
- Naing, A. H., Park, D. Y., Park, K. Il, & Kim, C. K. (2018). Differential expression of anthocyanin structural genes and transcription factors determines coloration patterns in gerbera flowers. *3 Biotech*, 8(9), 1–12. <https://doi.org/10.1007/s13205-018-1408-7>
- Nguyen, H. C., Lin, K. H., Huang, M. Y., Yang, C. M., Shih, T. H., Hsiung, T. C., ... Tsao, F. C. (2018). Antioxidant activities of the methanol extracts of various parts of *Phalaenopsis* orchids with white, yellow, and purple flowers. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 46(2), 457–465. <https://doi.org/10.15835/nbha46211038>
- Ohmiya, A. (2011). Diversity of carotenoid composition in flower petals. *Japan Agricultural Research Quarterly*, 45(2), 163–171. <https://doi.org/10.6090/jarq.45.163>
- Ohmiya, A., Hirashima, M., Yagi, M., Tanase, K., & Yamamizo, C. (2014). Identification of genes associated with chlorophyll accumulation in flower petals. *PLoS ONE*, 9(12), 1–16. <https://doi.org/10.1371/journal.pone.0113738>
- Ooe, E., Ogawa, K., Horiuchi, T., Tada, H., Murase, H., Tsuruma, K., ... Hara, H. (2016). Analysis and characterization of anthocyanins and carotenoids in Japanese blue tomato. *Bioscience, Biotechnology and Biochemistry*, 80(2), 341–349. <https://doi.org/10.1080/09168451.2015.1091715>
- P, Venkateswara Rao, P., Kiran, S., Rohini, P., & Bhagyasree, P. (2017). Flavonoid: A review on Naringenin. *Journal of Pharmacognosy and Phytochemistry*, 6(5), 2778–2783.



- Panina, Y., Germond, A., Masui, S., & Watanabe, T. M. (2018). Validation of Common Housekeeping Genes as Reference for qPCR Gene Expression Analysis during iPS Reprogramming Process. *Scientific Reports*, 8(1), 1–3. <https://doi.org/10.1038/s41598-018-26707-8>
- Pant, B. (2013). Medicinal orchids and their uses: Tissue culture a potential alternative for conservation. *African Journal of Plant Science*, 7(10), 448–467. <https://doi.org/10.5897/ajps2013.1031>
- Park, C. H., Chae, S. C., Park, S. Y., Kim, J. K., Kim, Y. J., Chung, S. O., ... Park, S. U. (2015). Anthocyanin and carotenoid contents in different cultivars of chrysanthemum (*dendranthema grandiflorum* ramat.) flower. *Molecules*, 20(6), 11090–11102. <https://doi.org/10.3390/molecules200611090>
- Peng, Y., Lin-Wang, K., Cooney, J. M., Wang, T., Espley, R. V., & Allan, A. C. (2019). Differential regulation of the anthocyanin profile in purple kiwifruit (*Actinidia* species). *Horticulture Research*, 6(1). <https://doi.org/10.1038/s41438-018-0076-4>
- Post, P. C., & Schlautman, M. A. (2020). Measuring camellia petal color using a portable color sensor. *Horticulturae*, 6(3), 1–15. <https://doi.org/10.3390/horticulturae6030053>
- Qin, G., Gu, H., Ma, L., Peng, Y., Deng, X. W., Chen, Z., & Qu, L. J. (2007). Disruption of phytoene desaturase gene results in albino and dwarf phenotypes in *Arabidopsis* by impairing chlorophyll, carotenoid, and gibberellin biosynthesis. *Cell Research*, 17(5), 471–482. <https://doi.org/10.1038/cr.2007.40>
- Rahman, R. N. Z. R. A., Zakaria, I. I., Salleh, A. B., & Basri, M. (2012). Enzymatic properties and mutational studies of chalcone synthase from *physcomitrella patens*. *International Journal of Molecular Sciences*, 13(8), 9673–9691. <https://doi.org/10.3390/ijms13089673>
- Renshaw, M. A., Olds, B. P., Jerde, C. L., Mcveigh, M. M., & Lodge, D. M. (2015). The room temperature preservation of filtered environmental DNA samples and assimilation into a phenol-chloroform-isoamyl alcohol DNA extraction. *Molecular Ecology Resources*, 15(1), 168–176. <https://doi.org/10.1111/1755-0998.12281>
- Sadowska-Bartosz, I., & Bartosz, G. (2021). Biological properties and applications of betalains. *Molecules*, 26(9), 1–36. <https://doi.org/10.3390/molecules26092520>
- Salehi, B., Fokou, P. V. T., Sharifi-Rad, M., Zucca, P., Pezzani, R., Martins, N., & Sharifi-Rad, J. (2019). The therapeutic potential of naringenin: A review of clinical trials. *Pharmaceuticals*, 12(1), 1–18. <https://doi.org/10.3390/ph12010011>
- Schroeder, A., Mueller, O., Stocker, S., Salowsky, R., Leiber, M., Gassmann, M.,



- ... Ragg, T. (2006). The RIN: An RNA integrity number for assigning integrity values to RNA measurements. *BMC Molecular Biology*, 7, 1–14. <https://doi.org/10.1186/1471-2199-7-3>
- Semiarti, E., Purwantoro, A., & Indrianto, A. (2015). In vitro culture of orchids: the roles of class-1 KNOX gene in shoot development. *Journal of Biological Researches*, 20(1), 18–27. <https://doi.org/10.23869/bphjbr.20.1.20144>
- Shao, S., Cardona, T., & Nixon, P. J. (2018). Early emergence of the FtsH proteases involved in photosystem II repair. *Photosynthetica*, 56(1), 163–177. <https://doi.org/10.1007/s11099-018-0769-9>
- Shih, T., Lin, S., Huang, M., Huang, W., & Yang, C. (2019). *Transcriptome Profile of the Variegated Ficus microcarpa c . v . Milky Stripe Fig Leaf*. <https://doi.org/10.3390/ijms20061338>
- Shimada, Y., Nakano-Shimada, R., Ohbayashi, M., Okinaka, Y., Kiyokawa, S., & Kikuchi, Y. (1999). Expression of chimeric P450 genes encoding flavonoid-3',5'-hydroxylase in transgenic tobacco and petunia plants. *FEBS Letters*, 461(3), 241–245. [https://doi.org/10.1016/S0014-5793\(99\)01425-8](https://doi.org/10.1016/S0014-5793(99)01425-8)
- Shoeva, O. Y., & Khlestkina, E. K. (2013). F3h gene expression in various organs of wheat. *Molecular Biology*, 47(6), 901–903. <https://doi.org/10.1134/S0026893313060137>
- Sirakov, I. N. (2016). Nucleic Acid Isolation and Downstream Applications. In *InTechOpen* (pp. 1–26). Retrieved from <http://dx.doi.org/10.5772/6183>
- Su, L., Doretto, G., Purgatto, E., Danoun, S., Zouine, M., Li, Z., ... Chervin, C. (2015). Carotenoid accumulation during tomato fruit ripening is modulated by the auxin-ethylene balance. *BMC Plant Biology*, 15(1), 1–12. <https://doi.org/10.1186/s12870-015-0495-4>
- Subedee, B. R., Tripathi, G. R., & Chaudhary, R. P. (2020). DNA isolation and optimization of PCR protocol for ISSR analysis of *Girardinia diversifolia*: A medicinal and economic plant species from Nepal Himalaya. *African Journal of Biotechnology*, 19(10), 747–753. <https://doi.org/10.5897/ajb2020.17228>
- Suryowinoto, Moeso. (1982). Mengenal Anggrek-Anggrek Spesies. Yogyakarta: UGM Press.
- Tadmor, Y., Burger, J., Yaakov, I., Feder, A., Libhaber, S. E., Portnoy, V., ... Katzir, N. (2010). Genetics of flavonoid, carotenoid, and chlorophyll pigments in melon fruit rinds. *Journal of Agricultural and Food Chemistry*, 58(19), 10722–10728. <https://doi.org/10.1021/jf1021797>
- Tan, J., Wang, M., Tu, L., Nie, Y., Lin, Y., & Zhang, X. (2013). The Flavonoid Pathway Regulates the Petal Colors of Cotton Flower. *PLoS ONE*, 8(8). <https://doi.org/10.1371/journal.pone.0072364>
- Tan, S. C., & Yiap, B. C. (2009). DNA, RNA, and protein extraction: The past and



the present. *Journal of Biomedicine and Biotechnology*, 2009.
<https://doi.org/10.1155/2009/574398>

Tanaka, Y., & Brugleira, F. (2013). Flower colour and cytochromes P450. *Phytochemistry Reviews*, 5(2–3), 283–291. <https://doi.org/10.1007/s11101-006-9003-7>

Tatsuzawa, F., Ichihara, K., Shinoda, K., & Miyoshi, K. (2010). Flower colours and pigments in Disa hybrid (Orchidaceae). *South African Journal of Botany*, 76(1), 49–53. <https://doi.org/10.1016/j.sajb.2009.06.017>

Teixeira da Silva, J. A., & Ng, T. B. (2017). The medicinal and pharmaceutical importance of *Dendrobium* species. *Applied Microbiology and Biotechnology*, 101(6), 2227–2239. <https://doi.org/10.1007/s00253-017-8169-9>

Teng, T., Xi, B., Chen, K., Pan, L., Xie, J., & Xu, P. (2018). Comparative transcriptomic and proteomic analyses reveal upregulated expression of virulence and iron transport factors of *Aeromonas hydrophila* under iron limitation. *BMC Microbiology*, 18(1), 1–17. <https://doi.org/10.1186/s12866-018-1178-8>

Tian, L. (2015). Recent advances in understanding carotenoid-derived signaling molecules in regulating plant growth and development. *Frontiers in Plant Science*, 6(September), 1–4. <https://doi.org/10.3389/fpls.2015.00790>

Tsai, C. C., Wu, Y. J., Sheue, C. R., Liao, P. C., Chen, Y. H., Li, S. J., ... Chiang, Y. C. (2017). Molecular basis underlying leaf variegation of a moth orchid mutant (*Phalaenopsis aphrodite* subsp. *formosana*). *Frontiers in Plant Science*, 8(July), 1–11. <https://doi.org/10.3389/fpls.2017.01333>

Vadivel, A. K. A., Krysiak, K., Tian, G., & Dhaubhadel, S. (2018). Genome-wide identification and localization of chalcone synthase family in soybean (*Glycine max* [L]Merr.). *BMC Plant Biology*, 18(1), 1–13. <https://doi.org/10.1186/s12870-018-1569-x>

Wan, H., Yu, C., Han, Y., Guo, X., Luo, L., Pan, H., ... Zhang, Q. (2019). Determination of flavonoids and carotenoids and their contributions to various colors of rose cultivars (*Rosa* spp.). *Frontiers in Plant Science*, 10(February), 1–14. <https://doi.org/10.3389/fpls.2019.00123>

Wang, J., Lewis, D., Shi, R., McGhie, T., Wang, L., Arathoon, S., ... Zhang, H. (2021). The colour variations of flowers in wild *Paeonia delavayi* plants are determined by four classes of plant pigments. *New Zealand Journal of Crop and Horticultural Science*, 0(0), 1–16. <https://doi.org/10.1080/01140671.2021.1927763>

Wang, L., Pan, D., Liang, M., Abubakar, Y. S., Li, J., Lin, J., ... Chen, W. (2017). Regulation of anthocyanin biosynthesis in purple leaves of zijuan tea (*Camellia sinensis* var. *kitamura*). *International Journal of Molecular Sciences*, 18(4). <https://doi.org/10.3390/ijms18040833>



- Wang, Z., Yu, Q., Shen, W., El Mohtar, C. A., Zhao, X., & Gmitter, F. G. (2018). Functional study of CHS gene family members in citrus revealed a novel CHS gene affecting the production of flavonoids. *BMC Plant Biology*, 18(1), 1–13. <https://doi.org/10.1186/s12870-018-1418-y>
- Wei, X., Hu, H., Tong, H., & Gmitter, F. G. (2017). Profiles of gene family members related to carotenoid accumulation in citrus genus. *Journal of Plant Biology*, 60(1), 1–10. <https://doi.org/10.1007/s12374-016-0902-x>
- Wu, X., Zhang, S., Liu, X., Shang, J., Zhang, A., Zhu, Z., & Zha, D. (2020). Chalcone synthase (CHS) family members analysis from eggplant (*Solanum melongena L.*) in the flavonoid biosynthetic pathway and expression patterns in response to heat stress. *PLoS ONE*, 15(4), 1–18. <https://doi.org/10.1371/journal.pone.0226537>
- Yamada, Y., Nakayama, M., Shibata, H., Kishimoto, S., & Ikeda, T. (2019). Anthocyanin production and enzymatic degradation during the development of dark purple and lilac paprika fruit. *Journal of the American Society for Horticultural Science*, 144(5), 329–338. <https://doi.org/10.21273/JASHS04727-19>
- Yan, J., Wang, G., Sui, Y., Wang, M., & Zhang, L. (2016). Pollinator responses to floral colour change, nectar, and scent promote reproductive fitness in *Quisqualis indica* (Combretaceae). *Scientific Reports*, 6(September 2015), 1–10. <https://doi.org/10.1038/srep24408>
- Yu, F. E. I., Fu, A., Aluru, M., Park, S., Xu, Y., Liu, H., ... Rodermel, S. (2007). *Variegation mutants and mechanisms of chloroplast biogenesis*. 350–365. <https://doi.org/10.1111/j.1365-3040.2006.01630.x>
- Zhang, D., Kato, Y., Zhang, L., Fujimoto, M., Tsutsumi, N., Sodmergen, S., & Sakamoto, W. (2010). The FtsH protease heterocomplex in *Arabidopsis*: Dispensability of Type-B protease activity for proper chloroplast development. *Plant Cell*, 22(11), 3710–3725. <https://doi.org/10.1105/tpc.110.079202>
- Zhang, J. Y., Pan, D. L., Jia, Z. H., Wang, T., Wang, G., & Guo, Z. R. (2018). Chlorophyll, carotenoid and Vitamin C metabolism regulation in *Actinidia chinensis* “Hongyang” outer pericarp during fruit development. *PLoS ONE*, 13(3), 1–17. <https://doi.org/10.1371/journal.pone.0194835>
- Zhang, L., Gase, K., Baldwin, I. T., & Gális, I. (2010). Enhanced fluorescence imaging in chlorophyll-suppressed tobacco tissues using virus-induced gene silencing of the phytoene desaturase gene. *BioTechniques*, 48(2), 125–131. <https://doi.org/10.2144/000113345>
- Zhang, S., Yang, Y., Li, J., Qin, J., Zhang, W., Huang, W., & Hu, H. (2018). Physiological diversity of orchids. *Plant Diversity*, 40(4), 196–208. <https://doi.org/10.1016/j.pld.2018.06.003>



Zhang, Y., Cheng, Y., Xu, S., Ma, H., Han, J., & Zhang, Y. (2020). Tree peony variegated flowers show a small insertion in the F3'H gene of the acyanic flower parts. *BMC Plant Biology*, 20(1), 1–13. <https://doi.org/10.1186/s12870-020-02428-x>

Zoratti, L., Karppinen, K., Escobar, A. L., Häggman, H., & Jaakola, L. (2014). Light-controlled flavonoid biosynthesis in fruits. *Frontiers in Plant Science*, 5(OCT), 1–16. <https://doi.org/10.3389/fpls.2014.00534>