

DAFTAR PUSTAKA

- Ahmed, M. (2018). Acute cholangitis—An update. *World Journal of Gastrointestinal Pathophysiology*, 9(1), 1–7. <https://doi.org/10.4291/wjgp.v9.i1.1>
- Allen, K., Jaeschke, H., dan Copple, B. L. (2011). Bile acids induce inflammatory genes in hepatocytes. *The American Journal of Pathology*, 178(1), 175–186. <https://doi.org/10.1016/j.ajpath.2010.11.026>
- Baek, S. H., Kang, J.-M., Ihn, K., Han, S. J., Koh, H., dan Ahn, J. G. (2020). The epidemiology and etiology of cholangitis after kasai portoenterostomy in patients with biliary atresia. *Journal of Pediatric Gastroenterology dan Nutrition*, 70(2), 171–177. <https://doi.org/10.1097/MPG.0000000000002555>
- Balistreri, W. F. (2018). *New studies on pediatric liver diseases*. Medscape. <http://www.medscape.com/viewarticle/906725>
- Bessho, K. (2015). Complications and quality of life in long-term survivors of biliary atresia with their native livers. *The Journal of Pediatrics*, 167(6), 1202–1206. <https://doi.org/10.1016/j.jpeds.2015.08.041>
- Bezerra, J. A. (2005). Potential etiologies of biliary atresia. *Pediatric Transplantation*, 9(5), 646–651. <https://doi.org/10.1111/j.1399-3046.2005.00350.x>
- Chardot, C. (2006). Biliary atresia. *Orphanet Journal of Rare Diseases*, 1(1), 28. <https://doi.org/10.1186/1750-1172-1-28>
- Chung, P. H. Y., Chan, E. K. W., Yeung, F., Chan, A. C. Y., Mou, J. W. C., Lee, K. H., Hung, J. W. S., Leung, M. W. Y., Tam, P. K. H., dan Wong, K. K. Y. (2021). Life long follow up and management strategies of patients living with native livers after Kasai portoenterostomy. *Scientific Reports*, 11(1), 11207. <https://doi.org/10.1038/s41598-021-90860-w>
- Correa, K. K., Nanjundiah, P., Wirtschafter, D. D., & Alshak, N. S. (2002). Idiopathic neonatal giant cell hepatitis presenting with acute hepatic failure on postnatal day one. *Journal of Perinatology*, 22(3), 249–251. <https://doi.org/10.1038/sj.jp.7210670>
- Coucke, E. M., Akbar, H., Kahloon, A., dan Lopez, P. P. (2021). Biliary obstruction. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK539698/>

- Czubkowski, P., Cielecka-Kuszyk, J., Rurarz, M., Kamińska, D., Markiewicz-Kijewska, M., dan Pawłowska, J. (2015). The limited prognostic value of liver histology in children with biliary atresia. *Annals of hepatology*, 14(6), 902–909. <https://doi.org/10.5604/16652681.1171781>
- Du, M., Wang, J., Tang, Y., Jiang, J., Chen, G., Huang, Y., Shen, Z., Dong, R., dan Zheng, S. (2020). Evaluation of perioperative complications in the management of biliary atresia. *Frontiers in Pediatrics*, 8, 460. <https://doi.org/10.3389/fped.2020.00460>
- Estradas, J., Pascual-Ramos, V., Martínez, B., Uribe, M., dan Torre, A. (2009). Autoimmune hepatitis with giant-cell transformation. *Annals of Hepatology*, 8(1), 68–70. [https://doi.org/10.1016/S1665-2681\(19\)31815-0](https://doi.org/10.1016/S1665-2681(19)31815-0)
- Gad, E. H., Kamel, Y., Salem, T. A.-H., Ali, M. A.-H., dan Sallam, A. N. (2021). Short- and long-term outcomes after Kasai operation for type III biliary atresia: Twenty years of experience in a single tertiary Egyptian center-A retrospective cohort study. *Annals of Medicine and Surgery*, 62, 302–314. <https://doi.org/10.1016/j.amsu.2021.01.052>
- Gunadi, Gunawan, T. A., Widiyanto, G., Yuanita, A., Mulyani, N. S., dan Makhmudi, A. (2018). Liver transplant score for prediction of biliary atresia patients' survival following Kasai procedure. *BMC Research Notes*, 11(1), 381. <https://doi.org/10.1186/s13104-018-3498-z>
- Gunadi, Sirait, D. N., Budiarti, L. R., Paramita, V. M. W., Fauzi, A. R., Ryantono, F., Afandy, D., Yoshuantari, N., Rinonce, H. T., dan Makhmudi, A. (2020). Histopathological findings for prediction of liver cirrhosis and survival in biliary atresia patients after Kasai procedure. *Diagnostic Pathology*, 15(1), 79. <https://doi.org/10.1186/s13000-020-00996-y>
- Gupta, L., Gupta, S., dan Bhatnagar, V. (2012). Extrahepatic biliary atresia: Correlation of histopathology and liver function tests with surgical outcomes. *Journal of Indian Association of Pediatric Surgeons*, 17(4), 147. <https://doi.org/10.4103/0971-9261.102326>
- Hahn, S. M., Kim, S., Park, K. I., Han, S. J., dan Koh, H. (2013). Clinical benefit of liver stiffness measurement at 3 months after kasai hepatoportoenterostomy to predict the liver related events in biliary atresia. *PLoS ONE*, 8(11), e80652. <https://doi.org/10.1371/journal.pone.0080652>
- Hanalioglu, D., Ozen, H., Karhan, A., Gumus, E., Demir, H., Saltik-Temizel, I. N., Ekinci, S., Karnak, İ., Ciftci, A. O., Tanyel, F. C., dan Yuce, A. (2019). Revisiting long-term prognostic factors of biliary atresia: A 20-year experience with 81 patients from a single center. *The Turkish Journal of Gastroenterology*, 30(5), 467–474. <https://doi.org/10.5152/tjg.2019.18590>

- Jung, E., Park, W.-H., dan Choi, S.-O. (2011). Late complications and current status of long-term survivals over 10 years after Kasai portoenterostomy. *Journal of the Korean Surgical Society*, 81(4), 271. <https://doi.org/10.4174/jkss.2011.81.4.271>
- Kelly, D. A., dan Davenport, M. (2007). Current management of biliary atresia. *Archives of Disease in Childhood*, 92(12), 1132–1135. <https://doi.org/10.1136/adc.2006.101451>
- Khan, S., dan Saxena, R. (2021). *Ductular reaction*. Pathology Outlines. <https://www.pathologyoutlines.com/topic/liverductularreaction.html>
- Khayat, A., Alamri, A. M., dan Saadah, O. I. (2021). Outcomes of late Kasai portoenterostomy in biliary atresia: A single-center experience. *Journal of International Medical Research*, 49(5), 030006052110125. <https://doi.org/10.1177/03000605211012596>
- Kiriyama, S., Kozaka, K., Takada, T., Strasberg, S. M., Pitt, H. A., Gabata, T., Hata, J., Liau, K.-H., Miura, F., Horiguchi, A., Liu, K.-H., Su, C.-H., Wada, K., Jagannath, P., Itoi, T., Gouma, D. J., Mori, Y., Mukai, S., Giménez, M. E., ... Yamamoto, M. (2018). Tokyo Guidelines 2018: Diagnostic criteria and severity grading of acute cholangitis (With videos). *Journal of Hepato-Biliary-Pancreatic Sciences*, 25(1), 17–30. <https://doi.org/10.1002/jhbp.512>
- Kumar, V., Abbas, A. K., Aster, J. C., dan Robbins, S. L. (Eds.). (2013). *Robbins basic pathology* (9th ed.). Elsevier/Saunders.
- Lee, E. J., dan Kim, H. B. (2017). Extrahepatic biliary atresia. In *Blumgart's Surgery of the Liver, Biliary Tract and Pancreas, 2-Volume Set* (pp. 656-662.e2). Elsevier. <https://doi.org/10.1016/B978-0-323-34062-5.00040-6>
- Levick, C. (2017). How to interpret liver function tests. *South Sudan Medical Journal*. <http://www.southsudanmedicaljournal.com/archive/may-2017/how-to-interpret-liver-function-tests.html>
- Liu, J., Dong, R., Chen, G., Dong, K., dan Zheng, S. (2019). Risk factors and prognostic effects of cholangitis after Kasai procedure in biliary atresia patients: A retrospective clinical study. *Journal of Pediatric Surgery*, 54(12), 2559–2564. <https://doi.org/10.1016/j.jpedsurg.2019.08.026>
- Luo, Y., dan Zheng, S. (2008). Current concept about postoperative cholangitis in biliary atresia. *World Journal of Pediatrics*, 4(1), 14–19. <https://doi.org/10.1007/s12519-008-0003-0>

- Marks, R. A., Al-Khawaja, M. M., dan Saxena, R. (2011). Common liver diseases of childhood. In *Practical Hepatic Pathology: A Diagnostic Approach* (pp. 87–102). Elsevier. <https://doi.org/10.1016/B978-0-443-06803-4.00008-3>
- Melendez, H. V., Rela, M., Baker, A. J., Ball, C., Portmann, B., Mieli-Vergani, G., dan Heaton, N. D. (1997). Liver transplant for giant cell hepatitis with autoimmune haemolytic anaemia. *Archives of Disease in Childhood*, 77(3), 249–251. <https://doi.org/10.1136/ad.77.3.249>
- Morotti, R. A., dan Jain, D. (2013). Pediatric cholestatic disorders. *Surgical Pathology Clinics*, 6(2), 205–225. <https://doi.org/10.1016/j.path.2013.03.001>
- Muthukanagarajan, S. J. (2016). Diagnostic and prognostic significance of various histopathological features in extrahepatic biliary atresia. *JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH*. <https://doi.org/10.7860/JCDR/2016/19252.8035>
- Nguyen, A.-H. P., Pham, Y. H. T., Vu, G. H., Nguyen, M. H., Hoang, T. N., dan Holterman, A. (2021). Biliary atresia liver histopathological determinants of early post-Kasai outcome. *Journal of Pediatric Surgery*, 56(7), 1169–1173. <https://doi.org/10.1016/j.jpedsurg.2021.03.039>
- Onofrio, F. Q., dan Hirschfield, G. M. (2020). The pathophysiology of cholestasis and its relevance to clinical practice. *Clinical Liver Disease*, 15(3), 110–114. <https://doi.org/10.1002/cld.894>
- Pang, W.-B., Zhang, T.-C., Chen, Y.-J., Peng, C.-H., Wang, Z.-M., Wu, D.-Y., dan Wang, K. (2019). Ten-year experience in the prevention of post-kasai cholangitis. *Surgical Infections*, 20(3), 231–235. <https://doi.org/10.1089/sur.2018.047>
- Qisthi, S. A., Saragih, D. S. P., Sutowo, D. W., Sirait, D. N., Imelda, P., Kencana, S. M. S., Makhmudi, A., dan Gunadi, null. (2020). Prognostic factors for survival of patients with biliary atresia following kasai surgery. *The Kobe Journal of Medical Sciences*, 66(2), E56–E60.
- Pratiwi, F. C. (2019). *Prediktor Kolangitis pada Pasien Atresia Bilier Pasca Operasi Kasai Portoenterostomi*. Universitas Gadjah Mada.
- Ramachandran, P., Safwan, M., Srinivas, S., Shanmugam, N., Vij, M., dan Rela, M. (2016). The extended Kasai portoenterostomy for biliary atresia: A preliminary report. *Journal of Indian Association of Pediatric Surgeons*, 21(2), 66. <https://doi.org/10.4103/0971-9261.176941>
- Rashed, Y. K., Saber, M. A., Tawfik, M., dan Mourad, W. S. (2013). Histopathological features and accuracy for diagnosing biliary atresia by

prelaparotomy liver biopsy in Egypt. *Egyptian Pediatric Association Gazette*, 61(1), 42–45. <https://doi.org/10.1016/j.epag.2013.05.001>

Sanghai, S. R., Shah, I., Bhatnagar, S., dan Murthy, A. (2009). Incidence and prognostic factors associated with biliary atresia in western India. *Annals of Hepatology*, 8(2), 120–122.

Sato, K., Marzioni, M., Meng, F., Francis, H., Glaser, S., dan Alpini, G. (2019). Ductular reaction in liver diseases: Pathological mechanisms and translational significances: liver injury and regeneration. *Hepatology*, 69(1), 420–430. <https://doi.org/10.1002/hep.30150>

Schoen, B. T., Lee, H., Sullivan, K., & Ricketts, R. R. (2001). The Kasai portoenterostomy: when is it too late?. *Journal of pediatric surgery*, 36(1), 97–99. <https://doi.org/10.1053/jpsu.2001.20020>

Shah, R., dan John, S. (2021). Cholestatic jaundice. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK482279/>

Shehata, S., Waheeb, S., Osman, M., Mahfouz, AmlA. A., dan Elrouby, A. (2018). Prognostic factors for the outcome of Kasai portoenterostomy for infants with biliary atresia in Egypt. *Alexandria Journal of Pediatrics*, 31(3), 112. https://doi.org/10.4103/AJOP.AJOP_25_18

Shinkai, M., Ohhama, Y., Take, H., Kitagawa, N., Kudo, H., Mochizuki, K., dan Hatata, T. (2009). Long-term outcome of children with biliary atresia who were not transplanted after the Kasai operation: >20-year experience at a children's hospital. *Journal of pediatric gastroenterology and nutrition*, 48(4), 443–450. <https://doi.org/10.1097/mpg.0b013e318189f2d5>

Siddiqui, A. I., dan Ahmad, T. (2021). Biliary atresia. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK537262/>

Unal I. (2017). Defining an Optimal Cut-Point Value in ROC Analysis: An Alternative Approach. *Computational and mathematical methods in medicine*, 2017, 3762651. <https://doi.org/10.1155/2017/3762651>

Vij, M., dan Rela, M. (2020). Biliary atresia: Pathology, etiology and pathogenesis. *Future Science OA*, 6(5), FSO466. <https://doi.org/10.2144/fsoa-2019-0153>

Wildhaber, B. E. (2012). Biliary atresia: 50 years after the first kasai. *ISRN Surgery*, 2012, 1–15. <https://doi.org/10.5402/2012/132089>