



## REFERENSI

- Abasht, B., Dekkers, J. C. M., dan Lamont, S. J. 2006. Review of quantitative trait loci identified in the chicken. *Poult Sci.* 85(12): 2079-2096. <https://doi.org/10.1093/ps/85.12.2079>
- Abdurakhmonov, I. Y. dan Abdulkarimov, A. 2008. Application of association mapping to understanding the genetic diversity of plant germplasm resources. *International Journal of Plant Genomics.* 2008: 574927. <https://doi.org/10.1155/2008/574927>
- Afifah, D., Lesmana, I., Poerwanto, S. H., Trijoko, Mahardhika, I. W. S., dan Daryono, B. S. 2020. Expression of *Mx* exon-13 SNPs in Kampong-Laying type (*Kamper*) chicken crossbreeds of female Lohmann brown-classic and male *Pelung*. *BIODIVERSITAS.* 21(4): 1483-1487. <https://doi.org/10.13057/biodiv/d210428>
- Aguilar, I., Tsuruta, S., Masuda, Y., Lourenco, D. A. L., Legarra, A., dan Misztal, I. 2018. BLUPF90 suite of programs for animal breeding with focus on genomics. *Proceedings of the World Congress on Genetics Applied to Livestock Production.* 11: 751.
- Aguilar, I., Misztal, I., Tsuruta, S., Legarra, A., dan Wang, H. 2014. PREGSF90 – POSTGSF90: Computational tools for the implementation of single-step genomic selection and genome-wide association with ungenotyped individuals in BLUPF90 programs. *Proceedings, 10<sup>th</sup> World Congress of Genetics Applied to Livestock Production (WCGALP)*, Aug 2014, Vancouver, Canada. <http://dx.doi.org/10.13140/2.1.4801.5045>
- Aguilar, I., Tsuruta, S., Masuda, Y., Lourenco, D. A. L., Misztal, I., dan Legarra, A. 2018. *BLUPF90 suite of programs for animal breeding with focus on genomics. Programming and computer algorithms in animal breeding with a focus on single-step GBLUP and reality of genomic selection.* University of Georgia, Athens.
- Aguilar, I., Legarra, A., Cardoso, F., Masuda, Y., Lourenco, D., dan Misztal, I. 2019. Frequentist p-values for large-scale-single step genome-wide association, with an application to birth weight in American Angus cattle. *Genet Sel Evol.* 51: 28. <https://doi.org/10.1186/s12711-019-0469-3>
- Aguilar, I., Misztal, I., Johnson, D. L., Legarra, A., Tsuruta, S., dan Lawlor, T. J. 2010. Hot topic: A unified approach to utilize phenotypic, full pedigree, and genomic information for genetic evaluation of Holstein final score. *J Dairy Sci.* 93: 743-752. <https://doi.org/10.3168/jds.2009-2730>



- Ali, M., Zhang, Y., Rasheed, A., Wang, J., dan Zhang, L. 2020. Genomic prediction for grain yield and yield-related traits in Chinese winter wheat. *Int J Mol Sci.* 21(4): 1342. <https://doi.org/10.3390/ijms21041342>
- Allais, S., Hennequet-Antier, C., Berri, C., Salles, L., Demeure, O., dan Le Bihan-Duval, E. 2019. Mapping of QTL for chicken body weight, carcass composition, and meat quality traits in a slow-growing line. *Poult Sci.* 98: 1960-1967. <https://doi.org/10.3382/ps/pey549>
- Alvarenga, A. B., Veroneze, R., Oliveira, H. R., Marques, D. B. D., Lopes, P. S., et al. 2020. Comparing alternative single-step GBLUP approaches and training population designs for genomic evaluation of crossbred animals. *Frontiers in Genetics.* 11: 263. <https://doi.org/10.3389/fgene.2020.00263>
- Alvarenga, A. M., Rovadoscki, G. A., Petrini, J., Coutinho, L. L., Morota, G., et al. 2018. Linkage disequilibrium in Brazilian Santa Inês breed, *Ovis aries*. *Scientific Reports.* 8: 8851. <https://doi.org/10.1038/s41598-018-27259-7>
- Ardestani, S. S., Jafarikia, M., Sargolzaei, M., Sullivan, B., dan Miar, Y. 2021. Genomic prediction of average daily gain, back-fat thickness, and loin muscle depth using different genomic tools in Canadian swine populations. *Frontiers in Genetics.* 21: 665344. <https://doi.org/10.3389/fgene.2021.665344>
- Athrey, G., Faust, N., Hieke, A-S. C., dan Brisbin, I. L. 2018. Effective population sizes and adaptive genetic variation in a captive bird population. *PeerJ.* 6: e5803. <https://doi.org/10.7717/peerj.5803>
- Aulchenko, Y. S., Ripke, S., Isaacs, A., dan Van Duijn, C. M. 2007. GenABEL: an R library for genome-wide association analysis. *Bioinformatics.* 23(10): 1294-1296. <https://doi.org/10.1093/bioinformatics/btm108>
- Aulchenko, Y. 2013. Package ‘GenABEL’. GenABEL project developers.
- Baby, S., Hyeong, K-E., Lee, Y-M., Jung, J-H., Oh, D-Y., et al. 2014. Evaluation of genome based estimated breeding values for meat quality in a Berkshire population using high density single nucleotide polymorphism chips. *Asian Australas J Anim Sci.* 27(11): 1540-1547. <https://dx.doi.org/10.5713/ajas.2014.14371>
- Badke, Y. M., Bates, R. O., Ernst, C. W., Fix, J., dan Steibel, J. P. 2014. Accuracy of estimation of genomic breeding values in pigs using low-density genotypes and imputation. *Genes Genomes Genetics.* 4: 623-631. <https://doi.org/10.1534/g3.114.010504>
- Barh, D., Chaitankar, V., Yiannakopoulou, E. C., Salawu, E. O., Chowbina, S., et al. 2014. Chapter 21 – *In Silico* models: from simple networks to complex diseases. In: Ashish S. Verma, Anchal Singh (eds) *Animal Biotechnology*. 385-404. <https://dx.doi.org/10.1016/B978-0-12-416002-6.00021-3>
- Bell, A. dan Jones, K. 2015. Explaining fixed effects: random effects modeling of time-series cross-sectional and panel data. *Political Science Research and Methods.* 3(1): 133-153. <https://doi.org/10.1017/psrm.2014.7>



- Bernardo, R. 2020. Reinventing quantitative genetics for plant breeding: something old, something new, something borrowed, something BLUE. *Heredity*. 125: 375-385. <https://doi.org/10.1038/s41437-020-0312-1>
- Boschiero, C., Moreira, G. C. M., Gheyas, A. A., Godoy, T. F., Gasparin, G., et al. 2018. Genome-wide characterization of genetic variants and putative regions under selection in meat and egg-type chicken lines. *BMC Genomics*. 19: 83. <https://doi.org/10.1186/s12864-018-4444-0>
- Brito, F. V., Neto, J. B., Sargolzaei, M., Cobuci, J. A., dan Schenkel, F. S. 2011. Accuracy of genomic selection in simulated populations mimicking the extent of linkage disequilibrium in beef cattle. *BMC Genetics*. 12:80. <https://doi.org/10.1186/1471-2156-12-80>
- Buchanan, D. S. dan Northcutt, S. L. 1996. *Beef Cattle Handbook: The Genetic Principles of Crossbreeding*. Iowa Beef Center. <https://www.iowabeefcenter.org/bch/CrossbreedingGeneticsPrinciples.pdf>
- Cahyadi, M., Park, H-B., Seo, D-W., Jin, S., Choi, N., et al. 2016. Variance component quantitative trait locus analysis for body weight traits in purebred Korean native chicken. *Asian Australas J Anim Sci*. 29(1): 43-50. <https://dx.doi.org/10.5713/ajas.15.0193>
- Casale, F. P. 2016. Multivariate linear mixed models for statistical genetics. *Dissertation of Doctor of Philosophy*. European Bioinformatics Institute. Hughes Hall College, University of Cambridge. UK.
- Cesarani, A., Masuda, Y., Tsuruta, S., Nicolazzi, E. L., VanRaden, P. M., et al. 2021. Genomic predictions for yield traits in US Holsteins with unknown parent groups. *Journal of Dairy Science*. 104(5): 5843-5853. <https://doi.org/10.3168/jds.2020-19789>
- Chen, G. K., Marjoram, P., dan Wall, J. D. 2009. Fast and flexible simulation of DNA sequence data. *Genome Research*. 19:136-142. <https://doi.org/10.1101/gr.083634.108>
- Cheng, H-W. 2010. Breeding of tomorrow's chickens to improve well-being. *Poult Sci*. 89: 805-813. <https://doi.org/10.3382/ps.2009-00361>
- Chowdhury, M. 2020. Runs of Homozygosity Patterns of the Synbreed Chicken Diversity Panel. *Thesis*. Georg-August-Universität Göttingen, Germany.
- Chu, T. T., Bastiaansen, J. W., Berg, P., Rome, H. J. S., Marois, D., et al. 2019. Use of genomic information to exploit genotype-by-environment interactions for body weight of broiler chicken in bio-secure and production environments. *Genetics Selection Evolution*. 51: 50. <https://doi.org/10.1186/s12711-019-0493-3>
- Chu, T. T., Alemu, S. W., Norberg, E., Sørensen, A. C., Henshall, J., et al. 2018. Benefits of testing in both bio-secure and production environments in genomic selection breeding programs for commercial broiler chicken. *Genet Sel Evol*. 50: 52. <https://doi.org/10.1186/s12711-018-0430-x>



- Colquitt, R. B., Colquhoun, D. A., dan Thiele, R. H. 2011. *In silico* modelling of physiologic systems. *Best Pract Res Clin Anaesthesiol.* 25(4): 499-510.  
<https://doi.org/10.1016/j.bpa.2011.08.006>
- Comings, D. E. and MacMurray, J. P. 2000. Molecular heterosis: a review. *Molecular Genetics and Metabolism.* 71: 19-31.  
<https://doi.org/10.1006/mgme.2000.3015>
- Covarrubias-Pazaran, G. 2016. Genome-assisted prediction of quantitative traits using the R package *sommer*. *PLoS ONE.* 11(6): e0156744.  
<https://doi.org/10.1371/journal.pone.0156744>
- Cowling, W. A., Gaynor, R. C., Antolin, R., Gorjanc, G., Edwards, S. M., et al. 2020. *In silico* simulation of future hybrid performance to evaluate heterotic pool formation in a self-pollinating crop. *Sci Rep.* 10: 4037.  
<https://doi.org/10.1038/s41598-020-61031-0>
- Daetwyler, H. D., Calus, M. P. L., Pong-Wong, R., de los Campos, G., dan Hickey, J. M. 2013. Genomic prediction in animals and plants: simulation of data, validation, reporting, and benchmarking. *Genetics.* 193: 347-365.  
<https://doi.org/10.1534/genetics.112.147983>
- Damayanti, P. A., Daryono, B. S., dan Mahardhika, I. W. S. 2019. Inheritance and comparison of phenotypic characters from hybrid chicken GK-Bro (*Gallus gallus* Linnaeus 1758). *Biogenesis.* 7(2): 94-99.  
<https://doi.org/10.24252/bio.v7i2.9493>
- Damaziak, K., Charuta, A., Niemiec, J., Tatara, M. R., Krupski, W., et al. 2019. Femur and tibia development in meat-type chickens with different growth potential for 56 days of rearing period. *Poultry Science.* 98(12): 7063-7075.  
<https://dx.doi.org/10.3382/ps/pez445>
- Daryono, B. S. dan Muammar, A. 2013. The inheritance of phenotype character on chickens (*Gallus gallus domesticus* Linnaeus 1758) derived from between crosses between backcross first generation chickens BC1. *Conference Proceedings: International Symposium on Biological Engineering and Natural Science Asia Symposium on Engineering and Information.* 2013/07/27.
- Daryono, B. S. dan Mushlih, M. 2016. Pola pewarisan kaki rengket secara autosomal resesif dan koefisien *inbreeding* pada ayam Pelung di Cianjur. *Jurnal Veteriner.* 17(2): 218-225.  
<https://dx.doi.org/10.19087/jveteriner.2016.17.2.218>
- Daryono, B. S. dan Puspita, U. E. 2015. Pola pewarisan crest ayam (*Gallus gallus domesticus*, Linnaeus 1758) backcross hasil persilangan ayam Mahkota dengan ayam Kampung. *JSV.* 33(2): 134-142.  
<https://onesearch.id/Record/IOS1961.article-17884>
- Daryono, B. S., Mushlih, M., dan Perdamaian, A. B. I. 2020. Vocalization characters and forkhead box P2 (FoxP2) polymorphism in Indonesian crowing-type chicken (*Gallus gallus domesticus*). *Iranian Journal of Applied Animal*



- Science. 10(1): 131-140.  
<https://dorl.net/dor/20.1001.1.2251628.2020.10.1.16.1>
- Daryono, B. S., Mushlih, M., dan Perdamaian, A. B. I. 2021. Crowing sound and inbreeding coefficient analysis of *Pelung* chicken (*Gallus gallus domesticus*). *BIODIVERSITAS*. 22(5): 2451-2457. <https://doi.org/10.13057/biodiv/d220501>
- Daryono, B. S., Roosdianto, I., dan Saragih, H. T. S. S. G. 2010. Pewarisan karakter fenotip ayam hasil persilangan ayam Pelung dengan ayam Cemani. *Jurnal Veteriner*. 11(4): 257-263. <https://onesearch.id/Record/IOS2744.96967>
- Daryono, B. S., Satriya, R., Rohmah, Z., dan Erwanto, Y. 2012. Pengembangan industri bibit unggas nasional melalui produksi indukan Gama Ayam Lokal Unggul. *Jurnal Ilmu Pengetahuan dan Teknologi Tepat Guna UGM*. 1(2): 95-103. <https://onesearch.id/Record/IOS2744.37710>
- DeJian, Y., ZuoBin, Z., XiaoHua, T., Jie, K., Chen, Z., et al. 2014. Scoring the collective effects of SNPs: association of minor alleles with complex traits in model organisms. *Sci China Life Sci.* 57: 876-888. <https://doi.org/10.1007/s11427-014-4704-4>
- Dekkers, J. C. M., Su, H., dan Cheng, J. 2021. Predicting the accuracy of genomic predictions. *Genet Sel Evol*. 53: 55. <https://doi.org/10.1186/s12711-021-00647-w>
- Delaneau, O., Howie, B., Cox, A. J., Zagury, J-F., dan Marchini, J. 2013. Haplotype estimation using sequencing reads. *The American Journal of Human Genetics*. 93: 687-696. <https://dx.doi.org/10.1016/j.ajhg.2013.09.002>
- Delaneau, O., Marchini, J., dan the 1000 Genomes Project Consortium. 2014. Integrating sequence and array data to create an improved 1000 Genomes Project haplotype reference panel. *Nature Communications*. 5: 3934. <https://doi.org/10.1038/ncomms4934>
- Delaneau, O., Zagury, J-F., Robinson, M. R., Marchini, J. L., dan Dermitzakis, E. T. 2019. Accurate, scalable, and integrative haplotype estimation. *Nature Communications*. 10: 5436. <https://doi.org/10.1038/s41467-019-13225-y>
- Duarte, J. L. G., Gori, A-S., Hubin, X., Lourenco, D., Charlier, C., et al. 2020. Performances of Adaptive MultiBLUP, Bayesian regressions, and weighted-GBLUP approaches for genomic predictions in Belgian Blue beef cattle. *BMC Genomics*. 21: 545. <https://doi.org/10.1186/s12864-020-06921-3>
- Dupont, E. dan Martensen, H. 2007. Multilevel modelling and time series analysis in traffic research – Methodology. Deliverable D7.4 of the EU FP6 project SafetyNet. Loughborough University. Loughborough.
- Editorial. 2010. Is there a leptin gene in the chicken genome? Lessons from phylogenetics, bioinformatics, and genomics. *General and Comparative Endocrinology*. 167: 1-5. <https://doi.org/10.1016/j.ygcen.2009.10.006>



- Ehret, G. B. 2010. Genome-wide association studies: contribution of genomics to understanding blood pressure and essential hypertension. *Curr Hypertens Rep.* 12(1): 17-25. <https://doi.org/10.1007/s11906-009-0086-6>
- Elferink, M. 2011. Genetic variation in the chicken genome: insights in selection. *Thesis: Wageningen University.* Wageningen, Netherlands.
- Elferink, M. G., van As, P., Veenendaal, T., Crooijmans, R. P. M. A., dan Groenen, M. A. M. 2010. Regional differences in recombination hotspots between two chicken populations. *BMC Genetics.* 11: 11. <https://doi.org/10.1186/1471-2156-11-11>
- Ernanto, A. R., Afifah, D., Lesmana, I., dan Daryono, B. S. 2018. Isolation of DNA from chicken (*Gallus gallus domesticus* Linnaeus 1758) feather with lysis buffer-phenol chloroform isoamyl alcohol method (PCI) and chelex method. *AIP Conf Proc.* 2002(020002): 1-5. <https://doi.org/10.1063/1.5050098>
- Esfandyari, H. 2016. Genomic selection for crossbred performance. *Joint PhD Thesis: Wageningen University and Aarhus University.* Wageningen, Netherlands.
- Esfandyari, H., Bijma, P., Henryon, M., Christensen, O. F., dan Sørensen, A. C. 2016. Genomic prediction of crossbred performance based on purebred Landrace and Yorkshire data using a dominance model. *Genetics Selection Evolution.* 48: 40. <https://doi.org/10.1186/s12711-016-0220-2>
- Eynard, S. E. 2018. Using genomic information to conserve genetic diversity in livestock. *Joint PhD Thesis: AgroParisTech and Wageningen University.* Wageningen, Netherlands. <https://doi.org/10.18174/428639>
- Fatai, R. B., Akinyemi, M. O., dan Osaiyewu, O. H. 2020. *In silico* analysis of single nucleotide polymorphism in *INHA* gene of sheep and goats. *Biotechnology Journal International.* 24(2): 12-21. <https://doi.org/10.9734/BJI/2020/v24i230098>
- Faux, A-M., Gorjanc, G., Gaynor, R. C., Battagin, M., Edwards, S. M., et al. 2016. AlphaSim: Software for breeding program simulation. *The Plant Genome.* 9(3): 1-14. <https://doi.org/10.3835/plantgenome2016.02.0013>
- Perlito, C. dan Respatiadi, H. 2018. Reformasi kebijakan pada industri unggas di Indonesia. *Center for Indonesia Policy Studies.* <https://doi.org/10.35497/271879>
- Fischer, H. P. 2008. Mathematical modelling of complex biological systems: from parts lists to understanding systems behavior. *Alcohol Res Health.* 31(1): 49-59. <https://pubmed.ncbi.nlm.nih.gov/23584751/>
- Fogelholm, J., Henriksen, R., Höglund, A., Huq, N., Johnsson, M., et al. 2020. *CREBBP* and *WDR24* identified as candidate genes for quantitative variation in red-brown plumage colouration in the chicken. *Scientific Reports.* 10: 1161. <https://doi.org/10.1038/s41598-020-57710-7>



- Fogelholm, J., Inkabi, S., Höglund, A., Abbey-Lee, R., Johnsson, M., et al. 2019. Genetical genomics of tonic immobility in the chicken. *Genes*. 10(5): 341. <https://doi.org/10.3390/genes10050341>
- Forneris, N. S., Legarra, A., Vitezica, Z. G., Tsuruta, S., Aguilar, I., et al. 2015. Quality control of genotypes using heritability estimates of gene content at the marker. *Genetics*. 199(3): 675-681. <https://doi.org/10.1534/genetics.114.173559>
- Forutan, M., Mahyari, S. A., Baes, C., Melzer, N., Schenkel, F. S., dan Sargolzaei, M. 2018. Inbreeding and runs of homozygosity before and after genomic selection in North American Holstein cattle. *BMC Genomics*. 19: 98. <https://doi.org/10.1186/s12864-018-4453-z>
- Fragomeni, B. O., Lourenco, D. A. L., Masuda, Y., Legarra, A., dan Misztal, I. 2017. Incorporation of causative quantitative trait nucleotides in single-step GBLUP. *Genet Sel Evol*. 49: 59. <https://doi.org/10.1186/s12711-017-0335-0>
- Fulton, J. E. 2012. Genomic selection for poultry breeding. *Animal Frontiers*. 2(1): 30-36. <https://doi.org/10.2527/af.2011-0028>
- Gao, H., Christensen, O. F., Madsen, P., Nielsen, U. S., Zhang, Y., et al. 2012. Comparison on genomic predictions using three GBLUP methods and two single-step blending methods in the Nordic Holstein population. *Genet. Sel. Evol.* 44: 8. <https://doi.org/10.1186/1297-9686-44-8>
- Garcia-Baccino, C. A., Legarra, A., Christensen, O. F., Misztal, I., Poernic, I., et al. 2017. Metafounders are related to  $F_{st}$  fixation indices and reduce bias in single-step genomic evaluations. *Genet Sel Evol*. 49: 34. <https://doi.org/10.1186/s12711-017-0309-2>
- Garcia-Baccino, C. A., Lourenco, D. A. L., Miller, S., Cantet, R. J. C., dan Vitezica, Z. G. 2020. Estimating dominance genetic variances for growth traits in American Angus males using genomic models. *Journal of Animal Science*. 98(1): 1-7. <https://doi.org/10.1093/jas/skz384>
- Ghosh, D. dan Chinnaiyan, A. M. 2005. Classification and selection of biomarkers in genomic data using LASSO. *Journal of Biomedicine and Biotechnology*. 2005(2): 147-154. <https://doi.org/10.1155/JBB.2005.147>
- Ghosh, M., Sodhi, S. S., Sharma, N., Mongre, R. K., Kim, N., et al. 2016. An integrated *in silico* approach for functional and structural impact of non-synonymous SNPs in the *MYH1* gene in Jeju Native Pigs. *BMC Genetics*. 17: 35. <https://doi.org/10.1186/s12863-016-0341-1>
- Goddard, M. E. dan Hayes, B. J. 2007. Genomic selection. *J Anim Breed. Genet.* 124(6): 323-330. <https://doi.org/10.1111/j.1439-0388.2007.00702.x>
- Gorjanc, G. dan Hickey, J. M. 2018. AlphaMate: a program for optimizing selection, maintenance of diversity and mate allocation in breeding programs. *Bioinformatics*. 34(19): 3408-3411. <https://doi.org/10.1093/bioinformatics/bty375>



- Gorssen, W., Meyermans, R., Janssens, S., dan Buys, N. 2021. A publicly available repository of ROH islands reveals signatures of selection in different livestock and pet species. *Genet Sel Evol.* 53: 2. <https://doi.org/10.1186/s12711-020-00599-7>
- Groenen, M. A. M., Cheng, H. H., Bumstead, N., Benkel, B. F., Briles, W. E., et al. 2000. A consensus linkage map of the chicken genome. *Genome Research.* 10(1): 137-147. <https://pubmed.ncbi.nlm.nih.gov/10645958/>
- Groenen, M. A. M., Wahlberg, P., Foglio, M., Cheng, H. H., Megens, H-J., et al. 2008. A high-density SNP-based linkage map of the chicken genome reveals sequence features correlated with recombination rate. *Genome Research.* 19: 510-519. <https://doi.org/10.1101/gr.086538.108>
- Grupioni, N. V., Stafuzza, N. B., Carvajal, A. B., Ibelli, A. M. G., Peixoto, J. O., et al. 2017. Association of *RUNX2* and *TNFSF11* genes with production traits in a paternal broiler line. *Genet Mol Res.* 16(1): gmr16019443. <https://dx.doi.org/10.4238/gmr16019443>
- Guo, J., Qu, L., Dou, T-C., Shen, M-M., Hu, Y-P., et al. 2020. Genome-wide association study provides insights into the genetic architecture of bone size and mass in chickens. *Genome.* 63(3): 133-143. <https://doi.org/10.1139/gen-2019-0022>
- Guo, J., Sun, C., Qu, L., Shen, M., Dou, T., et al. 2017. Genetic architecture of bone quality variation in layer chickens revealed by a genome-wide association study. *Scientific Reports.* 7: 45317. <https://doi.org/10.1038/srep45317>
- Habier, D., Fernando, R. L., dan Dekkers, J. C. M. 2009. Genomic selection using low-density marker panels. *Genetics.* 182(1): 343-353. <https://doi.org/10.1534/genetics.108.100289>
- Habimana, R., Okeno, T. O., Ngeno, K., Mboumba, S., Assami, P., et al. 2020. Genetic diversity and population structure of indigenous chicken in Rwanda using microsatellite markers. *PLoS ONE.* 15(4): e0225084. <https://doi.org/10.1371/journal.pone.0225084>
- Harris, A. M., Garud, N. R., dan DeGiorgio, M. 2018. Detection and classification of hard and soft sweeps from unphased genotypes by multilocus genotype identity. *Genetics.* 210(4): 1429-1452. <https://doi.org/10.1534/genetics.118.301502>
- Harville, D. A. 1977. Maximum likelihood approaches to variance component estimation and to related problems. *Journal of the American Statistical Association.* 72(358): 320- 338.
- Hay, E. H. dan Roberts, A. 2019. Genomic evaluation of genotype by prenatal nutritional environment interaction for maternal traits in a composite beef cattle breed. *Livestock Science.* 229: 118-125. <https://doi.org/10.1016/j.livsci.2019.09.022>



- Hayes, B. dan Daetwyler, H. 2015. Genomic Breeding Programs and Validation. Armidale Summer Course 2015. University of New England, Armidale.
- Heidaritabar, M. 2016. Genomic selection in egg-laying chickens. *Thesis: Wageningen University*. Wageningen, Netherlands.
- Heidaritabar, M., Vereijken, A., Muir, W. M., Meuwissen, T., Cheng, H., et al. 2014. Systematic differences in the response of genetic variation to pedigree and genome-based selection methods. *Heredity*. 113: 503-513. <https://doi.org/10.1038/hdy.2014.55>
- Henderson, C. R. 1985. Best linear unbiased prediction using relationship matrices derive from selected base populations. *J Dairy Sci*. 68: 443-448.
- Hickey, J. M. dan Gorjanc, G. 2012. Simulated data for genomic selection and genome-wide association studies using a combination of coalescent and gene drop methods. *Genes Genomes Genetics*. 2(4): 425-427. <https://doi.org/10.1534/g3.111.001297>
- Hickey, J. M., Dreisigacker, S., Crossa, J., Hearne, S., Babu, R., et al. 2015. Evaluation of genomic selection training population designs and genotyping strategies in plant breeding programs using simulation. *Crop Sci*. 54(4): 1476-1488. <https://doi.org/10.2135/cropsci2013.03.0195>
- Huang, S. 2016. New thoughts on an old riddle: What determines genetic diversity within and between species? *Genomics*. 108(1): 3-10. <https://doi.org/10.1016/j.ygeno.2016.01.008>
- Howard, R., Carriquiry, A. L., dan Beavis, W. D. 2014. Parametric and nonparametric statistical methods for genomic selection of traits with additive and epistatic genetic architectures. *Genes Genomes Genetics*. 4(6): 1027-1046. <https://doi.org/10.1534/g3.114.010298>
- Ikeobi, C. O. N., Woolliams, J. A., Morrice, D. R., Law, A., Windsor, D., et al. 2002. Quantitative trait loci affecting fatness in the chicken. *Animal Genetics*. 33(6): 428-435. <https://doi.org/10.1046/j.1365-2052.2002.00911.x>
- International Chicken Genome Sequencing Consortium. 2004. Sequence and comparative analysis of the chicken genome provide unique perspectives on vertebrate evolution. *Nature*. 432: 695-777. <https://doi.org/10.1038/nature03154>
- International Chicken Polymorphism Map Consortium. 2004. A genetic variation map for chicken with 2.8 million single-nucleotide polymorphisms. *Nature*. 432: 717-722. <https://doi.org/10.1038/nature03156>
- John-Jaja, S. A., Abdullah, A-R., dan Nwokolo, S. C. 2018. Heritability estimates of external egg quality traits of Exotic Laying Chickens under the influence of age variance in the tropics. *Journal of the Saudi Society of Agricultural Sciences*. 17: 359-364. <https://dx.doi.org/10.1016/j.jssas.2016.07.007>
- Johnsson, M., Jonsson, K. B., Andersson, L., Jensen, P., dan Wright, D. 2016. Quantitative trait locus and genetical genomics analysis identifies putatively



- causal genes for fecundity and brooding in the chicken. *Genes Genomes Genetics*. 6(2): 311-319. <https://doi.org/10.1534/g3.115.024299>
- Johnsson, M., Ros-Freixedes, R., Gorjanc, G., Campbell, M. A., Naswa, S., et al. 2018. Sequence variation, evolutionary constraint, and selection at the *CD163* gene in pigs. *Genet Sel Evol*. 50: 69. <https://doi.org/10.1186/s12711-018-0440-8>
- Jones, K. 2010. An Introduction to statistical modelling. In: Somekh, B., Lewin, C. (Eds.), *Theory and Methods in Social Research*. 2nd ed. Sage Publications, London, pp 241–255.
- Junqueira, V. S., Lopes, P. S., Lourenco, D., Silva, F. F., dan Cardoso, F. F. 2020. Applying the metafounders approach for genomic evaluation in a multibreed beef cattle population. *Frontiers in Genetics*. 11: 556399. <https://doi.org/10.3389/fgene.2020.556399>
- Kaizer, J., Heller, A. K., dan Oberkampf, W. L. 2015. Scientific computer simulation review. *Reliability Engineering and System Safety*. 138: 210-218. <https://dx.doi.org/10.1016/j.ress.2015.01.020>
- Kang, H., Zhou, L., Mrode, L., Zhang, Q., dan Liu, J-F. 2016. Incorporating single-step strategy into random regression model to enhance genomic prediction of longitudinal trait. *Heredity*. 119: 459-467. <https://doi.org/10.1038/hdy.2016.91>
- Kapell, D. N. R. G., Hill, W. G., Neeteson, A-M., McAdam, J., Koerhuis, A. N. M., dan Avendaño, S. 2012. Genetic parameters of foot-pad dermatitis and body weight in purebred broiler lines in 2 contrasting environments. *Poultry Science*. 91(3): 565-574. <https://dx.doi.org/10.3382/ps.2011-01934>
- Karaman, E., Lund, M. S., Anche, M. T., Janss, L., dan Su, G. 2018. Genomic prediction using multi-trait weighted GBLUP accounting for heterogeneous variances and covariances across the genome. *Genes Genomes Genetics*. 8(11): 3549-3558. <https://doi.org/10.1534/g3.118.200673>
- Karimi, K., Sargolzaei, M., Plastow, G. S., Wang, Z., dan Miar, Y. 2019. Opportunities for genomic selection in American mink: a simulation study. *PLoS ONE*. 14(3): e0213873. <https://doi.org/10.1371/journal.pone.0213873>
- KarsSEN, L. C., van Duijn, C. M. dan Aulchenko, Y. S. 2016. The GenABEL Project for statistical genomics [version 1; peer review: 2 approved]. *F1000Research*. 5: 914. <https://doi.org/10.12688/f1000research.8733.1>
- Kelleher, J., Thornton, K. R., Ashander, J., dan Ralph, P. L. 2018. Efficient pedigree recording for fast population genetics simulation. *PLoS Comput Biol*. 14(11): e1006581. <https://doi.org/10.1371/journal.pcbi.1006581>
- Khan, M. A. 2021. Introduction to different measures of linkage disequilibrium (LD) and their calculation. University of Illinois, Urbana-Champaign.
- Kilatsih, R., Perdamaian, A. B. I., Joko, T., Purwanto, S. H., dan Daryono, B. S. 2020. Effect analysis of prolactin (*PRL*) gene polymorphisms on chicken egg productivity (*Gallus gallus domesticus*) BC1 from crossbreeding between



- Pelung and Layer chicken. *Iranian Journal of Applied Animal Science*. 10(4): 717-726. <https://dorl.net/dor/20.1001.1.2251628.2020.10.4.16.7>
- Kranis, A., Gheyas, A. A., Boschiero, C., Turner, F., Yu, L., et al. 2013. Development of a high density 600K SNP genotyping array for chicken. *BMC Genomics*. 14: 59. <https://doi.org/10.1186/1471-2164-14-59>
- Kriegman, S., Blackiston, D., Levin, M., dan Bongard, J. 2020. A scalable pipeline for designing reconfigurable organisms. *PNAS*. 117(4): 1853-1859. <https://doi.org/10.1073/pnas.1910837117>
- Kriegman, S., Blackiston, D., Levin, M., dan Bongard, J. 2021. Kinematic self-replication in reconfigurable organisms. *PNAS*. 118(49): e2112672118. <https://doi.org/10.1073/pnas.2112672118>
- Kurnia, R. R., Lesmana, I., Ernanto, A. R., Perdamaian, A. B. I., Trijoko, dan Daryono, B. S. 2021. The association of follicle stimulating hormone receptor (FSHR) gene polymorphism of on egg productivity in hybrid chicken (*Gallus gallus gallus*, Linnaeus 1758). *BIODIVERSITAS*. 22(3): 1221-1226. <https://doi.org/10.13057/biodiv/d220318>
- Lai, E., Danner, A. L., Famula, T. R., dan Oberbauer, A. M. 2020. Genome-wide association studies reveal susceptibility loci for digital dermatitis in Holstein cattle. *Animals*. 10: 2009. <https://doi.org/10.3390/ani10112009>
- Lande, R. dan Thompson, R. 2000. Efficiency of marker-assisted selection in the improvement of quantitative traits. *Genetics*. 124(3): 743-756. <https://doi.org/10.1093/genetics/124.3.743>
- Lamy, P., Andersen, C. L., Wikman, F. P., dan Wiuf, C. 2006. Genotyping and annotation of Affymetrix SNP arrays. *Nucleic Acid Res*. 34(14): e100. <https://doi.org/10.1093/nar/gkl475>
- Larivière, J-M., Michaux, C., Verleyen, V., dan Leroy, P. 2009. Heritability estimate and response to selection for body weight in the Ardenaise chicken breed. *International Journal of Poultry Science*. 8(10): 952-956. <https://doi.org/10.3923/ijps.2009.952.956>
- Latifi, M., Rashidi, A., Abdollahi-Arpanahi, R., Razmkabir, M. 2020. Comparison of different selection methods for improving litter size in sheep using computer simulation. *Spanish Journal of Agricultural Research*. 18(1): e0403. <https://doi.org/10.5424/sjar/2020181-15459>
- Legarra, A., Aguilar, I., dan Colleau, J. J. 2020. *Short communication*: Methods to compute genomic inbreeding for ungenotyped individuals. *J. Dairy Sci*. 103(4): 3363-3367. <https://doi.org/10.3168/jds.2019-17750>
- Legarra, A., Robert-Granie, C., Croiseau, P., Guillaume, F., dan Fritz, S. 2011. Improved Lasso for genomic selection. *Genet Res Camb*. 93: 77-87. <https://doi.org/10.1017/S0016672310000534>



- Lewis, R. M. 2018. Can on-line training be an effective tool to motivate and support learning in quantitative genetics and genomics? *Proceedings of the World Congress on Genetics Applied to Livestock Production*. 11.972.
- Liu, Z., Yang, N., Yan, Y., Li, G., Liu, A., et al. 2019. Genome-wide association analysis of egg production performance in chickens across the whole laying period. *BMC Genetics*. 20: 67. <https://doi.org/10.1186/s12863-019-0771-7>
- Lloyd, S. S., Steele, E. J., dan Dawkins, R. L. 2016. Analysis of haplotype sequences. *InTechOpen*. <https://dx.doi.org/10.5772/61794>
- Lopez, B. I., Lee, S-H., Park, J-E., Shin, D-H., Oh, J-D., et al. 2019. Weighted genomic best linear unbiased prediction for carcass traits in Hanwoo cattle. *Genes*. 10(12): 1019. <https://doi.org/10.3390/genes10121019>
- Lorenz, A. J. 2013. Resource allocation for maximizing prediction accuracy and genetic gain of genomic selection in plant breeding: A simulation experiment. *Genes Genomes Genetics*. 3(3): 481-491. <https://doi.org/10.1534/g3.112.004911>
- Lourenco, D., Legarra, A., Tsuruta, S., Masuda, Y., Aguilar, I., dan Misztal, I. 2020. Single-step genomic evaluations from theory to practice: using SNP chips and sequence data in BLUPF90. *Genes*. 11(7): 790. <https://doi.org/10.3390/genes11070790>
- Luan, T., Woolliams, J. A., Lien, S., Kent, M., Svendsen, M., dan Meuwissen, T. H. E. 2009. The accuracy of genomic selection in Norwegian red cattle assessed by cross-validation. *Genetics*. 183(3): 1119-1126. <https://doi.org/10.1534/genetics.109.107391>
- Ma, X., Christensen, O. F., Gao, H., Huang, R., Nielse, B., et al. 2021. Prediction of breeding values for group-recorded traits including genomic information and an individually recorded correlated trait. *Heredity*. 126: 206-217. <https://doi.org/10.1038/s41437-020-0339-3>
- Mahardhika, I. W. S. dan Daryono, B. S. 2019. Phenotypic performance of *Kambro* crossbreeds of female Broiler Cobb 500 and male Pelung Blirik Hitam. *Buletin Veteriner Udayana*. 11(2): 188-202. <https://doi.org/10.24843/bulvet.2019.v11.i02.p12>
- Mahardhika, I. W. S., Chasnurosnyiqoh, A. R., Chohansandhika, J., Sholiha, F. P., Indriarto, N. B., dan Daryono, B. S. 2020. Estimation of several commercial, phenotypic, and reproductive traits' performance using the quantitative genetic method for *Kamper* chicken line. *Biogenesis*. 8(2): 172-184. <https://doi.org/10.24252/bio.v8i2.15648>
- Mahardhika, I. W. S., Daryono, B. S., Dewi, A. A. C., Hidayat, S. N., Firmansyah, G. I., et al. 2020. Phenotypic traits, egg productivity, and body weight performance of *Gama Ayam BC1 Kamper*. *Jurnal Peternakan*. 17(1): 6-16. <http://dx.doi.org/10.24014/jupet.v17i1.7331>



- Maldonado, C., Mora-Poblete, F., Contreras-Soto, R. I., Ahmar, S., Chen, J-T., et al. 2020. Genome-wide prediction of complex traits in two outcrossing plant species through deep learning and Bayesian regularized neural network. *Front Plant Sci.* 11:593897. <https://doi.org/10.3389/fpls.2020.593897>
- Malinovskaya, L. P., Tishakova, K. V., Volkova, N. A., Torgasheva, A. A., Tsepilov, Y. A., dan Borodin, P. M. 2019. Interbreed variation in meiotic recombination rate and distribution in the domestic chicken *Gallus gallus*. *Arch Anim Breed.* 62: 403-411. <https://doi.org/10.5194/aab-62-403-2019>
- Manjula, P., Park, H-B., Seo, D., Choi, N., Jin, S., et al. 2017. Estimation of heritability and genetic correlation of body weight gain and growth curve parameters in Korean native chicken. *Asian-Australian Journal of Animal Sciences.* 00: 1-6. <https://doi.org/10.5713/ajas.17.0179>
- Mao, X., Sahana, G., Johansson, A. M., Liu, A., Ismael, A., et al. 2020. Genome-wide association mapping for dominance effects in female fertility using real and simulated data from Danish Holstein cattle. *Scientific Reports.* 10: 2953. <https://doi.org/10.1038/s41598-020-59788-5>
- Marchesi, J. A. P., Ono, R. K., Cantão, M. E., Ibelli, A. M. G., Peixoto, J. O., et al. 2021. Exploring the genetic architecture of feed efficiency traits in chickens. *Scientific Reports.* 11: 4622. <https://doi.org/10.1038/s41598-021-84125-9>
- Marchesi, J. A., Sbardella, A. P., Joaquim, L. B., Cantao, M. E., Peixoto, J. O., et al. 2016. Linkage disequilibrium and effective population size in a paternal broiler line. *Proceedings of International Meeting of Advances in Animal Science*, 1. Brazil.
- Masuda, Y. 2018. Introduction to BLUPF90 suite programs. University of Georgia. <https://nce.ads.uga.edu/wiki/doku.php?id=documentation>
- Matsumoto, M. dan Nishimura, T. 1998. Mersenne twister: A 623-dimensionally equidistributed uniform pseudo-random number generator. *ACM Transactions on Modeling and Computer Simulation.* 8(1): 3-30.
- Maulidi, I. S., Puspita, U. E., Mahardhika, I. W. S., dan Daryono, B. S. 2020. The inheritance of phenotype character of feather color and growth of hybrid chicken (*Gallus gallus gallus*, Linnaeus 1758) derived from crossing of F1 Kamper and Kambro. *AIP Conf Proc.* 2260(060010): 1-9. <https://doi.org/10.1063/5.0017639>
- Medrano, J. F., Ahmadi, A., dan Casellas, J. 2010. Dairy cattle breeding simulation program: A simulation program to teach animal breeding principles and practices. *J. Dairy Sci.* 93: 2816-2826. <https://doi.org/10.3168/jds.2009-2640>
- Mendonça, M. A. C., Carvalho, C. R., dan Clarindo, W. R. 2016. DNA amount of chicken chromosomes resolved by image cytometry. *Caryologia.* 69(3): 201-206. <https://doi.org/10.1080/00087114.2016.1169086>
- Metzker, M. L. 2010. Sequencing technologies-the next generation. *Nature Reviews Genetics.* 11: 31-46. <https://doi.org/10.1038/nrg2626>



- Meuwissen, T. 2003. Genomic selection: The future of marker assisted selection and animal breeding. Marker Assisted Selection: A Fast Track to Increase Genetic Gain in Plant and Animal Breeding? Session II: MAS in Animals. Institute for Animal Science and Aquaculture, Norway.
- Meuwissen, T. H. E., Hayes, B. J., dan Goddard, M. E. 2001. Prediction of total genetics value using genome-wide dense marker maps. *Genetics*. 157(4): 1819-1829. <https://doi.org/10.1093/genetics/157.4.1819>
- Meuwissen, T., Hayes, B., dan Goddard, M. 2016. Genomic selection: a paradigm shift in animal breeding. *Animal Frontiers*. 6(1): 6-14. <https://doi.org/10.2527/af.2016-0002>
- Meuwissen, T., van den Berg, I., dan Goddard, M. 2021. On the use of whole-genome sequence data for across-breed genomic prediction and fine-scale mapping of QTL. *Genet Sel Evol*. 53: 19. <https://doi.org/10.1186/s12711-021-00607-4>
- Mignon-Grasteau, S., Chantry-Darmon, C., Boscher, M-Y., Sellier, N., Chabault-Dhuit, M., et al. 2016. Genetic determinism of bone and mineral metabolism in meat-type chickens: A QTL mapping study. *Bone Reports*. 5: 43-50. <https://dx.doi.org/10.1016/j.bonr.2016.02.004>
- Misztal, I., Bradford, H. L., Loureco, D. A. L., Tsuruta, S., Masuda, Y., et al. 2017. Studies on inflation of GEBV in single-step GBLUP for type. *Interbull Bulletin*. 51: 38-42.
- Misztal, I., Legarra, A., dan Aguilar, I. 2009. Computing procedures for genetic evaluation including phenotypic, full pedigree, and genomic information. *J Dairy Sci*. 92(9): 4648-4655. <https://doi.org/10.3168/jds.2009-2064>
- Misztal, I., Legarra, A., dan Aguilar, I. 2014. Using recursion to compute the inverse of the genomic relationship matrix. *J Dairy Sci*. 97: 3943–3952. <https://doi.org/10.3168/jds.2013-7752>
- Misztal, I., Loureco, D., dan Legarra, A. 2020. Current status of genomic evaluation. *Journal of Animal Science*. 98(4): skaa101. <https://doi.org/10.1093/jas/skaa101>
- Misztal, I., Tsuruta, S., Aguilar, I., Legarra, A., VanRaden, P. M., Lawlor, T. J. 2012. Methods to approximate reliabilities in single-step genomic evaluation. *J. Dairy Sci*. 96: 647-654. <https://dx.doi.org/10.3168/jds.2012-5656>
- Misztal, I., Tsuruta, S., Loureco, D. A. L., Masuda, Y., Aguilar, A., et al. 2018. Manual for BLUPF90 family of programs. [https://nce.ads.uga.edu/wiki/lib/exe/fetch.php?media=blupf90\\_all7.pdf](https://nce.ads.uga.edu/wiki/lib/exe/fetch.php?media=blupf90_all7.pdf)
- Misztal, I., Tsuruta, S., Poernic, I., dan Loureco, D. 2019. Changes in predictions when using different core animals in the APY algorithm. *Proceedings of the 70<sup>th</sup> Annual Meeting EAAP*. Ghent, Belgium; p. 593.
- Momen, M., Mehrgardi, A. A., Sheikhi, A., Kranis, A., Tusell, L., et al. 2018. Predictive ability of genome-assisted statistical models under various forms of



gene action. *Scientific Reports*. 8: 12309. <https://doi.org/10.1038/s41598-018-30089-2>

Momoh, O. M., Vincent, S. T., dan Yakubu, A. 2016. *In silico* analyses of  $\beta$ -LG gene in some mammalian species. *Global Journal of Animal Scientific Research*. 31(1): 327-338. <https://doi.org/10.2298/BAH1503327M>

Mota, L. F. M., Lopes, F. B., Júnior, G. A. F., Rosa, G. J. M., Magalhães, A. F. B., et al. 2020. Genome-wide scan highlights the role of candidate genes on phenotypic plasticity for age at first calving in Nellore heifers. *Scientific Reports*. 10: 6481. <https://doi.org/10.1038/s41598-020-63516-4>

Motta, S. dan Pappalardo, F. 2012. Mathematical modeling of biological systems. *Briefings in Bioinformatics*. 14(4): 411-422. <https://doi.org/10.1093/bib/bbs061>

Mrode, R., Ojango, J. M. K., Okeyo, A. M., dan Mwacharo, J. M. 2019. Genomic selection and use of molecular tools in breeding programs for indigenous and crossbred cattle in developing countries: current status and future prospects. *Front Genet*. 9: 694. <https://doi.org/10.3389/fgene.2018.00694>

Mukhopadhyay, C. S., Choudhary, R. K., dan Kumar, D. 2016. Genomic selection hands on: using GenSel and rrBLUP package. *Conference Paper*. <https://doi.org/10.13140/RG.2.1.1858.6649>

Muleta, K. T., Pressoir, G., dan Morris, G. P. 2019. Optimizing genomic selection for a sorghum breeding program in Haiti: A simulation study. *Genes Genomes Genetics*. 9(2): 391-401. <https://doi.org/10.1534/g3.118.200932>

Munoz, F. 2017. BreedR Overview. <https://raw.githubusercontent.com/famuvie/breedR/Overview.pdf>

Muqaddasi, Q. H., Brassac, J., Ebmeyer, E., Kollers, S., Korzun, V., et al. 2020. Prospects of GWAS and predictive breeding for European winter wheat's grain protein content, grain starch content, and grain hardness. *Scientific Reports*. 10: 12541. <https://doi.org/10.1038/s41598-020-69381-5>

Narinc, D. dan Genç, B. A. 2021. Genetic parameter estimates of fear, growth, and carcass characteristics in Japanese quail. *Turk J Vet Anim Sci*. 45: 272-280. <https://dx.doi.org/10.3906/vet-2007-43>

Neaves, L. E., Eales, J., Whitlock, R., Hollingsworth, P. M., Burke, T., dan Pullin, A. S. 2015. The fitness consequences of inbreeding in natural populations and their implications for species conservation – a systematic map. *Environmental Evidence*. 4:5. <https://doi.org/10.1186/s13750-015-0031-x>

Neumaier, A. dan Groeneveld, E. 1996. Restricted maximum likelihood estimation of covariances in sparse linear models.

Ni, G., Kipp, S., Simianer, H., dan Erbe, M. 2017. Accuracy of genomic breeding values revisited: Assessment of two established approaches and a novel one to determine the accuracy in two-step genomic prediction. *Journal of Animal Breeding and Genetics*. 134: 242-255. <https://doi.org/10.1111/jbg.12273>



- Noyes, H. A., Daly, D., Goodhead, I., Kay, S., Kemp, S. J., et al. 2015. A simple procedure for directly obtaining haplotype sequences of diploid genomes. *BMC Genomics*. 16: 642. <https://doi.org/10.1186/s12864-015-1818-4>
- O'Neill, M. 2013. *The mathematics of REML*. A workshop conducted at Universitas Brawijaya, Malang, Indonesia.
- Obšteter, J., Jenko, J., Hickey, J. M., dan Gorjanc, G. 2018. Testing different genomic selection scenarios in a small cattle population with simulation. *Proceedings of the World Congress on Genetics Applied to Livestock Production*. Volume Genetic Gain-Breeding Strategies 1, 11. 496.
- Ono, T., Ohara, K., Ishikawa, A., Kouguchi, T., Nagano, A. J., et al. 2019. Mapping of quantitative trait loci for growth and carcass-related traits in chickens using a restriction-site associated DNA sequencing method. *J Poult Sci*. 56: 166-176. <https://doi.org/10.2141/jpsa.0180066>
- Otyama, P. I., Wilkey, A., Kulkarni, R., Assefa, T., Chu, Y., et al. 2019. Evaluation of linkage disequilibrium, population structure, and genetic diversity in the U.S. peanut mini core collection. *BMC Genomics*. 20: 481. <https://doi.org/10.1186/s12864-019-5824-9>
- Park, M. N., Alam, M., Kim, S., Park, B., Lee, S. H., dan Lee, S. S. 2020. Genomic selection through single-step genomic best linear unbiased prediction improves the accuracy of evaluation in Hanwoo cattle. *Asian-Australas J Anim Sci*. 33(10): 1544-1557. <https://doi.org/10.5713/ajas.18.0936>
- Park, M. N., Choi, J. A., Lee, K-T., Lee, H-J., Choi, B-H., et al. 2013. Genome-wide association study of chicken plumage pigmentation. *Asian Australas J Anim Sci*. 26(11): 1523-1528. <https://dx.doi.org/10.5713/ajas.2013.13413>
- Patterson, N. dan Thompson, R. 1971. Recovery of inter-block information when block sizes are unequal. *Biometrika*. 58(3): 545-554. <https://doi.org/10.1093/biomet/58.3.545>
- Patterson, N., Price, A. L., dan Reich, D. 2006. Population structure and eigenanalysis. *PLoS Genetics*. 2(12): e190. <https://doi.org/10.1371/journal.pgen.0020190>
- Paxton, H., Anthony, N. B., Corr, S. A., dan Hutchinson, J. R. 2010. The effects of selective breeding on the architectural properties of the pelvic limb in broiler chickens: a comparative study across modern and ancestral populations. *J Anat*. 217: 153-166. <https://doi.org/10.1111/j.1469-7580.2010.01251.x>
- Peng, B. dan Kimmel, M. 2005. simuPOP: A forward-time population genetics simulation environment. *Bioinformatics*. 21(18): 3686-3687. <https://doi.org/10.1093/bioinformatics/bti584>
- Perdamaian, A. B. I., Saragih, H. T. S. S. G., dan Daryono, B. S. 2017. Effect of varying level of crude protein and energy on insulin-like growth factor-1 expression level in Indonesian hybrid chicken. *Int J Poult Sci*. 16(1): 1-5. <https://doi.org/10.3923/ijps.2017.1.5>



- Perdamaian, A. B. I., Trijoko, dan Daryono, B. S. 2017. Pertumbuhan dan keseragaman warna bulu ayam persilangan balik (BC2) hasil seleksi genetik persilangan ayam Pelung dengan ayam Pedaging. *Jurnal Veteriner*. 18(4): 557-564. <https://doi.org/10.19087/jveteriner.2017.18.4.557>
- Pérez-Enciso, M. dan Zingaretti, L. M. 2019. A guide on deep learning for complex trait genomic prediction. *Genes*. 10: 553. <https://dx.doi.org/10.3390/genes10070553>
- Pérez-Enciso, M., Ramírez-Ayala, L. C., dan Zingaretti, L. M. 2020. SeqBreed: A python tool to evaluate genomic prediction in complex scenarios. *Genet Sel Evol*. 52: 7. <https://doi.org/10.1186/s12711-020-0530-2>
- Pértille, F., Zanella, R., Felicio, A. M., Ledur, M. C., Peixoto, J. O., dan Coutinho, L. L. 2015. Identification of polymorphisms associated with production traits on chicken (*Gallus gallus*) chromosome 4. *Genetics and Molecular Research*. 14(3): 10717-10728. <https://dx.doi.org/10.4238/2015.September.9.11>
- Piccoli, M. L., Brito, L. F., Braccini, J., Brito, F. V., Cardoso, F. F., et al. 2018. A comprehensive comparison between single and two-step GBLUP methods in a simulated beef cattle population. *Can J Anim Sci*. 98: 565–575. <https://dx.doi.org/10.1139/cjas-2017-0176>
- Plate, M., Bernstein, R., Hoppe, A., dan Bienefeld, K. 2019. Comparison of infinitesimal and finite locus models for long-term breeding simulations with direct and maternal effects at the example of honeybees. *PLoS ONE*. 14(3): e0213270. <https://doi.org/10.1371/journal.pone.0213270>
- Pook, T., Büttgen, L., Ganeshan, A., Ha, N-T., dan Simianer, H. 2021. MoBPSweb: A web-based framework to simulate and compare breeding programs. *Genes Genomes Genetics*. 11(2): jkab023. <https://doi.org/10.1093/g3journal/jkab023>
- Pook, T., Schlather, M., dan Simianer, H. 2020. MoBPS-modular breeding program simulator. *Genes Genomes Genetics*. 10(6): 1915-1918. <https://doi.org/10.1534/g3.120.401193>
- Pritchard, J. K., Pickrell, J. K., dan Coop, G. 2010. The genetics of human adaptation: hard sweeps, soft sweeps, and polygenic adaptation. *Curr Biol*. 20(4): R208-R215. <https://doi.org/10.1016/j.cub.2009.11.055>
- Pym, R. 2010. Poultry genetics and breeding in developing countries. *Poultry Development Review*. p: 1-3
- Qanbari, S., Rubin, C-J., Maqbool, K., Weigend, S., Weigend, A., et al. 2019. Genetics of adaptation in modern chicken. *PLoS Genetics*. 15(4): e1007989. <https://doi.org/10.1371/journal.pgen.1007989>
- R2D2 Consortium, Fugeray-Scarbel, A., Bastien, C., Dupont-Nivet, M., dan Lemarié, S. 2021. Why and how to switch to genomic selection: lessons from plant and animal breeding experience. *Frontiers in Genetics*. 12: 629737. <https://doi.org/10.3389/fgene.2021.629737>



Ragognetti, B. N. N., Stafuzza, N. B., Silva, T. B. R., Chud, T. C. S., Grupioni, N. V., et al. 2015. Genetic parameters and mapping quantitative trait loci associated with tibia traits in broilers. *Genetics and Molecular Research*. 14(4): 17544-17554. <https://dx.doi.org/10.4238/2015.December.21.27>

Rédei, G. P. 2008. Chicken. In: Encyclopedia of Genetics, Genomics, Proteomics and Informatics. Springer, Dordrecht. [https://doi.org/10.1007/978-1-4020-6754-9\\_2823](https://doi.org/10.1007/978-1-4020-6754-9_2823)

Retnoaji, B., Akiyama, R., Matta, T., Bessho, Y., dan Matsui, T. 2014. Retinoic acid controls proper head-to-trunk linkage in zebrafish by regulating an anteroposterior somitogenetic rate difference. *Development*. 141: 158-165. <https://doi.org/10.1242/dev.097568>

Retnoaji, B., Wulandari, R., Nurhidayat, L., dan Daryono, B.S. 2016. Osteogenesis study of hybrids of Indonesia's native chicken Pelung (*Gallus gallus domesticus*) with Broiler (*Gallus gallus domesticus*). *Asian Journal of Animal and Veterinary Advances*. 11: 498-504. <https://doi.org/10.3923/ajava.2016.498.504>

Retnosari, D., Kilatsih, R., Maulidi, I. S., Trijoko, dan Daryono, B. S. 2020. Polymorphism association of *pituitary positive transcription factor-1* gene with body weight traits in BC<sub>1</sub> hybrid chicken (*Gallus gallus gallus* Linnaeus 1758) from cross breeding between female F<sub>1</sub> Broiler and male Pelung. *World's Veterinary Journal*. 10(4): 525-530. <https://dx.doi.org/10.54203/scil.2020.wvj63>

Robinson, G. K. 1991. That BLUP is a good thing: the estimation of random effects. *Statist Sci*. 6(1): 15-32. <https://doi.org/10.1214/ss/1177011926>

Rodríguez-Valera, Y., Rocha, D., Naves, M., Renand, G., Pérez-Pineda, E., et al. 2020. The identification of runs of homozygosity gives a focus on the genetic diversity and adaptation of the "Charolais de Cuba" cattle. *Animals*. 10: 2233. <https://doi.org/10.3390/ani10122233>

Rutten, M. J. M., Bijma, P., Wooliams, J. A., dan van Arendonk, J. A. M. 2002. SelAction: Software to predict selection response and rate of inbreeding in livestock breeding programs. *Journal of Heredity*. 93(6): 456-458. <https://doi.org/10.1093/jhered/93.6.456>

Sahebalam, H., Gholizadeh, M., Hafezian, H., dan Farhadi, A. 2019. Comparison of parametric, semiparametric, and nonparametric methods in genomic evaluation. *Journal of Genetics*. 98: 102. <https://doi.org/10.1007/s12041-019-1149-3>

Salkind, N. J. 2010. Random-effects models. In: Encyclopedia of Research Design. Encyclopedia. <https://dx.doi.org/10.4135/9781412961288.n360>

Saragih, H. T. S., Viniwidihastuti, F., Lembayu, R. P., Kinanthi, A. R., Kurnianto, H., dan Lesmana, I. 2019. Karakteristik fenotip ayam broiler eksotik, kampung, layer eksotik jantan, KUB-1 dan Pelung. *JITV*. 24(1): 9-14. <https://dx.doi.org/10.14334/jitv.v24i1.1889>



Saragih, H. T. S. S. G. dan Daryono, B. S. 2010. Histological study on the pancreatic  $\beta$ -cell number of indigenous chicks in first crossbred (F1). *J Indonesian Trop Anim Agric.* 35(3): 201-205.  
<https://doi.org/10.14710/jitaa.35.3.201-205>

Saragih, H. T. S. S. G., Roosdianto, I., dan Daryono, B. S. 2017. Pectoralis thoracicus muscle performance of hybrid chicken (F1) derived from crossbreed between Broiler and Pelung (*Gallus gallus gallus*). *Jurnal Kedokteran Hewan.* 11(2): 62-64. <https://doi.org/10.21157/j.ked.hewan.v11i2.2282>

Saragih, H. T. S. S. G., Utomo, R. T., Perdamaian, A. B. I., Puspita, U. E., Lesmana, I., et al. 2016. The effect of early posthatch local feed in pectoralis muscle of Jawa Super chicks (*Gallus gallus domesticus*). *AIP Conf. Proc.* 1755: 140003:1-6. <https://doi.org/10.1063/1.4958564>

Sargolzaei, M. dan Schenkel, F. S. 2009. QMSim: a large-scale genome simulator for livestock. *Bioinformatics.* 25(5): 680-681.  
<https://doi.org/10.1093/bioinformatics/btp045>

Sargolzaei, M., Schenkel, F. S., dan VanRaden, P. M. 2009. *GEBV: Genomic breeding value estimator for livestock*. Tech Rep to Dairy Cattle Breed Genet Comm.

Saxena, V. K. dan Kolluri, G. 2018. Selection methods in poultry breeding: From genetics to genomics. *InTechOpen.*  
<https://dx.doi.org/10.5772/intechopen.77966>

Scheper, C., Wensch-Dorendorf, M., Yin, T., Dressel, H., Swalve, H., dan König, S. 2016. Evaluation of breeding strategies for polledness in dairy cattle using a newly developed simulation framework for quantitative and Mendelian traits. *Genetics Selection Evolution.* 48: 50. <https://doi.org/10.1186/s12711-016-0228-7>

Scherer, A. 2015. *Genomic Prediction in Agriculture*. Golden Helix, Inc.

Scherer, A. 2017. *GWAS 3<sup>rd</sup> Edition*. Golden Helix, Inc.

Seno, L. de O., Guidolin, D. G. F., Aspilcueta-Borquis, R. R., do Nascimento, G. B., da Silva, T. B. R., et al. 2018. Genomic selection in dairy cattle simulated populations. *J. Dairy Res.* 85: 125-132.  
<https://doi.org/10.1017/S0022029918000304>

Seno, L. de O., Nascimento, G. B., Guidolin, D. G. F., Matos, M. C., Buzanskas, M. E., et al. 2014. Genomic selection in simulated dairy cattle populations. *Conference: 51<sup>a</sup> Reunião Anual da Sociedade Brasileira de Zootecnia*.

Seroussi, E., Cinnamon, Y., Yosefi, S., Genin, O., Smith, J. G., et al. 2016. Identification of the long- sought leptin in chicken and duck: expression pattern of the highly GC-rich avian leptin fits an autocrine/paracrine rather than endocrine function. *Endocrinology.* 157(2): 737-751.  
<https://doi.org/10.1210/en.2015-1634>



- Seroussi, E., Knytl, M., Pitel, F., Elleder, D., Krylov, V., et al. 2019. Avian expression patterns and genomic mapping implicate leptin in digestion and TNF in immunity, suggesting that their interaction adipokine role has been acquired only in mammals. *Int J Mol Sci.* 20: 4489. <https://doi.org/10.3390/ijms20184489>
- Seroussi, E., Pitel, F., Leroux, S., Morisson, M., Bornelöv, S., et al. 2017. Mapping of leptin and its syntenic genes to chicken chromosome 1p. *BMC Genetics.* 18: 77. <https://doi.org/10.1186/s12863-017-0543-1>
- Sharman, P. W. A., Morrice, D. R., Law, A. S., Burt, D. W., dan Hocking, P. M. 2007. Quantitative trait loci for bone traits segregating independently of those for growth in an F2 broiler x layer cross. *Cytogenet Genome Res.* 117: 296-304. <https://doi.org/10.1159/000103191>
- Silva, T. d. L., Carneiro, P. L. S., Ambrosini, D. P., Lôbo, R. B., Filho, R. M., dan Malhado, C. H. M. 2019. Genotype-environment interaction in the genetic variability analysis of reproductive traits in Nellore cattle. *Livestock Science.* 230: 103825. <https://doi.org/10.1016/j.livsci.2019.103825>
- Simm, G. 2000. *Genetic Improvement of Cattle and Sheep*. Farming Press, Miller Freeman, UK. dalam van de Werf, J. 2013. Principles of Estimation of Breeding Values.
- Simm, G. 2000. *Genetic Improvement of Cattle and Sheep*. Farming Press, Miller Freeman, UK. dalam van de Werf, J. 2013. Selection Index Theory: Relatives.
- Steenbergen, M. R. and Jones, B. S. 2002. Modelling multilevel data structures. *American Journal Political Science Association.* 46(1): 218-237. <https://doi.org/10.2307/3088424>
- Strandén, I., Kantanen, J., Russo, I-R. M., Orozco-terWengel, P., Bruford, M. W., dan the Climgen Consortium. 2019. Genomic selection strategies for breeding adaptation and production in dairy cattle under climate change. *Heredity.* 123: 307-317. <https://doi.org/10.1038/s41437-019-0207-1>
- Sun, X., 2012. Models and methods for computer simulations as a resource in plant breeding. *Dissertation University of Illinois*. Urbana, Illinois, United States.
- Sung, Y. J., Simino, J., Kume, R., Basson, J., Schwander, K., dan Rao, D. C. 2014. Comparison of two methods for analysis of gene–environment interactions in longitudinal family data: the Framingham heart study. *Frontiers in Genetics.* 5: 9. <https://doi.org/10.3389/fgene.2014.00009>
- Sved, J. A. 2010. Genetics computer teaching simulation programs: Promise and problems. *Genetics.* 185(4): 1537-1540. <https://doi.org/10.1534/genetics.110.116640>
- Szyda, J., Ptak, E., Komisarek, J., dan Żarnecki, A. 2008. Practical application of daughter yield deviations in dairy cattle breeding. *J Appl Genet.* 49(2): 183-191. <https://doi.org/10.1007/BF03195611>



- Tanjung, A., Saragih, H. T. S. S. G., Trijoko, Poerwanto S. H., Widianto, S., et al. 2019. Polymorphism of myostatin gene and its association with body weight traits in a hybrid of GAMA chicken (*Gallus gallus domesticus* Linn 1758). *BIODIVERSITAS*. 20(11): 3207-3212. <https://doi.org/10.13057/biodiv/d201113>
- Täubert, H., Reinhardt, F., dan Simianer, H. 2010. ZPLAN+ A new software to evaluate and optimize animal breeding programs.
- Teissier, M., Larroque, H., dan Robert-Granié, C. 2019. Accuracy of genomic evaluation with weighted single-step genomic best linear unbiased prediction for milk production traits, udder type traits, and somatic cell scores in French dairy goats. *Journal of Dairy Science*. 102(4): 3142-3154. <https://doi.org/10.3168/jds.2018-15650>
- Thirunavukkarasu, N., Hossain, F., Shiriga, K., Mittal, S., Arora, K., et al. 2013. Unraveling the genetic architecture of subtropical maize (*Zea mays* L.) lines to assess their utility in breeding programs. *BMC Genomics*. 14: 877. <https://doi.org/10.1186/1471-2164-14-877>
- Troyer, A. F. dan Wellin, E. J. 2009. Heterosis decreasing in hybrids: Yield test inbreds. *Crop Science*. 49(6): 1969-1976. <https://doi.org/10.2135/cropsci2009.04.0170>
- Turner, S. D. 2018. qqman: an R package for visualizing GWAS results using Q-Q and manhattan plots. *The Journal of Open Source Software*. 3(25): 731. <https://doi.org/10.21105/joss.00731>
- Tuszynski, J. A., Winter, P., White, D., Tseng, C-Y., Sahu, K. K., et al. 2014. Mathematical and computational modeling in biology at multiple scales. *Theoretical Biology and Medical Modelling*. 11(52): 1-42. <https://doi.org/10.1186/1742-4682-11-52>
- Ummah, I. M. dan Daryono, B. S. 2017. Inheritance of phenotypic character on hybrid chicken F2 derived from crosses between female F1 *Kamper* with male F1 *Kamper*. *Proceedings of PERIPI-2017 International Seminar* October 2nd, 2017, Bogor, Indonesia. p:278-285.
- Ummah, I. M., Mahardhika, I. W. S., dan Daryono, B. S. 2019. Morphological traits, productive performance, and genotyping fat deposition *PPAR* gene in Gama Ayam crossbreeds of female F1 *Kamper* and male BC1 *Kambro*. *Biogenesis*. 7(2): 106-115. <https://doi.org/10.24252/bio.v7i2.9993>
- Utama, I. V., Perdamaian, A. B. I., dan Daryono, B. S. 2018. Plumage uniformity, growth rate, and growth hormone polymorphism in Indonesia hybrid chickens. *Int J Poult Sci*. 17(10): 486-492. <https://dx.doi.org/10.3923/ijps.2018.486.492>
- Vaarst, M., Steenfeldt, S., dan Horsted, K. 2015. Sustainable development perspectives of poultry production. *World's Poult Sci Assoc*. 71(4): 609-620. <https://doi.org/10.1017/S0043933915002433>



Vallejo, R. L., Silva, R. M. O., Evenhuis, J. P., Gao, G., Liu, S., et al. 2018. Accurate genomic predictions for BCWD resistance in rainbow trout are achieved using low-density SNP panels: Evidence that long-range LD is a major contributing factor. *Journal of Animal Breeding and Genetics.* 135: 263-274. <https://doi.org/10.1111/jbg.12335>

van de Schoot, R., Depaoli, S., King, R., Kramer, B., Martens, K., et al. 2021. Bayesian statistics and modelling. *Nat Rev Methods Primers.* 1(1): 1-26. <https://doi.org/10.1038/s43586-020-00001-2>

van der Werf, J. 2009. Selection Index Theory: Relatives. Genetic Evaluation and Breeding. The Australian Wool Education Trust, University of New England.

van Grevenhof, E. M., Vandenplas, J., dan Calus, M. P. L. 2019. Genomic prediction for crossbred performance using metafounders. *J Anim Sci.* 97: 548-558. <https://doi.org/10.1093/jas/sky433>

VanRaden, P. M. 2008. Efficient methods to compute genomic predictions. *Journal of Dairy Science.* 91: 4414-4423. <https://doi.org/10.3168/jds.2007-0980>

Varona, L., Legarra, A., Toro, M. A., dan Vitezica, Z. G. 2018. Non-additive effects in genomic selection. *Front Genet.* 9: 78. <https://doi.org/10.3389/fgene.2018.00078>

Vasieva, O., Rasolonjanahary, M., dan Vasiev, B. 2013. Mathematical modelling in developmental biology. *Reproduction.* 145(6): 175-184. <https://doi.org/10.1530/REP-12-0081>

Wang, C., Habier, D., Peiris, B. L., Wolc, A., Kranis, A., et al. 2013. Accuracy of genomic prediction using an evenly spaced, low-density single nucleotide polymorphism panel in broiler chickens. *Poult Sci.* 92: 1712-1723. <https://doi.org/10.3382/ps.2012-02941>

Wang, J., Yuan, X., Ye, S., Huang, S., He, Y., et al. 2019. Genome wide association study on feed conversion ratio using imputed sequence data in chickens. *Asian-Australas J Anim Sci.* 32(4): 494-500. <https://doi.org/10.5713/ajas.18.0319>

Wang, J., Zhou, Z., Zhang, Z., Li, H., Liu, D., et al. 2018. Expanding the BLUP alphabet for genomic prediction adaptable to the genetic architectures of complex traits. *Heredity.* 121: 648-662. <https://doi.org/10.1038/s41437-018-0075-0>

Wang, M-S., Thakur, M., Peng, M-S., Jiang, Y., Frantz, L. A. F., et al. 2020. 863 genomes reveal the origin and domestication of chicken. *Cell Research.* 30: 693-701. <https://doi.org/10.1038/s41422-020-0349-y>

Wang, X., Miao, J., Chang, T., Xia, J., An, B., et al. 2019. Evaluation of GBLUP, BayesB and elastic net for genomic prediction in Chinese Simmental beef cattle. *PLoS ONE.* 14(2): e0210442. <https://doi.org/10.1371/journal.pone.0210442>

Warren, W. C., Hillier, L. W., Tomlinson, C., Minx, P., Kremitzki, M., et al. 2017. A new chicken genome assembly provides insight into avian genome structure.



- |   |                |                  |       |          |
|---|----------------|------------------|-------|----------|
| <i>Genes</i>  | <i>Genomes</i> | <i>Genetics.</i> | 7(1): | 109-117. |
| <a href="https://doi.org/10.1534/g3.116.035923">https://doi.org/10.1534/g3.116.035923</a> |                |                  |       |          |
- Weller, J. I. dan Ron, M. 2011. Invited review: Quantitative trait nucleotide determination in the era of genomic selection. *J Dairy Sci.* 94(3): 1082-1090. <https://doi.org/10.3168/jds.2010-3793>
- Weng, Z., Wolc, A., Su, H., Fernando, R. L., Dekkers, J. C. M., et al. 2019. Identification of recombination hotspots and quantitative trait loci for recombination rate in layer chicken. *Journal of Animal Science and Biotechnology.* 10: 20. <https://doi.org/10.1186/s40104-019-0332-y>
- Wientjes, Y. C. J., Calus, M. P. L., Duenk, P., dan Bijma, P. 2018. Required properties for markers used to calculate unbiased estimates of the genetic correlation between populations. *Genet Sel Evol.* 50: 65. <https://doi.org/10.1186/s12711-018-0434-6>
- Wiggans, G. R., Cole, J. B., Hubbard, S. M., dan Sonstegard, T. S. 2017. Genomic Selection in Dairy Cattle: The USDA Experience. *Annual Review of Animal Biosciences.* 5(1): 309-327. <https://doi.org/10.1146/annurev-animal-021815-111422>
- Wittenburg, D., Bonk, S., Doschoris, M., dan Reyer, H. 2020. Design of experiments for fine- mapping quantitative trait loci in livestock populations. *BMC Genetics.* 21: 66. <https://doi.org/10.1186/s12863-020-00871-1>
- Wolc, A., Kranis, A., Arango, J., Settar, P., Fulton, et al. 2014. Applications of genomic selection in poultry. *Proceedings, 10th World Congress of Genetics Applied to Livestock Production.* Vancouver, BC, Candai August 17-22, 2014.
- Wolc, A., Kranis, A., Arango, J., Settar, P., Fulton, J. E., et al. 2016. Implementation of genomic selection in the poultry industry. *Animal Frontiers.* 6(1): 23-31. <https://doi.org/10.2527/af.2016-0004>
- Wolc, A., Lisowski, M., dan Szwaczkowski, T. 2007. Heritability of egg production in laying hens under cumulative, multtrait and repeated measurement animal models. *Czech J Anim Sci.* 52 (8): 254-259. <https://doi.org/10.17221/2282-CJAS>
- Wolc, A., Zhao, H. H., Arango, J., Settar, P., Fulton, J. E., et al. 2015. Response and inbreeding from a genomic selection experiment in layer chickens. *Genetics Selection Evolution.* 47: 59. <https://doi.org/10.1186/s12711-015-0133-5>
- Woodcock, M. E., Gheyas, A. A., Mason, A. S., Nandi, S., Taylor, L., et al. 2019. Reviving rare chicken breeds using genetically engineered sterility in surrogate host birds. *Proceedings of the National Academy of Sciences.* 116(42): 20930-20937. <https://doi.org/10.1073/pnas.1906316116>
- Xu, Y., Liu, X., Fu, J., Wang, H., Wang, J., et al. 2020. Enhancing genetic gain through genomic selection: from livestock to plants. *Plant Comm.* 1: 100005. <https://doi.org/10.1016/j.xplc.2019.100005>



- Yang, J., Weedon, M. N., Purcell, S., Lettre, G., Estrada, K., et al. 2011. Genomic inflation factors under polygenic inheritance. *European Journal of Human Genetics*. 19: 807-812. <https://doi.org/10.1038/ejhg.2011.39>
- Yang, Y., Zan, Y., Honaker, C. F., Siegel, P. B., dan Carlborg, Ö. 2020. Haplotype purging after relaxation of selection in lines of chickens that had undergone long-term selection for high and low body weight. *Genes*. 11: 630. <https://doi.org/10.3390/genes11060630>
- Yao, J., Zhao, D., Chen, X., Zhang, Y., dan Wang, J. 2018. Use of genomic selection and breeding simulation in cross prediction for improvement of yield and quality in wheat (*Triticum aestivum* L.). *The Crop Journals*. 6(4): 353-365. <https://doi.org/10.1016/j.cj.2018.05.003>
- Yuan, X., Miller, D.J., Zhang, J., Herrington, D., dan Wang, Y. 2012. An Overview of Population Genetic Data Simulation. *Journal of Computational Biology*. 19(1): 42-54. <https://doi.org/10.1089/cmb.2010.0188>
- Yuan, J., Sun, C., Dou, T., Yi, G., Qu, L., et al. 2015. Identification of promising mutants associated with egg production traits revealed by genome-wide association study. *PLoS ONE*. 10(10): e0140615. <https://doi.org/10.1371/journal.pone.0140615>
- Zeng, J., Pszczola, M., Wolc, A., Strabel, T., Fernando, R. L., et al. 2012. Genomic breeding value prediction and QTL mapping of QTLMAS2011 data using Bayesian and GBLUP methods. *Proceedings of the 15th European workshop on QTL mapping and marker assisted selection (QTLMAS)*. 6(Suppl 2): S7. <https://doi.org/10.1186/1753-6561-6-S2-S7>
- Zhang, X. 2015. *A tutorial on restricted maximum likelihood estimation in linear regression and linear mixed-effects model*. A\*STAR-NUS Clinical Imaging Research Center.
- Zhang, X., Tsuruta, S., Andonov, S., Lourenco, D. A. L., Sapp, R. L., et al. 2018. Relationships among mortality, performance, and disorder traits in broiler chickens: a genetic and genomic approach. *Poultry Science*. 97: 1511-1518. <https://dx.doi.org/10.3382/ps/pex431>
- Zhang, Y. 2016. On the use of p-values in genome wide disease association mapping. *J Biom Biostat*. 7(3): 1000297. <https://doi.org/10.4172/2155-6180.1000297>
- Zhao, H., Mitra, N., Kanetsky, P. A., Nathanson, K. L., dan Rebbeck, T. R. 2018. A practical approach to adjusting for population stratification in genome-wide association studies: Principal components and propensity scores (PCAPS). *Stat Appl Genet Mol Biol*. 17(6): 20170054. <https://doi.org/10.1515/sagmb-2017-0054>
- Zheng, Y. dan Sriram, G. 2010. Mathematical modeling: bridging the gap between concept and realization in synthetic biology. *Journal of Biomedicine and Biotechnology*. 2010: 1-16. <https://doi.org/10.1155/2010/541609>



- Zhou, H., Deeb, N., Evock-Clover, C. M., Ashwell, C. M., dan Lamont, S. J. 2006. Genome-wide linkage analysis to identify chromosomal regions affecting phenotypic traits in the chicken. i. growth and average daily gain. *Poultry Science*. 85(10): 1700-1711. <https://doi.org/10.1093/ps/85.10.1700>
- Zhou, H., Deeb, N., Evock-Clover, C. M., Mitchel, A. D., Ashwell, C. M., dan Lamont, S. J. 2007. Genome-wide linkage analysis to identify chromosomal regions affecting phenotypic traits in chicken. iii. skeletal integrity. *Poultry Science*. 86(2): 255-266. <https://doi.org/10.1093/ps/86.2.255>
- Zhou, X. 2021. *GEMMA User Manual*. <https://github.com/geneticsstatistics/GEMMA/blob/master/doc/manual.pdf>
- Zhou, X. dan Stephens, M. 2012. Genome-wide efficient mixed model analysis for association studies. *Nat Genet*. 44(7): 821-824. <https://doi.org/10.1038/ng.2310>
- Zingaretti, M. L., Monfort, A., dan Pérez-Enciso, M. 2019. pSBVB: A versatile simulation tool to evaluate genomic selection in polyploid species. *Genes Genomes Genetics*. 9(2): 327-334. <https://doi.org/10.1534/g3.118.200942>