



DAFTAR PUSTAKA

- Abo-Hedibah, S., Nehal, T., Ali, H. 2021. Is chest X-ray severity scoring for COVID-19 pneumonia reliable?. *Pol J Radiol.* 86:e432-e439.
- Agrawal N., Jedge P., Iyer S., Shah J., Dsouza J., Chougale S. 2021. Experimental chest x-ray scoring system for determination patient outcomes in COVID-19 patients. *Indian Journal of critical Care Medicine.* 25(SUPPL 1):S65-S66
- Amer, R., Frid-Adar, M., Gozes, O., Nassar, J., Greenspan, H. 2020. COVID-19 in CXR: from Detection and Severity Scoring to Patient Disease Monitoring. *IEEE Journal of Biomedical and Health Informatics*, doi: 10.1109/JBHI.2021.3069169.
- Archer, S.L., Sharp, W. W., Weir, E. K. 2020. Differentiating COVID-19 pneumonia from acute respiratory distress syndrome (ARDS) and high altitude pulmonary edema (HAPE): therapeutic implications. *CirculationOvid Technologies* (Wolters Kluwer Health).
- Balbi, M., Caroli, A., Corsi, A., Milanese, G., Surace, A., Di Marco, F. 2020. Chest X-ray for predicting mortality and the need for ventilatory support in COVID-19 patients presenting to the emergency department. *European Radiology*, doi: 10.1007/s00330-020-07270-1
- Balzanelli, M., Distratis, P., Catucci, O., Amatulli F., Cefalo, A., Lazzaro, R., et al. 2021. Clinical and diagnostic finding in COVID-19 patients: An original research from SG Moscati Hospital in Taranto Italy. *J Biol Regul Homeost Agents.* 35(1):171-83
- Batah, S. S., dan Alessandro T. F. 2021. Pulmonary pathology of ARDS in COVID-19: A pathological review for clinicians. *Respiratory Medicine.*
- Borghesi, A., Maroldi, R. 2020. COVID-19 outbreak in Italy: experimental chest X-ray scoring system for quantifying and monitoring disease progression. *La radiologia medica*, 125:509–513, doi: 10.1007/s11547-020-01200-3
- Borghesi, A., Ziglianì, A., Masciullo, R., Golemi, S., Maculotti, P., Farina, D., et al., 2020. Radiographic severity index in COVID-19 pneumonia: relationship to age and sex in 783 Italian patients. *La radiologia medica*, doi: 10.1007/s11547-020-01202-1
- Bukowska A., Spiller L., Wolke C., Lendeckel U., Weinert S., Hoffmann J., et al. 2017. Protective regulation of the ACE2/ACE gene expression by estrogen in human atrial tissue from elderly men. *Exp Biol Med.* 242:1412–23. doi: 10.1177/1535370217718808



Burhan, E., Isbaniah F., Susanto A. D., Aditama, T. Y., Soedarsono, Sartono, T. R., et al., 2020. *Pneumonia COVID-19 Diagnosis dan Penatalaksanaan di Indonesia*. Jakarta: Perhimpunan Dokter Paru Indonesia.

Castro, D., Patil, S., Keenaghan, M. 2021. *Arterial blood gas*. StatPearls Publishing.
Available from
https://www.ncbi.nlm.nih.gov/books/NBK536919/#_NBK536919_pubdet
diakses pada tanggal 28 September 2021 (22.15)

Choi, K. J., Hong, H. L., Kim, E. J. 2020. The Association between Mortality and the Oxygen Saturation NAd fraction of Inhaled Oxygen in Patients requiring Oxygen Therapy due to COVID-19-Associated Penumonia. *Tuberc Respir Dis*.
<https://doi.org/10.4046/trd.2020.0126>

Chu, D. K. W., Pan, Y., Cheng, S. M. S., Hui, K. P.Y., Krishnan, P., Liu, Y. 2020. Molecular Diagnosis of a Novel Coronavirus (2019-nCoV) Causing an Outbreak of Pneumonia. *Clinical Chemistry* 66:4, 549–555. doi: 10.1093/clinchem/hvaa029

Colaneri, M., Sacchi, P., Zuccaro, V., Biscarini, S., Sachs, M., Roda, S., et al. 2020. Clinical characteristics of coronavirus disease early findings from a teaching hospital in Pavia, North Italy, 21 to 28 February 2020. *Euro Surveill*. 25:2000460.

Corman, V. M., Landt, O., Kaiser, M., Molenkamp, R., Meijer, A., Chu, D. K. W., et al., 2020. Detection of 2019 novel coronavirus (2019-nCoV) by real-time RT-PCR. *Euro Surveill*.;25(3), doi: 10.2807/1560-7917.ES.2020.25.3.2000045

Cowley, N., Owen, A., Bion, J. 2013. Interpreting arterial blood gas results. *BMJ*. 16;346:f16. doi 10.1136/bmj.f16

Dahlan, S., 2010a. *Besar Sampel Dan Cara Pengambilan Sampel*, 3rd ed. Salemba Medika, Jakarta.

Dahlan, S., 2010b. *Statistik Untuk Kedokteran Dan Kesehatan*, 3rd ed. Salemba Medika, Jakarta.

Dhont, S., Derom, E., Braeckel E. V., Depuydt, P., Lambrecht, B. N. 2020. The pathophysiology of happy hypoxemia in COVID-19. *Respiratory Research*.
<https://doi.org/10.1186/s12931-020-01462-5>

Du, L., He, Y., Zhou, Y., Liu, S., Zheng, B., Jiang, S. 2009. The spike protein of SARS-CoV-a target for vaccine and therapeutic development. *Nature Revies Microbiology*. DOI: [10.1038/nrmicro2090](https://doi.org/10.1038/nrmicro2090)

Eroglu, S., Zeynep, C., Tekin, Y., Zuhal, K. 2021. Can the usage of the chest X-Ray scoring during hospitalization in patients with COVID-19 predict the severity of the disease?. *Turk Thorac J*. 22(3):190-198.



Fehr, A. R., Perlman, S. 2015. Xoronavirus: An Overview of Their replication and Pathogenesis. *Methods Mol Biol.* doi: 10.1007/978-1-4939-2438-7_1.

Gattinoni, L., Chiumello, D., Caironi, P., Busana, M., Romitti, F., Brazzi, L., et al., 2020. COVID-19 pneumonia : different respiratory treatment for different phenotypes ? *Intensive Care Med.* 2020;1–6 Springer. https://www.esicm.org/wp-content/uploads/2020/04/684_author-proof.pdf.

Gattinoni, L., Pesenti, A., Matthay, M. 2018. Understanding blood gas analysis. *Intensive Care Med.* 44(1):91-93. doi: 10.1007/s00134-017-4824-y

Gebhard C., Regitz-Zagrosek V., Neuhauser H., Morgan R., Klein S. 2020. Impact of sex and gender on COVID-19 outcomes in Europe. *Biol Sex Differ.* 11:29. doi: 10.1186/s13293-020-00304-9

Hoffmann M., Kleine-Weber H., Schroeder S., Krüger N., Herrler T., Erichsen S., et al. 2020. SARS-CoV-2 cell entry depends on ACE2 and TMPRSS2 and is blocked by a clinically proven protease inhibitor. *Cell.* 181:271– 80.e278. doi: 10.1016/j.cell.2020.02.052

<https://covid19.go.id/peta-sebaran-covid19>. diakses 4 Agustus 2021

Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., et al., 2020. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *The Lancet.* [https://doi.org/10.1016/S0140-6736\(20\)30183-5](https://doi.org/10.1016/S0140-6736(20)30183-5)

Icksan, Aziza Ghanie dan Rusli Muljadi. 2020. *Imejing Pneumonia COVID-19 Pendekatan Praktis bagi Spesialis Radiologi*. Semarang : Pilar Nusantara.

Komukai K., Mochizuki S., Yoshimura M. 2010. Gender and the renin- angiotensin- aldosterone system. *Fundam Clin Pharmacol.* 24:687–98. doi: 10.1111/j.1472-8206.2010.00854.x

Korsman, S. N.J., Zyl G. U., Nutt, L., Andersson, M. I., Preiser, W. 2012. Human Coronaviruses. *Virology*. Chins:Churchill Livingston Elsevier. Pp: 94-95.

Lang, M., Som, A., Mendoza, D. P., Flores, E. J., Reid, N., Carey, D., et al., Hypoxaemia related to COVID-19: vascular and perfusion abnormalities on dual-energy CT. *Lancet Infect DisLancet Publishing Group*.

Larkin, B., Zimmanck, R. Interpreting arterial blood gases successfully. *AORN J.* 102(4):343-54. doi: 10.1016/j.aorn.2015.08002

Li, X., Geng, M., Peng, Y., Meng, L., Shemin, L. 2020. Molecular immune pathogenesis and diagnosis of COVID-19. *Journal of Pharmaceutical Analysis.* <https://doi.org/10.1016/j.jpha.2020.03.001>



Liu, Y., Zheng, J., Zhang, D., Jing, L. 2019. Neutrophil-lymphocyte ratio and plasma lactate predict 28-day mortality in patients with sepsis. *J Clin Lab Anal.* 33:e22942

Loeffelholz, M. J., Tang, Y. 2020. Laboratory diagnosis of emerging human coronavirus infections – the state of the art. *Emerging Microbes & Infections*, 9:1, 747-756, doi: 10.1080/22221751.2020.1745095

Lu, X., Jiang, L., Chen, T., Wang, Y., Zhang, B., Hong, Y., et al., 2020. Continously available ratio of SpO₂/FiO₂ serves as a noninvasive prognostic marker for intensive cera patients with COVID-19. *Respiratory Reasearch.* <https://doi.org/10.1186/s12931-020-01455-4>

Márquez E., Trowbridge J., Kuchel G., Banchereau J., Ucar D. 2020. The lethal sex gap: COVID-19. *Immunity Ageing*. 17:13. doi: 10.1186/s12979-020-00183-z

Mishra J., Hankins G., Kumar S. 2016. Testosterone downregulates angiotensin II type-2 receptor via androgen receptor-mediated ERK1/2 MAP kinase pathway in rat aorta. *J. Renin Angiotensin Aldosterone Syst.* 17:1470320316674875. doi: 10.1177/1470320316674875

Mondal, S., Das, T., Bhattacharya, S., Banerjee, S., Hazra, D. 2021. Blood gas analysis among COVID-19 patients: A single centre retrospective observational study. *Journal of Clinical and Diagnostic Research.* Doi:10.7860/JCDR/2021/49835.

Munirathnam, M., Mohan, C., Javeriya, M., Samarth, S., Madhumati, R. 2021. Determining COVID-19 disease severity and outcome using sequential chest radiograph in a new designated COVID-19 hospital. *Int J Adv Med.* Jan;8(1):98-102

Pan American Health Organization. 2020. Technical and Regulatory Aspects of the Use of Pulse Oximeters in Monitoring COVID-19 Patients.

Parasher, A. 2020. COVID-19: Current understanding of its pathophysiology, clinical presentation and treatment. *Postgrad Med J*;0:1–9. doi:10.1136/postgradmedj-2020-138577

Philip, K., Benjamin, B., Silas, F., Bradley, L., Charles, M., Janis, B. 2020. Working accuracy of pulse oxymetry in COVID-19 patients stepping down from intensive care: a clinical evaluation. *BMJ Open Resp Res.* 7:e000778. doi: 10.1136/bmjresp-2020-000778.

Prokop, M., Everdigen, W., Vellinga, T. V. R., Ufford, H. Q. V., Stoger, L., Been, L., et al., 2020. CO-RADS: A Categorical CT Assessment Scheme for Patients Suspected of Having COVID-19 Definition and Evaluation. *RSNA.* <https://doi.org/10.1148/radiol.2020201473>

Putra, N., Listyoko, A., Christanto A. 2020. PaO₂, SaO₂, dan rasio PaO₂/FiO₂ sebagai



prediktor derajat keparahan pasien COVID-19 rawat inap. *J Indon Med Assoc.*
vol:70,p:12

Rai, P., Kumar, B. K., Deekshit, V. K., Karunasagar, I., Karunasagar, I. 2021. Detection technologies and recent developments in the diagnosis of COVID-19 infection. *Applied Microbiology and Biotechnology* 105:441–455, doi: 10.1007/s00253-020-11061-5

Ranieri, V., Rubenfeld, G., Thompson, B., Ferguson, N., Caldwell, E., Fan, E., et al. 2012. Acute respiratory distress syndrome: the Berlin Definition. *JAMA*. 307:2526-2533.

Rogers, K., McCutcheon, K. 2015. Four steps to interpreting arterial blood gases. *J Perioper Pract.* 25(3):46-52. doi: 10.1177/1750458915025000304

Romanski, S. 1986. Interpreting ABGs in four easy steps (continuing education credit). *Nursing*. 16(9):58-64

Rothon, H. A., Byrareddy, S. N. 2020. The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. *J Autoimmun.* doi: [10.1016/j.aut.2020.102433](https://doi.org/10.1016/j.aut.2020.102433)

Saluja, M., Pillai, D., Jeliya, S., Baudh, N., Chandel, R. 2020. COVID 19- Clinical Profile, Radiological Presentation, Prognostic Predictors, Complications and Outcome: A Perspective from the Indian Subcontinent. *The Journal of the Association of Physicians of India* 68(7):13-18

Sandberg K., Ji H. 2003. Sex and the renin angiotensin system: implications for gender differences in the progression of kidney disease. *Adv Ren Replace Ther.* 10:15–23. doi: 10.1053/jarr.2003.50006

Sartini, S., Massobrio, L., Cutuli, O., Campodonico, P., Bernini, C., Sartini, M., et al. 2021. Role of SatO2, PaO2/FiO2 ratio and PaO2 to predict adverse outcome in COVID-19: A retrospective, cohort study. *Int J Environ Res Public Health.* 18, 11534. Doi.org/10.3390/ijerph182111534.

Sastroasmoro, S., Ismael, S., 2011. *Dasar-dasar Metodologi Penelitian Klinis*, 4th ed. Sagung Seto, Jakarta.

Setiawati, R., Anita, W., Triwulan, H., Fierly, H., Agnes, T., Atriukha, R. et al., 2021. Modified chest X-Ray system in evaluating severity of COVID-19 patient in Dr. Soetomo General Hospital Surabaya Indonesia. *International Journal of General Medicine.* 1:14 2407-2412.

Simpson, S., Kay, F. U., Abbara, S., Bhalla, S., Chung, J. H., Chung, M., et al., 2020. Radiological Society of North America Expert Consensus Statement on Reporting Chest CT Findings Related to COVID-19. Endorsed by The Society of Thoracic Radiology, the American College of Radiology and RSNA. *Radiol*



Cardiothorac Imaging. <https://doi.org/10.1148/ryct.2020200152>

Skevaki, C., Fragkou, P. C., Cheng, C., Xie, M., Renz, H. 2020. Laboratory characteristics of patients infected with the novel SARS-CoV-2 virus. *Journal of Infection* 81 (2020) 205–212. doi: 10.1016/j.jinf.2020.06.039

Sun, Y., Dong, Y., Wang, L., Xie, H., Li, B., Chang, C., 2020. Characteristics and prognostic factors of disease severity in patients with COVID-19: The Beijing experience. *Journal of Autoimmunity* 112, 102473, doi.org/10.1016/j.jaut.2020.102473

Teo J. 2020. Early detection of silent hypoxia in covid-19 pneumonia using smartphone pulse oximetry. *J Med Syst.* 2020;44(8)

Taneja V. 2018. Sex hormones determine immune response. *Front Immunol.* 9:1931. doi: 10.3389/fimmu.2018.01931

Tobin, M., Laghi, F., Jubran, A. 2012. A Ventilatory failure, ventilator support, and ventilator weaning. *Connor Physiol.* 2012;2(4):2871-921.

Toussie, D., Voutsinas, N., Finkelstein, M., Cedillo, M. A., Manna, S., Maron, S. Z., et al., Clinical and Chest Radiography Features Determine Patient Outcomes in Young and Middle-aged Adults with COVID-19. *Radiology*; 297:E197–E206, doi: 10.1148/radiol.2020201754

Vaporidi, K., Akoumianaki, E., Telias, I., Goligher, E.C., Brochard, L., Georgopoulos, D. 2020. Respiratory drive in critically ill patients pathophysiology and clinical implications. *Am J Respir Crit Care Med.* 2020;201:20–32 American Thoracic Society. <http://www.ncbi.nlm.nih.gov/pubmed/31437406>.

Vom Steeg L., Klein S. 2016. SeXX matters in infectious disease pathogenesis. *PLoS Pathog.* 12:e1005374. doi: 10.1371/journal.ppat.1005374

Wan, Y., Shang, J., Graham, R., Baric, R. S., Li, F. 2020. Receptor recognition by the novel coronavirus from Wuhan: an analysis based on decade long structural studies of SARS coronavirus. *Journal of Virology* 94(7):e00127–e00120. doi: 10.1128/JVI.00127-20

Wang, Z., Qiang, W., Ke, H. 2020. *A Handbook of 2019-nCoV Pneumonia Control and Prevention.* Huebei science and Technologi Press. China

Wong, H. Y. F., Lam, H. Y. S., Fong, A. H., Leung, S. T., Chin, T. W., Lo, C. S. Y. 2020. Frequency and Distribution of Chest Radiographic Findings in Patients Positive for COVID-19. *Radiology*; 296:E72–E78. doi: 10.1148/radiol.2020201160

World Health Organization. 2020. Novel Coronavirus (2019-nCoV) Situation Report-1. <https://covid19.who.int>.



World Health Organization. 2020. Use of chest imaging in COVID-19: a rapid advice guide

Zhou, F., Yu, T., Du, R., Fan, G., Liu, Y., Liu, Z. *et al.*, 2020. Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *Lancet*; 395: 1054–62. doi: 10.1016/S0140-6736(20)30566-3

Zhou, R., Li, F., Chen, F., Liu, H., Zheng, J., Lei, C. *et al.*, 2020. Viral dynamics in asymptomatic patients with COVID-19. *International Journal of Infectious Diseases* 96; 288–290. doi: 10.1016/j.ijid.2020.05.030

Zinelli, A., Vito, A., Scano, V., Paliogiannis, P., Fiore, V., Madeddu, G., *et al.* 2021. The PaO₂/FiO₂ ratio on admission is independently associated with prolonged hospitalization in COVID-19 patients. *J Infect Dev Ctries*. 15(3):353-359.doi:10.3855/jidc.13288.

Zisquit, J., Velasquez, J., Nedeff, N. 2021. *Allen Test*. StatPearls Publishing. Available from <https://pubmed.ncbi.nlm.nih.gov/29939593/>. Diakses pada tanggal 28 September 2021 (22.17)