



DAFTAR PUSTAKA

- Ahmadi, K., & Ramezani, M. A. (2020). Iranian Emotional Experience and Expression During the COVID-19 Crisis. *Asia Pacific Journal of Public Health*, 32(5), 285-286. <https://doi.org/10.1177/1010539520937097>
- American Psychiatric Association, A. P., & American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders: DSM-5.
- Amy, T., & Doka, K. (2021). A call to action: Facing the shadow pandemic of complicated forms of grief. *OMEGA-Journal of Death and Dying*, 83(1), 164-169. <https://doi.org/10.1177/0030222821998464>
- Bateman, A., Broderick, D., Gleason, L., Kardon, R., Flaherty, C., & Anderson, S. (1992). Dysfunctional grieving. *Journal of psychosocial nursing and mental health services*, 30(12), 5-9.
- Beck, A. T., & Alford, B. A. (2009). *Depression: Causes and treatment*. University of Pennsylvania Press.
- Bertuccio, R. F., & Runion, M. C. (2020). Considering grief in mental health outcomes of COVID-19. *Psychological Trauma: Theory, Research, Practice, and Policy*, 12(S1), S87-S89. <http://dx.doi.org/10.1037/tra0000723>
- Boelen, P. A., & Smid, G. E. (2017). Disturbed grief: prolonged grief disorder and persistent complex bereavement disorder. *Bmj*, 357. <https://doi.org/10.1136/bmj.j2016>
- Breen, L. J., Mancini, V. O., Lee, S. A., Pappalardo, E. A., & Neimeyer, R. A. (2021). Risk factors for dysfunctional grief and functional impairment for all causes of death during the COVID-19 pandemic: The mediating role of meaning. *Death Studies*, 1-10. <https://doi.org/10.1080/07481187.2021.1974666>
- Bukh, J. D., Bock, C., Vinberg, M., Gether, U., & Kessing, L. V. (2011). Differences between early and late onset adult depression. *Clinical practice and epidemiology in mental health: CP & EMH*, 7, 140. [10.2174/1745017901107010140](https://doi.org/10.2174/1745017901107010140)
- Carr, D., Boerner, K., & Moorman, S. (2020). Bereavement in the time of coronavirus: unprecedented challenges demand novel interventions. *Journal of Aging & Social Policy*, 32(4-5), 425-431. <https://doi.org/10.1080/08959420.2020.1764320>
- Caserta, M., Utz, R., Lund, D., Swenson, K. L., & de Vries, B. (2014). Coping processes among bereaved spouses. *Death Studies*, 38(3), 145-155. <https://doi.org/10.1080/07481187.2012.738767>



- Chew, Q. H., Wei, K. C., Vasoo, S., Chua, H. C., & Sim, K. (2020). Narrative synthesis of psychological and coping responses towards emerging infectious disease outbreaks in the general population: practical considerations for the COVID-19 pandemic. *Tropical Journal of Pharmaceutical Research*, 61(7). 10.11622/smedj.2020046
- Eisma, M. C., & Tamminga, A. (2020). Grief before and during the COVID-19 pandemic: Multiple group comparisons. *Journal of Pain and Symptom Management*, 60(6), e1–e4. <https://doi.org/10.1016/j.jpainsympman.2020.10.004>
- Eisma, M. C., Tamminga, A., Smid, G. E., & Boelen, P. A. (2021). Acute grief after deaths due to COVID-19, natural causes and unnatural causes: an empirical comparison. *Journal of affective disorders*, 278, 54-56. <https://doi.org/10.1016/j.jad.2020.09.049>
- Friedman, R. A. (2012). Grief, depression, and the DSM-5. *The New England Journal of Medicine*.
- Han, N., Chen, G., Li, S., Huang, F., Wang, X., Ren, X., & Zhu, T. (2021). Impacts of the COVID-19 Pandemic on the Bereaved: A Study of Bereaved Weibo Users. In *Healthcare* (Vol. 9, No. 6, p. 724). Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/healthcare9060724>
- Harris, A. (2017). ‘Natural’ and ‘Unnatural’ medical deaths and coronial law: A UK and international review of the medical literature on natural and unnatural death and how it applies to medical death certification and reporting deaths to coroners: Natural/Unnatural death: A Scientific Review. *Medicine, Science and the Law*, 57(3), 105-114. <https://doi.org/10.1177/0025802417708948>
- Harris, C. C. (1984). Dysfunctional grieving related to childbearing loss: A descriptive study. *Health care for women international*, 5(5-6), 401-425. <http://dx.doi.org/10.1080/07399338409515669>
- Huh, H. J., Huh, S., Lee, S. H., & Chae, J.-H. (2017). Unresolved bereavement and other mental health problems in parents of the sewol ferry accident after 18 months. *Psychiatry Investigation*, 14(3), 231–239. <https://doi.org/10.4306/pi.2017.14.3.231>
- Johns, L., Blackburn, P., & McAuliffe, D. (2020). COVID-19, prolonged grief disorder and the role of social work. *International Social Work*, 63(5), 660–664. <https://doi.org/10.1177/0020872820941032>
- Kahn, M., Sheppes, G., & Sadeh, A. (2013). Sleep and emotions: Bidirectional links and underlying mechanisms. *International Journal of Psychophysiology*, 89 (2), 218–228. <https://doi.org/10.1016/j.ijpsycho.2013.05.010>



Kementerian Kesehatan RI. (2018). Laporan Riset Kesehatan Dasar (Riskesdas) 2018. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI.

Kristensen, P., Weisseth, L., & Heir, T. (2012). Bereavement and mental health after sudden and violent losses: A review. *Psychiatry: Interpersonal & Biological Processes*, 75(1), 76-97. <https://doi.org/10.1521/psyc.2012.75.1.76>

Kübler-Ross, E., & Kessler, D. (2005). *On grief and grieving: Finding the meaning of grief through the five stages of loss*. Simon and Schuster.

Kübler-Ross, E., & Kessler, D. (2009). The five stages of grief. In *Library of Congress Catalogin in Publication Data* (Ed.), *On grief and grieving* (pp. 7-30).

Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: validity of a brief depression severity measure. *Journal of general internal medicine*, 16(9), 606-613.

Lee, S. A. (2018). Persistent complex bereavement symptoms explain impairments above depression, posttraumatic stress, and separation anxiety: an incremental validity study. *Death studies*. <https://doi.org/10.1080/07481187.2018.1509909>

Lee, S. A., & Neimeyer, R. A. (2020). Pandemic Grief Scale: A screening tool for dysfunctional grief due to a COVID-19 loss. *Death Studies*, 1-11. <https://doi.org/10.1080/07481187.2020.1853885>

Milman, E., Lee, S. A., & Neimeyer, R. A. (2020). Social isolation and the mitigation of coronavirus anxiety: The mediating role of meaning. *Death Studies*, 1-13. <https://doi.org/10.1080/07481187.2020.1775362>

Morris, S. E., Moment, A., & Thomas, J. D. (2020). Caring for bereaved family members during the COVID-19 pandemic: before and after the death of a patient. *Journal of pain and symptom management*, 60(2), e70-e74. <https://doi.org/10.1016/j.jpainsympman.2020.05.002>

Mortazavi, S. S., Assari, S., Alimohamadi, A., Rafiee, M., & Shati, M. (2020). Fear, loss, social isolation, and incomplete grief due to COVID-19: a recipe for a psychiatric pandemic. *Basic and clinical neuroscience*, 11(2), 225. [10.32598/bcn.11.covid19.2549.1](https://doi.org/10.32598/bcn.11.covid19.2549.1)

Nurdini, A. (2006). "Cross-Sectional Vs Longitudinal": Pilihan Rancangan Waktu Dalam Penelitian Perumahan Permukiman. *DIMENSI (Journal of Architecture and Built Environment)*, 34(1), 52-58.

Özdin, S., & Bayrak Özdin, S. (2020). Levels and predictors of anxiety, depression and health anxiety during COVID-19 pandemic in Turkish society: The importance of gender. *International Journal of Social Psychiatry*, 66(5), 504-511. <https://doi.org/10.1177/0020764020927051>



- Patient Health Questionnaire (PHQ) - SCREENER | Pfizer PCOA. Pfizerpcoa.com. (2021). Retrieved 16 May 2021, from <https://www.pfizerpcoa.com/patient-health-questionnaire-phq-screener>.
- PDSKJI. (2020, Mei 14). Masalah Psikologis di Era Pandemi Covid-19. Retireved from <http://pdskji.org/home>
- Penman, E. L., Breen, L. J., Hewitt, L. Y., & Prigerson, H. G. (2014). Public attitudes about normal and pathological grief. *Death studies*, 38(8), 510-516. <https://doi.org/10.1080/07481187.2013.873839>
- Pereira, R. (2018). The Mourning Family: Diagnosis and Systemic Intervention in Dysfunctional Family Grief. In *Clinical Interventions in Systemic Couple and Family Therapy* (pp. 221-237). Springer, Cham. https://doi.org/10.1007/978-3-319-78521-9_15
- Pitman, A., Putri, A. K., De Souza, T., Stevenson, F., King, M., Osborn, D., & Morant, N. (2018). The impact of suicide bereavement on educational and occupational functioning: A qualitative study of 460 bereaved adults. *International journal of environmental research and public health*, 15(4), 643. <https://doi.org/10.3390/ijerph15040643>
- Pitman, A. L., Osborn, D. P., Rantell, K., & King, M. B. (2016). Bereavement by suicide as a risk factor for suicide attempt: a cross-sectional national UK-wide study of 3432 young bereaved adults. *BMJ open*, 6(1).
- Prigerson, H. G., & Maciejewski, P. K. (2008). Grief and acceptance as opposite sides of the same coin: setting a research agenda to study peaceful acceptance of loss. *The British Journal of Psychiatry*, 193(6), 435-437. <https://doi.org/10.1192/bjp.bp.108.053157>
- Santrock, J. W. (2018). Life Span Development. 13th editions. New York: McGraw-Hill.
- Satgas Penanganan Covid-19. (2022, Januari 20). Analisis Data COVID-19 Indonesia (Update Per 16 Januari 2022). Retrieved from <https://covid19.go.id/p/berita/analisis-data-covid-19-indonesia-update-16-januari-2022>
- Schut, M., & Schut, H. (1999). The dual process model of coping with bereavement: Rationale and description. *Death studies*, 23(3), 197-224. <https://doi.org/10.1080/074811899201046>
- Shear, M. K. (2012). Getting straight about grief. *Depression and anxiety*, 29(6), 461-464. <https://doi.org/10.1002/da.21963>
- Skalski, S., Konaszewski, K., Dobrakowski, P., Surzykiewicz, J., & Lee, S. A. (2021). Pandemic grief in Poland: adaptation of a measure and its relationship with social support and resilience. *Current Psychology*, 1-9. <https://doi.org/10.1007/s12144-021-01731-6>



- Stroebe, M., & Schut, H. (2010). The dual process model of coping with bereavement: A decade on. *OMEGA-Journal of Death and Dying*, 61(4), 273-289. <https://doi.org/10.2190/OM.61.4.b>
- Stroebe, M., Schut, H., & Boerner, K. (2017). Cautioning health-care professionals: Bereaved persons are misguided through the stages of grief. *OMEGA-Journal of death and dying*, 74(4), 455-473. <https://doi.org/10.1177/0030222817691870>
- Tang, S., & Xiang, Z. (2021). Who suffered most after deaths due to COVID-19? Prevalence and correlates of prolonged grief disorder in COVID-19 related bereaved adults. *Globalization and health*, 17(1), 1-9. <https://doi.org/10.1186/s12992-021-00669-5>
- Thakur, V., & Jain, A. (2020). COVID 2019-suicides: A global psychological pandemic. *Brain, behavior, and immunity*. Doi: <https://doi.org/10.1016/j.bbi.2020.04.062>
- Torales, J., O'Higgins, M., Castaldelli-Maia, J. M., & Ventriglio, A. (2020). The outbreak of COVID-19 coronavirus and its impact on global mental health. *International Journal of Social Psychiatry*, 66(4), 317-320. <https://doi.org/10.1177/0020764020915212>
- Ustun, G. (2021). Determining depression and related factors in a society affected by COVID-19 pandemic. *The International journal of social psychiatry*, 67(1), 54. 10.1177/0020764020938807
- Verdery, A. M., Smith-Greenaway, E., Margolis, R., & Daw, J. (2020). Tracking the reach of COVID-19 kin loss with a bereavement multiplier applied to the United States. *Proceedings of the National Academy of Sciences*, 117(30), 17695-17701. Doi: <https://doi.org/10.1073/pnas.2007476117>
- Wallace, C. L., Wladkowski, S. P., Gibson, A., & White, P. (2020). Grief during the COVID-19 pandemic: considerations for palliative care providers. *Journal of pain and symptom management*, 60(1), e70-e76. <https://doi.org/10.1016/j.jpainsympman.2020.04.012>
- World Health Organization. (2017). *Depression and other common mental disorders: Global health estimates*. Geneva: World Health Organization. Licence: CC BY-NC-SA 3.0 IGO
- World Health Organization. (2021). *World Health Statistics 2021: Monitoring Health for the SDGs, Sustainable Development Goals*. Geneva: World Health Organization; 2021. Licence: CC BY-NC-SA 3.0 IGO.
- Xiao, C. (2020). A novel approach of consultation on 2019 novel coronavirus (COVID-19)-related psychological and mental problems: structured letter therapy. *Psychiatry investigation*, 17(2), 175. <https://doi.org/10.30773/pi.2020.0047>



UNIVERSITAS
GADJAH MADA

Peran Tendensi Dysfunctional Grief Atas Kehilangan Selama Pandemi COVID-19 terhadap Kecenderungan Depresi

RIKA ANJASARI SUYONO, Restu Tri Handoyo, S.Psi, M.Psi., Ph.D., Psikolog

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhai, Y., & Du, X. (2020). Loss and Grief Amidst COVID-19: A Path to Adaptation and Resilience. *Brain, Behavior, and Immunity*, 87, 80-81.
<https://doi.org/10.1016/j.bbi.2020.04.053>

Zisook, S., Irwin, Scoot A., & Shear, M. K. (2000). Understanding and managing bereavement in palliative care. In *Handbook of psychiatry in palliative medicine* (2nd ed., pp. 321-334). Oxford Press.