



## DAFTAR PUSTAKA

- Abdelouahab-Reddam, Z., El Mail, R., Coloma, F., & Sepúlveda-Escribano, A., 2014, Effect of the metal precursor on the properties of Pt/CeO<sub>2</sub>/C catalysts for the total oxidation of ethanol, *Catal.*, 249, 109–116.
- Ahmad, M.H., Ibrahim, W.A., Sazali J., Izhab I., Hassan Z., 2020, Review: Thermal Process of Castor and Plant Based Oil, *Indones. J. Chem.*, 20(1), 237-247.
- Ashik, U.P.M., Wan-Daud, W.M.A., & Jun-ichiro, H., 2017, A review on methane transformation to hydrogen and nanocarbon: Relevance of catalyst characteristics and experimental parameters on yield, *Renew. Sust. Energ. Rev.*, 76, 743–767.
- Barbosa, D.D.C., Serra, T.M., Meneghetti, S.M.P., & Meneghetti, M.R., 2010, Biodiesel production by ethanolysis of mixed castor and soybean oils, *Fuel*, 89(12), 3791–3794.
- Bhomick, P.C., Supong, A., Karmaker, R., Baruah, M., Pongener, C., Sinha, D., 2019, Activated carbon synthesis from biomass material using single-step KOH activation for adsorption of fluoride: Experimental and theoretical investigation, *Korean. J. Chem. Eng.*, 36(4), 551-562.
- Brazil, T.R., Gonçalves, M., Junior, M.S.O., & Rezende, M.C., 2020, A statistical approach to optimize the activated carbon production from Kraft lignin based on conventional and microwave processes, *Microporous Mesoporous Mater.*, 308, 110485.
- Cheng, C., Liu, H., Dai, P., Shen, X., Zhang, J., Zhao, T., & Zhu, Z., 2016, Microwave-assisted preparation and characterization of mesoporous activated carbon from mushroom roots by phytic acid (C<sub>6</sub>H<sub>18</sub>O<sub>24</sub>P<sub>6</sub>) activation, *JTIC*, 67, 532–537.
- Danish, M., & Ahmad, T., 2018, A review on utilization of wood biomass as a sustainable precursor for activated carbon production and application, *Renew. Sust. Energ. Rev.*, 87, 1–21.
- Deng, H., Yang, L., Tao, G., & Dai, J., 2009, Preparation and characterization of activated carbon from cotton stalk by microwave assisted chemical activation-Application in methylene blue adsorption from aqueous solution. *J. Hazard. Mater.*, 166(2–3), 1514–1521.
- Durka, T., Van-Gerven, T., & Stankiewicz, A., 2009, Microwaves in heterogeneous gas-phase catalysis: Experimental and numerical approaches, *Chem. Eng. Technol.*, 32(9), 1301–1312.



- Efiyanti, L., & Santi, D., 2016, Pengaruh katalis NiO dan NiOMoO terhadap perengkahan minyak cangkang biji jambu mete, *J. Penelit. Has. Hutan*, 34(3), 189–197.
- Elizalde, I., & Ancheyta, J., 2014, Application of a three-stage approach for modeling the complete period of catalyst deactivation during hydrotreating of heavy oil, *Fuel*, 138, 45–51.
- Foo, K.Y., & Hameed, B.H., 2012, Porous structure and adsorptive properties of pineapple peel based activated carbons prepared via microwave assisted KOH and  $K_2CO_3$  activation. *Microporous Mesoporous Mater.*, 148(1), 191–195.
- Gupta, G.K., Gupta, P.K., & Mondal, M.K., 2019, Experimental process parameters optimization and in-depth product characterizations for teak sawdust pyrolysis, *Waste Management*, 87, 499–511.
- Herrero, M. A., Kremsner, J. M., & Kappe, C. O., 2008, Nonthermal microwave effects revisited: On the importance of internal temperature monitoring and agitation in microwave chemistry, *J. Org. Chem.*, 73(1), 36–47.
- Horikoshi, S., & Serpone, N., 2014, Role of microwaves in heterogeneous catalytic systems., *Catal. Sci. and Technol.*, 4(5), 1197–1210.
- Ismadji, S., Sudaryanto, Y., Hartono, S.B., Setiawan, L.E.K., & Ayucitra, A., 2005, Activated carbon from char obtained from vacuum pyrolysis of teak sawdust: Pore structure development and characterization, *Bioresour. Technol.*, 96(12), 1364–1369.
- Karnjanakom, S., Guan, G., Asep, B., Du, X., Hao, X., Samart, C., & Abudula, A., 2015, Catalytic steam reforming of tar derived from steam gasification of sunflower stalk over ethylene glycol assisting prepared Ni/MCM-41, *Energy Convers. Manag.*, 98, 359–368.
- Keera, S.T., El-Sabagh, S.M., & Taman, A.R., 2018, Castor oil biodiesel production and optimization, *Egypt. J. Pet*, 27, 979–984.
- Kong, W., Zhao, F., Guan, H., Zhao, Y., Zhang, H., Zhang, B., 2016, Highly adsorptive mesoporous carbon from biomass using molten-salt route, *J. Matter. Sci.*, 51(14), 6793–6800.
- Kumar-N, S., Grekov, D., Pré, P., & Alappat, B.J., 2020, Microwave mode of heating in the preparation of porous carbon materials for adsorption and energy storage applications – An overview, *Renew. Sust. Energ. Rev.*, 124, 109743.



- Kustov, L.M., & Sinev, I.M., 2010, Microwave activation of catalysts and catalytic processes, *Russ. J. Phys. Chem.*, 84(10), 1676–1694.
- Laredo, G.C., Merino, P.M.V., & Hernández, P.S., 2018, Light Cycle Oil Upgrading to High Quality Fuels and Petrochemicals: A Review, *Ind. Eng. Chem. Res.*, 57(22), 7315–7321.
- Lee, K., Lee, M.E., Kim, J.K., Shin, B., Choi, M., 2019, Single-step hydroconversion of triglycerides into biojet fuel using CO-tolerant PtRe catalyst supported on USY, *J. Catal.*, 379, 180-190.
- Li, J., Dai, J., Liu, G., Zhang, H., Gao, Z., Fu, J., He, Y., & Huang, Y., 2016, Biochar from microwave pyrolysis of biomass: A review. *Biomass Bioenergy*, 94, 228–244.
- Li, Y., Gui, F., Wang, F., Liu, J., Zhu, H., 2021, Synthesis of modified, ordered mesoporous carbon-supported Pt<sub>3</sub>Cu catalyst for enhancing the oxygen reduction activity and durability, *Int. J. Hydrog. Energ.*, 2021, 46(76). 37802-37813.
- Liu, Q. S., Zheng, T., Wang, P., & Guo, L., 2010, Preparation and characterization of activated carbon from bamboo by microwave-induced phosphoric acid activation, *Ind. Crop. Prod.*, 31(2), 233–238.
- Lo, S.L., Huang, Y.F., Chiueh, P.T., & Kuan, W.H., 2017, Microwave pyrolysis of lignocellulosic biomass, *Energy Procedia*, 105, 41–46.
- Lu, B., & Kawamoto, K., 2012, Direct synthesis of highly loaded and well-dispersed NiO/SBA-15 for producer gas conversion, *RSC Adv.*, 2(17), 6800–6805.
- Mallakpour, S., Sirous, F., & Hussain, C. M., 2021, Sawdust, a versatile, inexpensive, readily available bio-waste: From mother earth to valuable materials for sustainable remediation technologies, *Adv. Colloid Interface Sci.*, 295, 102492.
- Mederos-Nieto, F.S., Santoyo-López, A.O., Hernández-Altamirano, R., Mena-Cervantes, V.Y., Trejo-Zárraga, F., Centeno-Nolasco, G., & Ramírez-Jiménez, E., 2021, Renewable fuels production from the hydrotreating over NiMo/γ-Al<sub>2</sub>O<sub>3</sub> catalyst of castor oil methyl esters obtained by reactive extraction, *Fuel*, 285, 119168.
- Meller, E., Gutkin, V., Aizenshtat, Z., & Sasson, Y., 2016, Catalytic Hydrocracking-Hydrogenation of Castor Oil Fatty Acid Methyl Esters over Nickel Substituted Polyoxometalate Catalyst, *ChemistrySelect*, 1(20), 6396–6405.



Mohan, D., Pittman Jr, C.U., & Steele, P.H., 2017, Pyrolysis of Wood/Biomass for Bio-oil: A Critical Review, *Prog. Energy Combust. Sci.*, 20(3), 848–889.

Motasemi, F., & Afzal, M.T., 2013, A review on the microwave-assisted pyrolysis technique. *Renew. Sust. Energ. Rev.*, 28, 317–330.

Mutyala, S., Fairbridge, C., Paré, J.R.J., Bélanger, J.M.R., Ng, S., & Hawkins, R., 2010, Microwave applications to oil sands and petroleum: A review, *Fuel Process. Technol.*, 91(2), 127–135.

Njoku, V.O., Foo, K.Y., Asif, M., & Hameed, B.H., 2014, Preparation of activated carbons from rambutan (*Nephelium lappaceum*) peel by microwave-induced KOH activation for acid yellow 17 dye adsorption, *Chem. Eng. J.*, 250, 198–204.

Nunes, C.A., & Guerreiro, M.C., 2011, Estimation of surface area and pore volume of activated carbons by methylene blue and iodine numbers, *Quim. Nova.*, 34(3), 472-476.

Okal, J., Zawadzki, M., Kraszkiewicz, P., & Adamska, K., 2018, Ru/CeO<sub>2</sub> catalysts for combustion of mixture of light hydrocarbons: Effect of preparation method and metal salt precursors, *Appl. Catal. A-Gen.*, 549, 161–169.

Orozco, L.M., Echeverri, D.A., Sánchez, L., & Rios, L.A., 2017, Second-generation green diesel from castor oil: Development of a new and efficient continuous-production process, *Chem. Eng. J.*, 322, 149–156.

Palma, V., Barba, D., Cortese, M., Martino, M., Renda, S., & Meloni, E., 2020, Microwaves and heterogeneous catalysis: A review on selected catalytic processes, *Catalysts*, 10(2), 246.

Pasha, Y., Shrinivasa, U., Swamy, D.R., & Ahmed, S.M., 2019, Experimental analysis of fuel properties and performance analysis of diesel engine with esterified castor oil blended with gasoline, *Mater. Today: Proc.*, 46, 4829–4899.

Pongsendana, M., Trisunaryanti, W., Artanti, F.W., Falah, I.I., & Sutarno., 2017, Hydrocracking of waste lubricant into gasoline fraction over CoMo catalyst supported on mesoporous carbon from bovine bone gelatin, *Korean J. Chem. Eng.*, 34(10), 2591–2596.

Ponomarev, N., & Sillanpää, M., 2019, Combined chemical-templated activation of hydrolytic lignin for producing porous carbon, *Ind. Crop. Prod.*, 135, 30–38.



- Porch, A., Slocombe, D., Beutler, J., Edwards, P., Aldawsari, A., Xiao, T., Kuznetsov, V., Almegren, H., Aldrees, S., & Almaqati, N., 2012, Microwave treatment in oil refining, *Appl. Petrochem. Res.*, 2, 37–44.
- Prasiwi, A.D., Trisunaryanti, W., Triyono, Falah, I.I., Santi, D., & Marsuki, M.F., 2019, Synthesis of mesoporous carbon from merbau wood (*Intsia spp.*) by microwave method as Ni catalyst support for  $\alpha$ -cellulose hydrocracking. *Indones. J. Chem.*, 19(3), 575–582.
- Roussy, G., Hiliare, S., Thiebaut, J.M., Maire, G., Garin, F., & Ringler, S., 1997, Permanent change of catalytic properties induced by microwave activation on 0,3% Pt/Al<sub>2</sub>O<sub>3</sub> (EuroPt-3) and on 0,3% Pt-0,3% Re/Al<sub>2</sub>O<sub>3</sub> (EuroPt-4), *Appl. Catal. A-Gen.*, 156, 167–180.
- Saab, R., Polychronopoulou, K., Zheng, L., Kumar, S., & Schiffer, A., 2020, Synthesis and performance evaluation of hydrocracking catalysts: A review, *J. Ind. Eng. Chem.*, 89, 83–103.
- Sadeek, S.A., Mohammed, E.A., Shaban, M., Abou-Kana, M.T.H., & Negm, N. A., 2020, Synthesis, characterization and catalytic performances of activated carbon-doped transition metals during biofuel production from waste cooking oils, *J. Mol. Liq.*, 306, 112749.
- Santi, D., Triyono, Trisunaryanti, W., & Falah, I.I., 2020, Hydrocracking of pyrolyzed  $\alpha$ -cellulose to hydrocarbon over M<sub>x</sub>O<sub>y</sub>/Mesoporous carbon catalyst (M = Co and Mo): Synthesis and characterization of carbon-based catalyst support from saw waste of Merbau wood, *J. Environ. Chem. Eng.*, 8(3), 103735.
- Singh, G., Lakhi, K.S., Kim, I.Y., Kim, S., Srivastava, P., Naidu, R., & Vinu, A., 2017, Highly Efficient Method for the Synthesis of Activated Mesoporous Biocarbons with Extremely High Surface Area for High-Pressure CO Adsorption, *ACS Appl. Mater. Interfaces*, 9(35), 29782–29793.
- Sriningsih, W., Saerodji, M.G., Trisunaryanti, W., Triyono, Armunanto, R., & Falah, I.I., 2014, Fuel Production from LDPE Plastic Waste over Natural Zeolite Supported Ni, Ni-Mo, Co and Co-Mo Metals, *Procedia Environ. Sci.*, 20, 215–224.
- Sun, J., Wang, W., & Yue, Q., 2016, Review on microwave-matter interaction fundamentals and efficient microwave-associated heating strategies, *Materials*, 9(4), 231.
- Torrentes-Espinoza, G., Miranda, B.C., Vega-Baudrit, J., & Mata-Segreda, J.F., 2017, Castor oil (*Ricinus communis*) supercritical methanolysis, *Energy*, 140, 426–435.



Trisunaryanti, W., Suarsih, E., Triyono, Falah, I.I., 2019, Well-dispersed nickel nanoparticles on the external and internal surfaces of SBA-15 for hydrocracking of pyrolyzed  $\alpha$ -cellulose, 9(3), 1230-1237.

Wahyudi, I., Priadi, T., & Rahayu, I.S., 2014, Karakteristik Dan Sifat-Sifat Dasar Kayu Jati Unggul Umur 4 Dan 5 Tahun Asal Jawa Barat, *JIPI*, 19(1), 50–56.

Wei, L., Haije, W., Kumar, N., Peltonen, J., Peurla, M., Grenman, H., & Jong, W. De., 2021, Influence of nickel precursors on the properties and performance of Ni impregnated zeolite 5A and 13X catalysts in CO<sub>2</sub> methanation, *Catal. Today*, 362, 35–46.

Wen, X., Xu, L., Chen, M., Shi, Y., Lv, C., Cui, Y., Wu, X., Cheng, G., Wu, C. e., Miao, Z., Wang, F., & Hu, X., 2021, Exploring the influence of nickel precursors on constructing efficient Ni-based CO<sub>2</sub> methanation catalysts assisted with in-situ technologies, *Appl. Catal. B.*, 297, 120486.

Wicaksono, D. B., 2021, Sintesis Karbon Aktif Dari Limbah Kayu Sebagai Pengembangan Logam Untuk Hidrorengkah Minyak jarak Menjadi Biofuel. *Skripsi*, S1 Kimia, FMIPA, UGM, Yogyakarta.

Yahya, M. A., Al-Qodah, Z., & Ngah, C. W. Z., 2015, Agricultural bio-waste materials as potential sustainable precursors used for activated carbon production: A review, *Renew. Sust. Energ. Rev.*, 46, 218–235.

Yang, W., Liu, H., Li, Y., Wu, H., & He, D., 2016, CO<sub>2</sub> reforming of methane to syngas over highly-stable Ni/SBA-15 catalysts prepared by P123-assisted method, *Int. J. Hydrog.*, 41(3), 1513–1523.

Yang, Y., Wang, Q., Zhang, X., Wang, L., & Li, G., 2013, Hydrotreating of C<sub>18</sub> fatty acids to hydrocarbons on sulphided NiW/SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, *Fuel Process. Technol.*, 116, 165–174.

Zhang, Q., Wang, M., Zhang, T., Wang, Y., Tang, X., Ning, P., 2015, A stable NI/SBA-15 catalyst prepared by the ammonia evaporation method for dry reforming of methane, *RSC Adv.*, 5(114), 94016-94024.

Zhang, X., Hayward, D. O., & Mingos, D. M. P., 2003, Effects of microwave dielectric heating on heterogeneous catalysis, *Catal. Letters*, 88(1–2), 33–38.

Zhou, J., Luo, A., & Zhao, Y., 2018, Preparation and characterisation of activated carbon from waste tea by physical activation using steam, *J. Air Waste Manag. Assoc.*, 68(12), 1269–1277.