

DAFTAR PUSTAKA

- Akello, J., Dubois, T., Coyne, D., and Kyamanywa, S. 2008. Effect of endophytic *Beauveria bassiana* on populations of the banana weevil, *Cosmopolites sordidus*, and their damage in tissue-cultured banana plants. *Entomol Exp Appl*. 129 (2): 157–165.
- Allee, L.L., Goettel, M.S., Gol'berg, A., Whitney, H.S., Roberts, D.W. 1990. Infection by *Beauveria bassiana* of *Leptinotarsa decemlineata* larvae as a consequence of fecal contamination of the integument following per os inoculation. *Mycopathologia*, 111, 17–24.
- Anggarawati, S.H., Santoso, T., and Anwar, R. 2017. Penggunaan cendawan entomopatogen *Beauveria bassiana* (Balsamo) Vuillemin dan *Lecanicillium lecanii* (Zimm) Zarw & Gams untuk mengendalikan *Helopeltis antonii* Sign (Hemiptera: Miridae). *Jurnal Silvikultur Tropika*. 8(3): 197-202.
- Atmadja, W.R. 2003. Status *Helopeltis antonii* sebagai hama pada beberapa tanaman perkebunan dan pengendaliannya. *Jurnal Litbang Pertanian*. 22(2): 57-63.
- Atmadja, W.R. 2012. *Pengendalian Terpadu Helopeltis Tanaman Perkebunan*. Bogor: Unit Penerbitan dan Publikasi Balai Penelitian Tanaman Rempah dan Obat.
- Badan Standarisasi Nasional (BSN). 2014. Agens Pengendali Hayati (APH): *Beauveria bassiana*. Standar Nasional Indonesia (SNI). Jakarta.P: 1-17.
- Batta, Y.A. 2018. Efficacy of two species of entomopathogenic fungi against the stored-grain pest, *Sitophilus granarius* L. (Curculionidae: Coleoptera), via oral ingestion. *Egypt. J. Biol. Pest Control*, 1–8.
- Barthakur, B.K. 2011. Recent approach of tocklai to plant protection in tea in North East India. *Science and culture*, 77: 381-384.
- BBP2TP Surabaya. 2011. *Laporan Tahunan OPT Perkebunan di Wilayah Kerja BBP2TP Surabaya*. Jombang: BBP2TP Surabaya.
- Begon, M., Townsend, C.R., and Harper, J.L. 2006. *Ecology: From Individuals to Ecosystems*. 4th Edition. Blackwell Publishing Ltd. Oxford. UK. Pp: 30-57.
- Behie, S.W., Jones, S.J., and Bidochka, M.J. 2015. Plant tissue localization of the endophytic insect pathogenic fungi *Metarhizium* and *Beauveria*. *Fungal Ecol*. 13: 112–119.
- Brownbridge, M., Reay, S.D., Nelson, T.L., and Glare, T.R. 2012. Persistence of *Beauveria bassiana* (Ascomycota: Hypocreales) as an endophyte following inoculation of radiata pine seed and seedlings. *Biol Control* 61: 194-200.
- Bruck, D.J. 2010. Fungal entomopathogens in the rhizosphere. *Biocontrol*. 55: 103-112.



Butt, T.M., Jackson, C.W., and Magan, N. 2001. Fungi as Biocontrol Agents: Progress, Problems and Potential. CABI Publishing. Oxon.

Charnley, A.K. and Collins, S.A. 2007. Entomopathogenic Fungi and Their Role in Pest Control. In *Environmental and Microbial Relationships*; Kubicek, C. P., Druzhininna, I. S., Eds.; Springer: Cham, Switzerland, 2007; Volume 4, pp. 159–187.

Cherry, A.J., Banito, A., Djegui, D., and Lomer, C. 2004. Suppression of the stemborer *Sesamia calamistis* (Lepidoptera; Noctuidae) in maize following seed dressing, topical application and stem injection with African isolates of *Beauveria bassiana*. *International Journal Pest Management*. 50(1): 67–73.

Cottrell, T.E., and Shapiro-Ilan, D.I. 2003. Susceptibility of native and an exotic lady beetle (Coleoptera: Coccinellidae) to *Beauveria bassiana*. *J. Invertebr. Pathol.* 84: 137–144.

Du Plessis, H., Schlemmer, M. L., and Van den Berg, J. 2020. The Effect of Temperature on the Development of *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Insects*. 11(4): 228.

Ekesi, S., Maniania, N.K., Onu, I., and Löhr, B. 1998. Pathogenicity of entomopathogenic fungi (Hyphomycetes) to the legume flower thrips, *Megalurothrips sjostedti* (Trybom) (Thys., Thripidae). *J. Appl. Entomol.* 122: 629-634.

Fanning, P.D., Grieshop, M. J., Isaacs, R. 2018. Efficacy of biopesticides on spotted wing drosophila, *Drosophila suzukii* Matsumura in fall red raspberries. *J. Appl. Entomol.* 142: 26–32.

Gargita, I.W.D., Sudiarta, I.P., and Wirya, G.N.A.S. 2017. Pemanfaatan Patogen Serangga (*Beauveria bassiana* Bals.) untuk mengendalikan Hama Penghisap Buah Kakao (*Helopeltis* spp.) di Desa Gadungan, Kecamatan Selemadeg Timur, Kabupaten Tabanan. *E-Jurnal Agroekoteknologi Tropika*. 6(1): 11-20.

Goettel, M.S., St. Leger, R.J., Rizzo, R.I., Staples, R.C., and Roberts, D.W., 1989. Ultrastructural localization of a cuticle degrading protease produced by the entomopathogenic fungus *Metarhizium anisopliae* during penetration of host (*Manduca sexta*) cuticle. *J. Gen. Microbiol.* 135: 2233–2239.

Goettel, M.S., Poprawski, T.J., Vandenberg, J.D., Li, Z., and Roberts, D.W. 1990. Safety to non target invertebrates of fungal biocontrol agents, In: Laird, M., Lacey, L., and Davidson, E.W. (Eds.). Safety of microbial insecticides. FL: CRC Press, Boca Raton, pp. 209–231.

Goettel, M.S., Eilenberg, J., and Glare, T.R., 2005. Entomopathogenic fungi and their role in regulation of insect populations, in: Gilbert, L.I., Iatrou, K., Gill, S. (Eds.), Comprehensive molecular insect science. Elsevier, Amsterdam, pp. 361–405.



- Goettel, M.S., Eilenberg, J., and Glare, T.R. 2010. Entomopathogenic Fungi and their Role in Regulation of Insect Populations. *In: Gilbert, L.I. and Gill, S.S. (Eds.). Insect Control: Biological and Synthetic Agents. Academic Press, London, pp. 387-43.*
- Gurusubramanian, G., Senthil, N.K., Tamuli, A.K., Sarmah, M., Rahman, A., Bora, S., Roy, S. 2009. Biointensive integrated management of tea pests for sustainable tea production in North East India. *Int J Tea Sci.* 7:45-59.
- Hajek, A.E., and St. Leger, R.J. 1994. Interactions between fungal pathogens and insect hosts. *Annu. Rev. Entomol.* 39: 293-322.
- Harith-Fadzilah, N., Ghani, I.A., and Hassan, M. 2021. Omics-based approach in characterising mechanisms of entomopathogenic fungi pathogenicity: A case example of *Beauveria bassiana*. *Journal of King Saud University – Science.* (33): 1-7.
- Hinton, H.E. 1961. The structure of the shell and respiratory system of the eggs of *Helopeltis* and related genera (Hemiptera, Miridae). *Journal of Zoology.* 139 (3): 483-488.
- Imaoulan, A., Hussain, M., Kirk, P.M., Meziane, A.E., and Yao, Y.J. 2017. Entomopathogenic fungus *Beauveria*: host specificity, ecology and significance of morphomolecular characterization in accurate taxonomic classification. *Journal of Asia-Pacific Entomology.* 20 (4): 1204-1212.
- Indriani, D.P. 2004. Pengelolaan Perkebunan Kakao Dalam Mengatasi Serangan *Helopeltis antonii* dan *H. theivora* Menuju Agroekosistem Kakao Berkelanjutan di Afdeling Rajamandala PTPN VIII. Jawa Barat. Kumpulan Abstrak Tesis-Disertasi. ITB Central Library. Bandung.
- Inglis, G.D., Goettel, M.S., Butt, T.M. and Strasser, H. 2001. Use of hyphomycetous fungi for managing insect pests. *In: Butt, T. M., Jackson, C., and Magan, N. (Eds) Fungi as Biocontrol Agents. CABI International. Wallingford. 23-69.*
- Jaber, L. and Ownley, B. 2018. Can we use entomopathogenic fungi as endophytes for dual biological control of insect pests and plant pathogens? *Biol Control.* 116:36–45.
- Karmawati, E., Wahyono, T. E., Savitri, T.H., and Laba, I.W. 1999. Dinamika populasi *Helopeltis antonii* Signoret pada jambu mete. *Jurnal Penelitian Tanaman Industri.* 4(6): 163- 167.
- Keswani, C., Singh, S.P., and Singh, H.B. 2013. *Beauveria bassiana*: Status, Mode of action, Applications and Safety issues. *Biotech Today an International Journal of Biological Sciences.* 3(1): 16-20.
- Kilin, D. & Atmadja, W.R. 2000. Perbanyakkan serangga *Helopeltis antonii* Signoret pada buah ketimun dan pucuk jambu mete. *Jurnal Penelitian Tanaman Industri* 5(4): 199-122.



- Klieber, J. and Reineke, A. 2016. The entomopathogen *Beauveria bassiana* has epiphytic and endophytic activity against the tomato leaf miner *Tuta absoluta*. *J Appl Entomol.* 140: 580–589.
- Koch E., Zink, P., Ullrich, C.I., and Kleespies, R.G. 2018. Light microscopic studies on the development of *Beauveria bassiana* and other putative endophytes in leaf tissues. *J Kulturpflanzen.* 70:95–107.
- Kramm, K.R., and West, D.F. 1982. Termite pathogens: effects of ingested *Metarhizium*, *Beauveria* and *Gliocladium* conidia on worker termites (*Reticulitermes* sp.). *J. Invertebr. Pathol.* (40): 7-11.
- Lacey, L.A. 2016. *Microbial Control of Insect and Mite Pests: From Theory to Practice*. Academic Press. Cambridge.
- Li, H., Huang, D., and Wang, Z. 2011. Potential of *Beauveria bassiana* for biological control of *Apriona germari*. *Front. Agric. China* 5: 666–670.
- Li, Z.Z. 1988. List on the insect hosts of *Beauveria bassiana*. In. Study and application of entomogenous fungi in China, Vol. 1. Beijing: Academic Periodical Press. pp. 241-255.
- Logrieco, A., Moretti, A., Ritieni, A., Caiaffa, M.F., and Macchia, L. 2002. *Beauvericin: chemistry, biology and significance*. In: Advances in Microbial Toxin Research and Its Biotechnological Exploitation. Upadhyay, R., Ed.; Kluwer Academic: New York, NY, USA; pp. 23–30.
- Mahar, A., Jan, N., Mahar, G.M., and Mahar, A.Q. 2008. Control of insects with entomopathogenic bacterium *Xenorhabdus nematophila* and its toxic secretions. *Int. J. Agric. Biol.* 10: 52–56.
- Mannino, M.C., Huarte-Bonnet, C., Davyt-Colo, Belen., and Pedrini, N. 2019. Is the insect cuticle the only entry gate for fungal infection? Insights into alternative modes of action of entomopathogenic fungi. *Journal of Fungi.* 5(33): 1-9.
- Mantzoukas, S. and Eliopoulos, P.A. 2020. Endophytic Entomopathogenic Fungi: A Valuable Biological Control Tool against Plant Pests. *Appl. Sci.*10(360): 1-13.
- McKinnon, A.C., Saari, S., Moran-Diez, M.E., Meyling, N.V., Raad, M., and Glare, T.R. 2017. *Beauveria bassiana* as an endophyte: a critical review on associated methodology and biocontrol potential. *Biocontrol.* 62:1–17.
- Melati, M.A. 2018. Pengaruh Rasio Jantan-Betina dan Durasi Berpasangan terhadap Kemampuan Reproduksi *Helopeltis bradyi*. Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Melina, S., Martono, E., and Trisyono, Y.A. 2016. Confirmation that *Helopeltis* species attacking cacao in Yogyakarta is *Helopeltis bradyi* Waterhouse, not *Helopeltis antonii* Signoret (Heteroptera: Miridae). *Jurnal Entomologi Indonesia.* 13(1): 9-20.



- Melina, S., Martono, E., **Trisyono**, Y.A., Moechtar, S., and Radek, R. 2016. Morphology of adult *Helopeltis bradyi* (Heteroptera: Miridae) of Java, resolving a longstanding species uncertainty. *North-Western Journal of Zoology*. 12 (1): 110-121.
- Moonjely, S.S., Barelli, L., and Bidochka, M.J. 2016. Insect pathogenic fungi as endophytes. *In*: Lovett, B., Leger, R.J.S. (eds) *Advances in genetics*. Elsevier. Amsterdam. 107–135.
- Nishi, O., Sushida, H., Higashi, Y., and Lida, Y. 2021. Epiphytic and endophytic colonization of tomato plants by the entomopathogenic fungus *Beauveria bassiana* strain GHA. *Mycology*. 12(1): 39-47.
- Nelly, N., Khairul, U., and Januasari, P. 2017. Biologi Penghisap Buah *Helopeltis* sp. (Hemiptera: Miridae) pada Buah Kakao dan Mentimun. *Jurnal Proteksi Tanaman*. 1(2): 62-67.
- Ortiz-Urquiza, A., and Keyhani, N.O. 2013. Action on the surface: entomopathogenic fungi versus the insect cuticle. *Insects* 4, 357–374.
- Pedrini, N., Crespo, R., and Juárez, M.P. 2007. Biochemistry of insect epicuticle degradation by entomopathogenic fungi. *Comp. Biochem. Phys.* 146: 124-137.
- Pedrini, N., Ortiz-Urquiza, A., Huarte-Bonnet, C., Zhang, S., and Keyhani, N.O. 2013. Targeting of insect epicuticular lipids by the entomopathogenic fungus *Beauveria bassiana*: hydrocarbon oxidation within the context of a host-pathogen interaction. *Front. Microbial*.4: 24.
- Petrini, O., and Fisher, P.J. 1987. Fungal endophytes in *Salicornia perennis*. *Transactions of the British Myco-logical Society*. 87: 647-651.
- Pineda, A., Zheng, S., Van-Loon, J.J., and Pieterse, C. 2010. Helping plants to deal with insects: the role of beneficial soil-borne microbes. *Trends Plant Sci*. 15(9): 507-514.
- Posada, F., Aime M.C., Peterson S.W., Rehner S.A., and Vega F.E. 2007. Inoculation of coffee plants with the fungal entomopathogen *Beauveria bassiana* (Ascomycota: Hypocreales). *Mycology Research*. 111: 748-757.
- Price, P.W. 1997. *Insect ecology*. 3rd Edition, John Wiley & Sons, Inc., New York.
- Quesada-Moraga, E., Munoz-Ledesma, F., and Santiago-Alvarez, C. 2009. Systemic protection of *Papaver somniferum* L. against *Iraella luteipes* (Hymenoptera: Cynipidae) by an endophytic strain of *Beauveria bassiana* (Ascomycota: Hypocreales). *Environ Entomol*. 38(3): 723–730.
- Rajab, L., Ahmad, M., and Gazal, I. 2020. Endophytic establishment of the fungal entomopathogen, *Beauveria bassiana* (Bals.) Vuil., in cucumber plants. *Egyptian Journal of Biological Pest Control*. 30(143): 1-7.
- Ramakuwela, T., Hatting, J., Bock, C., Vega, F.E., Wells, L., Mbata, G.N., and Shapiro-Ilan, D. 2020. Establishment of *Beauveria bassiana* as a fungal endophyte in

pecan (*Carya illinoensis*) seedlings and its virulence against pecan insect pests. *Biol Control*. 140: 104102.

- Roy, H.E., Vega, F.E., and Chandler, D., 2010. The ecology of fungal entomopathogens. Springer. Netherlands. 204 p.
- Ruiu, L. 2015. Insect pathogenic bacteria in integrated pest management. *Insects*. 6(2): 352-367.
- Saroj, P.L. and Vanitha, K. 2015. Insect Pests of Cashew and Their Management. ICAR - DCR Technical Bulletin No. 27. P. 5-8.
- Schulz, B. and Boyle, C. 2005: The endophytic continuum. *Mycol. Research* (109), 661-686.
- Shah, P. A. and Goettel, M. S. 1999. Directory of Microbial Control Products and Services. Microbial Control Division. Society for Invertebrate Pathology. Gainesville. FL. 31 p.
- Shaan, R. and Ibrahim, L. 2018. Entomopathogenic fungal endophytes: can they colonize cucumber plants? In: IX International Scientific Agriculture Symposium "AGROSYM 2018". University of East Sarajevo, Jahorina, Bosnia and Herzegovina 4-7 October 2018. 4-7.
- Shawer, R., Donati, I., Cellini, A., Spinelli, F., and Mori, N. 2018. Insecticidal Activity of *Photorhabdus luminescens* against *Drosophila suzukii*. *Insects*. 9: 148.
- Shikano, I. 2017. Evolutionary ecology of multitrophic interactions between plants, insect herbivores and entomopathogens. *J Chem Ecol*. 43(6): 586-598.
- Sinha, K.K., Choudhary, A.K., and Kumari, P. 2016. Entomopathogenic Fungi. In: Omkar, O (Eds.). Ecofriendly Pest Management for Food Security. Academic Press. London. 475-505.
- Siswanto., Muhammad, R., Omar, D., and Karmawati, E. 2008. Population Fluctuation of *Helopeltis antonii* Signoret on Cashew *Anacardium occidentale* L., in Java, Indonesia. *Pertanika Journal of Tropical Agriculture Science*. 31(2): 191-196.
- Solikhah, D.R. 2013. Infektivitas cendawan *Lecanicillium lecanii* terhadap telur *Helopeltis* sp. (Hemiptera: Miridae). Skripsi. Institut Pertanian Bogor. Bogor.
- Stonedahl, G.M. 1991. The oriental species of *Helopeltis* (Heteroptera: Miridae): a review of economic literature and guide to identification. *Bulletin Entomological Research* 81: 465-490.
- Sukasman. 1996. Pengujian pohon lamtoro tahan kutu (Hantu) sebagai sarana pengendalian hayati *Helopeltis antonii* pada teh sekaligus meningkatkan keuntungan 40% atau lebih bagi perkebunan. Prosiding Seminar Sehari Alternatif Pengendalian Hama Teh Secara Hayati. Pusat Penelitian Teh dan Kina. Bandung 5 Desember 1996. 22-27.



- Sundararaju, D. 1992. Biological control of tea mosquito bug and other sucking pest of cashew. Annual Report. National Research Centre for Cashew. India. p. 40-44.
- Trizelia, Santoso, T., Sosromarsono, S., Rauf, A., & Sudirman, L.I. 2007. Patogenisitas jamur entomopatogen *Beauveria bassiana* (Deuteromycotina: Hyphomycetes) terhadap telur *Crocidolomia pavonana* (Lepidoptera: Pyralidae). Jurnal Penelitian dan Informasi Pertanian. 11(1): 52-59.
- Ullrich, C.I., Koch, E., Metacki, C., Schafer, J., Burkl, T., Rabenstein, F., and Kleespies, R.G. 2017. Detection and growth of endophytic entomopathogenic fungi in dicot crop plants. *Journal fur Kulturpflanzen*. 69 (9): 291-302.
- Valero-Jiménez, C.A., Wiegers, H., Zwaan, B.J., Koenraadt, C.J.M., and Van Kan, J.A.L. 2016. Genes involved in virulence of the entomopathogenic fungus *Beauveria bassiana*. *J. Invertebr. Pathol.* 133: 41-49.
- Vega, F.E., Goettel, M.S., Blackwell, M., Chandler, D., Jackson, M.A., Keller, S., Koike, M., Maniania, N.K., Monzon, A., and Ownley, B.H., 2009. Fungal entomopathogens: new insights on their ecology. *Fungal Ecol.* 2, 149–159.
- Vega, F. 2018. The use of fungal entomopathogens as endophytes in biological control: a review. *Mycologia*. 110(1): 4–30.
- Vestergaard, S., Cherry, A., Keller, S., and Goettel, M. 2003. Safety of hyphomycete fungi as microbial control agents, *In*. Hokkanen, H.M.T., and Hajek, A.E. (Eds.). Environmental impacts of microbial insecticides. Dordrecht: Kluwer Academic Publishers, pp. 35–62.
- Wei, Q.Y., Li, Y.Y., Xu, C., Wu, Y.X., Zhang, Y.R., and Liu, H. 2020. Endophytic colonization by *Beauveria bassiana* increases the resistance of tomatoes against *Bemisia tabaci*. *Arthropod-Plant Interactions*. 14: 289–300.
- Widayat, W., Rayati, D.J., dan Martosupomo, M. 1996. Penggunaan jamur *Paecilomyces fumoso roseus* (PFR) sebagai teknologi alternatif pengendalian hama nonkimiawi pada tanaman teh. Prosiding Seminar Sehari Alternatif Pengendalian Hama Teh Secara Hayati. Pusat Penelitian Teh dan Kina. Bandung. 5 Desember 1996. 1-13.
- Wikardi, E.A., Wiratno, dan Siswanto. 1996. Beberapa hama utama tanaman jambu mete dan usaha pengendaliannya. Seminar Forum Komunikasi Ilmiah Komoditas Jambu Mete. Balai Penelitian Tanaman Rempah dan Obat. Bogor. 5-6 Maret 1996. 9.