



## DAFTAR PUSTAKA

- Abarca, R. M. (2021) ‘Platelet count’, Nuevos sistemas de comunicación e información, pp. 2013–2015.
- Adams-Chapman I, S. B. (2006) ‘Neonatal infection and long-term neurodevelopmental outcome in the preterm infant.’, Curr Opin Infect Dis, 19 (3), pp. 290–7.
- Aggrey, A.A.; Srivastava, K.; Ture, S.; Field, D.J.; Morrell, C. N. (2013) ‘Platelet induction of the acute-phase response is protective in murine experimental cerebral malaria’, J. Immunol, 190, pp. 4685–4691.
- Agrawal R., Deorari A., and Paul V. (2014) ‘Sepsis in the Newborn’, Division of Neonatology Department of Pediatrics All India Institute of Medical Sciences Ansari Nagar, New Delhi.
- Assinger, Alice, Waltraud, Manuel, Julie (2019) ‘Platelets in sepsis: An update on experimental models and clinical data’, Frontiers in Immunology, 10(JULY), pp. 1–19. doi: 10.3389/fimmu.2019.01687.
- Astri Pinilih and Ranto (2019) ‘Profil dan Faktor Risiko Kematian Sepsis Neonatus di RSUD Sukadana Lampung Timur’, 38(4), pp. 1–10.
- Camicia, G., Pozner, R. and De Larrañaga, G. (2014) ‘Neutrophil extracellular traps in sepsis’, Shock, 42(4), pp. 286–294. doi: 10.1097/SHK.0000000000000221.
- Choi, Ha Eun, Ju Jhang, Won Kyoung Park, Seong Jong (2017) ‘Platelet indices as predictive markers of prognosis in pediatric septic shock patients’, Iranian Journal of Pediatrics, 27(3). doi: 10.5812/ijp.7212.
- Danielle X. Morales, Sara E. Grineski, and Timothy Collins. (2016) ‘The role of neutrophils and NETosis in autoimmune and renal diseases’, Physiology & behavior, 176(1), pp. 139–148. doi: 10.1038/nrneph.2016.71.The.
- Dokter Anak Indonesia. (2016) ‘Diagnosis dan Tata Laksana Sepsis pada Anak’.
- Glaser, Hughes, Newberry & Harris-Haman. (2020) ‘Neonatal Sepsis: A Review of Pathophysiology and Current Management Strategies’, Advances in Neonatal Care, 00(0), pp. 1–12.
- Gotts J,. (2016) ‘Sepsis: pathophysiology and clinical management’, BMJ, pp. 353:1–20.
- Guclu, E., Durmaz, Y. and Karabay, O. (2013) ‘Effect of severe sepsis on platelet count and their indices’, African Health Sciences, 13(2), pp. 333–338. doi: 10.4314/ahs.v13i2.19.
- Hazwani, Bin Obaid, Wesam, Fatimah, Rahaf, Hamza *et al* (2021) ‘Association between platelet count and multiorgan dysfunction and outcomes in patients with sepsis in the pediatric intensive care unit in Saudi Arabia’, Journal of Infection and Public Health. King Saud Bin Abdulaziz University for Health Sciences, 14(11), pp. 1585–1589. doi: 10.1016/j.jiph.2021.09.012.
- Holinstat, M. (2017) ‘Normal platelet function’, Cancer Metastasis Reviews, Cancer Metastasis Rev, 36 No 2, pp. 195–198.
- Hotchkiss, Monneret, Didier, Yugang Peng, Hu Chen, Yanqing Yuanzhuo *et al.* (2013) ‘Sepsis-induced immunosuppression: from cellular dysfunctions to immunotherapy’, Angewandte Chemie International Edition, 6(11), 951–952. Nature Publishing Group, 37(10)(8), pp. 2746–52. doi: 10.1007/s00134-003-



1686-2.

- Ikatan Dokter Anak Indonesia (2009) ‘Pedoman Pelayanan Medis Ikatan Dokter Anak Indonesia’, in Pedoman Pelayanan Medis Ikatan Dokter Anak Indonesia. Jakarta: Badan Penerbit IDAI.
- Iskandar, de Rosari, and Yuliarto. (2018) ‘Nilai Diagnosis Dan Prognosis Jumlah Dan Indeks Trombosit, Mean Platelet Volume (Mpv) Dan Plateletcrit (Pct) Pada Penderita Sepsis Neonatorum’, 5(1), pp. 33–41. doi: 10.21776/ub.majalahkesehatan.005.01.5.
- James Wynn (2016) ‘Defining neonatal sepsis HHS Public access’, Curr Opin Paediatr, 28(2), pp. 135–140. doi: 10.1097/MOP.0000000000000315.
- Kermorvant-Duchemin E, Laborie S, Rabilloud M, Lapillonne A, C. O. (2008) ‘Outcome and prognostic factors in neonates with septic shock’, Pediatr Crit Care Med., 9 (2), pp. 186–91.
- Knoebl P. (2010) ‘Blood coagulation disorders in septic patients’, Wien Med Wochenschr, 160, pp. 129–38.
- Leal, Álvarez-Nemegyei, José Velázquez, Juan Rosado-Quiab, Ulises Diego-Rodríguez, Nidia Paz-Baeza *et al.* (2012) ‘Risk factors and prognosis for neonatal sepsis in southeastern Mexico: analysis of a four-year historic cohort follow-up’, BMC Pregnancy and Childbirth, 12, pp. 1–9. doi: 10.1186/1471-2393-12-48.
- Leftkowitz. (2008) Coagulation pathway and physiology. An algorit. Edited by Kotte-Marchant K. Washington: College of American Pathologists Press.
- Liu, Johnson, Hope L, Simon Perin, Jamie Scott, Susana Lawn, Joy *et al.* (2012) ‘Global, regional, and national causes of child mortality: An updated systematic analysis for 2010 with time trends since 2000’, The Lancet. Elsevier Ltd, 379(9832), pp. 2151–2161. doi: 10.1016/S0140-6736(12)60560-1.
- Murthy, Shruti, Myron Anthony, Vasudeva Lewis, Leslie Edward Simon, Sreekumaran Nair (2019) ‘Risk factors of neonatal sepsis in India: A systematic review and meta-analysis’, PLoS ONE, 14(4), pp. 1–26. doi: 10.1371/journal.pone.0215683.
- Odabasi and Bulbul. (2020) ‘Review Neonatal Sepsis’, Sisli Etfal Hastan Tip Bul., 54(2), pp. 142–158. doi: 10.14744/SEMB.2020.00236.
- Oza, Shefali Lawn, Joy Hogan, Daniel Mathers, Colin Cousens, Simon N (2015) ‘Neonatal cause-of-death estimates for the early and late neonatal periods for 194 countries: 2000–2013’, Bulletin of the World Health Organization, 93(1), pp. 19–28. doi: 10.2471/blt.14.139790.
- Pediatrics (2018) ‘Group B streptococcal infections’, Red Book: 2018 Report of The Committee on Infectious Diseases., American A(In D. Kimberkin, M. Brady, M. Jackson, S. Long, eds.).
- Perdomo, Leung, Halina Ahmadi, Zohra Yan, Feng Chong, James Passam, Freda H. *et al.* (2019) ‘Neutrophil activation and NETosis are the major drivers of thrombosis in heparin-induced thrombocytopenia’, Nature Communications. Springer US, 10(1), pp. 1–14. doi: 10.1038/s41467-019-09160-7.
- Polin R (2012) ‘Management of neonates with suspected or proven early-onset bacterial sepsis.’, Committee on Fetus and Newborn, 129, pp. 1006–15.



- Puopolo K, Draper D, Wi S, Newman TB, Zupancic J, Lieberman E, *et al* (2011) ‘Estimating the probability of neonatal early-onset infection on the basis of maternal risk factors’, *Pediatrics and Neonatology*, 128, pp. 1155–63.
- Pusponegoro, T. (2016) ‘Sepsis pada Neonatus (Sepsis Neonatal)’, *Sari Pediatri*, 2(2), p. 96. doi: 10.14238/sp2.2.2000.96-102.
- Rajkumar Motiram Meshram, Vishal S. Gajimwar, S. (2018) ‘Predictors of Mortality in Outborns with Neonatal Sepsis: A Prospective Observational Study’, (January), pp. 19–26. doi: 10.4103/npmj.npmj.
- Rajkumar Motiram Meshram, Vishal S Gajimwar, S. (2019) ‘Predictors of mortality in outborns with neonatal sepsis: A prospective observational study’, *Niger Postgrad Med J*, 26(4), pp. 216–222. doi: 10.4103/npmj.npmj\_91\_19.
- Reis Machado, Soave Danilo, Da Silva, Marcos Vinícius, Liliana Borges Etchebehere, Renata Margarida Monteiro, Maria Luiza Gonçalves Dos Reis *et al.* (2014) ‘Neonatal sepsis and inflammatory mediators’, *Mediators of Inflammation*, 2014. doi: 10.1155/2014/269681.
- Sabeeh Jumah, Kadhum Hassan and Mea A. (2007) ‘Predictors of Mortality Outcome in Neonatal Sepsis’, *The Medical Journal of Basrah University*, 25(1), pp. 11–18. doi: 10.3376/mjbu.2007.48118.
- Al Saleh and AlQahtani. (2021) ‘Platelet count patterns and patient outcomes in sepsis at a tertiary care center: Beyond the APACHE score’, *Medicine*, 100(18), p. e25013. doi: 10.1097/MD.00000000000025013.
- Satar M and Arisoy. (2018) Turkish Neonatology Society Neonatal Guide, Diagnosis and Treatment of Infections.
- Setiati S, Idrus A and Simadibrata M. (2014) ‘Nilai Diagnosis dan Prognosis Jumlah dan Indeks Trombosit Sepsis Neonatorum’, in *Buku Ajar Ilmu Penyakit*. Jakarta : Interna publishing.
- Shane AL (2017) ‘Neonatal sepsis’, *Lancet*, 390, pp. 1770–80.
- Sheikh, Javed, Afzal M. (2011) ‘Course and Complications of Early Onset Nonnatal Sepsis : A Descriptive Study’, *Annals*, 16(4).
- Simonsen, Anderson-Berry, Delair. (2014) ‘Early-onset neonatal sepsis’, *Clin Microbiol Rev*, 27, pp. 21–47.
- De Stoppelhaar, Van Veer, Van der Poll. (2014) ‘The role of platelets in sepsis’, *Haemost*, pp. 666–677.
- Tri Faranita dan Yunnie Trisnawati. (2011) ‘Gangguan Koagulasi pada Sepsis’, Departemen Ilmu Kesehatan Anak Fakultas Kedokteran Universitas Sumatra Utara, Medan, 13(3).
- Vardon-Bounes, Ruiz Stéphanie, Gratacap Marie Pierre, Garcia Cédric, Payrastre Bernard, Minville Vincent (2019) ‘Platelets are critical key players in sepsis’, *International Journal of Molecular Sciences*, 20(14), pp. 1–13. doi: 10.3390/ijms20143494.
- Wibowo, T., Haksari, E.L., Wandita, S., Anggraini, A. and Safrida, E. N. (2019) ‘PPK Sepsis Neonatorum Awitan Dini’, pp. 1–8.
- World Health Organization (WHO) (2015) ‘Region Sepsis and Other Infectious Conditions of Newborn’, Global Health Observatory data repository.
- Wynn dan Wong. (2020) ‘Pathophysiology of Neonatal Sepsis’, *Pathophysiology of Neonatal Diseases*, pp. 1536–1552.



Yusef Dawood, Shalakhti Tala, Awad Samah, Algharaibeh Hana, Khasawneh Wasim (2018) ‘Clinical characteristics and epidemiology of sepsis in the neonatal intensive care unit in the era of multi-drug resistant organisms: A retrospective review’, Pediatrics and Neonatology. Elsevier Taiwan LLC, 59(1), pp. 35–41. doi: 10.1016/j.pedneo.2017.06.001.

Zea-Vera and Ochoa. (2015) ‘Challenges in the diagnosis and management of neonatal sepsis’, Journal of Tropical Pediatrics, 61(1), pp. 1–13. doi: 10.1093/tropej/fmu079.

Zhuang Yugang, Peng Hu, Chen Yuanzhuo, Zhou Shuqin, Chen Yanqing (2017) ‘Dynamic monitoring of monocyte HLA-DR expression for the diagnosis, prognosis, and prediction of sepsis’, Frontiers in Bioscience - Landmark, 22(8), pp. 1344–1354. doi: 10.2741/4547.