

## DAFTAR PUSTAKA

- Agarwal, N., Rao Y.K., Rachit, S., Rupanjali, A., 2018, "Profile of serum electrolytes in critically ill children: A prospective study," *Indian J Child Health*, 5(2), 128–132.
- Akcan-Arikan, A., Zappitelli, M., Loftis, L.L., Washburn, K.K., Jefferson, L.S., Goldstein, S.L., 2007, "Modified RIFLE criteria in critically ill children with acute kidney injury," *Kidney International*, 71(10), 1028–1035.
- Alobaidi, R., Morgan, C., Basu, R.K., Stenson, E., Featherstone, R., Majumdar, S.R., et al., 2018, "Association between fluid balance and outcomes in critically ill children: a systematic review and meta-analysis," *JAMA Pediatr.*, 172, 257–68.
- Amelia, P., Lubis, M., Mutiara, E., Trisnawati, Y., 2014, "Acute kidney injury and mortality in critically ill children," *Paediatr Indones.*, 54, 251–255.
- Anigilaje, E.A., Adebayo, A.I. dan Ocheni, S.A., 2019, "Acute Kidney Injury in Children: A Study of Etiology, Clinical Profile, and Short-Term Outcomes at the University of Abuja Teaching Hospital, Gwagwalada, Abuja, Nigeria," *Saudi J Kidney Dis Transpl*, 30(2), 421–439.
- Aygun, F., 2018, "Procalcitonin Value Is an Early Prognostic Factor Related to Mortality in Admission to Pediatric Intensive Care Unit," *Crit Care Research Practice*, 2018.
- Bagshaw, S.M., Uchino, S., Bellomo, R., Morimatsu, H., Morgera, S., Schetz, M., et al., 2007, "Septic acute kidney injury in critically ill patients: Clinical characteristics and outcomes," *Clin J Am Soc Nephrol*, 2, 431–439.
- Bagshaw, S.M., George, C. dan Bellomo, R., 2008, "Early acute kidney injury and sepsis: A multicentre evaluation," *Critical Care*, 12(2).
- Bai, Z., Zhu, X., Li, M., Hua, J., Li, Y., Pan, J., et al., 2014, "Effectiveness of predicting in-hospital mortality in critically ill children by assessing blood lactate levels at admission," *BMC Pediatr*, 14(83).
- Bavdekar, A. dan Thakur, N., 2016, "Ascites in Children," *Indian J Pediatr*, 83(11), 1334–1340.
- Bellomo, R., Wan, L., Langenberg, C. dan May, C., 2008, "Septic acute kidney injury: New concepts," *Nephron Exp Nephrol*, 109(4), e95–e100.
- Bresolin, N., Silva, C., Hallal, A., Toporovski, J., Fernandes, V., Ges, J., et al., 2009, "Prognosis for children with acute kidney injury in the intensive care unit," *Pediatr Nephrol*, 24(3), 537–44.
- Brophy, P.D. dan Jetton, J.G., 2021, "Pediatric acute kidney injury (AKI): Indications, timing, and choice of modality for kidney replacement therapy (KRT)." dalam *UpToDate*, diedit oleh Mattoo, T.K. Waltham, MA: UpToDate.
- Bu, X., Zhang, L., Chen, P. dan Wu, X., 2019, "Relation of neutrophil-to-lymphocyte ratio to acute kidney injury in patients with sepsis and septic shock: A retrospective study," *International Immunopharmacology*, 70, 372–377.

- Bucsics, T. dan Krones, E., 2017, "Renal dysfunction in cirrhosis: Acute kidney injury & the hepatorenal syndrome," *Gastroenterology Report*, 5(2), 127–137.
- Budi, N.S., Semedi, B.P., Utarini, A. dan Asmaningsih, N., 2020, "Renal angina index in pediatric septic patients as a predictor of acute kidney injury in remote area," *Crit Care Shock*, 23, 176–184.
- Casado-Flores, J., Blanco-Quiros, A., Nieto, M., Asensio, J. dan Fernandez, C., 2006, "Prognostic utility of the semi-quantitative procalcitonin test, neutrophil count and C-reactive protein in meningococcal infection in children," *Eur J Pediatr*, 165(1), 26–29.
- Chang, J.W., Jeng, M.J., Yang, L.Y., Chen, T.J., Chiang, S.C., Soang, W.J., *et al.*, 2015, "The epidemiology and prognostic factors of mortality in critically ill children with acute kidney injury in Taiwan," *Kidney International*, 87(3), 632–639.
- Chawla, A., Sterns, R.H., Nigwekar, S.U., dan Capuccio, J.D., 2011, "Mortality and serum sodium: Do patients die from or with hyponatremia?," *Clin J Am Soc Nephrol*, 6(5), 960–965.
- Chen, J., Li, X., Bai, Z., Fang, F., Hua, J., Li, Y., *et al.*, 2016, "Association of fluid accumulation with clinical outcomes in critically ill children with severe sepsis," *PLoS ONE*, 11(7), e0160093
- Despotovic, J.M., 2021, "Causes of thrombocytopenia in children," dalam *UpToDate*, diedit oleh Mahoney Jr., D.H. Waltham, MA: UpToDate.
- Devarajan, P., 2021a, "Acute kidney injury in children: Clinical features, etiology, evaluation, and diagnosis," dalam *Uptodate*, diedit oleh Mattoo, T.K. Waltham, MA: UpToDate.
- Devarajan, P., 2021b, "Prevention and management of acute kidney injury (acute renal failure) in children," dalam *Uptodate*, diedit oleh Mattoo, T.K. Waltham, MA: UpToDate.
- Downes, K.J., Fitzgerald, J.C. dan Weiss, S.L., 2020, "Utility of Procalcitonin as a Biomarker for Sepsis in Children," *J Clin Microbiol*, 58(7), 01851–01919.
- Duan, Y., Jin, D., Xu, Y., Tong, W., dan Hu, P., 2019, "Risk factors and prognosis of acute kidney injury in children with sepsis in pediatric intensive care unit," *Zhonghua Wei Zhong Bing Ji Jiu Yi Xue*, 31(8), 1004–7.
- Fan, L.L. Wang, Y.J., Nan, C.J., Chen, Y.H. dan Su, H.X., 2019, "Neutrophil-lymphocyte ratio is associated with all-cause mortality among critically ill patients with acute kidney injury," *Clinica Chimica Acta*, 490, 207–213.
- Fazakas, J., Gondos, T., Varga, M., Sarvary, E., Horovitz, P. dan Perner, F., 2003, "Analysis of systemic and regional procalcitonin serum levels during liver transplantation," *Transpl Int*, 16(7), 465–470.
- Fitzgerald, J.C., Basu, R.K., Akcan-Arikan, A., Izquierdo, L.M., Olave, B.E., Hassinger, A.B., *et al.*, 2016, "Acute Kidney Injury in Pediatric Severe Sepsis: An Independent Risk Factor for Death and New Disability," *Crit Care Med*, 44(12), 2241–2250.
- Fivez, T., Kerklaan, D., Mesotten, D., Verbruggen, S., Wouters, P.J., Vanhorebeek, I., *et al.*, 2016, "Early versus Late Parenteral Nutrition in Critically Ill Children," *N Engl J Med*, 374(12), 1111–22.

- Freire, K., Bresolin, N.L., Farah, A.C.F., Carvalho, F.L.C., dan Goes, J.E.C., 2010, "Acute kidney injury in children: incidence and prognostic factors in critically ill patients," *Rev Bras Ter Intensiva*, 22, 166–74.
- Freitas, F.M., Zamoner, W., Germs, D.S., Oliveira, M.G., Balbi, A.L. dan Ponce, D., 2017, "The use of antimicrobials in septic patients with acute kidney injury," *J Bras Nefrol*, 39(3), 323–328.
- Gameiro, J. dan Lopes, J. A., 2019, "Complete blood count in acute kidney injury prediction: a narrative review," *Ann. Intensive Care*, 9(1), 87.
- Ganda, I.J., Karjana dan Daud, D., 2019, "Association between sepsis induced acute kidney injury with shock and length of stay in critically ill pediatric patients.," *Curr Pediatr Res*, 23(2), 64–70.
- Gao, X.P., Zheng, C.F., Liao, M.Q., He, H., Liu, Y.H., Jing, C.X., *et al.*, 2019 "Admission serum sodium and potassium levels predict survival among critically ill patients with acute kidney injury: A cohort study," *BMC Nephrology*, 20, 311.
- Goldstein, S.L., Currier, H., Graf, J.M., Cosio, C.C., Brewer, E.D. dan Sachdeva, R., 2001, "Outcome in Children Receiving Continuous Venovenous Hemofiltration," *Pediatrics*, 107(6), 1309.
- Goldstein, B., Giroir, B., Randolph, A., and the Members of the International Consensus Conference on Pediatric Sepsis, 2005, "International pediatric sepsis consensus conference: Definitions for sepsis and organ dysfunction in pediatrics." *Pediatr Crit Care Med.*, 6(1), 2–8.
- Gounden, V., Vashisht, R. dan Jialal, I., 2021, "Hypoalbuminemia" dalam *StatPearls - NCBI Bookshelf*. Treasure Island, FL: StatPearls.
- Hassinger, A.B., Wald, E.L. dan Goodman, D.M., 2014, "Early postoperative fluid overload precedes acute kidney injury and is associated with higher morbidity in pediatric cardiac surgery patients," *Pediatric Critical Care Medicine*, 15(2), 131–138.
- Hazle, M.A., Gajarski, R.J., Yu, S., Donohue, J. dan Blatt, N.B., 2013, "Fluid overload in infants following congenital heart surgery," *Pediatr Crit Care Med*, 14(1), 44–49.
- Herget-Rosenthal, S., Marggraf, G., Pietruck, F., Husing, J., Strupat, M., Philipp, T., *et al.*, 2001, "Procalcitonin for accurate detection of infection in haemodialysis," *Nephrol Dial Transplant*, 16, 975–979.
- Huang, H.L., Nie, X., Cai, B., Tang, J.T., He, Y., Miao, Q., *et al.*, 2013, "Procalcitonin levels predict acute kidney injury and prognosis in acute pancreatitis: A prospective study," *PLoS ONE*, 8(12), 1–9.
- Jansen, M.P., Florquin, S. dan Roelofs, J.J., 2018, "The role of platelets in acute kidney injury," *Nat Rev Nephrol*, 14(7), 457–471.
- Julianto, F., Umboh, A dan Tatura, S., 2011, "The alteration of renal function in sepsis and septic shock patients in pediatric intensive care unit," *Paediatr Indones.*, 51, 89–93.
- Kaddourah, A., Basu, R.K., Bagshaw, S.M. dan Goldstein, S.L., 2017, "Epidemiology of Acute Kidney Injury in Critically Ill Children and Young Adults," *N Engl J Med*, 376(1), 11–20.

- Kellum, J.A., Lameire N., Aspelin, P., Barsoum, R.S., Burdmann, E.A., Goldstein, S.L., *et al.*, 2012, “Kidney disease: Improving global outcomes (KDIGO) acute kidney injury work group. KDIGO clinical practice guideline for acute kidney injury,” in *Kidney International Supplements*. Nature Publishing Group, 19–68.
- Kellum, J.A., Sileanu, F.E., Bihorac, A., Hoste, E.A. dan Chawla, L.S., 2017, “Recovery after acute kidney injury,” *Am J Respir Crit Care Med*, 195(6), 784–791.
- Kertai, M.D., Zhou, S., Karhausen, J.A., Cooter, M., Jooste, E., Li, Y.J., *et al.*, 2016, “Platelet Counts, Acute Kidney Injury, and Mortality after Coronary Artery Bypass Grafting Surgery,” *Anesthesiology*, 124(2), 339–352.
- Krishnamurthy, S., Narayanan, P., Prabha, S., Mondal, N., Mahadevan, S., Biswal, N., *et al.*, 2013, “Clinical profile of acute kidney injury in a pediatric intensive care unit from Southern India: A prospective observational study,” *Indian J Crit Care Med*, 17(4), 207–13.
- Langenberg, C., Bellomo, R., May, C., Wan, L., Egi, M., dan Morgera, S., 2005, “Renal blood flow in sepsis,” *Critical Care*, 9(4), R363–R374.
- Langenberg, C., Wan, L., Egi, M., May, C.N. dan Bellomo, R., 2006, “Renal blood flow in experimental septic acute renal failure,” *Kidney International*, 69(11), 1996–2002.
- Langenberg, C., Bagshaw, S.M., May, C.N. dan Bellomo, R., 2008, “The histopathology of septic acute kidney injury: A systematic review,” *Critical Care*, 12(2), R38.
- Lea-Henry, T. N., Carland, J.E., Stocker, S.L., Sevastos, J., dan Roberts, D.M., 2018, “Clinical pharmacokinetics in kidney disease: Fundamental principles,” *Clin J Am Soc Nephrol*, 13(7), 1085–1095.
- Lee, S.W., Baek, S.H., Ahn, S.Y., Na, K.Y., Chae, D.W., Chin, H.J., *et al.*, 2016, “The effects of pre-existing hyponatremia and subsequent-developing acute kidney injury on in-hospital mortality: A retrospective cohort study,” *PLoS ONE*, 11(9).
- Leghrouz, B. dan Kaddourah, A., 2021, “Impact of Acute Kidney Injury on Critically Ill Children and Neonates,” *Front Pediatr*, 9(635631).
- Lehnhardt, A. dan Kemper, M. J., 2011, “Pathogenesis, diagnosis and management of hyperkalemia,” *Pediatr Nephrol*, 26(3), 377–84.
- Leite, H.P., Da Silva A.V., Iglesias, S.B., dan Nogueira, P.C., 2016, “Serum Albumin Is an Independent Predictor of Clinical Outcomes in Critically Ill Children,” *Pediatr Crit Care Medicine*, 17(2), e50–e57.
- Lex, D.J., Toth, R., Czobor, N.R., Alexander, S.I., Breuer, T., Sapi, E., *et al.*, 2016, “Fluid Overload Is Associated with Higher Mortality and Morbidity in Pediatric Patients Undergoing Cardiac Surgery,” *Pediatr Crit Care Med*, 17(4), 307–14.
- Li, Q., Wang, Y., Mao, Z., Kang, H. dan Zhou, F., 2021, “Serum sodium levels predict mortality in elderly acute kidney injury patients: A retrospective observational study,” *International Journal of General Medicine*, 14, 603–612.

- Li, Y., Wang, J., Bai, Z., Chen, J., Wang, X., Pan, J., *et al.*, 2016, "Early fluid overload is associated with acute kidney injury and PICU mortality in critically ill children," *Eur J Pediatr*, 175(1), 39–48.
- Li, Z., Yang, F., Dunn, S., Gross, A.K. dan Smyth, S.S., 2011, "Platelets as immune mediators: Their role in host defense responses and sepsis," *Thrombosis Research*, 127(3), 184–188.
- Lubis, M., Lubis, A.D. dan Nasution, B.B., 2020, "The usefulness of C-Reactive Protein, Procalcitonin, and PELOD-2 Score as a Predictive Factor of Mortality in Sepsis," *Indones Biomed J*, 12(2), 102–108.
- di Lullo, L., Bellasi, A., Barbera, V., Russo, D., Russo, L., di Lorio, B., *et al.*, 2017), "Pathophysiology of the cardio-renal syndromes types 1–5: An uptodate," *Indian Heart Journal*, 69(2), 255–65.
- Malbrain, M.L., Marik, P.E., Witters, I., Cordemans, C., Kirkpatrick, A.W., Roberts, D.J., *et al.*, 2014, "Fluid overload, de-resuscitation, and outcomes in critically ill or injured patients: a systematic review with suggestions for clinical practice," *Anaesthesiol Intensive Ther*, 46(5):361–80.
- Malbrain, M.L., Regenmortel, N.L., Saugel, B., Tavernier, B.D., Van Gaal, P., Joannes-Boyau, O., *et al.*, 2018, "Principles of fluid management and stewardship in septic shock: it is time to consider the four D's and the four phases of fluid therapy," *Ann. Intensive Care* 8:66
- Maniaci, V., Dauber, A., Weiss, S., Nylen, E., Becker, K.L. dan Bachur, R., 2008, "Procalcitonin in young febrile infants for the detection of Serious bacterial infections," *Pediatrics*, 122(4), 701–710.
- Mathews, S., Rajan, A. dan Soans, S.T., 2019, "Prognostic value of rise in neutrophil to lymphocyte ratio (NLR) and platelet to lymphocyte ratio (PLR) in predicting the mortality in paediatric intensive care," *Int J Contemp Pediatr*, 6(3), 1052–8.
- McLean, T.W., Stewart, R.M., Curley, T.P., Dewsnup, M.Y., Thomas, S.G., Russel, T.B., *et al.*, 2020, "Hypoalbuminemia in children with cancer treated with chemotherapy," *Pediatric Blood and Cancer*, 67(2).
- Mehta, R.L., Kellum, J.A., Shah, S.V., Molitoris, B.A., Ronco, C., Warnock, D.G., *et al.*, 2007, "Acute kidney injury network: Report of an initiative to improve outcomes in acute kidney injury," *Critical Care*, 11(2), R31.
- Mehta, R.L., Bouchard, J., Soroko, S.B., Ikizler, T.A., Paganini, E.P., Chertow, G.M., *et al.*, 2011, "Sepsis as a cause and consequence of acute kidney injury: Program to Improve Care in Acute Renal Disease," *Intensive Care Med*, 37, 241–248.
- Meisner, M., Lohs, T., Huettemann, E., Schmidt, J., Hueller, M. dan Reinhart, K., 2001, "The plasma elimination rate and urinary secretion of procalcitonin in patients with normal and impaired renal function," *Eur J Anaesthesiol*, 18, 79–87.
- Mickells, G.E., Moga, M.A. dan Smith, C.M., 2014, "Acute Kidney Injury in Pediatric Sepsis," *Clinical Pediatric Emergency Medicine*, 15(2), 185–92.
- Milcent, K., Faesch, S., Guen, C.G., Dubos, F., Poulalhon, C., Badier, I., *et al.*, 2016, "Use of Procalcitonin Assays to Predict Serious Bacterial Infection in Young Febrile Infants," *JAMA Pediatrics*, 170(1), 62–69.



- Montford, J.R. dan Linas, S., 2017, "How dangerous is hyperkalemia?," *J Am Soc Nephrol*, 28(11), 3155–65.
- Morooka, H., Kasugai, D., Tanaka, A., Ozaki, M., Numaguchi, A., dan Maruyama, S., 2020, "Prognostic Impact of Parameters of Metabolic Acidosis in Critically Ill Children with Acute Kidney Injury: A Retrospective Observational Analysis Using the PIC Database," *Diagnostics*, 10, 937.
- Nakamura, Y., Murai, A., Mizunuma, M., Ohta, D., Kawano, Y., Matsumoto, N., *et al.*, 2015, "Potential use of procalcitonin as biomarker for bacterial sepsis inpatients with or without acute kidney injury," *J Infect Chemother*, 21(4), 1–7.
- Paice, B., Gray, J. dan McBride, D., 1983, "Hyperkalaemia in patients in hospital," *Br Med J (Clin Res Ed)*, 286(6372), 1189–92.
- Palmer, B.F. dan Clegg, D.J., 2018, "Hyperkalemia across the continuum of kidney function," *Clin J Am Soc Nephrol*, 13(1), 155–157.
- Parikh, A.C. dan Tullu, M.S., 2021, "A Study of Acute Kidney Injury in a Tertiary Care Pediatric Intensive Care Unit," *J Pediatr Intensive Care*, 10(04), 264–70.
- Park, J.H., Kim, D.H., Jang, H.R., Kim, M.J., Jung, S.H., Lee, J.E., *et al.*, 2014, "Clinical relevance of procalcitonin and C-reactive protein as infection markers in renal impairment: a cross-sectional study," *Critical Care*, 18, 640.
- Pasaribu, F.M., Setyaningtyas, A. dan Andarsini, M.R., 2021, "Neutrophil to lymphocyte ratio, monocyte to lymphocyte ratio, platelet to lymphocyte ratio, mean platelet volume as a predictor of sepsis mortality in children at Dr. Soetomo General Hospital," *Crit Care Shock*, 24(2), 65–71.
- Patriawati, K.A., Nurnaningsih dan Suryantoro, P., 2014, "Serial blood lactate levels as a prognostic factor for sepsis mortality," *Paediatr Indones.*, 54, 168–173.
- Peerapornratana, S., Manrique-Caballero, C.L., Gomez, H., Kellum, J.A., 2019, "Acute kidney injury from sepsis: current concepts, epidemiology, pathophysiology, prevention and treatment," *Kidney Int*, 96(5), 1083–1099.
- Pillai, S.R., Damaghi, M., Marunaka, Y., Spugnini, E.P., Fais, S. dan Gillies, R.J., 2019, "Causes, consequences, and therapy of tumors acidosis," *Cancer Metastasis Rev*, 38(1–2), 205–222.
- Plotz, F., Bouma, A.B., van Wijk, J.A., Kneyber, M.C., dan Bokenkamp, A., 2008, "Pediatric acute kidney injury in the ICU: an independent evaluation of pRIFLE criteria," *Intensive Care Med*, 34, 1731–7.
- Poddar, B., Gurjar, M., Singh, S., Aggarwal, A. dan Baronia, A., 2016, "Reduction in procalcitonin level and outcome in critically ill children with severe sepsis/septic shock - A pilot study," *Journal of Critical Care*, 36, 230–233.
- Pol, P.T., Galan, C.R., Villanueva, J.A., Martinez-Camblor, P. dan Lopez-Herce, J., 2015, "Severe acute kidney injury in critically ill children: Epidemiology and prognostic factors," *An Pediatr (Barc)*, 83(6), 367–375.
- Raina, R., Sethi, S.K., Wadhwani, N., Vemuganti, M., Krishnappa, V., dan Bansal, S.B., 2018, "Fluid overload in critically ill children," *Front in Pediatr* 6, 306.

- Rakhmawati, U., Murni, I.K. dan Rusmawatiningsiyas, D., 2019, "Predictors of mortality in children with acute kidney injury in intensive care unit," *Paediatr Indones*, 59(2), 92–97.
- Reinhart, K., Bauer, M., Riedemann, N.C. dan Hartog, C.S., 2012, "New approaches to sepsis: Molecular diagnostics and biomarkers," *Clinical Microbiology Reviews*, 25(4), 609–634.
- Riyuzo, M.C., Silveira, L.C., Macedo, C.S. dan Fioretto, J.R., 2017, "Predictive factors of mortality in pediatric patients with acute renal injury associated with sepsis," *J Pediatr (Rio J)*, 93(1), 28–34.
- Romanovsky, A., Morgan, C. dan Bagshaw, S.M., 2014, "Pathophysiology and management of septic acute kidney injury," *Pediatr Nephrol*, 29(1), 1–12.
- de Rovetto, C.R., Mora, J.A., Cardona, S.A., Marmolejo, A.F., Pas, J.F., dan de Castano, I., 2012, "Acute kidney injury applying pRifle scale in children of Hospital Universitario del Valle in Cali, Colombia: clinical features, management, and evolution.," *Colomb Med*, 43(3), 200–205.
- Rusmawatiningsiyas, D. dan Nurnaningsih, N., 2016, "Mortality rates in pediatric septic shock," *Paediatr Indones.*, 56(5), 304–310.
- Sastroasmoro, S. dan Ismael, S., 2014, *Dasar-dasar Metodologi Penelitian Klinis*, edisi ke-5. Jakarta: Sagung Seto.
- Sauer, M., Doß, S., Ehler, J., Mencke, T. dan Wagner, N.M., 2017, "Procalcitonin impairs liver cell viability and function in vitro: A potential new mechanism of liver dysfunction and failure during sepsis?," *BioMed Research International*, 2017, article ID 6130725, 7 hal.
- See, E.J., Jayasinghe, K., Glassford, N., Bailey, M., Johnson, D.W., Polkinghorne, K.R., *et al.*, 2019, "Long-term risk of adverse outcomes after acute kidney injury: a systematic review and meta-analysis of cohort studies using consensus definitions of exposure," *Kidney International*, 95(1), 160–172.
- Seguin, J., Albright, B., Vertullo, L., Lai, P., Dancea, A., Bernier, P.L., *et al.*, 2014, "Extent, risk factors, and outcome of Fluid overload after pediatric heart surgery," *Critical Care Medicine*, 42(12), 2591–2599.
- Selewski, D.T., Cornell, T.T., Lombel, R.M., Blatt, N.B., Han, Y.Y., Mottes, T., *et al.*, 2011, "Weight-based determination of fluid overload status and mortality in pediatric intensive care unit patients requiring continuous renal replacement therapy," *Intensive Care Med*, 37(7), 1166–1173.
- Selewski, D.T. dan Symons, J.M., 2014, "Acute Kidney Injury," *Pediatrics in Review*, 35(1).
- Shahrin, L., Sarmin, M., Rahman, A.S., Hasnat, W., Mamun, G.M., Shaima, S.N., *et al.*, 2020, "Clinical and laboratory characteristics of acute kidney injury in infants with diarrhea: a cross-sectional study in Bangladesh," *Journal of International Medical Research*, 48(1), 1–10.
- Sheng, X., Yang, J., Yu, G., Fei, Y., Bao, H., Yin, J., *et al.*, 2019, "Procalcitonin and N-Terminal Pro-B-Type Natriuretic Peptide for Prognosis in Septic Acute Kidney Injury Patients Receiving Renal Replacement Therapy," *Blood Purif*, 48(3), 262–271.
- Shum, H.P., Kong, H.H., Chan, K.C., Yan, W.W. dan Chan, T.M., 2016, "Septic acute kidney injury in critically ill patients – a single-center study on its

- incidence, clinical characteristics, and outcome predictors,” *Renal Failure*, 38(5), 706–716.
- Sidhu, K., Sanjanwala, R. dan Zieroth, S., 2020, “Hyperkalemia in heart failure,” *Current Opinion in Cardiology*, 35(2), 150–155.
- Somers, M.J., 2021, “Causes, clinical manifestations, diagnosis, and evaluation of hyperkalemia in children,” dalam *Uptodate*, diedit oleh Mattoo, T.K., Waltham, MA: UpToDate.
- Somers, M.J. dan Traum, A.Z., 2021a, “Hypernatremia in children,” dalam *Uptodate*, diedit oleh Mattoo, T.K., Waltham, MA: UpToDate.
- Somers, M.J. dan Traum, A.Z., 2021b, “Hyponatremia in children: Etiology and clinical manifestations”, dalam *Uptodate*, diedit oleh Mattoo, T.K., Waltham, MA: UpToDate.
- Somers, M.J. dan Traum, A.Z., 2021c “Hyponatremia in children: Evaluation and management”, dalam *Uptodate*, diedit oleh Mattoo, T.K., Waltham, MA: UpToDate.
- Sood, M.M., Shafar, L.A., Ho, J., Reslerova, M., Martinka, G., Keenan, S., *et al.*, 2014, “Early reversible acute kidney injury is associated with improved survival in septic shock,” *Journal of Critical Care*, 29(5), 711–717.
- Steinbach, G., Bolke, E., Grunert, A., Orth, K. dan Storck, M., 2004, “Procalcitonin in patients with acute and chronic renal insufficiency,” *Wien Klin Wochenschr*, 116(24), 849–53.
- Sutherland, S.M., Ji, J., Sheikhi, F.H., Widen, E., Tian, L., Alexander, S.R., *et al.*, 2013, “AKI in hospitalized children: Epidemiology and clinical associations in a national cohort,” *Clin J of Am Soc Nephrol*, 8(10), 1661–1669.
- Tamelytė, E., Vaičekuskienė, G., Dagys, A., Lapinskas, T. dan Jankauskaitė, L., 2019, “Early blood biomarkers to improve sepsis/bacteremia diagnostics in pediatric emergency settings,” *Medicina*, 55(4), 99.
- Throop, J.L., Kerl, M.E. dan Cohn, L.A., 2004, “Albumin in Health and Disease: Causes and Treatment of Hypoalbuminemia,” *Compendium on Continuing Education for the Practising Veterinarian -North American Edition-*, 26(12), 940-948.
- Vachvanichsanong, P., Dissaneewate, P., Lim, A. dan McNeil, E., 2006, “Childhood acute renal failure: 22-Year experience in a University Hospital in southern Thailand,” *Pediatrics*, 118(3), e786.
- Vera, R., Triratna, S., Bahrin, D. dan Theodorus, 2013, “Hubungan Acute Kidney Injury dan Skor Pelod pada Pasien Penyakit Kritis,” *Sari Pediatri*, 15(3), 181–185.
- Wang, X., Jiang, L., Wen, Y., Wang, M.P., Li, W., Li, Z.Q., *et al.*, 2014, “Risk factors for mortality in patients with septic acute kidney injury in intensive care units in Beijing, China: A multicenter prospective observational study,” *BioMed Research International*, 2014.
- Weiss, S.L., Peters, M.J., Alhazzani, W., Agus, M.S., Flori, H.R., Inwald, D.P., *et al.*, 2020, “Surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children,” *Pediatr Crit Care Med*, 21(2), e52–e106.



- World Health Organization, 2020, *Global report on the epidemiology and burden of sepsis: current evidence, identifying gaps and future directions*. Geneva: World Health Organization.
- Wu, V., Chueh, S.J., Chang, J., Hsu, B., Ostermann, M. dan Chu, T., 2019, "Acute Kidney Injury and Septic Shock—Defined by Updated Sepsis-3 Criteria in Critically Ill Patients.", *J Clin Med*, 8, 1731.
- Yorgin, P. dan Mak, R., 2021, "Approach to the child with metabolic acidosis," dalam *Uptodate*, diedit oleh Mattoo, T.K., Waltham, MA: UpToDate.
- de Zan, F., Amigoni, A., Pozzato, R., Pettenazzo, A., Murer, L. dan Vidal, E., 2020, "Acute Kidney Injury in Critically Ill Children: A Retrospective Analysis of Risk Factors," *Blood Purif*, 49(1–2), 1–7.
- Zarychanski, R. dan Houston, D.S., 2017, "Assessing thrombocytopenia in the intensive care unit: the past, present, and future," *Hematology Am Soc Hematol Educ Program*, 1, 660–666.
- Zhi, D., Lin, J., Dong, L., Ji, X., Zhuang, H., Liu, Z., et al., 2021, "Risk predictive role of hyponatremia for occurrence of sepsis-induced acute kidney injury," *Ann Palliat Med*, 10(4), 4705–15.