

## DAFTAR PUSTAKA

- Achar A, Rathi SK. Melasma: a clinico-epidemiological study of 312 cases. *Indian J Dermatol*. 2011 Jul;56(4):380-2.
- A Lee. An updated review of melasma pathogenesis. *Dermatologica Sinica*; 2014. 32(4):233-239.
- Allen, L.H. Anemia and iron deficiency: Effects on pregnancy outcome. *Am J Clin Nutr*. 2000. 71:1280s–1284s.
- Amin N, Mashhood A A, Bilal A. Association of epidermal melasma with skin phenotypes and others contributing factors. *J Park Assoc Dermatol*. 2016. 26(3):188-192
- Applegate LA, Scaletta C, Panizzon R, Frenk E. Evidence That Ferritin is UV Inducible in Human Skin : Part of a Putative Defence Mechanism. *J Invest Dermatol*. 1998. 111(1):159-63.
- A.Y. Lee. Recent progress in melasma pathogenesis. *Pigment Cell & Melanoma Research*. 2015. 28(6):648-660.
- Baquie M, Kasraee B. Discrimination between cutaneous pigmentation and erythema : Comparison of the skin colorimeters Dermacatch and Mexameter. *Skin Res Technol*. 2014. 20(2):218-227.
- Behrangi E, Baniasadi F, Esmaeeli S, Hedayat K, Goodarzi A, Azizian Z. Serum iron level, ferritin and total iron binding capacity level among non pregnant women with and without melasma. *J Res Med Sci*. 2015. 20(3):281-283
- Blumfield ML, Hure AJ, Macdonald-Wicks L, Smith R, Collins CE. A systematic review and meta-analysis of micronutrient intakes during pregnancy in developed countries. *Nutr Rev* 2013. Feb;71(2):118-132. 10.1111/nure.12003
- Camaschella, C. Iron deficiency anemia. *N. Engl. J. Med*. 2015, 372, 1832-1843.
- Carsberg CJ, Ohanian J, Friedman PS. Ultraviolet radiation stimulates a biphasic pattern of 1,2-diacylglycerol formation in cultured human melanocytes and keratinocytes by activation of phospholipases C and D. *Biochem J*. 1995;305:471-477.
- Clarys P, Alewaeters K, Lambrecht R, Barel AO. Skin color measurements : comparison between three instruments : The Chromameter ®, The DermaSpectrometer ®, and The Mexameter®. *Skin Res Technol*. 2000. 6:230-238.
- Cohen PR. Melasma treatment: A novel approach using a topical agent that contains an anti-estrogen and a vascular endothelial growth factor inhibitor. *Med Hypotheses*. 2017;101:1-5.
- Dahlan MS. 2013. *"Besar Sampel dan Cara Pengambilan Sampel"*. Jakarta. Salemba Medika. (n.d)
- Dale JC, Burritt MF, Zinsmeister AR. Diurnal variation of serum iron, iron-binding capacity, transferrin saturation, and ferritin levels. *Am J Clin Pathol* 2002;117:802–8.
- Daru J, Colman K, Stanworth SJ, La Salle BD, Wood EM, Pasricha SR. Serum ferritin as an indicator of iron status : what we do need to know?. *Am J Clin Nutr*. 2017.106(6): 1634-1639.

- Garcia-Casal MN, Pasricha S-R, Martinez RX, Lopez-Perez L, Pe~na- Rosas JP. Serum or plasma ferritin concentration as an index of iron deficiency and overload (Protocol). *Cochrane Database Syst Rev* 2015; 7:CD011817.
- Goh CL, Dlova CN. A retrospective study on the clinical presentation and treatment outcome of melasma in a tertiary dermatological referral centre in Singapore. *Singapore Med J.* 1999;40:455-8.
- Goodarzi A, Behrangi E, Bazargan AS, Roohaninasab M, Hosseini-Baharanchi FS, Shemshadi M, Vafaei E. The association between melasma and iron profile: a case-control study. *RusOMJ.* 2020. 9: e0202.
- Grune, T.; Sommerburg, O.; Siems, W.G. Oxidative stress in anemia. *Clin. Nephrol.* 2000, 53, S18-S22.
- Guinot C, Cheffai S, Latreille J, Dhaoui MA, Youssef S, Jaber K, et al. Aggravating factors for melasma: a prospective study in 197 Tunisian patients. *J Eur Acad Dermatol Venereol.* 2010; 24:1060-9.
- Handel AC, Miot LDB, Miot HA. Melasma : a clinical and epidemiological review. *An Bras Dermatol.* 2014. 89(5):771-782.
- Hexsel D, Lacerda DA, Cavalcante AS, Machado Filho CA, Kalil CL, Ayres EL, et al. Epidemiology of melasma in Brazilian patients: a multicenter study. *Int J Dermatol.* 2013;53:440-4.
- Im S, Kim J, On WY et al. Increased expression of alpha-melanocyte stimulating hormone in the lesional skin of melasma. *Br J Dermatol.* 2002;146:165–167
- Jang, YH, Lee JY, Kang HY, *et al.* Oestrogen and progesterone receptor expression in melasma: an immunohistochemical analysis. *J Eur Acad Dermatol Venereol.* 2010;24:1312-1316.
- Kang WH, Yoon KH, Lee ES, Kim J, Lee KB, Yim H, et al. Melasma: histopathological characteristics in 56 Korean patients. *Br J Dermatol.* 2002;146(2):228-37.
- Kang YH, Ortonne JP. What Should Be Considered in Treatment of Melasma. *Ann Dermatol.* 2010;22(4):373-8.
- Kayva M. Melasma : a clinic-epidemiological study. *Int J Basic And App Med Sci.* 2014. 4(2):388-391.
- Khopkar US. Dermoscopy and trichoscopy in diseases of the brown skin atlas and short text. Volume 1. *New Delhi: Jaypee brothers medical publishers.* 2014. 50-62.
- Knovich MA, Storey JA, Coffman LG, Torti SV. Ferritin for Clinician. *Blood Rev.* 2009. 23(3):95-104.
- Kratz A, Ferraro M, Sluss PM, Lewandrowski KB. Case records of the Massachussetts General Hospital. Weekly clinicopathological exercise. Laboratory reference values. *N Engl J Med.* 2004. 35:1548-1563.
- Kumari R, Jaisankar TJ, Thappa DM. A clinical study of skin changes in pregnancy. *Indian J Dermatol Venereol Leprol.* 2002;73(2):141.
- Lajevardi V, Ghayoumi A, Abedini R, Hosseini H, Goodarzi A, Akbari Z, et al. Comparison of the therapeutic efficacy and safety of combined oral tranexamic acid and topical hydroquinone 4% treatment vs topical hydroquinone 4% alone in melasma : a parallel-group, assessor- and

- analyst-blinded, randomized controlled trial with a short-term follow-up. *J Cosmet Dermatol*. 2017. 16(2):235-242.
- Lapeere H, Boone B, Schepper S, Verhaeghe E, Onganae K, Van Geel N, et al. Hypomelanoses and hypermelanoses. In : Wolff K, Goldsmith LA, Katz SI, Gilchrist BA, Paller AS, Leffel DJ, editors. *Fitzpatrick Dermatology in General Medicine*. Ed 8<sup>th</sup>. New York: McGraw Hill. 2012. 805-25.
- Leung, A.K.; Chan, K.W. Iron deficiency anemia. *Adv. Pediatr*. 2000. 48:385–408.
- Lieberman R, Moy L. Estrogen receptor expression in melasma: results from facial skin of affected patients. *J Drugs Dermatol*. 2008;7:463-465. [PMID: 18505139].
- Malaviya R, Morrison AR, Pentland AP. Histamine in Human Epidermal Cells is Induced by Ultraviolet Light Injury. *J Invest Dermatol*. 1996;106:785-89.
- Muckenthaler MU, Galy B, Hentze MW. Systemic iron homeostasis and the iron-responsive element/iron-regulatory protein (IRE/IRP) regulatory network. *Annu Rev Nutr* 2008;28:197–213.
- Najad SB, Khodaiiani E, Herizchi H, Mehrabi P. Frequency of iron deficiency anemia, folate and vitamin B12 deficiency in patients with melasma. *Med J Tabriz Univ Med Sci*. 2012. 34(2):12-15.
- Oktarina P, Muslimin M. Faktor Risiko Penderita Melasma. *Jurnal Kedokteran Diponegoro*. 2012.
- Oluwatobi A, Godec O, Elbuluk N. Melasma : an Up-to-date Comprehensive Review. *Dermatol Ther*. 2017. 7:305-318.
- Ortonne JP, Arellano I, Berneburg M, Cestari T, Chan H, Grimes P, et al. A global survey of the role of ultraviolet radiation and hormonal influences in the development of melasma. *J Eur Acad Dermatol Venereol*. 2009;23(11):1254-62.
- Prachyapruit W, Vashrangsi N, Sindhavananda J, Tagami H. Instrumental analysis of the pattern of improvement and that of recurrence of melasma in Thai females treated with Kligman-Willis triple combination therapy: confirmation by using its two different formulae. *Skin Res Technol*. 2011 May;17(2):226-33.
- Passeron T. Melasma pathogenesis and influencing factors-an overview of the latest research. *J Eur Acad Dermatol Venereol*. 2013. 27:5-6.
- Passeron T, Picardo M. Melasma, a photoaging disorder. *Pigment Cell Melanoma Res*. 2018; 31(4):461-465.
- Perez M, Sanchez JL, Aguilo F. Endocrinologic profile of patients with idiopathic melasma. *J Invest Dermatol*. 1983;81:543-5.
- Qazi I, Dogra N K, Dogra D. Serum Iron Profile in Female patients of melasma : A case-control study. *Asian Pac J Health Sci*. 2017. 4(2):141-146.
- Raj S, Khopkar U, Kapasi A, Wadhwa SL. Skin in pregnancy. *Indian J Dermatol Venereol Leprol*. 1992;58:84-8.
- Rodrigues M, Pandya A G. Hypermelanoses. In : *Fitzpatrick Dermatology in General Medicine*. Ed 9<sup>th</sup>. New York: McGraw Hill. 2019. 1379-1381.
- Rostami Mogadam M, Safavi Ardabili N, Iranparvar Alamdari M, Maleki N, Aghabalaei Danesh M. Evaluation of the serum zinc level in adult patients

- with melasma : Is there a relationship with serum zinc deficiency and melasma?. *J Cosmet Dermatol*. 2018. 17(3):417-422.
- Sadeghpour M, Dover JS, Rohrer TE. Advance in the treatment of melasma. *Adv Cosmet Surg*. 2018;1:163-174.
- Sekar S, Kuruvila M, Pai HS. Nevus of Ota : A series of 15 cases. *Indian J Dermatol Venereol Leprol*. 2008. 74:125-127.
- Shankar K, Godse K, Aurangabadkar S, Lahiri K, Mysore V, Ganjoo A, Vedamurthy M, et al. Evidence-based treatment for melasma : expert opinion and a review. *Dermatol Ther (Heidelb)*. 2014. 4:165-186.
- Sheth VM, Pandya AG. Melasma: a comprehensive update: part I. *J Am Acad Dermatol*. 2011 Oct;65(4):689-697.
- Sivayathorn A. Melasma in Orientals. *Clin Drug Invest*. 1995;10(suppl 2):34-40.
- Tamega Ade A, Miot LD, Bonfietti C, Gige TC, Marques ME, Miot HA. Clinical patterns and epidemiological characteristics of facial melasma in Brazilian women. *J Eur Acad Dermatol Venereol*. 2013;27:151-156.
- Trivedi M K, Yang F C, Cho B K. A review of laser and light therapy in melasma. *Int J Women Dermatol*. 2017.3(1):11-20
- Videira IFS, Moura DFL, Magina S. Mechanisms regulating melanogenesis. *An Bras Dermatol*. 2013;88:76-83.
- Wang W, Knovich MA, Coffman LG, Torti FM, Torti SV. Serum Ferritin : Past, Present, and Future. *Biochim Biophys Acta*. 2010. 1800(8):760-789.
- Werlinger KD, Guevara IL, González CM, Rincón ET, Caetano R, Haley RW, Pandya AG. Prevalence of self-diagnosed melasma among premenopausal Latino women in Dallas and Fort Worth, Tex. *Arch Dermatol*. 2007 Mar;143(3):424-5.
- WHO. The global prevalence of anaemia in 2011. Geneva :World Health Organization. 2015. 42 p <https://apps.who.int/iris/handle/10665/177094>.
- Yoshida M, Takahashi Y, Inoue S. Histamine Induces Melanogenesis and Morphologic Changes by Protein Kinase A Activation via H2 Receptors in Human Normal Melanocytes. *J Invest Dermatol*. 2000;114: 334-342.