



DAFTAR PUSTAKA

- Al Hazzani, A.A., Bawazeer, R.A.B. and Shehata, A.I., 2018. Epidemiological characterization of serotype group B Streptococci neonatal infections associated with interleukin-6 level as a sensitive parameter for the early diagnosis. *Saudi J Biol Sci*, 25(7), pp.1356–1364.
- Altas, O.F. and Kizilkaya, M., 2021. The effects of neutrophil-lymphocyte ratio, platelet-lymphocyte ratio and prognostic markers in determining the mortality in patients diagnosed with pneumonia in intensive care. *Medeniyet Med J*, 36(2), pp.130–137.
- Araya, S., Lovera, D., Zarate, C., Apodaca, S., Acuña, J., Sanabria, G., et al., 2016. Application of a prognostic scale to estimate the mortality of children hospitalized with community-acquired pneumonia. *Pediatr Infect Dis J*, 35(4), pp.369–373.
- Atwa, Z.T., 2015. Usefulness of gender and abnormal blood count for predicting pneumonia outcome in children. *Egyptian Journal of Chest Diseases and Tuberculosis*, 64(1), pp.169–174. <http://dx.doi.org/10.1016/j.ejcdt.2014.11.022>.
- Basnet, S., Adhikari, R.K. and Gurung, C.K., 2006. Hypoxemia in children with pneumonia and its clinical predictors. *Indian J Pediatr*, 73(9), pp.777–781.
- de Benedictis, F.M., Kerem, E., Chang, A.B., Colin, A.A., Zar, H.J. and Bush, A., 2020. Complicated pneumonia in children. *The Lancet*, 396(10253), pp.786–798. [http://dx.doi.org/10.1016/S0140-6736\(20\)31550-6](http://dx.doi.org/10.1016/S0140-6736(20)31550-6).
- Bradley, J.S., Byington, C.L., Shah, S.S., Alverson, B., Carter, E.R., Harrison, C., et al., 2011. The management of community-acquired pneumonia in infants and children older than 3 months of age: Clinical practice guidelines by the pediatric infectious diseases society and the infectious diseases society of America. *Clin Infect Dis*, 53(7), pp.25–76.
- Caggiano, S., Ullman, N., De Vitis, E., Trivelli, M., Mariani, C., Podagrosi, M., et al., 2017. Factors that negatively affect the prognosis of pediatric community-acquired pneumonia in district hospital in Tanzania. *Int J Mol Sci*, 18(3).
- Chen, J.C., Jenkins-Marsh, S., Flenady, V., Ireland, S., May, M., Grimwood, K., et al., 2019. Early-onset group B streptococcal disease in a risk factor-based prevention setting: A 15-year population-based study. *Aust N Z J Obstet Gynaecol*, 59(3), pp.422–429.
- Chen, L., Miao, C., Chen, Y., Han, X., Lin, Z., Ye, H., et al., 2021. Age-specific risk factors of severe pneumonia among pediatric patients hospitalized with community-acquired pneumonia. *Ital J Pediatr*, 47(1), pp.1–13.
- Christi, M.J., Salam, M.A., Bardhan, P.K., Faruque, A.S.G., Shahid, A.S.M.S.B., Shahunja, K.M., et al., 2015. Severe sepsis in severely Malnourished Young Bangladeshi children with pneumonia: A retrospective case control study. *PLoS ONE*, 10(10), pp.2–11.



- Chisti, M.J., Faruque, A.S.G., Ashraf, H., Hossain, M.I., Islam, M.M., Das, S.K., *et al.*, 2014. Pneumonia in severely malnourished children in developing countries: Public health nutrition approaches to prevention and early treatment. In book: *Public health nutrition: principles and practice in community and global health* (pp.211-33), Publisher: MA: Jones & Bartlett Learning. Editors: Favilene C, Brown M, p.12.
- Cooper, N. and Radia, D., 2021. Thrombocytopenia. *Medicine (United Kingdom)*, 49(4), pp.217–220.
- Dassner, A.M., Nicolau, D.P. and Girotto, J.E., 2017. Management of Pneumonia in the Pediatric Critical Care Unit: An Area for Antimicrobial Stewardship. *Curr Pediatr Rev*, 13(1), pp.49-66.
- Duke, T., Mgone, J. and Frank, D., 2001. Hypoxaemia in children with severe pneumonia in Papua New Guinea. *Int J Tuberc Lung Dis*, 5(6), pp.511–519.
- Ebeledike, C. and Ahmad, T., 2021. Pediatric Pneumonia. *StatPearls Publishing*, pp.1–8.
- Erlichman, I., Breuer, O., Shoseyov, D., Cohen-Cymberknob, M., Koplewitz, B., Averbuch, D., *et al.*, 2017. Complicated community acquired pneumonia in childhood: Different types, clinical course, and outcome. *Pediatr Pulmonol*, 52(2), pp.247–254.
- Fritz, C.Q., Edwards, K.M., Self, W.H., Grijalva, C.G., Zhu, Y., Arnold, S.R., *et al.*, 2019. Prevalence, risk factors, and outcomes of bacteremic pneumonia in children. *Pediatrics*, 144(1), pp.1–8.
- Gereige, R.S. and Laufer, P.M., 2013. Penumonia. *Pediatr Rev*, 34(10), p.439.
- Howie, S.R.C. and Murdoch, D.R., 2019. Global childhood pneumonia: the good news, the bad news, and the way ahead. *The Lancet Global Health*, 7(1), pp.e4–e5. [http://dx.doi.org/10.1016/S2214-109X\(18\)30446-7](http://dx.doi.org/10.1016/S2214-109X(18)30446-7).
- Hsu, C.L., Lee, Y.S., Chen, C.J., Lee, M.L., Yang, C.F., Soong, W.J., *et al.*, 2015. A population-based analysis of children with pneumonia among intensive care units in Taiwan. *J Microbiol Immunol Infect*, 48(2), pp.153–159. <http://dx.doi.org/10.1016/j.jmii.2013.07.007>.
- Huang, Z., Fu, Z., Huang, W. and Huang, K., 2020. Prognostic value of neutrophil-to-lymphocyte ratio in sepsis: A meta-analysis. *Am J Emerg Med*, 38(3), pp.641–647. <https://doi.org/10.1016/j.ajem.2019.10.023>.
- Jadavji, T., Law, B., Lebel, M.H., Kennedy, W.A., Gold, R. and Wang, E.E.L., 1997. A practical guide for the diagnosis and treatment of pediatric pneumonia. *CMAJ*, 156(5), pp.703–711.
- Jroundi, I., Mahraoui, C., Benmessaoud, R., Moraleda, C., Tligui, H., Seffar, M., *et al.*, 2014. Risk factors for a poor outcome among children admitted with clinically severe pneumonia to a university hospital in Rabat, Morocco. *Int J Infect Dis*, 28, pp.e164–e170.
- Kartal, O. and Kartal, A., 2017. Value of neutrophil to lymphocyte and platelet to lymphocyte ratios in pneumonia. *Bratisl Med J*, 118(9), pp.513–516.
- Katleya, F., Anam, M. and Dadiyanto, D.W., 2016. Rasio Jumlah Neutrofil-Limfosit



- pada Awal Masuk Rawat sebagai Faktor Risiko Luaran Pneumonia Anak. *Sari Pediatri*, 17(1), p.47.
- Kemenkes RI, 2019. Hasil Riset Kesehatan Dasar Tahun 2018. *Kementerian Kesehatan RI*, 53(9), pp.1689–1699.
- Kisworini, P., Setyati, A. and Sutaryo, S., 2010. Mortality predictors of pneumonia in children. *Paediatr Indones*, 50(3), p.149.
- Latief, A., Pudjiadi, A.H., Kushartono, H., Malisie, R.F., 2016. UKK ERIA. Buku panduan pelayanan emergensi, Rawat Intermediate dan Rawat Intensif Anak. , p.h.1-42.
- Latumahina, A., Triasih, R. and Hermawan, K., 2017. Skor Prediksi Kematian Pneumonia pada Anak Usia di Bawah Lima Tahun. *Sari Pediatri*, 18(3), p.214.
- Lazzerini, M., Sonego, M. and Pellegrin, M.C., 2015. Hypoxaemia as a mortality risk factor in acute lower respiratory infections in children in low and middle-income countries: Systematic review and meta-analysis. *PLoS ONE*, 10(9), pp.1–17.
- Matera, M.G., Rogliani, P., Ora, J. and Cazzola, M., 2018. Current pharmacotherapeutic options for pediatric lower respiratory tract infections with a focus on antimicrobial agents. *Expert Opin Pharmacother*, 19(18), pp.2043–2053. <https://doi.org/10.1080/14656566.2018.1534957>.
- Morris, A.C., 2018. Management of pneumonia in intensive care. *J Emerg Crit Care Med*, 2, pp.101–101.
- Neuman, M.I., Monuteaux, M.C., Scully, K.J. and Bachur, R.G., 2011. Prediction of pneumonia in a Pediatric Emergency Department. *Pediatrics*, 128(2), pp.246–253.
- Omer, S.B., Sutanto, A., Sarwo, H., Linehan, M., Djelantik, I.G.G., Mercer, D., et al., 2008. Climatic, temporal, and geographic characteristics of respiratory syncytial virus disease in a tropical island population. *Epidemiol Infect*, 136(10), pp.1319–1327.
- Qi, X., Dong, Y., Lin, X. and Xin, W., 2021. Value of Neutrophil to Lymphocyte Ratio, Platelet to Lymphocyte Ratio, and Red Blood Cell Distribution Width in Evaluating the Prognosis of Children with Severe Pneumonia. *Evid Based Complement Alternat Med*, 2021.
- Rady, H., 2014. Profile of patients admitted to pediatric intensive care unit, Cairo University Hospital: 1-year study. *Ain-Shams J Anaesthesiol*, 7(4), p.500.
- Ramirez, J.A., 2021. Overview of community-acquired pneumonia in adults. <https://www.uptodate.com/contents/overview-of-community-acquired-pneumonia-in-adults>.
- Randolph, A.G. and McCulloh, R.J., 2014. Pediatric sepsis: Important considerations for diagnosing and managing severe infections in infants, children, and adolescents. *Virulence*, 5(1), pp.172–182.
- Rigustia, R., Zeffira, L. and Vani, A.T., 2019. Faktor Risiko yang Berhubungan dengan Kejadian Pneumonia pada Balita di Puskesmas Ikur Koto Kota Padang. *Health & Medical Journal*, 1(1), pp.22–29.
- Rizal, T.S., Irwanto, F.H., Zainal, R. and Saleh, M.I., 2020. The Correlation of Platelet



- Lymphocyte Ratio (PLR) as 28 Days Sepsis Mortality Predictor in Intensive Care Unit RSMH Palembang. *Journal of Anesthesiology and Clinical Research*, 1(2), pp.42–62.
- Le Roux, D.M., Nicol, M.P., Vanker, A., Nduru, P.M. and Zar, H.J., 2021. Factors associated with serious outcomes of pneumonia among children in a birth cohort in South Africa. *PLoS ONE*, 16(8 (August)), pp.1–14. <http://dx.doi.org/10.1371/journal.pone.0255790>.
- Rudan, I., O'Brien, K.L., Nair, H., Liu, L., Theodoratou, E., Qazi, S., et al., 2013. Epidemiology and etiology of childhood pneumonia in 2010: Estimates of incidence, severe morbidity, mortality, underlying risk factors and causative pathogens for 192 countries. *J Glob Health*, 3(1).
- Rudan, I., Tomaskovic, L., Boschi-Pinto, C. and Campbell, H., 2004. Global estimate of the incidence of clinical pneumonia among children under five years of age. *Bull World Health Organ*, 82(12), pp.895–903.
- Said, M., 2008. Pneumonia dalam Buku Ajar Respirologi Anak. Editor: Rahajoe, N.N., Supriyanto, B. and Setyanto, D.B. *Badan Penerbit Ikatan Dokter Anak Indonesia*, (1), pp.1–658.
- Sarkar, M., Niranjan, N. and Banyal, P.K., 2017. Mechanisms of hypoxemia. *Lung India*, 34(1), pp.47–60.
- Shah, S.N., Bachur, R.G., Simel, D.L. and Neuman, M.I., 2017. Childhood Pneumonia. *JAMA*, 318(5), pp.490.
- Susila, I.N.W., Suryawan, I.W.B. and Widiasa, A.A.W., 2021. Association between Nutritional Status and Severity Of Pneumonia among Children under Five Years attending Wangaya District Hospital. *WMJ*, 6(1), pp.30–36.
- Troeger, C., Blacker, B.F., Khalil, I.A., Rao, P.C., Cao, S., Zimsen, S.R.M., et al., 2018. Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory infections in 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet Infect Dis*, 18(11), pp.1191–1210.
- UNICEF, 2020. Every child's right to survive : an agenda to end pneumonia deaths.
- UNICEF, 2019. Fighting for Breath in Indonesia. *Unicef*, 1(1), pp.1–6.
- Unit Kerja Koordinasi Nutrisi dan Penyakit Metabolik, 2011. Asuhan Nutrisi Pediatrik (*Pediatric Nutrition Care*). Ikatan Dokter Anak Indonesia, Jakarta.
- Verhoeven, D., 2019. Influence of Immunological Maturity on Respiratory Syncytial Virus-Induced Morbidity in Young Children. *Viral Immunol*, 32(2), pp.76–83.
- Walson, J.L. and Berkley, J.A., 2018. The impact of malnutrition on childhood infections. *Curr Opin Infect Dis*, 31(3), pp.231–236.
- Weycker, D., Barron, R., Kartashov, A., Legg, J. and Lyman, G.H., 2014. Incidence, treatment, and consequences of chemotherapy-induced febrile neutropenia in the inpatient and outpatient settings. *J Oncol Pharm Pract*, 20(3), pp.190–198.
- World Health Organization, 2014. Revised WHO Classification and Treatment of Childhood Pneumonia at Health Facilities: Evidence Summaries,
- Zahorec, R., 2001. Ratio of neutrophil to lymphocyte counts--rapid and simple



- parameter of systemic inflammation and stress in critically ill. *Bratisl Lek Listy*, 102(1), pp.5–14.
- Zar, H.J., 2017. Bacterial and viral pneumonia: New insights from the Drakenstein Child Health Study. *Paediatr Respir Rev*, 24, pp.8–10. <http://dx.doi.org/10.1016/j.prrv.2017.06.009>.
- Zhang, Q., Guo, Z., Bai, Z. and MacDonald, N.E., 2013. A 4 year prospective study to determine risk factors for severe community acquired pneumonia in children in southern China. *Pediatr Pulmonol*, 48(4), pp.390–397.
- Zhong, X., Ma, A., Zhang, Z., Liu, Y. and Liang, G., 2021. Neutrophil-to-lymphocyte ratio as a predictive marker for severe pediatric sepsis. *Transl Pediatr*, 10(3), pp.657–665.