

## DAFTAR PUSTAKA

- Abraham, D., J., 1998, *Medicinal Chemistry and Drug Discovery*, John Wiley and Sons, Virginia.
- Abdul, D.B., Yamazaki, H., Takahashi, O., Kirikoshi, R., Ukai, K., and Namikoshi, M., 2016, Sesquiterpene Hydroquinones with Protein Tyrosine Phosphatase 1B Inhibitory Activities from a *Dysidea* sp. Marine Sponge Collected in Okinawa, *J. Nat. Prod.*, 79, 1842–1847.
- Akiyama, T., Ueoka, R., Van Soest, R.W.M., and Matsunaga, S., 2009, Ceratodictyols, 1-glyceryl ethers from The Red Alga-Sponge Association *Ceratodictyon spongiosum/Haliclona cymaeformis*, *J. Nat. Prod.*, 72, 1552–1554.
- Ali, M.S., Saleem, M., Ahmad, V.U., and Shameel, S., 2001, Phytol and Glycerol Derivatives from the Marine Green Alga *Codium iyengarii* of the Karachi Coast (Arabian Sea), *Zeitschrift fur Naturforsch. - Sect. B J. Chem. Sci.*, 56, 837–841.
- Apu, A.S., Muhit, M.A., Tareq, S.M., Pathan, A.H., Jamaluddin, A.T.M., and Ahmed, M., 2010, Antimicrobial activity and brine shrimp lethality bioassay of the leaves extract of *Dillenia indica* linn, *J. Young Pharm.*, 2, 50–53.
- Bell, J.J., Berman J., Powell, A., and Hepburn L.J., 2010, The Ecology of Sponges in The Wakatobi National Park, *Environ. Sci. Technol.*, 6, 84 – 107.
- Bhakuni, D.S., and Rawat, D.S., 2005, *Bioactive Marine Natural Products*, Anamaya Publishers, New Delhi.
- Blunt, J.W., Copp, B.R., Keyzers, R.A., Munro, M.H.G., and Prinsep, M.R., 2016, Marine natural products, *Nat. Prod. Rep.*, 33, 382–431.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R.L., Torre, L.A., and Jemal, A., 2018, Global Cancer Statistics 2018: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries, *CA. Cancer J. Clin.*, 68, 394–424.
- Brusca, R.C., and Brusca, G.J., 2003, *Invertebrata*, Sinauer Associates Inc., USA.
- Cameron, G.M., Stapleton, B.L., Simonsen, S.M., Brecknell, D.J., and Garson, M.J., 2000, New Sesquiterpene and Brominated Metabolites from the Tropical Marine Sponge *Dysidea* sp., *Tetrahedron*, 56(29), 5247 – 5252.
- Carroll, A.R., Copp, B.R., Davis, R.A., Keyzers, R.A., and Prinsep, M.R., 2019, Marine Natural Products, *Nat. Prod. Rep.*, 36, 122–173.

- Chaikina, E.L., Utkina, N.K., and Anisimov, M.M., 2016, Influence of Merosesquiterpenoids from Marine Sponges on Seedling Root Growth of Agricultural Plants, *Nat. Prod. Commun.*, 11, 11–12.
- Chen, D., Cheng, W., Liu, D., Van Ofwegen, L., Proksch, P., and Lin, W., 2014, Capillosananes S-Z, New Sesquiterpenoids from The Soft Coral *Sinularia capillosa*, *Tetrahedron Lett.*, 55, 3077–3082.
- Costantino, V., Fattorusso, E., Menna, M., and Tagliatela-Scafati, O., 2012, Chemical Diversity of Bioactive Marine Natural Products: An Illustrative Case Study, *Curr. Med. Chem.*, 11, 1671–1692.
- Cragg, G.M. and Newman, D.J., 2013, Natural products: A Continuing Source of Novel Drug Leads, *Biochim. Biophys. Acta - Gen. Subj.*, 1830, 3670–3695.
- Florea, A.M. and Büsselberg, D., 2011, Cisplatin as an Anti-Tumor Drug: Cellular Mechanisms Of Activity, Drug Resistance and Induced Side Effects, *Cancers (Basel)*, 3, 1351–1371.
- Galloway, W.R.J.D., Bender, A., Welch, M., and Spring, D.R., 2009, The Discovery of Antibacterial Agents Using Diversity-Oriented Synthesis, *Chem. Commun.*, 2446–2462.
- Ghosh, A., Banik, S., and Islam, M.A., 2015, In Vitro Thrombolytic, Anthelmintic, Anti-Oxidant and Cytotoxic Activity with Phytochemical Screening of Methanolic Extract of *Xanthium indicum* Leaves, *Bangladesh J. Pharmacol.*, 10, 854–859.
- Giannini, C., Debitus, C., Lucas, R., Ubeda, A., Payá, M., Hooper, J.N.A., and D’Auria, M.V., 2001, New Sesquiterpene Derivatives from the Sponge *Dysidea* Species with a Selective Inhibitor Profile Against Human Phospholipase A2 and Other Leukocyte Functions, *J. Nat. Prod.*, 64, 612–615.
- Goodwin, C. and Picton, B., 2011, *Sponge Biodiversity of the United Kingdom*, National Museums Northern Ireland, UK.
- Gordaliza, M., 2007, Natural products As Leads To Anticancer Drugs, *Clin. Transl. Oncol.*, 9, 767–776.
- Grozdanov, L. and Hentschel, U., 2007, An Environmental Genomics Perspective on The Diversity and Function of Marine Sponge-Associated Microbiota, *Curr. Opin. Microbiol.*, 10, 215–220.
- Gui, Y.H., Liu, L., Wu, W., Zhang, Y., Jia, Z.L., Shi, Y.P., Kong, H.T., Liu, K.C., Jiao,

- W.H., and Lin, H.W., 2020, Discovery of Nitrogenous Sesquiterpene Quinone Derivatives from Sponge *Dysidea septosa* with Anti-Inflammatory Activity In Vivo Zebrafish Model, *Bioorg. Chem.*, 94, 103435.
- Hallock, Y.F., Cardellina, I.I.J. H., and Boyd, M.R., 1998, Frondosins A and D, HIV – Inhibitory Sesquiterpene Hydroquinone Derivatives from *Euryspongia* sp., *Nat. Prod. Lett.*, 11(2), 153 – 160.
- Hanif, N., Tanaka, J., Setiawan, A., Trianto, A., De Voogd, N.J., Murni, A., Tanaka, C., and Higa, T., 2007, Polybrominated Diphenyl Ethers from The Indonesian Sponge *Lamellodysidea herbacea*, *J. Nat. Prod.*, 70, 432–435.
- Hentschel, U., Usher, K.M., and Taylor, M.W., 2006, Marine Sponges as Microbial Fermenters, *FEMS Microbiol. Ecol.*, 55, 167–177.
- Hertiani, T., Edrada-Ebel, R.A., Ortlepp, S., van Soest, R.W.M., de Voogd, N.J., Wray, V., Hentschel, U., Kozytska, S., Müller, W.E.G., and Proksch, P., 2010, From Anti-Fouling to Biofilm Inhibition: New Cytotoxic Secondary Metabolites from Two Indonesian *Agelas* Sponges, *Bioorganic Med. Chem.*, 18, 1297–1311.
- Hong, J., 2012, Natural Product Diversity and Its Role in Chemical Biology and Drug Discovery, *Curr Opin Chem Biol*, 15, 350–354.
- Hooper, J.N., 2003, ‘Sponguide’. Guide to Sponge Collection and Identification, *Order A J. Theory Ordered Sets Its Appl.*, 129.
- Hooper, J.N.A. and Soest, R.W.M. Van, 2002, Systema Porifera. a Guide to the Classification of Sponges, *Syst. Porifera*, 3, 1-3.
- Ji, H.F., Li, X.J., and Zhang, H.Y., 2009, Natural Products and Drug Discovery: Can Thousands of Years of Ancient Medical Knowledge Lead Us to New and Powerful Drug Combinations in the Fight Against Cancer and Dementia?, *EMBO Rep.*, 10, 194–200.
- Van Kiem, P., Nhiem, N.X., Tai, B.H., Le Tuan Anh, H., Hang, D.T.T., Cuc, N.T., Huyen, L.T., Nam, N.H., Yen, P.H., Thung, D.C., and Van Minh, C., 2016, Bis-Sesquiterpene from The Marine Sponge *Dysidea fragilis*, *Nat. Prod. Commun.*, 11, 439–441.
- Kinghorn, A.D., Chin, Y.W., and Swanson, S.M., 2009, Discovery of Natural Product Anticancer Agents from Biodiverse Organisms, *Curr. Opin. Drug Discov. Dev.*, 12, 189–196.
- McMellor J., and Unsworth R., K., F., 2010, Coral Reefs of the Wakatobi: abundance

and biodiversity, *Environ. Sci. Technol*, 2, 19 – 33.

Mehbub, M.F., Lei, J., Franco, C., and Zhang, W., 2014, Marine Sponge Derived Natural Products Between 2001 and 2010: Trends and Opportunities for Discovery of Bioactives, *Mar. Drugs*, 12, 4539–4577.

Mendola, D., De Caralt, S., Uriz, M.J., Van Den End, F., Van Leeuwen, J.L., and Wijffels, R.H., 2008, Environmental Flow Regimes for *Dysidea avara* Sponges, *Mar. Biotechnol.*, 10, 622–630.

Meyer, B.N., Ferrigni, N.R., Putnam, J.E., Jacobsen, L.B., Nichols, D.E., and McLaughlin, J.L., 1982, Brine Shrimp: a Convenient General Bioassay for Active Plant Constituents, *Planta Med.*, 45, 31–34.

Müller, W.E.G., Maidhof, A., Zahn, R.K., Schroder, H.C., Heidemann, D., Eich, E., Bernd, A., Seibert, G., Gasic, M.J., and Kurelec, B., 1985, Potent Antileukemic Activity of The Novel Cytostatic Agent Avarone and Its Analogues In Vitro and In Vivo, *Cancer Res.*, 45, 4822–4826.

Newman, D.J., 2008, Natural Products As Leads to Potential Drugs: an Old Process or the New Hope For Drug Discovery?, *J. Med. Chem.*, 51, 2589–2599.

Orani, A.M., Barats, A., Vassileva, E., and Thomas, O.P., 2018, Marine Sponges as a Powerful Tool for Trace Elements Biomonitoring Studies in Coastal Environment, *Mar. Pollut. Bull.*, 131, 633–645.

Padua, L.S., Bunyaprahatsara, N., and Lemmens, R.H.M.J., 1999, *Plant Resources of South – East Asia No. 12(1): Medicinal and Poisonous Plants 1*, Backhuys Publishers, Leiden.

Patil, A.D., Freyer, A.J., Killmer, L., Offen, P., Carte, B., Jurewicz, A.J., and Johnson, R.K., 1997, Frondosins, Five New Sesquiterpene Hydroquinone Derivatives with Novel Skeletons from the Sponge *Dysidea frondosa*: Inhibitors of Interleukin-8 Receptors, *Tetrahedron*, 53, 5047–5060.

Pawlik, J.R., McFall, G., and Zea, S., 2002, Does the Odor from Sponges of the Genus *Ircinia* Protect Them from Fish Predators?, *J. Chem. Ecol.*, 28(6), 1103 – 1115.

Pérez-García, E., Zubía, E., Ortega, M.J., and Carballo, J.L., 2005, Merosesquiterpenes from Two Sponges of the genus *Dysidea*, *J. Nat. Prod.*, 68, 653–658.

Renard, E., Gazave, E., Fierro-Constain, L., Schenkelaars, Q., Ereskovsky, A., Vacelet, J., and Borchiellini, C., 2013, Porifera (Sponges): Recent Knowledge and New Perspectives, *eLS.*, 1, 1-8.

- Sakemi, S. and Sun, H.H., 1991, Nortopsentins A, B, and C. Cytotoxic and Antifungal Imidazolediybis[indoles] from the Sponge *Spongoaorites ruetzleri*, *J. Org. Chem.*, 56, 4304–4307.
- Sera, Y., Adachi, K., Nishida, F., and Shizuri, Y., 1999, A New Sesquiterpene As An Antifouling Substance From A Palauan Marine Sponge, *Dysidea herbacea*, *J. Nat. Prod.*, 62, 395–396.
- Setiawan, E., Nurhayati, A.P.D., De Voogd, N.J., Dewi, A.T., Alivy, A., Kartikasari, L., and Subagio, I., 2018, Toxicity Test of Mangrove Epibiont Sponges in Tampora Situbondo Using Brine Shrimp Lethality Test (BSLT), *AIP Conf. Proc.*, 2002, 020003(2018).
- Skropeta, D., 2008, Deep-sea Natural Products, *Nat. Prod. Rep.*, 25(6), 989-1216.
- Skropeta, D., and Wei L., Q., 2014, Recent Advances in Deep-Sea Natural Products, *Nat. Prod. Rep.*, 8, 585 – 595.
- van Soest, R.W.M., Boury-Esnault, N., Vacelet, J., Dohrmann, M., Erpenbeck, D., de Voogd, N.J., Santodomingo, N., Vanhoorne, B., Kelly, M., and Hooper, J.N.A., 2012, Global Diversity of Sponges (Porifera), *PLoS One*, 7(4), e35105.
- Suryakiran, N., 2021, Isolation, Characterization Chemical and Biological Properties of Polybrominated Diphenyl Ethers from the Sponge *Dysidea herbacea*, *J. Of Nat. Prod. and Nat. Prod. Synthesis*, 1, 41–43.
- Tasdemir, D., Mallon, R., Greenstein, M., Feldberg, L.R., Kim, S.C., Collins, K., Wojciechowicz, D., Mangalindan, G.C., Concepcio, G.P., Harper, M.K., and Ireland, C.M., 2002, Aldisine Alkaloids from the Philippine Sponge *Stylissa massa* are Potent Inhibitors of Mitogen-Activated Protein Kinase-1 (MEK-1), *J. Med. Chem.*, 1, 529–532.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G., and Kaur, H., 2011, Phytochemical Screening and Extraction: a Review, *Acta Pharm. Sci.*, 1(1), 98 – 106.
- Trianto, A., De Voogd, N.J., and Tanaka, J., 2014, Two New Compounds from an Indonesian Sponge *Dysidea* sp., *J. Asian Nat. Prod. Res.*, 16, 163–168.
- Uriz, M., Roseli, D., and Martin, D., 1992, The Sponge Population of the Archipelago (Balearic Islands): Characteristics, Distribution, and Abundance of the Most Representative Species, *Mar. Ecol.*, 13(2), 101 – 117.
- Utkina, N.K. and Denisenko, V.A., 2014, Tauroarenarones A and B, New Taurine-Containing Meroterpenoids from the Marine Sponge *Dysidea* sp., *Nat. Prod.*

*Commun.*, 9, 757–758.

Utkina, N.K., Denisenko, V.A., and Krasokhin, V.B., 2010, Sesquiterpenoid Aminoquinones from the Marine Sponge *Dysidea* sp., *J. Nat. Prod.*, 73, 788–791.

Wright, A.E., 1998, *Isolation of Marine Natural Products*, Humana Press, Totowa New Jersey.

Wu, C., 2014, An Important Player in Brine Shrimp Lethality Bioassay: The Solvent, *J. Adv. Pharm. Technol. Res.*, 5, 57–58.

Yanai, M., Ohta, S., Ohta, E., Hirata, T., and Ikegami, S., 2003, A New  $\alpha,\beta,\gamma,\delta$ -Unsaturated Carboxylic Acid And Three New Cyclic Peroxides from the Marine Sponge, *Monotria Japonica*, which Selectively Lyse Starfish Oocytes without Affecting Nuclear Morphology, *Bioorganic Med. Chem.*, 11, 1715–1721.