

DAFTAR PUSTAKA

- Ackerman, Sandra. (1992) *Discovering the Brain*. National Academies Press.
- Ahmadi, M. *et al.* (2017) "Crocine improves spatial learning and memory deficits in the Morris water maze via attenuating cortical oxidative damage in diabetic rats," *Neuroscience Letters*, 642, pp. 1–6. doi:10.1016/j.neulet.2017.01.049.
- American Diabetes Association (2013) "Standards of medical care in diabetes - 2013," *Diabetes Care*. doi:10.2337/dc13-S011.
- Arion, W.J. *et al.* (1997) "Chlorogenic Acid and Hydroxynitrobenzaldehyde: New Inhibitors of Hepatic Glucose 6-Phosphatase," *Archives of Biochemistry and Biophysics*, 339(2), pp. 315–322. doi:https://doi.org/10.1006/abbi.1996.9874.
- Babizhayev, M.A. *et al.* (2015) "The Role of Oxidative Stress in Diabetic Neuropathy: Generation of Free Radical Species in the Glycation Reaction and Gene Polymorphisms Encoding Antioxidant Enzymes to Genetic Susceptibility to Diabetic Neuropathy in Population of Type I Diabetic Patients," *Cell Biochemistry and Biophysics*, 71(3), pp. 1425–1443. doi:10.1007/s12013-014-0365-y.
- Bagdas, D. *et al.* (2014) "Effects of Systemic Chlorogenic Acid on Random-Pattern Dorsal Skin Flap Survival in Diabetic Rats," *Biol. Pharm. Bull.*, 37(3), pp. 361–370.
- Blumenfeld, H. (2010) *Neuroanatomy Through Clinical Cases*. 2nd edn. Massachusetts: Sinauer Associates, Inc.
- Bossenmeyer-Pourie L, C. *et al.* (2002) "SEQUENTIAL EXPRESSION PATTERNS OF APOPTOSIS-AND CELL CYCLE-RELATED PROTEINS IN NEURONAL RESPONSE TO SEVERE OR MILD TRANSIENT HYPOXIA," *Neuroscience*, 114(4), pp. 869–882. Available at: www.neuroscience-ibro.com.
- Brownlee, M. (2004) *The Pathobiology of Diabetic Complications A Unifying Mechanism, Banting Lecture*. Available at: <http://diabetesjournals.org/diabetes/article-pdf/54/6/1615/381945/zdb00605001615.pdf>.
- Budson, A.E. and Price, B.H. (2005) "Memory Dysfunction," *N Engl J Med*, 352, pp. 692–699. Available at: www.nejm.org.
- Cázares-Camacho, R. *et al.* (2021) "Neuroprotective effects of mango cv. 'Ataulfo' peel and pulp against oxidative stress in streptozotocin-induced diabetic rats," *Journal of the Science of Food and Agriculture*, 101(2), pp. 497–504. doi:10.1002/jsfa.10658.
- Cox, D. *et al.* (2005) "Relationships Between Hyperglycemia and Cognitive Performance Among Adults With Type 1 and Type 2 Diabetes," *Diabetes care*, 28, pp. 71–77. doi:10.2337/diacare.28.1.71.
- D'Arcy, M.S. (2019) "Cell death: a review of the major forms of apoptosis, necrosis and autophagy," *Cell Biology International*, 43(6), pp. 582–592. doi:https://doi.org/10.1002/cbin.11137.
- Deng, W., Lu, H. and Teng, J. (2013) "Carvacrol Attenuates Diabetes-Associated Cognitive Deficits in Rats," *Journal of Molecular Neuroscience*, 51(3), pp. 813–819. doi:10.1007/s12031-013-0069-6.

- Dong, M. *et al.* (2019) "Analysis of metabolic alterations related to pathogenic process of diabetic encephalopathy rats," *Frontiers in Cellular Neuroscience*, 12. doi:10.3389/fncel.2018.00527.
- Donovan, M. and Cotter, T.G. (2004) "Control of mitochondrial integrity by Bcl-2 family members and caspase-independent cell death," *Biochimica et Biophysica Acta - Molecular Cell Research*, pp. 133–147. doi:10.1016/j.bbamcr.2003.08.011.
- Erster, S. and Moll, U.M. (2004) "Stress-induced p53 runs a direct mitochondrial death program: Its role in physiologic and pathophysiologic stress responses in vivo," *Cell Cycle*. Taylor and Francis Inc., pp. 1492–1495. doi:10.4161/cc.3.12.1318.
- Ferguson, S.C. *et al.* (2003) "Cognitive Ability and Brain Structure in Type 1 Diabetes: Relation to Microangiopathy and Preceding Severe Hypoglycemia," *Diabetes*, 52(1), pp. 149–156. doi:10.2337/diabetes.52.1.149.
- Flood, J.F., Mooradian, A.D. and Morley, J.E. (1990) "Characteristics of Learning and Memory in Streptozocin-Induced Diabetic Mice," *Diabetes*, 39(11), pp. 1391–1398. doi:10.2337/diab.39.11.1391.
- Fuchs, Y. and Steller, H. (2011) "Programmed cell death in animal development and disease," *Cell*, 147(4), pp. 742–758. doi:10.1016/j.cell.2011.10.033.
- Furman, B.L. (2021) "Streptozotocin-Induced Diabetic Models in Mice and Rats," *Current Protocols*, 1(4). doi:10.1002/cpz1.78.
- Ghosh, S. *et al.* (2015) "Curcumin protects rat liver from streptozotocin-induced diabetic pathophysiology by counteracting reactive oxygen species and inhibiting the activation of p53 and MAPKs mediated stress response pathways," *Toxicology Reports*, 2, pp. 365–376. doi:10.1016/j.toxrep.2014.12.017.
- Gomez, S.S. *et al.* (2019) "Resveratrol prevents cognitive deficits by attenuating oxidative damage and inflammation in rat model of streptozotocin diabetes induced vascular dementia," *Physiology & Behavior*, 201, pp. 198–207. doi:https://doi.org/10.1016/j.physbeh.2018.12.012.
- Gonthier, M.-P. *et al.* (2003) *Nutrient Metabolism Chlorogenic Acid Bioavailability Largely Depends on Its Metabolism by the Gut Microflora in Rats 1*, *J. Nutr.* Available at: <https://academic.oup.com/jn/article-abstract/133/6/1853/4688142>.
- Guariguata, L. *et al.* (2014) "Global estimates of diabetes prevalence for 2013 and projections for 2035," *Diabetes Research and Clinical Practice*, 103(2), pp. 137–149. doi:10.1016/j.diabres.2013.11.002.
- Gul, Z. *et al.* (2016) "Protective Effects of Chlorogenic Acid and its Metabolites on Hydrogen Peroxide-Induced Alterations in Rat Brain Slices: A Comparative Study with Resveratrol," *Neurochemical Research*, 41(8), pp. 2075–2085. doi:10.1007/s11064-016-1919-8.
- Guo, Z. and Li, J. (2017) "Chlorogenic acid prevents alcohol-induced brain damage in neonatal rat," *Translational Neuroscience*, 8(1), pp. 176–181. doi:10.1515/tnsci-2017-0024.
- Gurzov, E.N. and Eizirik, D.L. (2011) "Bcl-2 proteins in diabetes: Mitochondrial pathways of β -cell death and dysfunction," *Trends in Cell Biology*, pp. 424–431. doi:10.1016/j.tcb.2011.03.001.

- Hamed, S.A. (2017) "Brain Injury with Diabetes Mellitus: Evidence, Mechanisms and Treatment Implications," *Expert Review of Clinical Pharmacology*. Taylor and Francis Ltd, pp. 409–428. doi:10.1080/17512433.2017.1293521.
- Herling, A.W. *et al.* (1999) "Alterations of carbohydrate and lipid intermediary metabolism during inhibition of glucose-6-phosphatase in rats," *European Journal of Pharmacology*, 386(1), pp. 75–82. doi:[https://doi.org/10.1016/S0014-2999\(99\)00748-7](https://doi.org/10.1016/S0014-2999(99)00748-7).
- Hermawati, E. *et al.* (2020) "Chlorogenic acid ameliorates memory loss and hippocampal cell death after transient global ischemia," *European Journal of Neuroscience*, 51(2), pp. 651–669. doi:10.1111/ejn.14556.
- Huang, W.-C. *et al.* (1999) "Changes of superoxide dismutase gene expression and activity in the brain of streptozotocin-induced diabetic rats," *Neuroscience Letter*, 275, pp. 25–28. Available at: www.elsevier.com/locate/neulet.
- Igney, F.H. and Krammer, P.H. (2002) "Death and anti-death: Tumour resistance to apoptosis," *Nature Reviews Cancer*. European Association for Cardio-Thoracic Surgery, pp. 277–288. doi:10.1038/nrc776.
- Iwai, T. *et al.* (2009) "The influences of juvenile diabetes on memory and hippocampal plasticity in rats: Improving effects of glucagon-like peptide-1," *Neuroscience Research*, 64(1), pp. 67–74. doi:<https://doi.org/10.1016/j.neures.2009.01.013>.
- Jacobson, A.M. and Musen, G. (2007) "Long-Term Effect of Diabetes and Its Treatment on Cognitive Function," *New England Journal of Medicine*, 356(18), pp. 1842–1852. doi:10.1056/nejmoa066397.
- Jafari Anarkooli, I. *et al.* (2008) "Evaluation of Bcl-2 family gene expression and Caspase-3 activity in hippocampus STZ-induced diabetic rats.," *Experimental diabetes research*, 2008, p. 638467. doi:10.1155/2008/638467.
- Jafari Anarkooli, I., Barzegar Ganji, H. and Pourheidar, M. (2014) "The Protective Effects of Insulin and Natural Honey against Hippocampal Cell Death in Streptozotocin-Induced Diabetic Rats," *Journal of Diabetes Research*. Edited by F. Chiarelli, 2014, p. 491571. doi:10.1155/2014/491571.
- Kanaya, A.M. *et al.* (2004) "Change in Cognitive Function by Glucose Tolerance Status in Older Adults: A 4-Year Prospective Study of the Rancho Bernardo Study Cohort," *Archives of Internal Medicine*, 164(12), pp. 1327–1333. doi:10.1001/archinte.164.12.1327.
- Kementerian Kesehatan RI (2020) "Infodatin: Tetap Produktif, Cegah, dan Atasi Diabetes Melitus."
- Khan, M.A.B. *et al.* (2020) "Epidemiology of Type 2 diabetes - Global burden of disease and forecasted trends," *Journal of Epidemiology and Global Health*, 10(1), pp. 107–111. doi:10.2991/JEGH.K.191028.001.
- Kim, H.J. and Vaziri, N.D. (2010) "Contribution of impaired Nrf2-Keap1 pathway to oxidative stress and inflammation in chronic renal failure," *J Physiol Renal Physiol*, 298, pp. 662–671. doi:10.1152/ajprenal.00421.2009.-Oxidative.
- Kim, Jiyoung *et al.* (2012) "Caffeinated coffee, decaffeinated coffee, and the phenolic phytochemical chlorogenic acid up-regulate NQO1 expression and prevent H₂O₂-

- induced apoptosis in primary cortical neurons,” *Neurochemistry International*, 60(5), pp. 466–474. doi:10.1016/j.neuint.2012.02.004.
- Kono, Y. *et al.* (1998) “Iron Chelation by Chlorogenic Acid as a Natural Antioxidant,” *Bioscience, Biotechnology, and Biochemistry*, 62(1), pp. 22–27. doi:10.1271/bbb.62.22.
- Kuhad, A. *et al.* (2009) “Suppression of NF- κ B signaling pathway by tocotrienol can prevent diabetes associated cognitive deficits,” *Pharmacology Biochemistry and Behavior*, 92(2), pp. 251–259. doi:10.1016/j.pbb.2008.12.012.
- Kuhad, A. and Chopra, K. (2008) “Effect of sesamol on diabetes-associated cognitive decline in rats,” *Experimental Brain Research*, 185(3), pp. 411–420. doi:10.1007/s00221-007-1166-y.
- Kung, C.P. and Murphy, M.E. (2016) “The role of the p53 tumor suppressor in metabolism and diabetes,” *Journal of Endocrinology*. BioScientifica Ltd., pp. R61–R75. doi:10.1530/JOE-16-0324.
- Lee, B.W.L., Ghode, P. and Ong, D.S.T. (2019) “Redox regulation of cell state and fate,” *Redox Biology*, 25, p. 101056. doi:<https://doi.org/10.1016/j.redox.2018.11.014>.
- Lee, J.-M. and Johnson, J.A. (2004) *An Important Role of Nrf2-ARE Pathway in the Cellular Defense Mechanism*, *Journal of Biochemistry and Molecular Biology*.
- Lee, K. *et al.* (2012) “Chlorogenic acid ameliorates brain damage and edema by inhibiting matrix metalloproteinase-2 and 9 in a rat model of focal cerebral ischemia,” *European Journal of Pharmacology*, 689(1–3), pp. 89–95. doi:10.1016/j.ejphar.2012.05.028.
- Lee, T.K. *et al.* (2020) “Experimental pretreatment with chlorogenic acid prevents transient ischemia-induced cognitive decline and neuronal damage in the hippocampus through anti-oxidative and anti-inflammatory effects,” *Molecules*, 25(16). doi:10.3390/molecules25163578.
- Li, G.Y. *et al.* (2011a) “Involment of p53, Bax, and Bcl-2 pathway in microcystins-induced apoptosis in rat testis,” *Environmental Toxicology*, 26(2), pp. 111–117. doi:10.1002/tox.20532.
- Li, G.Y. *et al.* (2011b) “Involment of p53, Bax, and Bcl-2 pathway in microcystins-induced apoptosis in rat testis,” *Environmental Toxicology*, 26(2), pp. 111–117. doi:10.1002/tox.20532.
- Li, W. *et al.* (2013) “Comparative analysis of the neurovascular injury and functional outcomes in experimental stroke models in diabetic Goto-Kakizaki rats,” *Brain research*. 2013/10/19, 1541, pp. 106–114. doi:10.1016/j.brainres.2013.10.021.
- Liang, N. and Kitts, D.D. (2015) “Role of chlorogenic acids in controlling oxidative and inflammatory stress conditions,” *Nutrients*. MDPI AG. doi:10.3390/nu8010016.
- Ma, Y., Gao, M. and Liu, D. (2015) “Chlorogenic acid improves high fat diet-induced hepatic steatosis and insulin resistance in mice,” *Pharmaceutical research*. 2014/09/24, 32(4), pp. 1200–1209. doi:10.1007/s11095-014-1526-9.

- Matough, F.A. *et al.* (2012) "The role of oxidative stress and antioxidants in diabetic complications," *Sultan Qaboos University medical journal*. 2012/02/07, 12(1), pp. 5–18. doi:10.12816/0003082.
- McCarthy, M.F. (2005) "A chlorogenic acid-induced increase in GLP-1 production may mediate the impact of heavy coffee consumption on diabetes risk," *Medical Hypotheses*, 64(4), pp. 848–853. doi:<https://doi.org/10.1016/j.mehy.2004.03.037>.
- Mccrimmon, (R J *et al.* (2012) "Diabetes 2 Diabetes and cognitive dysfunction," *Lancet*, 379, pp. 2291–99. doi:10.1016/S0140.
- Miao, M. and Xiang, L. (2020) "Pharmacological action and potential targets of chlorogenic acid," in *Advances in Pharmacology*. Academic Press Inc., pp. 71–88. doi:10.1016/bs.apha.2019.12.002.
- Miller, A.F. (2012) "Superoxide dismutases: Ancient enzymes and new insights," *FEBS Letters*, pp. 585–595. doi:10.1016/j.febslet.2011.10.048.
- Miyashita, T. and Reed, J.C. (1995) *Tumor Suppressor p53 Is a Direct Transcriptional Activator of the Human bax Gene*, *Cell*.
- Moheet, A., Mangia, S. and Seaquist, E.R. (2015) "Impact of diabetes on cognitive function and brain structure," *Annals of the New York Academy of Sciences*, 1353(1), pp. 60–71. doi:10.1111/nyas.12807.
- Munawaroh, F., Sari, D.C.R. and Arfian, N. (2022) *PENGARUH PEMBERIAN CHLOROGENIC ACID (CGA) TERHADAP FUNGSI MEMORI DAN INFLAMASI LOBUS FRONTAL PADA TIKUS MODEL DIABETES MELLITUS*. Universitas Gadjah Mada.
- Naveed, M. *et al.* (2018) "Chlorogenic acid (CGA): A pharmacological review and call for further research," *Biomedicine & Pharmacotherapy*, 97, pp. 67–74. doi:<https://doi.org/10.1016/j.biopha.2017.10.064>.
- Oltval, Z.N., Milliman, C.L. and Korsmeyer, S.J. (1993) "Bcl-2 heterodimerizes in vivo with a conserved homolog, Bax, that accelerates programmed cell death," *Cell*, 74(4), pp. 609–619. doi:10.1016/0092-8674(93)90509-O.
- Ou, H.-L., Bj", B. and Schumacher, B. (2018) "DNA Damage Responses and p53 in the Aging Process," *Blood*, 131(5), pp. 488–495. Available at: <http://ashpublications.org/blood/article-pdf/131/5/488/1465962/blood746396.pdf>.
- Panickar, K.S. and Anderson, R.A. (2011) "Effect of polyphenols on oxidative stress and mitochondrial dysfunction in neuronal death and brain edema in cerebral ischemia," *International journal of molecular sciences*. 2011/11/18, 12(11), pp. 8181–8207. doi:10.3390/ijms12118181.
- Patestas, M.A. and Gartner, L.P. (2006) *A Textbook of Neuroanatomy*. 1st edn. United Kingdom: Blackwell Publishing.
- Perantie, D.C. *et al.* (2007) "Regional Brain Volume Differences Associated With Hyperglycemia and Severe Hypoglycemia in Youth With Type 1 Diabetes," *Diabetes Care*, 30(9), pp. 2331–2337. doi:10.2337/dc07-0351.
- Popović, M. *et al.* (2001) "Learning and memory in streptozotocin-induced diabetic rats in a novel spatial/object discrimination task," *Behavioural Brain Research*, 122(2), pp. 201–207. doi:[https://doi.org/10.1016/S0166-4328\(01\)00186-3](https://doi.org/10.1016/S0166-4328(01)00186-3).

- Rani, P.M.R. *et al.* (2018) "Chlorogenic acid attenuates glucotoxicity in H9c2 cells via inhibition of glycation and PKC α upregulation and safeguarding innate antioxidant status," *Biomedicine and Pharmacotherapy*, 100, pp. 467–477. doi:10.1016/j.biopha.2018.02.027.
- Rodriguez De Sotillo, D. v and Hadley, M. (2002) "Chlorogenic acid modifies plasma and liver concentrations of: cholesterol, triacylglycerol, and minerals in (fa/fa) Zucker rats," *Journal of Nutritional Biochemistry*, 13, pp. 717–726.
- Ryan, Kevin M., Phillips, A.C. and Vousden, K.H. (2001) "Regulation and Function of the p53 Tumor Suppressor Protein," *Current Opinion in Cell Biology*, 13, pp. 332–337.
- Ryan, Kevin M, Phillips, A.C. and Vousden, K.H. (2001) "Regulation and Function of the p53 Tumor Suppressor Protein," *Current Opinion in Cell Biology*, 13, pp. 332–337.
- Sadeghi, A. *et al.* (2016) "The effect of diabetes mellitus on apoptosis in hippocampus: Cellular and molecular aspects," *International Journal of Preventive Medicine*. Isfahan University of Medical Sciences(IUMS). doi:10.4103/2008-7802.178531.
- Sadi, G., Yılmaz, Ö. and Güray, T. (2008) "Effect of vitamin C and lipoic acid on streptozotocin-induced diabetes gene expression: mRNA and protein expressions of Cu-Zn SOD and catalase," *Molecular and Cellular Biochemistry*, 309(1–2), pp. 109–116. doi:10.1007/s11010-007-9648-6.
- Sanna, R.S. *et al.* (2019) "Grape seed proanthocyanidin extract and insulin prevents cognitive decline in type 1 diabetic rat by impacting Bcl-2 and Bax in the prefrontal cortex," *Metabolic Brain Disease*, 34(1), pp. 103–117. doi:10.1007/s11011-018-0320-5.
- Sasi, N. *et al.* (2009) "Regulated cell death pathways: New twists in modulation of BCL2 family function," *Molecular Cancer Therapeutics*, pp. 1421–1429. doi:10.1158/1535-7163.MCT-08-0895.
- Sen, C.K. and Packer, L. (1996) "Antioxidant and redox regulation of gene transcription," *The FASEB Journal*, 10(7), pp. 709–720. doi:<https://doi.org/10.1096/fasebj.10.7.8635688>.
- Setyaningsih, W.A.W. *et al.* (2021) "Ethanollic Extract of Centella asiatica Treatment in the Early Stage of Hyperglycemia Condition Inhibits Glomerular Injury and Vascular Remodeling in Diabetic Rat Model," *Evidence-based Complementary and Alternative Medicine*, 2021. doi:10.1155/2021/6671130.
- Sharma, M. *et al.* (2016) "An algorithm for identification and classification of individuals with type 1 and type 2 diabetes mellitus in a large primary care database," *Clinical Epidemiology*, Volume 8, pp. 373–380. doi:10.2147/CLEP.S113415.
- Shibuya, S., Kinoshita, K. and Shimizu, T. (2012) "Protective effects of vitamin C derivatives on skin atrophy caused by Sod1 deficiency," in Preedy, V.R. (ed.) *Handbook of diet, nutrition and the skin*. Wageningen: Wageningen Academic Publishers, pp. 350–364. doi:10.3920/978-90-8686-729-5_21.

- Sies, H. (1997) "Oxidative Stress: Oxidants and Antioxidants," *Experimental Physiology*, 82, pp. 291–295.
- Sims-Robinson, C. *et al.* (2013) "The Role of Oxidative Stress in Nervous System Aging," *PLoS ONE*, 8(7). doi:10.1371/journal.pone.0068011.
- Smart, E.J. and Li, X.A. (2007) "Hyperglycemia: Cell death in a cave," *Biochimica et Biophysica Acta - Molecular Basis of Disease*, pp. 524–526. doi:10.1016/j.bbadis.2007.01.005.
- Stefanello, N. *et al.* (2014) "Effects of chlorogenic acid, caffeine, and coffee on behavioral and biochemical parameters of diabetic rats," *Molecular and Cellular Biochemistry*, 388(1–2), pp. 277–286. doi:10.1007/s11010-013-1919-9.
- Storr, S.J. *et al.* (2012) "Redox Environment, Free Radical, and Oxidative DNA Damage," *Antioxidants & Redox Signaling*, 18(18), pp. 2399–2408. doi:10.1089/ars.2012.4920.
- Strachan, M.W.J. *et al.* (2009) "The role of metabolic derangements and glucocorticoid excess in the aetiology of cognitive impairment in type 2 diabetes. Implications for future therapeutic strategies," *Diabetes, Obesity and Metabolism*. Blackwell Publishing Ltd, pp. 407–414. doi:10.1111/j.1463-1326.2008.00963.x.
- Susilowati, A., Sari, D.C.R. and Arfian, N. (2021) *PENGARUH ASAM KLOROGENAT (CHLOROGENIC ACID) TERHADAP PERBAIKAN DISFUNGSI MEMORI, EKSPRESI mRNA p53, Bax DAN Bcl-2 PADA TIKUS MODEL DIABETES MELLITUS*. Universitas Gadjah Mada.
- Tait, S.W.G. and Green, D.R. (2010) "Mitochondria and cell death: outer membrane permeabilization and beyond," *Nature Reviews Molecular Cell Biology*, 11(9), pp. 621–632. doi:10.1038/nrm2952.
- Tang, X.Q. *et al.* (2005) "Protection of oxidative preconditioning against apoptosis induced by H₂O₂ in PC12 cells: Mechanisms via MMP, ROS, and Bcl-2," *Brain Research*, 1057(1–2), pp. 57–64. doi:10.1016/j.brainres.2005.07.072.
- Vincent, A.M. *et al.* (2007) "SOD2 protects neurons from injury in cell culture and animal models of diabetic neuropathy," *Experimental neurology*. 2007/08/03, 208(2), pp. 216–227. doi:10.1016/j.expneurol.2007.07.017.
- Vorhees, C. v. and Williams, M.T. (2006) "Morris water maze: Procedures for assessing spatial and related forms of learning and memory," *Nature Protocols*, 1(2), pp. 848–858. doi:10.1038/nprot.2006.116.
- Vousden, K.H. (2000) *p53: Death Star, Cell*.
- Wang, T. *et al.* (2012) "Danshensu ameliorates the cognitive decline in streptozotocin-induced diabetic mice by attenuating advanced glycation end product-mediated neuroinflammation," *Journal of Neuroimmunology*, 245(1), pp. 79–86. doi:https://doi.org/10.1016/j.jneuroim.2012.02.008.
- Wanner, E., Thoppil, H. and Riabowol, K. (2021) "Senescence and Apoptosis: Architects of Mammalian Development," *Frontiers in Cell and Developmental Biology*. Frontiers Media S.A. doi:10.3389/fcell.2020.620089.

- Watanabe, K. *et al.* (2013) "Sod1 loss induces intrinsic superoxide accumulation leading to p53-mediated growth arrest and apoptosis," *International Journal of Molecular Sciences*, 14(6), pp. 10998–11010. doi:10.3390/ijms140610998.
- Watanabe, K. *et al.* (2021) "Pathological relationship between intracellular superoxide metabolism and p53 signaling in mice," *International Journal of Molecular Sciences*, 22(7). doi:10.3390/ijms22073548.
- Williamson, J.R. *et al.* (1993) "Hyperglycemic Pseudohypoxia and Diabetic Complications," *Diabetes*, 42(6), pp. 801–813. doi:10.2337/diab.42.6.801.
- Xianchu, L. *et al.* (2021) "Apocynin ameliorates cognitive deficits in streptozotocin—induced diabetic rats," *Bratislava Medical Journal*, 122(1), pp. 78–84. doi:10.4149/BLL_2021_010.
- Yan, Y. *et al.* (2020) "Use of Chlorogenic Acid against Diabetes Mellitus and Its Complications," *Journal of Immunology Research*. Hindawi Limited. doi:10.1155/2020/9680508.
- Ye, H.-Y. *et al.* (2016) "The attenuation of chlorogenic acid on oxidative stress for renal injury in streptozotocin-induced diabetic nephropathy rats," *Archives of Pharmacal Research*, 39(7), pp. 989–997. doi:10.1007/s12272-016-0771-3.
- Yonguc, G.N. *et al.* (2015) "Grape seed extract has superior beneficial effects than vitamin E on oxidative stress and apoptosis in the hippocampus of streptozotocin induced diabetic rats," *Gene*, 555(2), pp. 119–126. doi:10.1016/j.gene.2014.10.052.
- Zang, L.-Y. *et al.* (2003) *Effect of chlorogenic acid on hydroxyl radical, Molecular and Cellular Biochemistry*.
- Zeiger, E. and Tice, R. (1998) *Chlorogenic Acid [327-97-9] and Caffeic Acid [331-39-5] Review of Toxicological Literature*.
- Zhou, L. *et al.* (2016) "Lonicerae Japonicae Flos attenuates diabetic retinopathy by inhibiting retinal angiogenesis," *Journal of Ethnopharmacology*, 189, pp. 117–125. doi:<https://doi.org/10.1016/j.jep.2016.05.039>.