



DAFTAR PUSTAKA

- Abdelrheem, D.A., A.A. Rahman, K.N.M. Elsayed, and S.A. Ahmed. 2020. GC/MS spectroscopic approach, antimicrobial activity and cytotoxicity of some marine macroalgae from Qusier and Marsa Alam Seashore (Red Sea), Egypt. Egyptian Journal of Aquatic Biology and Fisheries. 24(3): 125-144.
- Abubacker, M.N. and P.K. Devi. 2014. In vitro antifungal potentials of bioactive compound oleic acid, 3-(octadecyloxy) propyl ester isolated from *Lepidagathis cristata* Willd. (Acanthaceae) inflorescence. Asian Pacific Journal of Tropical Medicine. 7: S190-S193.
- Adachi, T., T. Tanaka., K. Takemoto, T.A. Koshimizu, A. Hirasawa, and G. Tsujimoto. 2006. Free fatty acids administered into the colon promote the secretion of glucagon-like peptide-1 and insulin. Biochemical and biophysical research communications. 340(1): 332-337.
- Adhikari, B. 2021. Roles of alkaloids from medicinal plants in the management of diabetes mellitus. Journal of Chemistry. (2021):1-10.
- Adikaram, N.B., Y. Abhayawardhane, A.L. Gunatilaka, B.R. Bandara, and E.K. Wijeratne. 1989. Antifungal activity, acid and sugar content in the wood apple (*Limonia acidissima*) and their relation to fungal development. Plant pathology. 38(2): 258-265.
- AG, H. B. B. 1994. Pharmacology of α -glucosidase inhibition. European Journal of Clinical Investigation. 24(S3): 3-10.
- Aguilar-Santos, G. 1970. Caulerpin, a new red pigment from green algae of the genus Caulerpa. Journal of the Chemical Society C: Organic. (6): 842-843.
- Alen, Y., F.L. Agresa, and Y. Yuliandra. 2017. Analisis Kromatografi Lapis Tipis (KLT) dan aktivitas antihiperurisemia ekstrak rebung *Schizostachyum brachycladum* Kurz (Kurz) pada mencit putih jantan. Jurnal Sains Farmasi & Klinis. 3(2):146-152.
- Alfaridz., Faizal, dan A. Riezki. 2018. Review jurnal: Klasifikasi dan aktivitas farmakologi dari senyawa aktif flavonoid. Farmaka. 16(3): 1-9.
- Al-Marzoqi, A.H., I.H. Hameed, and S.A. Idan. 2015. Analysis of bioactive chemical components of two medicinal plants (*Coriandrum sativum* and *Melia azedarach*) leaves using Gas Chromatography-Mass Spectrometry (GC-MS). African Journal of Biotechnology. 14(40): 2812-2830.
- Aminin, D.L., C. Koy., P.S. Dmitrenok, B. Müller-Hilke, D. Koczan, B. Arbogast, A.A. Silchenko, V.I. Kalinin, S.A. Avilov, V.A. Stonik, and P.D. Collin. 2009. Immunomodulatory effects of holothurian triterpene glycosides on mammalian splenocytes determined by mass spectrometric proteome analysis. Journal of Proteomics. 72(5): 886-906.



- Amudha, M., and S. Rani. 2014. GC-MS Analysis of bioactive components of *Cordia retusa* (Boraginaceae). *Hygeia J D Med.* 6(1):12- 19.
- Anjali, K.P., B.M. Sangeetha, G. Devi, R. Raghunathan, and S. Dutta. 2019. Bioprospecting of seaweeds (*Ulva lactuca* and *Stoechospermum marginatum*): The compound characterization and functional applications in medicine-a comparative study. *Journal of Photochemistry and Photobiology B: Biology.* 200: 111622.
- Ansari, M.A., A. Anurag, Z. Fatima, and S. Hameed. 2013. Natural phenolic compounds: a potential antifungal agent. *Microbial pathogens and strategies for combating them: Science, technology and education.* 1: 1189-1195.
- Apostolidis, E., Y.I. Kwon, R. Ghaedian, and K. Shetty. 2007. Fermentation of milk and soymilk by *Lactobacillus bulgaricus* and *Lactobacillus acidophilus* enhances functionality for potential dietary management of hyperglycemia and hypertension. *Food biotechnology.* 21(3):217-236.
- Aprianti., Mahpolah, dan A. Ruslan. 2009. Faktor-faktor yang berhubungan dengan kadar gula darah sesaat pada penderita diabetes mellitus di wilayah kerja Puskesmas Gambut Kecamatan Gambut Kabupaten Banjar tahun 2008. *Al,'Ulm.* 42(4):7-32.
- Arnfred, J., O. Schmitz, O. Hother-Nielsen, C. Ørskov., H. Beck-Nielsen, K. Hermansen, J.S. Christiansen, K.G.M.M. Alberti, and H. Ørskov. 1988. Marked impairment of the effect of hyperglycaemia on glucose uptake and glucose production in insulin-dependent diabetes. *Diabetic Medicine.* 5(8):755-760.
- Arsiningtyas, I.S., M.D. Gunawan-Puteri, E. Kato, and J. Kawabata. 2014. Identification of α -glucosidase inhibitors from the leaves of *Pluchea indica* (L.) Less., a traditional Indonesian herb: promotion of natural product use. *Natural Product Research.* 28(17):1350-1353.
- Arungarinathan, G., G.A. McKay, and M. Fisher. 2011. Drugs for diabetes: part 4 acarbose. *British Journal of Cardiology.* 18(2): 78-81.
- Aschenbrenner, D.S. and S.J. Venable. 2009. Drug therapy in nursing, 3rd edn. Wolters Kluwer Health. New York.
- Assefa, S.T., E.Y. Yang, S.Y. Chae, M. Song, J. Lee, M.C. Cho, and S. Jang. 2019. Alpha glucosidase inhibitory activities of plants with focus on common vegetables. *Plants.* 9(1): 1-17.
- Audibert, L., M. Fauchon, N. Blanc, D. Hauchard, and E. Ar Gall. 2010. Phenolic compounds in the brown seaweed *Ascophyllum nodosum*: distribution and radical-scavenging activities. *Phytochemical Analysis.* 21(5): 399-405.



Auer, H.E. and D.M. Glick. 1984. Early events of pepsinogen activation. *Biochemistry*. 23(12): 2735–2739.

Aulia, S.R. 2018. Purifikasi Senyawa Inhibitor Enzim α -Amilase dan α -Glukosidase dalam Fraksi Etil Asetat Ekstrak *Sargassum Hystrix*. Universitas Gadjah Mada. Skripsi.

Azizi, W.A., N. Ekantari, and A. Husni. 2019. Inhibitory activity of *Sargassum hystrix* extract and its methanolic fractions on inhibiting α -glucosidase activity. *Indonesian Journal of Pharmacy*. 30(1): 35-42.

Badaring, D.R., S.P.M. Sari, S. Nurhabiba, W. Wulan, and S.A.R. Lembang. 2020. Uji ekstrak daun maja (*Aegle marmelos* L.) Terhadap pertumbuhan bakteri *Escherichia coli* dan *Staphylococcus aureus*. *Indonesian Journal of Fundamental Sciences*. 6(1):16-26.

Bandeira-Pedrosa, M.E., S. Pereira, and E.C. Oliveira. 2004. Taxonomy and distribution of the green algal genus *Halimeda* (*Bryopsidales, Chlorophyta*) in Brazil. *Brazilian Journal of Botany*. 27: 363-377.

Barton, E.S. 1928. The genus *Halimeda*. *Siboga Expeditie*. E.I. Brill Pub, And Print. Monographe LX: 30.

Basir, A., K. Tarman, and D. Desniar. 2017. Aktivitas antibakteri dan antioksidan alga hijau *Halimeda gracilis* dari Kabupaten Kepulauan Seribu. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 20(2): 211- 218.

Batta, A.K., G. Xu, A. Honda, T, Miyazaki, and G. Salen. 2006. Stigmasterol reduces plasma cholesterol levels and inhibits hepatic synthesis and intestinal absorption in the rat. *Metabolism*. 55(3): 292-299.

Bender, D.A. 2003. *Introduction to Nutrition and Metabolism*. 3rd ed. Taylor & Francis. London.

Bennet, P. 2008. Epidemiology of type 2 diabetes melitus. Fundamentals and Clinical Text. 43(1): 7-544.

Berard, N.C., Y. Wang, K.M. Wittenberg, D.O. Krause, B.E. Coulman, T.A. McAllister, and K.H. Ominski. 2011. Condensed tannin concentrations found in vegetative and mature forage legumes grown in western Canada. *Canadian Journal of Plant Science*. 91(4): 669-675.

Bhawani, S.A., O. Sulaiman, R. Hashim, and M.N. Ibrahim. 2010. Thin-layer chromatographic analysis of steroids: A review. *Tropical Journal of Pharmaceutical Research*. 9(3): 301.

Bhuyan, D.J. and A. Basu. 2017. Utilization of bioactive compounds derived from waste in the food industry. In *Utilization of Bioactive Compounds from Agricultural and*



Food Production Waste; Vuong, Q.V., Ed.; CRC Press: Boca Ratón, FL, USA. Hal. 342–357.

Bishayee, A., S. Ahmed, N. Brankov, and M. Perloff. 2011. Triterpenoids as potential agents for the chemoprevention and therapy of breast cancer. *Frontiers in Bioscience: A Journal and Virtual Library*. 16: 980.

Bribi, N. 2018. Pharmacological activity of alkaloids: a review. *Asian Journal of Botany*. 1(1):1-6.

Budianto, N.E.W., dan Hairullah. 2017. Perbedaan Efektivitas Acarbose dengan Ekstrak Etanol Kulit Terong Ungu (*Solanum melongena* L) terhadap Penurunan Kadar Gula Darah Tikus Putih (*Rattus norvegicus*) yang Diinduksi Sukrosa. *Jurnal Ilmiah Kedokteran Wijaya Kusuma*. 6(2): 14-20.

Caffall, K.H. and D. Mohnen. 2009. The structure, function, and biosynthesis of plant cell wall pectic polysaccharides. *Carbohydrate research*. 344(14):1879-1900.

Caleja, C., A. Ribeiro, M.F. Barreiro, and I. CFR Ferreira. 2017. Phenolic compounds as nutraceuticals or functional food ingredients. *Current pharmaceutical design*. 23(19): 2787-2806.

Cao, H. and X. Chen. 2012. Structures required of flavonoids for inhibiting digestive enzymes. *Anti-Cancer Agents in Medicinal Chemistry*. 12: 929-939.

Carocho, M., and I. CFR Ferreira. 2013. The role of phenolic compounds in the fight against cancer-a review. *Anti-Cancer Agents in Medicinal Chemistry (Formerly Current Medicinal Chemistry-Anti-Cancer Agents)*. 13(8): 1236-1258.

Cen-Pacheco, F., L. Nordström, M.L. Souto, M.N. Martín, J.J. Fernández, and A.H. Daranas. 2010. Studies on polyethers produced by red algae. *Marine drugs*. 8(4): 1178-1188.

Chaudhury, A., C. Duvoor, V.S.R. Dendi, S. Kraleti, A. Chada, R. Ravilla, A. Marco, N.S. Shekhawat, M.T. Montales, K. Kuriakose, and A. Sasapu. 2017. Clinical review of antidiabetic drugs: implications for type 2 diabetes mellitus management. *Frontiers in endocrinology*. 8: 6.

Chin, Y.X., P.E. Lim, C.A. Maggs, S.M. Phang, Y. Sharifuddin, and B.D. Green. 2015. Anti-diabetic potential of selected Malaysian seaweeds. *Journal of applied phycology*. 27(5): 2137-2148.

Choi, J.M., E.O. Lee, H.J. Lee, K.H. Kim, K.S. Ahn, B.S. Shim, N.I. Kim, M.C. Song, N.I. Baek, and S.H. Kim. 2007. Identification of campesterol from *Chrysanthemum coronarium* L. and its antiangiogenic activities. *Phytotherapy Research*. 21(10): 954-959.



- Conforti, F., M.R. Loizzo, G.A. Statti, and F. Menichini. 2005. Comparative radical scavenging and antidiabetic activities of methanolic extract and fractions from *Achillea ligustica* A LL. Biol. Pharm. Bull. 28: 1791-1794.
- Connolly, J.D., and R.A. Hill. 2002. Triterpenoids. Nat. Prod. Rep. 19: 494-513.
- Corona, G., M.M. Coman, Y. Guo, S. Hotchkiss, C. Gill, P. Yaqoob, J.P. Spencer, and I. Rowland. 2017. Effect of simulated gastrointestinal digestion and fermentation on polyphenolic content and bioactivity of brown seaweed phlorotannin-rich extracts. Molecular nutrition & food research. 61(11): 1700223.
- Coskun, O., M. Kanter, A. Korkmaz, dan S. Oter. 2005. Quercetin, a flavonoid antioxidant, prevents and protects streptozotocin-induced oxidative stress and β -cell damage in rat pancreas. Pharmacological Research. 51(2): 117- 23.
- Cosme, P., A.B. Rodríguez, J. Espino, and M. Garrido. 2020. Plant phenolics: Bioavailability as a key determinant of their potential health-promoting applications: A Review. Antioxidants. 9(12): 1263.
- Cotas, J., A. Leandro, P. Monteiro, D. Pacheco, A. Figueirinha, A.M. Gonçalves, G.J. da Silva, and L. Pereira. 2020. Seaweed phenolics: From extraction to applications. Marine drugs. 18(8): 384.
- Cotas, J., A. Leandro, D. Pacheco, A.M. Gonçalves, and L. Pereira. 2020. A comprehensive review of the nutraceutical and therapeutic applications of red seaweeds (Rhodophyta). Life. 10(3): 19.
- Cuong, D.X., N.X. Hoan, D.H. Dong, L.T.M. Thuy, N. Van Thanh, H.T. Ha, D.T.T. Tuyen, D.X. Chinh. 2019. Tannins: extraction from plants. In tannins- structural properties, Biological Properties and Current Knowledge; IntechOpen: London, UK.
- Cushnie, T.T., B. Cushnie, and A.J. Lamb. 2014. Alkaloids: An overview of their antibacterial, antibiotic-enhancing and antivirulence activities. International Journal of Antimicrobial Agents. 44(5): 377-386.
- Dabhi, A.S., N.R. Bhatt, and M.J. Shah. 2013. Voglibose: an alpha glucosidase inhibitor. Journal of clinical and diagnostic research. JCDR. 7(12): 3023.
- Dai, J. and R.J. Mumper. 2010. Plant phenolics: extraction, analysis and their antioxidant and anticancer properties. Molecules. 15(10): 7313-7352.
- Daud, M.A.K., S. Juliani, and A. Mahdi. 2019. α -Amylase and α -glucosidase inhibitors from plant extracts. Jurnal Medika Veterinaria. 13(2) :151-158.
- Departemen Kesehatan RI. 2005. Pharmaceutical Care Untuk Penyakit Diabetes Mellitus. Dep Kes RI. Jakarta. 16 (24): 36-46.



- Devi, E.T. 2017. Isolasi dan identifikasi senyawa flavanoid pada ekstrak daun seledri (*Apium graveolens* L.) dengan metode refluks. PSEJ (Pancasakti Science Education Journal). 2(1): 56-67.
- Devi, G.K., K. Manivannan, G. Thirumaran, F.A.A. Rajathi, and P. Anantharaman. 2011. In vitro antioxidant activities of selected seaweeds from Southeast coast of India. Asian Pacific journal of tropical medicine. 4(3): 205-211.
- Dewi, R. 2012. Potensi sumberdaya rumput laut. Jurnal Harpodon Borneo. 5(2):125-129.
- Dewick, P.M. 2009. Medicinal Natural Products: A Biosynthetic Approach, 3rd ed.; John Wiley & Sons: Chichester. UK. 178-184.
- Diansyah, S., I. Kusumawati, and F. Hardinata. 2018. Inventarisasi jenis-jenis makroalga di Pantai Lhok Bubon Kecamatan Samatiga Kabupaten Aceh Barat. Jurnal Perikanan Tropis. 5(1): 93-103.
- Dimitrios, B. 2006. Sources of natural phenolic antioxidants. Trends in food science & technology. 17(9): 505-512.
- Dipiro, J.T., R.L. Talbert, and G.C. Yee. 2005. Pharmacotherapy a phtophysiologic approach 6th ed. McGraw Hill. New York. 1333-1367.
- Djakatara, R.S., D.S. Wewengkang, and H. Rotinsulu. 2019. Uji aktivitas antimikroba dari jamur laut yang berasosiasi dengan alga *Halimeda opuntia*. PHARMACON. 8(1): 41-50.
- Drew, E.E. and K.K. Abel. 1983, January. Growth of *Halimeda* in reefal and inter-reefal environments. In *Proceedings: Inaugural Great Barrier Reef Conference*, Townsville Aug 28-Sept 2, 1983-pages: 299-304.
- Durak, D., and Y. Kalender. 2007. Fine structure and chemical analysis of the metathoracic scent gland of *Eurygaster maura* (Linnaeus, 1758) (Heteroptera: Scutelleridae). Folia biologica (Kraków). 55(3-4): 133-141.
- Dzeha, T., M. Jaspars, and J. Tabudravu. 2003. Clionasterol, a triterpenoid from the Kenyan marine green macroalga *Halimeda macroloba*. Western Indian Ocean Journal of Marine Science. 2(2): 157-161.
- Dzubak, P., M. Hajduch, D. Vydra, A. Hustova, M. Kvasnica, D. Biedermann, L. Markova, M. Urban, and J. Sarek. 2006. Pharmacological activities of natural triterpenoids and their therapeutic implications. Natural Product Reports. 23(3): 394-411.
- El Aziz, M.M.A., A.S. Ashour, and A.S.G. Melad. 2019. A review on saponins from medicinal plants: chemistry, isolation, and determination. J. Nanomed. Res. 8(1): 282-288.



El Barky, A.R., S.A. Hussein, A.A. Alm-Eldeen, Y.A. Hafez, and T.M. Mohamed. 2016. Anti-diabetic activity of *Holothuria thomasi* saponin. Biomedicine & Pharmacotherapy. 84: 1472-1487.

Elekofehinti, O.O. 2015. Saponins: Anti-diabetic principles from medicinal plants-A review. Pathophysiology. 22(2): 95-103.

Elmazar, M.M., H.S. El-Abhar, M.F. Schaalan, and N.A. Farag. 2013. Phytol/phytanic acid and insulin resistance: potential role of phytanic acid proven by docking simulation and modulation of biochemical alterations. Plos One. 8(1): e45638.

Erniati, E., S. Syahrial, I. Imanullah, E. Erlangga, C.M. Nurul'Akla, W. Shobara, J. Nasuha, G.H. Ritonga, A.M. Daulay, H. Romansah, and I. Amni. 2022. Rumput laut yang tumbuh alami di pantai barat Pulau Simeulue, Aceh Indonesia: Faktor lingkungan dan variasi geografik. Jurnal Kelautan Tropis. 25(1): 29-38.

Faizal, A., and D. Geelen. 2013. Saponins and their role in biological processes in plants. Phytochemistry Reviews. 12(4): 877-893.

Fatimah, R.N. 2015. Diabetes melitus tipe 2. Jurnal Majority. 4(5): 93-101.

Feng, M.T., T. Wang, A.H. Liu, J. Li, L.G. Yao, B. Wang, Y.W. Guo, and S.C. Mao. 2018. PTP1B inhibitory and cytotoxic C-24 epimers of Δ^{28} -24-hydroxy stigmastane-type steroids from the brown alga *Dictyopteris undulata* Holmes. Phytochemistry. 146: 25-35.

Feroz, B. 2018. Saponins from marine macroalgae: a review. Journal of Marine Science: Research & Development. 8(04): 255.

Firdaus, M., M. Astawan, D. Muchtadi, T. Wresdyani, S. Waspadji. dan S.K. Setyawati. 2010. Pengaruh ekstrak rumput laut cokelat terhadap fungsi endotelium aorta tikus diabetes melitus. Majalah Farmasi Indonesia. 21:151-157.

Fitramadan, L. 2013. Identifikasi senyawa dalam fraksi aktif ekstrak rumput laut coklat *Sargassum hystrix* sebagai inhibitor enzim α -glukosidase. Universitas Gadjah Mada. Tesis.

Fitton, H. 2005. Marine algae and health: a review of the scientific and historical literature. Glycoscience and nutrition. 6.

Gabay, O., C. Sanchez, C. Salvat, F. Chevy, M. Breton, G. Nourissat, C. Wolf, C. Jacques, and F. Berenbaum. 2010. Stigmasterol: a phytosterol with potential anti-ostearthritic properties. Osteoarthritis and cartilage. 18(1): 106-116.

Garber, A.J. 2011. Incretin effects on β -cell function, replication, and mass: the human perspective. Diabetes Care. 34(2): 258-263.

Gazali, M. 2018. Aktivitas inhibitor tirosinase rumput laut *Halimeda spp* dari pesisir

Aceh Barat. Jurnal Perikanan Tropis. 5(2): 149-159.

Gazali, M., Nurjanah, dan P.Z. Neviyat. 2019. Skreening alga hijau *Halimeda opuntia* (Linnaeus) sebagai antioksidan dari pesisir Aceh Barat. Jurnal Ilmu Pertanian Indonesia. 24(3): 267-272.

Generalić Mekinić, I., D. Skroza, V. Šimat, I. Hamed, M. Čagalj, and Z.P. Perković. 2019. Phenolic content of brown algae (Pheophyceae) species: Extraction, identification, and quantification. Biomolecules. 9(6): 244.

Ghani, U. 2015. Re-exploring promising α -glucosidase inhibitors for potential development into oral anti-diabetic drugs: Finding needle in the haystack. European Journal of Medicinal Chemistry. 103: 133-162.

Giada, M.D.L.R. 2013. Food phenolic compounds: Main classes, sources and their antioxidant power. In Oxidative Stress and Chronic Degenerative Diseases-A Role for Antioxidants; Morales-Gonzalez, J.A., Ed.; IntechOpen: London, UK, Hal. 87–112.

Gómez-Guzmán, M., A. Rodríguez-Nogales, F. Algieri, and J. Gálvez. 2018. Potential role of seaweed polyphenols in cardiovascular-associated disorders. Marine drugs. 16(8): 250.

Green, C.J., T.I. Henriksen, B.K. Pedersen, and T.P. Solomon. 2012. Glucagon like peptide-1-induced glucose metabolism in differentiated human muscle satellite cells is attenuated by hyperglycemia. PLoS ONE. 7: e44284.

Gumgumjee, N.M. and A.S. Hajar. 2015. Antibacterial activities and GC-MS analysis of phytocomponents of *Ehretia abyssinica* R. Br. ex Fresen. International Journal of Applied Biology and Pharmaceutical technology. 6(2):236–241.

Gunathilaka, T.L., K.W. Samarakoon, P. Ranasinghe, and L.D.C. Peiris. 2019. In-vitro antioxidant, hypoglycemic activity, and identification of bioactive compounds in phenol-rich extract from the marine red algae *Gracilaria edulis* (Gmelin) Silva. Molecules. 24(20): 3708.

Güven, K.C., A. Percot, and E. Sezik. 2010. Alkaloids in marine algae. Marine Drugs. 8(2): 269-284.

Hanhineva, K., R. Törrönen, I. Bondia-Pons, J. Pekkinen, M. Kolehmainen, H. Mykkänen, and K. Poutanen. 2010. Impact of dietary polyphenols on carbohydrate metabolism. International Journal of Molecular Sciences. 11(4): 1365-1402.

Harborne, J.B. 1987. Metode Fitokimia, Penuntun Cara Modern Menganalisis Tumbuhan. Terjemahan K. Padmawinata dan Iwang Soediro. ITB.Bandung.



Hardoko, S.T., Y.M. Eveline, and S. Olivia. 2014. An in vitro of antidiabetic activity of *Sargassum duplicatum* and *Turbinaria decurens* seaweed. Int. J. Pharm. Sci. Invent. 3:13-18.

Hasler, C.M., and J.B. Blumberg. 1999. Phytochemicals: biochemistry and physiology. Introduction. The Journal of nutrition. 129(3): 756S-757S.

Hasrianti, H., N. Nururrahmah, and N. Nurasia. 2017. Pemanfaatan ekstrak bawang merah dan asam asetat sebagai pengawet alami bakso. Dinamika. 7(1):9-30.

He, F., Q.H. Pan, Y. Shi, and C.Q. Duan. 2008. Biosynthesis and genetic regulation of proanthocyanidins in plants. Molecules. 13(10):2674-2703.

Heim, K.E., A.R. Tagliaferro, and D.J. Bobilya. 2002. Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. The Journal of Nutritional Biochemistry.13(10): 572-84.

Heo, S.J., E.J. Park, K.W. Lee, and Y.J. Jeon. 2005. Antioxidant activities of enzymatic extracts from brown seaweeds. Bioresource Technology. 96(14): 1613-1623.

Hermund, D.B., A. Karadag, U. Andersen, R. Jonsdottir, H.G. Kristinsson, C. Alasalvar, and C. Jacobsen. 2016. Oxidative stability of granola bars enriched with multilayered fish oil emulsion in the presence of novel brown seaweed based antioxidants. Journal of agricultural and food chemistry. 64(44): 8359-8368.

Hidayah, E.N. 2017. Analisis metabolomik padi hitam (*Oryza sativa L.*) setelah infeksi *Xanthomonas oryzae* pv.*oryzae*. Universitas Gadjah Mada. Tesis.

Hillis-Colinvaux, L. 1980. Ecology and taxonomy of Halimeda: primary producer of coral reefs. In *Advances in marine biology*. Academic Press.17:1-327.

Hirasawa, A., K. Tsumaya, T. Awaji, S. Katsuma, T. Adachi, M. Yamada, Y. Sugimoto, S. Miyazaki, and G. Tsujimoto. 2005. Free fatty acids regulate gut incretin glucagon-like peptide-1 secretion through GPR120. Nature medicine. 11(1): 90-94.

Hjelland, F., A.H. Andersen, and H.S. Yang, DuPont Nutrition USA Inc. 2020. Process for isolating fucoidan and laminarin from live, harvested seaweed. U.S. Patent 0302742 A1.

Hoffman, R.M. 2013. Carbohydrates: Hydrolitic digestion. Equine Applied and Clinical Nutrition.156-157.

Holdt, S.L., and S. Kraan. 2011. Bioactive compounds in seaweed: functional food applications and legislation. Journal of Applied Phycology. 23(3): 543-597.

Hostettmann, K. and A. Marston. 2005. Saponins. Cambridge University Press. Cambridge.



- Hou, D., and T.L. Lowary. 2009. Recent advances in the synthesis of 2-deoxy-glycosides. *Carbohydrate Research*. 344(15): 1911-1940.
- Husni, A., T. Pratiwi, A.G. Samudra, and A.E. Nugroho. 2018. In vitro antidiabetic activity of *Sargassum hystrix* and *Eucheuma denticulatum* from Yogyakarta beach of Indonesia: Antidiabetic activity of *s. hystrix* and *e. denticulatum*. *Proceedings of the Pakistan Academy of Sciences: B. Life and Environmental Sciences*. 55(3): 1-8.
- Ibrahim, N.A., S.K. Musa, S.M. Yassin, N.H. Abunama, S. Awadalkareem, A. Osama, and M.N. Abdalaziz. 2017. Chemical Composition and Antimicrobial Activity of Essential Oil of *Belpharis linariifolia*. *Int. J. Sci. Technol. Soc.* 5(4): 62-66.
- Idrissi, F.E.J., T. Ouchbani, S. Ouchbani, A.E. Hourch, A.F. Maltouf, and E.M. Essassi. 2015. Comparative chemical composition and antimicrobial activity of essential oil and organic extracts of *Senecio leucanthemifolius* Poiret. *Journal of Essential Oil Bearing Plants*. 18(1): 29-35.
- Islam, M.T., E.S. Ali, S.J. Uddin, S. Shaw, M.A. Islam, M.I. Ahmed, M.C. Shill, U.K. Karmakar, N.S. Yarla, I.N. Khan, and M.M. Billah. 2018. Phytol: A review of biomedical activities. *Food and chemical toxicology*. 121: 82-94.
- Isley, W.L., dan M.E. Molith. 2005. Type 1 diabetes. *The Journal of Clinical Endocrinology and Metabolism*. 90(1): E2.
- Itoh, Y., Y. Kawamata, M. Harada, M. Kobayashi, R. Fujii, S. Fukusumi, K. Ogi, M. Hosoya, Y. Tanaka, H. Uejima, and H. Tanaka. 2003. Free fatty acids regulate insulin secretion from pancreatic β cells through GPR40. *Nature*. 422(6928): 173-176.
- Iwai, K. 2008. Antidiabetic and antioxidant effect of polyphenols in brown alga *Ecklonia stolonifera* in genetically diabetic kk-a9y mice. *Plant Food and Human Nutrition*. 63: 163-169.
- Iwase, Y., N. Kamei, and M. Takeda-Morishita. 2015. Antidiabetic effects of omega-3 polyunsaturated fatty acids: from mechanism to therapeutic possibilities. *Pharmacology & Pharmacy*. 6(03): 190-200.
- Jacques, P.F., A. Cassidy, G. Rogers, J.J. Peterson, J.B. Meigs, and J.T. Dwyer. 2013. Higher dietary flavonol intake is associated with lower incidence of type 2 diabetes. *The Journal of Nutrition*. 143(9): 1474-1480.
- Jamaluddin, F., S. Mohameda, and M.N. Lajis. 1995. Hypoglycaemic effect of stigmast-4-en-3-one, from Parkia speciosa empty pods. *Food Chemistry*. 54(1): 9-13.
- Janaki, M., V. Santhi, and A.N.I.T.A. Kannagi. 2015. Bioactive potential of *Fusinus nicobaricus* from Gulf of Mannar. *Int. J. Pharmaaceut. Res. Biosci.* 4(5): 262-270.



Jhong, C.H., J. Riyaphan, S.H. Lin, Y.C. Chia, and C.F. Weng. 2015. Screening alpha-glucosidase and alpha-amylase inhibitors from natural compounds by molecular docking in silico. *Biofactors*. 41(4): 242-251.

Jolanda, S., D.S. Wewengkang, and I. Jayanto. 2019. Aktivitas antimikroba ekstrak dan fraksi alga (*Halimeda opuntia*) terhadap *Escherichia coli*, *Staphylococcus aureus* dan *Candida albicans*. *Pharmacon*. 8(1):178-186.

Juge, N., and B. Svensson. 2006. Proteinaceous inhibitors of carbohydrate-active enzymes in cereals: implication in agriculture, cereal processing and nutrition. *Journal of the Science of Food and Agriculture*. 86(11): 1573-1586.

Jung, H.A., S.H. Oh, and J.S. Choi. 2010. Molecular docking studies of phlorotannins from Eisenia bicyclis with BACE1 inhibitory activity. *Bioorganic & Medicinal Chemistry Letters*. 20(11): 3211-3215.

Kandra, L. 2003. α -Amylases of medical and industrial importance. *Journal of Molecular Structure: THEOCHEM*. 666: 487-498.

Kanthaiah, K., and R.K. Velu. 2019. Characterization of the bioactive metabolite from a plant growth promoting rhizobacteria *Pseudomonas aeruginosa* VRKK1 and exploitation of antibacterial behavior against *Xanthomonas campestris* a causative agent of bacterial blight disease in cowpea. *Archives of Phytopathology and Plant Protection*. 1-18.

Katzung, B.G. 1995. Farmakologi dasar dan klinik edisi 4. Jakarta: Buku Kedokteran EGC.

Kazakovich, Y., and L. LoBrutto. 2007. *HPLC for Pharmaceutical Scientist*. John Wiley & Sons Inc. Hoboken.

Kazeem, M.I., J.O. Adamson, and I.A. Ogunwande. 2013. Modes of inhibition of α -amylase and α -glucosidase by aqueous extract of *Morinda lucida* Benth leaf. *BioMed research international*. 1-6.

Keharom, S., R. Mahachai, dan S. Chanthai. 2016. The optimization study of amylase activity based on central composite design-response surface methodology by dinitrosalicylic acid method. *International Food Research journal*. 23(1):10-17.

Kemit, N., I.W.R. Widarta, and K.A. Nocianitri. 2016. Pengaruh jenis pelarut dan waktu maserasi terhadap kandungan senyawa flavonoid dan aktivitas antioksidan ekstrak daun alpukat (*Persea Americana* Mill). *Jurnal Ilmu dan Teknologi Pangan (Itepa)*. 5(2):130-141.

Khan, M.A., C. Deaton, M.K. Rutter, L. Neyses, and M.A. Mamas. 2013. Incretins as a novel therapeutic strategy in patients with diabetes and heart failure. *Heart failure reviews*. 18(2): 141-148.



Khanbabae, K., and T.V. Ree. 2001. Tannins: classification and definition. Natural product reports. 18(6): 641-649.

Kim, K.Y., T.H. Nguyen, H. Kurihara, and S.M. Kim. 2010. α -Glucosidase inhibitory activity of bromophenol purified from the red alga *Polyopes lancifolia*. Journal of food science. 75(5): H145-H150.

Kimura, A., J.H. Lee, I.S. Lee, H.S. Lee, K.H. Park, S. Chiba, and D. Kim. 2004. Two potent competitive inhibitors discriminating α -glucosidase family I from family II. Carbohydrate research. 339(6): 1035-1040.

Kodner, R.B., Pearson, A., Summons, R.E., Knoll, A.H. 2008. Sterols in red and green algae: quantification, phylogeny, and relevance for the interpretation of geologic steranes. Geobiology. 6: 411-420.

Koolman J., and K.H. Roehm. 2005. Color atlas of biochemistry. Thieme Stuttgart. New York. 96-97.

Kumar, A., S.N. Kumari, and D. Bhargavan. 2012. Evaluation of in vitro antioxidant potential of ethanolic extract from the leaves of Achyranthes aspera. Asian Journal of Pharmaceutical and Clinical Research. 5(3): 146-148.

Kumar, D., M. Karthik, and R. Rajakumar. 2018. GC-MS analysis of bioactive compounds from ethanolic leaves extract of *Eichhornia crassipes* (Mart) Solms. and their pharmacological activities. Pharma Innov J. 7(8): 459-462.

Kumar, S., S. Narwal, V. Kumar, and O. Prakash. 2011. α -Glucosidase inhibitors from plants: A natural approach to treat diabetes. Pharmacognosy reviews. 5(9):19-29.

Lauro, F.V., D.C. Francisco, H.H. Lenin, G.C. Elodia, P.G. Eduardo, R.N. Marcela, and S.A. Bety. 2014. New steroid derivative with hypoglycemic activity. International Journal of Clinical and Experimental Medicine. 7(11): 3983-3991.

Lee, Y. S., K. H. Shin, B. K. Kim, and S. Lee. 2004. Anti-diabetic Activities of Fucosterol from *Pelvetia siliquosa*. Archives Pharmacal Research. 27: 1120-1122.

Lehmann, U., and F. Robin. 2007. Slowly digestible starch-its structure and health implications: a review. Trends in Food Science & Technology. 18(7): 346-355.

Leibo, R., D. Mantiri, and G. Gerung. 2017. Uji aktivitas antioksidan dari ekstrak total alga hijau *Halimeda opuntia Linnaeus* dan *Halimeda macroloba Decaisne* dari perairan Teluk Totok. Jurnal Pesisir dan Laut Tropis. 4(2): 30-36.

Lenny, S. 2006. Senyawa flavanoida, fenilpropanida dan alkaloida. Departemen Kimia Fakultas MIPA. Universitas Sumatera Utara. Karya Ilmiah.

Li, Y.X., I. Wijesekara, Y. Li, and S.K. Kim. 2011. Phlorotannins as bioactive agents from brown algae. Process Biochemistry. 46(12): 2219-2224.



UNIVERSITAS
GADJAH MADA

Aktivitas Antidiabetes Ekstrak Metanol *Halimeda tuna* dari Pesisir Lhok Bubon Kabupaten Aceh Barat secara In Vitro
ODI JOLANDA, Dr. Sc. Amir Husni, S.Pi., M.P.
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Linares, A.F., Loikkanen, J., Jorge, M.F., Soria, R.B. and Novoa, A.V. 2004. Antioxidant and neuroprotective activity of the extract from the seaweed, *Halimeda incrassata* (Ellis) Lamouroux, against in vitro and in vivo toxicity induced by methyl-mercury. Veterinary and human toxicology. 46(1):1-5.
- Littler, M.M., D.S. Littler, S.M. Blair, and J.N. Norris. 1985. Deepest known plant life discovered on an uncharted seamount. Science. 227(4682): 57-59.
- Lopes, G., E. Pinto, P.B. Andrade, and P. Valentao. 2013. Antifungal activity of phlorotannins against dermatophytes and yeasts: approaches to the mechanism of action and influence on *Candida albicans* virulence factor. PLoS One. 8(8): p.e72203.
- Lu, J.J., J.L. Bao, X.P. Chen, M. Huang, and Y.T. Wang. 2012. Alkaloids isolated from natural herbs as the anticancer agents. Evidence-Based Complementary and Alternative Medicine. (2012):1-11.
- Lyu, H., J. Chen, and W.L. Li. 2016. Natural triterpenoids for the treatment of diabetes mellitus: A review. Natural Product Communications. 11(10): 1934578X1601101037.
- Machu, L., L. Misurcova, J.V. Ambrozova, J. Orsavova, J. Mlcek, J. Sochor, and T. Jurikova. 2015. Phenolic content and antioxidant capacity in algal food products. Molecules. 20(1): 1118-1133.
- Madhubala, M., and G. Santhi. 2019. Phytochemical and GC-MS analysis on leaves of selected medicinal plants in Boraginaceae family *Cordia dichotoma* L. Pramana Res. J. 9(3): 2249-2276.
- Margono, R.S., and T. Sumiati. 2019. Potensi tanaman indonesia sebagai antidiabetes melalui mekanisme penghambatan enzim α -glukosidase. Jurnal Farmamedika Pharmamedika Journal. 4(2):86-92.
- Markham, K.R., and L.J. Porter. 1969. Flavonoids in the green algae (chlorophyta). Phytochemistry. 8(9): 1777-1781.
- Marrelli, M., F. Conforti, F. Araniti, and G.A. Statti. 2016. Effects of saponins on lipid metabolism: A review of potential health benefits in the treatment of obesity. Molecules. 21(10): 1404.
- Maryam, St., S. Asriani, dan F.A. Nurul. 2020. Uji aktivitas penghambatan enzim α -glukosidase ekstrak etanol biji buah alpukat sangrai (*Persea americana* mill.) Secara *in vitro*. As-Syifaa Jurnal Farmasi. 12(1): 51-56.
- Mathai, K. 2000. Nutrition in the adult years. Krause's food, nutrition, and diet therapy, 10th ed., ed. LK Mahan and S. Escott-Stump. 271: 274-275.



Matsuda, Hiroko., S. Daisuke, A. Masaya, O. Shinpei, S. Ritsuki, O. Ryo, and S. Takaaki. 2018. Effects of dietary phytol on glucose uptake and insulin secretion in vitro and in vivo. *Food & Nutrition: Current Research*. 1(1): 29-37.

Matsumoto, K., and S.I. Yokoyama. 2012. Induction of uncoupling protein-1 and-3 in brown adipose tissue by kaki-tannin in type 2 diabetic NSY/Hos mice. *Food and Chemical Toxicology*. 50(2): 184-190.

Maulana, M. 2009. Mengenal diabetes melitus: Panduan praktis menangani penyakit kencing manis. Katahati. Yogyakarta.

Mayur, B., S. Sancheti, S. Shruti, and S. Sung-Yum. 2010. Antioxidant and-glucosidase inhibitory properties of *Carpesium abrotanoides* L. *Journal of Medicinal Plants Research*. 4(15): 1547-1553.

Mentlein, R. 2009. Mechanisms underlying the rapid degradation and elimination of the incretin hormones GLP-1 and GIP. *Best Practice & Research Clinical Endocrinology & Metabolism*. 23(4): 443-452.

Meriam, W.P.M., R.C. Kepel, and L.J. Lumingas. 2016. Inventarisasi makroalga di Perairan Pesisir Pulau Mantehage Kecamatan Wori, Kabupaten Minahasa Utara, Provinsi Sulawesi Utara. *Jurnal Ilmiah Platax*. 4(2): 2302-3589.

Mierziak, J., K. Kostyn, A. Kulma. 2014. Flavonoids as important molecules of plant interactions with the environment. *Mol. Basel Switz*. 19: 16240–16265.

Milović, S., T. Kundaković, V.E.S.N.A. Mačić, J.A. Stanković, N.A.Đ.A. Grozdanić, I. Đuričić, I. Stanković, and T. Stanojković. 2017. Anti α -glucosidase, antitumour, antioxidative, antimicrobial activity, nutritive and health protective potential of some seaweeds from the Adriatic coast of Montenegro. *Farmacia*. 65(5): 731-740.

Miyazawa, M., N. Yagi, and K. Taguchi, 2005. Inhibitory compounds of α -glucosidase activity from *Arctium lappa* L. *Journal of Oleo Science*. 54(11): 589-594.

MJ, D.M., P.M. Radhamany, and A.V. Jalaj. 2015. Pharmacognostic studies on leaf of *Tamilnadia uliginosa* (Retz.) Tirveng. & Sastre (Rubiaceae). *International Journal*. 3(12): 118-123.

Mohan, C., K.D. Long, and M. Mutneja. 2013. An introduction to inhibitors and their biological applications. EMD Millipore Corp. (2013): 3-13.

Mohapatra, L., S.K. Bhattamisra, R.C. Panigrahy, and S.K. Parida. 2016. Evaluation of the antioxidant, hypoglycemic and anti-diabetic activities of some seaweed collected from the east coast of india. *Biomedical and Pharmacology Journal*. 9(1): 365-375.

Moritoh, Y., K. Takeuchi, and M. Hazama, 2009. Voglibose, an alpha-glucosidase inhibitor, to increase active glucagon-like peptide-1 levels. *Molecular and*



Cellular Pharmacology.1(4): 188-192.

- Mtolera, M.S.P., and A.K. Semesi. 1996. Antimicrobial activity of extracts from six green algae from Tanzania. Current Trends in Marine Botanical Research in East African Region. 211-217.
- Murray R.K., K.G. Daryl, and W.R. Victor. 2009. Harper's Illustrated Biochemistry, 27th ed. (Biokimia Harper, alih bahasa: Nanda, W). Edisi ke-27. EGC. Jakarta.
- Muzaki, A.F., W.A. Setyati, R.P. Subagiyo, and R. Pramesti. 2018. Aktivitas Antioksidan Ekstrak Rumput Laut *Halimeda macroloba* Dari Pantai Teluk Awur, Jepara, Jawa Tengah. Jurnal Enggano. 3(2): 144-155.
- Nadheesha, M., A. Bamunuarachchi, E. Edirisinha, and W. Weerasinha. 2011. Studies on antioxidant activity of Indian Gooseberry fruit and seed. J Sci Univ Kelaniya Sri Lanka. 3(0):83.
- Narayani, S.S., S. Saravan, S. Bharathiaraja and S. Mahendran. 2016. Extraction, partially purification and study on antioxidant property of fucoxanthin from *Sargassum cinereum* j. Agardh. Journal of Chemical and Pharmaceutical Research. 8(3): 610-616.
- Nasrudin., Wahyono, Mustofa, dan A.S. Ratna. 2017. Isolasi senyawa steroid dari kuktur akar senggugu (*Clerodendrum serratum* L. Moon). PHARMACON. 6(3): 332-340.
- Nazarudin, M.F., A. Isha, S.N. Mastuki, N.M. Ain, N.F.M. Ikhwan, A.Z. Abidin, and M. Aliyu-Paiko. 2020. Chemical composition and evaluation of the α -glucosidase inhibitory and cytotoxic properties of marine algae *Ulva intestinalis*, *Halimeda macroloba*, and *Sargassum ilicifolium*. Hindawi. Evidence-Based Complementary and Alternative Medicine. 2020:1-13.
- Nguyen, T.H., T.L.P. Nguyen, T.V.A. Tran, A.D. Do, and S.M. Kim. 2019. Antidiabetic and antioxidant activities of red seaweed *Laurencia dendroidea*. Asian Pacific Journal of Tropical Biomedicine. 9(12): 501.
- Nicolle, E., F. Souard, P. Faure, and A. Boumendjel. 2011. Flavonoids as promising lead compounds in type 2 diabetes mellitus: molecules of interest and structure-activity relationship. Current Medicinal Chemistry. 18(17): 2661-72.
- Nufus, C., and A.A. Nurjanah. 2017. Karakteristik rumput laut hijau dari perairan Kepulauan Seribu dan Sekotong Nusa Tenggara Barat sebagai antioksidan. Jurnal Pengolahan Hasil Perikanan Indonesia. 20(3): 620-632.
- Nurliana, N., N. Rahman, and R. Ratman. 2017. Skrining fitokimia dan uji efektivitas tepung biji kelor (*Moringa oleifera* L.) dalam menurunkan kadar kolesterol total darah mencit jantan. Jurnal Akademika Kimia. 7(3): 122-129.



- Nwosu, F., J. Morris, V.A. Lund, D. Stewart, H.A. Ross and G.J. McDougall. 2011. Anti-proliferative and potential anti-diabetic effects of phenolic-rich extracts from edible marine algae. *Food Chemistry* 126: 1006–1012.
- Oboh, H.A., and C.O. Omofoma. 2008. The effects of heat-treated lima beans (*Phaseolus lunatus*) on plasma lipids in hypercholesterolemic rats. *Pakistan Journal of Nutrition*. 7(5): 636-639.
- Okada, Y., A. Ishimaru, R. Suzuki, and T. Okuyama. 2004. A new phloroglucinol derivative from the brown alga *Eisenia bicyclis*: potential for the effective treatment of diabetic complications. *Journal of Natural Products*. 67(1): 103-105.
- Oke, J.M., and M.O. Hamburger. 2002. Screening of some Nigerian medicinal plants for antioxidant activity using 2, 2, diphenyl-picryl-hydrazyl radical. *African Journal of Biomedical Research*. 5: 77-79.
- Oliveira, A.P., and U. Sauer. 2012. The importance of post-translational modifications in regulating *Saccharomyces cerevisiae* metabolism. *FEMS Yeast Research*. 12(2): 104-117.
- Osman, S.M., and M.A. Hussein. 2015. Purslane seeds fixed oil as a functional food in treatment of obesity induced by high fat diet in obese diabetic mice. *J Nutr Food Sci.* 5(332): 2.
- Pacheco, L.V., J. Parada, J.R. Pérez-Correa, M.S. Mariotti-Celis, F. Erpel, A. Zambrano, and M. Palacios. 2020. Bioactive polyphenols from southern chile seaweed as inhibitors of enzymes for starch digestion. *Marine Drugs*. 18(7): 353.
- Pakidi, C.S., dan H.S. Suwoyo. 2016. Potensi dan pemanfaatan bahan aktif alga cokelat *Sargassum* sp. *Octopus: Jurnal Ilmu Perikanan*. 5(2):488-498.
- Panche, A.N., A.D. Diwan, and S.R. Chandra. 2016. Flavonoids: an overview. *J. Nutr. Sci.* 5: e47.
- Paudel, P., S.H. Seong, H.J. Park, H.A. Jung, and J.S. Choi. 2019. Anti-diabetic activity of 2, 3, 6-tribromo-4, 5-dihydroxybenzyl derivatives from *Sympyocladia latiuscula* through PTP1B downregulation and α -glucosidase inhibition. *Marine drugs*. 17(3):166.
- Payghami, N., Jamili, S., Rustaiyan, A., Saeidnia, S., Nikan, M. and Gohari, A.R. 2015. Alpha-amylase inhibitory activity and sterol composition of the marine algae, *Sargassum glaucescens*. *Pharmacognosy research*. 7(4): 314-321.
- Payum, T. 2020. Phytoconstituents and proximate composition of *Clerodendrum colebrookianum* walp.: a widely used anti high blood pressure medicinal food plant in eastern himalayas. *Pharmacognosy Journal*. 12(6s): 1534-1540.



Phillips, D.R., J.M. Rasbery, B. Bartel, and S.P. Matsuda. 2006. Biosynthetic diversity in plant triterpene cyclization. Current Opinion in Plant Biology. 9(3):305-314.

Pirian, K., S. Moein, J. Sohrabipour, R. Rabiei, and J. Blomster. 2017. Antidiabetic and antioxidant activities of brown and red macroalgae from the Persian Gulf. Journal of Applied Phycology. 29(6): 3151-3159.

Poulose, N., A. Sajayan, A. Ravindran, A. Chandran, G.B. Priyadarshini, J. Selvin, and G.S. Kiran. 2021. Anti-diabetic potential of a stigmasterol from the seaweed *Gelidium spinosum* and its application in the formulation of nanoemulsion conjugate for the development of functional biscuits. Frontiers in nutrition. (8): 431.

Pramana, M., A. Riza, dan S. Chairul. 2013. Isolasi dan karakterisasi senyawa steroid pada fraksi n-heksana dari daun kukang (*Lepisanthes amoena* (HASSK.) LEENH.). Jurnal Kimia Mulawarman. 10(2).

Pratini, C.E., and P. Florentina. 2017. Ekstraksi tanin dari kulit kayu pinus dengan bantuan microwave: pengaruh daya microwave, jenis pelarut dan waktu ekstraksi. Jurnal Integrasi Proses. 6(4):155-161.

Puspantari, W., F. Kusnandar, H.N. Lioe, dan N. Laily. 2020. Penghambatan fraksi fukoidan rumput laut cokelat (*Sargassum polycystum* dan *Turbinaria conoides*) terhadap α -amilase dan α -glukosidase. Jurnal Pengolahan Hasil Perikanan Indonesia. 23(1):122-136.

Putri, R.E. 2021. Hubungan Pola Konsumsi Makanan terhadap terjadinya Diabetes Melitus Tipe 2 di UPTD Puskesmas Makmur Kabupaten Bireuen. Fakultas Kedokteran Gigi. Universitas Sumatera Utara. Medan. Skripsi.

Ramírez-Espinosa, J.J., M.Y. Rios, S. López-Martínez, F. López-Vallejo, J.L. Medina-Franco, P. Paoli, G. Camici, G. Navarrete-Vázquez, R. Ortiz-Andrade, and S. Estrada-Soto. 2011. Antidiabetic activity of some pentacyclic acid triterpenoids, role of PTP-1B: In vitro, in silico, and in vivo approaches. European Journal of Medicinal Chemistry. 46(6): 2243-2251

Rao, Z., S. Deng, H. Wu, and S. Jiang. 1997. Rhabdastrellic acid-A, a novel triterpenoid from the marine sponge *Rhabdastrella globostellata*. Journal of Natural Products. 60(11): 1163-1164.

Ravi, B.N., R.J. Wells, and K.D. Croft. 1981. Malabaricane triterpenes from a Fijian collection of the sponge *Jaspis stellifera*. The Journal of Organic Chemistry. 46(10): 1998-2001.

Reka, P., T. Banu, and M. Seethalakshmi. 2017. Alpha amylase and alpha glucosidase inhibition activity of selected edible seaweeds from south coast area of India. Int. J. Pharm. Pharm. Sci. 9(6): 64-68.



- Rocha, O.P., R.D. Felício, A.H.B. Rodrigues, D.L. Ambrósio, R.M.B. Cicarelli, S.D. Albuquerque, M.C.M. Young, N.S. Yokoya, and H.M. Debonsi. 2011. Chemical profile and biological potential of non-polar fractions from *Centroceras clavulatum* (C. Agardh) Montagne (Ceramiales, Rhodophyta). *Molecules*. 16(8): 7105-7114.
- Rohn, S., H.M. Rawel, and J. Kroll. 2002. Inhibitory effects of plant phenols on the activity of selected enzymes. *Journal of Agricultural and Food Chemistry*. 50(12): 3566-3571.
- Rolo, A.P., and C.M. Palmeira. 2006. Diabetes and mitochondrial function: role of hyperglycemia and oxidative stress. *Toxicology and applied pharmacology*. 212(2): 167-178.
- Rosak, C., and G. Mertes. 2012. Critical evaluation of the role of acarbose in the treatment of diabetes: patient considerations. *Diabetes, metabolic syndrome and obesity: targets and therapy*. 5: 357-367.
- Rossert, J. 2001. Drug-induced acute interstitial nephritis. *Kidney international*. 60(2): 804-817.
- Rumiantin, R.O. 2011. Kandungan Fenol, Komponen Fitokimia dan Aktivitas Antioksidan Lamun *Enhalus acoroides*. IPB. Bogor. Skripsi.
- Sales, P.M., P.M. Souza, L.A. Simeoni, P.O. Magalhães, and D. Silveira. 2012. α -Amylase inhibitors: a review of raw material and isolated compounds from plant source. *Journal of Pharmacy & Pharmaceutical Sciences*. 15(1):141-183.
- Samejo, M.Q., S. Memon, M.I. Bhanger, and K.M. Khan. 2013. Isolation and characterization of steroids from *Calligonum polygonoides*. *Journal of Pharmacy Research*. 6(3): 346-349.
- Sangeetha, K.S., S. Umamaheswari, C.U.M. Reddy, and S.N. Kalkura. 2016. Flavonoids: Therapeutic potential of natural pharmacological agents. *International Journal of Pharmaceutical Sciences and Research*. 7(10): 3924.
- Sanger, G., L.K. Rarung, L.J. Damongilala, B.E. Kaseger, and L.A.D.Y Montolalu. 2019. Phytochemical constituents and antidiabetic activity of edible marine red seaweed (*Halymenia durvillae*). In IOP Conference Series: Earth and Environmental Science. 278(1): 012069.
- Santos, S.A., R. Félix, A.C. Pais, S.M. Rocha, and A.J. Silvestre. 2019. The quest for phenolic compounds from macroalgae: A review of extraction and identification methodologies. *Biomolecules*. 9(12): 847.
- Santoso, J., Y. Yoshie-Stark, and T. Suzuki. 2004. Anti-oxidant activity of methanol extracts from Indonesian seaweeds in an oil emulsion model. *Fisheries science*. 70(1):183-188.



- Saranya, M.S., and A. Arunprasath. 2019. Evaluation of phytochemical compounds in *Corbicichonia decumbens* (Frossk). Excell by using Gas Chromatography-Mass Spectrometry. Journal of Applied and Advanced Research. 4(3):89-93.
- Sarian, M.N., Q.U. Ahmed, S.Z. Mat So'ad, A.M. Alhassan, S. Murugesu, V. Perumal, S.N.A. Syed Mohamad, A. Khatib, and J. Latip. 2017. Antioxidant and antidiabetic effects of flavonoids: A structure-activity relationship-based study. BioMed Research International. 2017: 1-14.
- Schultz, J.C., M.D. Hunter, and H.M. Appel. 1992. Antimicrobial activity of polyphenols mediates plant-herbivore interactions. In Plant Polyphenols; Hemingway, R.W., Laks, P.E., Eds.; Springer US: Boston, MA, USA. 621–637.
- Selly, M., N. Nirwana, H.S. and H.S. Irdoni. 2015. Pengaruh waktu reaksi dan rasio molar terhadap asam oleat dengan butanol pada sintesa plastisizer butil oleat. Jom FTEKNIK. 2(1): 1-8.
- Selvi, B.P., G. Prasanna, and R. Anuradha, 2016. Physicochemical and phytochemical analysis of the rhizome of *Drynaria quercifolia* L. Int J Phytopharm. 7(1): 18-22.
- Senarath, W.T.P.S.K., J.R.L. Pizon, O.M. Nuñez M.M. Uy. 2018. In-vitro alpha-amylase inhibitory activity, antioxidant potential, and GC-MS analysis of crepe ginger (*Costus speciosus* (J. Koenig.) Sm) leaves. Int. J. Pharma. Sci. Res. 9(11): 4741-4749.
- Senduk, T.W., L.A. Montolalu, and V. Dotulong. 2020. The rendement of boiled water extract of mature leaves of mangrove Sonneratia alba. Jurnal Perikanan dan Kelautan Tropis. 11(1): 9-15.
- Senthil Kumar, P., and S. Sudha. 2012. Evaluation of alpha-amylase and alpha-glucosidase inhibitory properties of selected seaweeds from Gulf of Mannar. International Research Journal of Pharmacy. 3(8): 128-130.
- Shahidi, F. and M. Naczk. 2003. Phenolics in Food and Nutraceuticals; CRC Press: Boca Raton, FL, USA.
- Sharifuddin, Y., Y.X. Chin, P.E. Lim, and S.M. Phang. 2015. Potential bioactive compounds from seaweed for diabetes management. Marine drugs. 13(8): 5447-5491.
- Sharma, R. 2012. Enzyme inhibition: mechanisms and scope. Enzyme inhibition and bioapplications. 3-36.
- Sheu, W.H.H., A. Rosman, A. Mithal, N. Chung, Y.T. Lim, C. Deerochanawong, P. Soewondo, M.K. Lee, K.H. Yoon, and O. Schnell. 2011. Addressing the burden of type 2 diabetes and cardiovascular disease through the management of



- postprandial hyperglycaemia: an Asian-Pacific perspective and expert recommendations. *Diabetes Research and Clinical Practice.* 92(3): 312-321.
- Shibata, T., S. Kawaguchi, Y. Hama, M. Inagaki, K. Yamaguchi, and T. Nakamura. 2004. Local and chemical distribution of phlorotannins in brown algae. *Journal of applied phycology.* 16(4): 291-296.
- Sieniawska, E. 2015. Activities of tannins-from in vitro studies to clinical trials. *Natural Product Communications.* 10(11):1877-1884.
- Signe, J.K., G.A. Aponglen, J.M. Ajeck, and G.S. Taiwe. 2020. Anticonvulsant activities of friedelan-3-one and n-dotriacontane both isolated from *Harungana madagascariensis* Lam (Hypericaceae) seeds extracts. *Journal of Medicinal Plants Research,* 14(10): 509-517.
- Singh, I.P. and S.B. Bharate. 2006. Phloroglucinol compounds of natural origin. *Natural product reports.* 23(4): 558-591.
- Slama, G., F. Elgrably, A. Sola, J. Mbemba, and E. Larger. 2006. Postprandial glycaemia: a plea for the frequent use of delta postprandial glycaemia in the treatment of diabetic patients. *Diabetes & metabolism.* 32(2): 187-192.
- Smith, M.E. and D.G. Morton. 2001. The digestive system: basic science and principles. Churchill Livingstone. Edinburgh.
- Soegianto, L., T. Hertiani, dan S. Pramono. 2017. Isolasi dan Identifikasi Zat Antibakteri dan Antikuorum Sensing dalam Ekstrak Kelopak Bunga Rosela (*Hibiscus sabdariffa* L.). *Jurnal Ilmu Kefarmasian Indonesia.* 14(2): 212-218.
- Song, Y. and S.K. Cho. 2015. Phytol induces apoptosis and ROS-mediated protective autophagy in human gastric adenocarcinoma AGS cells. *Biochemistry and Analytical Biochemistry.* 4(4): 1.
- Soosairaj, S. and T. Dons. 2016. Bio-active compounds analysis and characterization in Ethanolic plant extracts of *Justicia tranquebariensis* L. (Acanthaceae)-using GC-MS. *International J. Chem Tech Res.* 9(7): 260-265.
- Souza, P.M., P.M. Sales, L.A. Simeoni, E.C. Silva, D. Silveira, and P. de Oliveira Magalhães. 2012. Inhibitory activity of α -amylase and α -glucosidase by plant extracts from the Brazilian cerrado. *Planta Medica,* 78(04): 393-399.
- Sparg, S., M.E. Light, and J. Van Staden. 2004. Biological activities and distribution of plant saponins. *Journal of Ethnopharmacology.* 94(2-3): 219-243.
- Su, C.H., C.H. Hsu, and L.T. Ng. 2013. Inhibitory potential of fatty acids on key enzymes related to type 2 diabetes. *Biofactors.* 39(4): 415-421.
- Sugiawati, S., E. Setiasih, and Afifah. 2009. Antihyperglycemic activity of Mahkota



Dewa [*Phaleria macrocarpa* (Scheff.) Boerl.] leaf extracts as an α -glucosidase inhibitor. Makara Kesehatan. 13(2):74-78.

Sugiwati, S. 2005. Aktivitas antihiperglikemik dari ekstrak buah mahkota dewa (*Phaleria macrocarpa* (scheff) boerl) sebagai inhibitor alfa-glukosidase *in vitro* dan *in vivo* pada tikus putih. Tesis. Institut Pertanian Bogor. Bogor.

Sun, C., C. Zhao, E.C. Guven, P. Paoli, J. Simal-Gandara, K.M. Ramkumar, S. Wang, F. Buleu, A. Pah, V. Turi, and G. Damian. 2020. Dietary polyphenols as antidiabetic agents: Advances and opportunities. Food Frontiers, 1(1):18-44.

Sunaryo, H. dan N. Amalia. 2014. Efek antidiabetes dan identifikasi senyawa dominan fraksi kloroform herba ciplukan (*Physalis angulata* L.). Pharmaceutical Sciences and Research (PSR). 8(1): 14-24.

Sundaram, S.M., T. Bharathi, G. Pennarasi, P. Sabarirajan, and M. Vishalanand. 2011. Studies on phytochemicals, antibacterial efficacy and antioxidant potency of *Capparis sepiaria* on enteric pathogens. International Journal of Biomolecules and Biomedicine. 1(3): 1-7.

Supardy, N.A., D. Ibrahim, S.F. Sulaiman, and N.A. Zakaria. 2011. Free radical scavenging activity, total phenolic content and toxicity level of *Halimeda discoidea* extract. International Journal of Pharmacy and Pharmaceutical Sciences. 3(5): 2-8.

Surya, S., A.D. Salam, D.V. Tomy, B. Carla, R.A. Kumar. and C. Sunil. 2014. Diabetes mellitus and medical plants-a review. Asian Pac. J. Trop. Dis. 4(5): 337-347.

Swanson, B.G. 2003. Tannins and polyphenols. In Encyclopedia of Food Sciences and Nutrition; Caballero, B., Ed.; Academic Press: Cambridge, MA, USA: 5729-5733.

Swanson, L. 1998. Polyphenols: chemistry, dietary sources, metabolism, and nutritional significance. Nutrition reviews. 56(11): 317-333.

Syaputri, R.R., E.M. Sutisna, and D.U. Rosyidah. 2014. Uji Efek Ekstrak Etanol 70% Kulit Buah Asam Jawa (*Tamarindus indica* L) Terhadap Penurunan Kadar Glukosa Darah Tikus Jantan Galur Wistar (*Rattus norvegicus*) yang Diinduksi Aloksan (Doctoral dissertation, Universitas Muhammadiyah Surakarta).

Szakiel, A., C. Pączkowski, and M. Henry. 2011. Influence of environmental abiotic factors on the content of saponins in plants. Phytochemistry Reviews. 10(4): 471-491.

Tamat, S.R., T. Wikanta, and L.S. Maulina. 2007. Aktivitas antioksidan dan toksisitas senyawa bioaktif dari ekstrak rumput laut hijau *Ulva reticulata* Forsskal. Jurnal Ilmu Kefarmasian Indonesia. 5(1): 31-36.



- Tampubolon, A., G.S. Gerung, and B. Wagey. 2013. Biodiversitas alga makro di lagun pulau Pasige, kecamatan Tagulandang, kabupaten Sitara. Jurnal pesisir dan laut tropis. 1(2): 35-43.
- Tarantola, E., V. Bertone, G. Milanesi, E. Capelli, A. Ferrigno, D. Neri, M. Vairetti, S. Barni, and L. Freitas, 2012. Dipeptidylpeptidase-IV, a key enzyme for the degradation of incretins and neuropeptides: activity and expression in the liver of lean and obese rats. European journal of histochemistry: EJH. 56(4).
- Terrill, T., A.M. Rowan, G.B. Douglas, and T.N. Barry. 2010. Determination of extractable and bound condensed tannin concentrations in forage plants, protein concentrate meals and cereal grains. J Sci Food Agric. 58:321– 9.
- Thomas, N.V., and S.K. Kim. 2011. Potential cosmeceutical applications of phlorotannins and fucoidans from marine algae in the treatment of atopic dermatitis (pp. 257-264). CRC Press: Boca Raton, FL, USA.
- Thompson, L.U. 1993. Potential health benefits and problems associated with antinutrients in foods. Food Research International. 26(2): 131-149.
- Tong, Z., W. He, X. Fan, and A. Guo. 2021. Biological Function of Plant Tannin and Its Application in Animal Health. Frontiers in Veterinary Science. 8:1-7.
- Trono, G.C. 2001. Seaweeds. In Carpenter, K.E. and V.H. Niem. The Living Marine Resources of the Western Central Pacific, Vol. 1. FAO Species Identification Guide for Fishery Purposes. Rome. FAO. 19-99.
- Umpierrez, G.E., S.D. Isaacs. N. Bazargan, X. You, L.M. Thaler, and A.E. Kitabchi. 2002. Hyperglycemia: an independent marker of in-hospital mortality in patients with undiagnosed diabetes. The Journal of Clinical Endocrinology & Metabolism. 87(3): 978-982.
- Unnikrishnan, P.S., K. Suthindhiran, and M.A. Jayasri. 2015. Alpha-amylase inhibition and antioxidant activity of marine green algae and its possible role in diabetes management. Pharmacognosy magazine. 11(4): S511.
- Van Ginneken, V.J., J.P. Helsper, W. Visser, H. van Keulen, and W.A Brandenburg. 2011. Polyunsaturated fatty acids in various macroalgal species from north Atlantic and tropical seas. Lipids in health and disease. 10(1): 1-8.
- Venkatesh, R., S. Shanthi, K. Rajapandian, S. Elamathi, S. Thenmozhi, and N. Radha. 2011. Preliminary study on anti-xanthomonas activity, phytochemical analysis and characterization of antimicrobial compounds from *Kappaphycus alvarezii*. Asian J. Pharm. Clin. Res, 4(3): 46-51.
- Vincken, J.P., L. Heng, A. de-Groot, and H. Gruppen. 2007. Saponins, classification and occurrence in the plant kingdom. Phytochemistry. 68(3): 275-297.



Wahyuntari., dan Budiasih. 2011. Penghambatan α -amilase: jenis, sumber, dan potensi pemanfaatannya dalam kesehatan. *J. Teknologi dan Industri Pangan.* 22(2):197-201.

Wang, T., R. Jónsdóttir, and G. Ólafsdóttir. 2009. Total phenolic compounds, radical scavenging and metal chelation of extracts from Icelandic seaweeds. *Food chemistry.* 116(1): 240-248.

Warade, J.P. and A. Pandey. 2014. Fasting blood glucose level higher than post-meal in healthy subjects: a study of 738 subjects. *World J Pharm Res.* 3(4): 1121-1128.

Weber-van Bosse, A. 1913. Liste des Algues du Siboga I. Myxophyceae, Chlorophyceae, Phaeophyceae. *Siboga Expeditie.* 59a: 59.

Wells, M.L., P. Potin, J.S. Craigie, J.A. Raven, S.S. Merchant, K.E. Helliwell, A.G. Smith, M.E. Camire, and S.H. Brawley. 2017. Algae as nutritional and functional food sources: revisiting our understanding. *Journal of applied phycology.* 29(2): 949-982.

WHO. 2021. Diabetes. Tersedia online di <https://www.who.int/news-room/fact-sheets/detail/diabetes> [Diakses pada 28/03/2021].

Widiasa, I.N. and I.G. Wenten. 2007. Combination of reverse osmosis and electrodeionization for simultaneous sugar recovery and salts removal from sugary wastewater. *Reaktor.* 11(2): 91-97.

Widowati, R., S. Handayani, and I.L.R. Suprihatin. 2021. Phytochemicals and antioxidant ff methanol extract ff *Gracilaria salicornia*, *Halimeda gracilis*, *Halimeda macroloba*, and *Hypnea asperi* from Tidung island coastal region. *European Journal of Molecular & Clinical Medicine.* 8(1): 2021.

Wirasuta., dan M. Agus. 2008. Analisis Toksikologi Forensik dan interpretasi temuan Analisis. *Indonesian journal of legal and forencis science.* 1(1):47-55.

Wuttke, A., O. Idevall-Hagren, and A. Tengholm. 2013. P2Y1 receptor-dependent diacylglycerol signaling microdomains in β cells promote insulin secretion. *The FASEB Journal.* 27(4): 1610-1620.

Xu, H. 2010. Inhibition kinetics of flavonoids on yeast α -glucosidase merged with docking simulation. *Protein and Peptide Letters.* 17(10): 1270-1279.

Xu, J., M. Teran-Garcia, J.H. Park, M.T. Nakamura, and S.D. Clarke. 2001. Polyunsaturated fatty acids suppress hepatic sterol regulatory element-binding protein-1 expression by accelerating transcript decay. *Journal of Biological Chemistry.* 276(13): 9800-9807.

Yamada, Y. 1941. [On the species of Halimeda from Micronesia]. *Kagaku Nanyō* 4: 108-121, 15 figs. [in Japanese].



- Yan, X., C. Yang, G. Lin, Y. Chen, S. Miao, B. Liu, and C. Zhao. 2019. Antidiabetic potential of green seaweed *Enteromorpha prolifera* flavonoids regulating insulin signaling pathway and gut microbiota in type 2 diabetic mice. Journal of food science. 84(1): 165-173.
- Yang, X., M.C. Kang, K.W. Lee, S.M. Kang, W.W. Lee, and Y.J. Jeon. 2011. Antioxidant activity and cell protective effect of loliolide isolated from *Sargassum ringgoldianum* subsp. Coreanum. Research Article Algae. 26(2): 201-208.
- Yao, Y., W. Sang, M. Zhou, and G. Ren. 2010. Antioxidant and α -glucosidase inhibitory activity of colored grains in China. Journal of Agricultural and Food Chemistry. 58(2): 770-774.
- Yokozawa, T., E.J. Cho, C.H. Park, and J.H. Kim. 2012. Protective effect of proanthocyanidin against diabetic oxidative stress. Evidence-based complementary and alternative medicine. (2012): 1-11.
- Yoshie-Stark, Y., Y.P. Hsieh, and T. Suzuki. 2003. Distribution of flavonoids and related compounds from seaweeds in Japan. Journal-Tokyo University of Fisheries. 89: 1-6.
- Yulianto, A., N.I.A.U. Hanifah, A.A. Setiaputri, N. Hambar, A.C.A. Wasisto, N. Fabella, M. Mustafa, M.N. Fajri, A.A. and Nurjanah. 2020. Karakterisasi komponen kimia dan screening fitokimia *Halimeda macroloba* dari perairan Jakarta. Prosiding Seminar Nasional Hasil Riset Pengolahan Produk dan Bioteknologi Kelautan dan Perikanan Tahun 2020. Jakarta: oktober 2020. Hal. 57-66.
- Yuniastuti, A., R. Susanti, dan R.S. Iswari. 2018. Efek infusa umbi garut (*Marantha arundinaceae* l) terhadap kadar glukosa dan insulin plasma tikus yang diinduksi streptozotocyn. Indonesian Journal of Mathematics and Natural Sciences. 41(1): 34-39.
- Zayed, M.Z., A. Wu, and S.M. Sallam. 2019. Comparative phytochemical constituents of *Leucaena leucocephala* (Lam.) leaves, fruits, stem barks, and wood branches grown in Egypt using GC-MS method coupled with multivariate statistical approaches. BioResources. 14(1): 996-1013.
- Zhang, J., S. Zhao, P. Yin, L. Yan, J. Han, L. Shi, X. Zhou, Y. Liu, and C. Ma. 2014. α -Glucosidase inhibitory activity of polyphenols from the burs of *Castanea mollissima* Blume. Molecules. 19(6): 8373-8386.
- Zhang, M., W.L. Wang, Y.C. Fang, T.J. Zhu, Q.Q. Gu, and W.M. Zhu. 2008. Cytotoxic alkaloids and antibiotic nordammarane triterpenoids from the marine-derived fungus *Aspergillus sydowi*. Journal of natural products. 71(6): 985-989.