

DAFTAR PUSTAKA

- Achaby M.E., Arrakhiz F.Z., Vaudreuil S., Essassi E.M., Qaiss A., 2012, Piezoelectric Polymorph Formation and Properties Enhancement in Graphene Oxide B-PVdF Nanocomposite Films, *Appl. Surf.Sci.*, 258, 7668-7677
- Agarwala, S., Thummalakunta, L.N.S.A., Cook, C.A., Peh, C.K.N., Wong, A.S.W., Ke L and Ho, G.W., 2010, Co-existence LiI and KI in Filler-Free, Quasi Solid State Electrolyte for Efficient and Stable Dye-Sensitized Solar Cells, *J. Power Source*, 1651-1656.
- Agus M. E. S. A., 2012, Otomatisasi Pengukuran Koefisien Viskositas Zat Cair Menggunakan Gelombang Ultrasonik, *Jurnal Neutrino*, 2(2). 183-192.
- Ali, A.M.M.A., Subban, R.H.Y., Bahron, H., Winnie, T., Latif, F., Yahya, M.Z.A., 2008. Grafted Natural Rubber-Based Polymer Electrolytes: ATR-FTIR and Conductivity Studies. *Ionics* 14, 491–500
- Bella F., Sacco A., Pugliese D., Laurenti M. dan Bianco S., 2014, Additives and Salts for Dye-sensitized Solar Cell Electrolytes: What is the Best Choice?, *J. of Power Sources*, 264, 333-343
- Bo, Z., Yu, K., Lu, G., Wang, P., Mao, S., and Chen, J., 2011, Understanding Growth of Carbon Nanowalls at Atmospheric Pressure Using Normal Glow Discharge Plasma-Enhanced Chemical Vapor Deposition, *Carbon N. Y.*, 49, 1849–1858.
- Buraidah, M.H., Teo, L.P., Majid, S.R., dan Arof, A.K., 2010, Characteristics of TiO₂/Solid Electrolyte Junction Solar Cells with I⁻/I₃⁻ Redox Couple, *Opt. Mater.*, 32, 723-728.
- Chatzivasiloglou, E., Stergiopoulos, T., Kontos, A.G., Alexis, N., Prodromidis, M., dan Falaras, P., 2007, The Influence of The Metal Cation and The Filler on The Performance of Dye-Sensitized Solar Cells Using Polymer-Gel Redox Electrolytes, *J. Photochem. Photobiol. A*, 192, 49-55.
- Chawla P., Stivastava A. dan Tripathi M., 2018, Performance of Chitosan Based Polymer Electrolyte for Natural Dye Sensitized Solar Cell, *Env.I Prog. & Sust. Energy*, 38(2), 1-5
- Chua, C.K., Sofer, Z., and Pumera, M., 2012, Graphite Oxides: Effects of Permanganate and Chlorate Oxidants on the Oxygen Composition, *Chem. A Eur. J.*, 18, 13453–13459
- Damayanti, R., Hardeli dan Sanjaya H., 2014, Preparasi *Dye Sensitized Solar Cell* (DSSC) Menggunakan Ekstrak Antosianin Ubi Jalar Ungu (*Ipomoea batatas* L.), *Jurnal Sainstek*, 6(2), 148-157
- Dimiev, A.M. and Tour, J.M., 2014, Mechanism of Graphene Oxide Formation, *ACS Nano*, 8, 3060–3068.
- Dutta P. K., Dutta J. dan Tripathi V. S., 2004, Chitin and Chitosan: Chemistry, Properties and Applications, *J. of Sci. and Ind. Res.*, 63(1), 20-31

- El Essawy, N.A., Ali, S.M., Farag, H.A., Konsowa, A.H., Elnouby, M., and Hamad, H.A., 2017, Green synthesis of graphene from recycled PET bottle wastes for use in the adsorption of dyes in aqueous solution, *Ecotoxicol. Environ. Saf.*, 145, 57–68
- Fenton, D.E., Parker, J.M. and Wright, P.V., 1973 Complexes Of Alkali Metal Ions with Poly (Ethylene Oxide). *Polymer*, 14, 589.
- Freitas, J.N., Nogueira, A.F., dan Paoli, M.A.D, 2009, New Insight into Dye Sensitized Solar Cells with Polymer Electrolytes, *J. Mater. Chem.*, 19, 5279-5294.
- Geim, A.K. and Novoselov, K.S., 2007, The Rise of Graphene, *Nat. Mater.*, 6, 183– 191.
- Gonçalves, C., Ferreira, N. dan Lourenço, L., 2021, Production of Low Molecular Weight Chitosan and Chitooligosaccharides (COS): A Review. *Polymers*, 13, 2466.
- Green, M.A., Emery, K., King, D.L., Hisikawa, Y., dan Warta, W., 2006, Solar Cell Efficiency Tables (version 27), *Prog. Photovolt. Res. Appl.*, 14, 45-51.
- Halliday D., Resnick R. dan Walker J., 2005. *Fisika Dasar Edisi Tujuh Jilid 2*. Jakarta: Erlangga
- Irdhawati, E. Sahara, I. W. Hermawan, 2016, Teknik Voltametri Pelucutan Anodik Untuk Penentuan Kadar Logam Cu (II) Pada Air Laut Pelabuhan Benoa, *Jurnal Kimia*, 10(1), 81-88.
- Ismail, Z., 2019, Green Reduction of Graphene Oxide by Plant Extracts: A short review, *Ceram. Int.*, 45, 23857–23868.
- Jin, X., Li, N., Weng, X., Li, C., and Chen, Z., 2018, Green Reduction of Graphene Oxide Using Eucalyptus Leaf Extract and its Application to Remove Dye, *Chemosphere*, 208, 417–424.
- Joseph J., Son K.M., Vittal R. dan Lee W., 2006, Quasi-Solid-State Dye-Sensitized Solar Cells with Siloxane Poly (Ethylene Glycol) Hybrid Gel Electrolyte, *Semiconductor Science and Technology* 21(5), 697-701
- Kalaigian, G.P., Kang, M.S., dan Kang, Y.S., 2006, Effects of Composition on Properties of PEO-KI-I2 Salts Polymer Electrolytes for DSSC, *Solid State Ionics*, 12(177), 1091-1097
- Khalili M., Abedi M., Amoli H.S., Mozaffari S.A., 2017, Comparison of Chitosan and Chitosan Nanoparticles on the Performance and Charge Recombination of Water-based Gel Electrolyte in Dye Sensitized Solar Cells, *Carbohydrate Polymers*, Vol 175, 1-6
- Khair A.S.A., Puteh R. dan Arof A.K., 2005, Conductivity Studies of a Chitosan-based Polymer Electrolyte, *Physica B Condensed Matter*, 373(1):23-27
- Kholidah, N., Faizal, M., Said, M. (2018). Polystyrene Plastic Waste Conversion into Liquid Fuel with Catalytic Cracking Process Using Al₂O₃ as Catalyst. *Science & Technology Indonesia*, 3, 1- 6
- Kim, J.H., Kang, M.S., Kim, Y.J., Won, J. and Kang, Y.S., 2005, Poly(butyl acrylate)NaI/I₂ Electrolyte for Dye-Sensitized Nanocrystalline TiO₂ Solar Cells, *Solid State Ionic*, 176, 579-584.

- Kumara, Maya S. W. dan Gontjang P., 2012, *Studi Awal Fabrikasi Dye-Sensitized Solar Cells (DSSC) dengan Menggunakan Ekstraksi Daun Bayam (Amaranthus Hybridus L.) sebagai Dye Sensitized dengan Variasi Jarak Sumber Cahaya pada DSSC*. Surabaya
- Kurniawati W., 2021, *Green Synthesis of Graphene from PET Plastic Waste Through Reduction by Cajeput (Melaleuca leucadendron Linn.) Bark and Leaf Extract*, Yogyakarta
- L. Muliani, N. M. Nursam, dan J. Hidayat, 2016, "Performance of Dye-sensitized Solar Cells Based on Gel Electrolyte," *Jurnal Elektronika dan Telekomunikasi*, 13(1), 14-17
- Lee, S.H.A., Jackson, A.M.S., Hess, A., Fei, S.T., Pursel, S.M., Basham, J., Grimes, C.A., Horn, M.W., Allcock, H.R., dan Mallouk, T.E., 2010, Influence of Different Iodide Salts on the Performance of Dye-Sensitized Solar Cells Containing Phosphazene-Based Nonvolatile Electrolytes, *J. Phys. Chem. C.*, 114, 15234-15242.
- Mao, S., Pu, H., and Chen, J., 2012, Graphene Oxide and its Reduction: Modeling and Experimental Progress, *RSC Adv.*, 2, 2643–2662.
- Marchezi P.E., Sonai G.G., Hirata M.K., Schiavon M.A. dan Nogueira A.F., 2016, Understanding the Role of Reduced Graphene Oxide in the Elektrolyte of Dye-sensitized Solar Cell, *J. Phys. Chem.*, 120, 23368-23376
- Peng, S., Fan, X., Li, S., and Zhang, J., 2013, Green Synthesis and Characterization of Graphite Oxide by Orthogonal Experiment, *J. Chil. Chem. Soc.*, 58, 2213– 2217.
- Popova, A.N., 2017, Crystallographic Analysis of Graphite by X-Ray Diffraction, *Coke Chem.*, 60, 361–365.
- Prabakaran K., Jandas P.J., Mohanty S. dan Nayak S.K., 2018, Synthesis, Characterization of Reduced Graphene Oxide Nanosheets and its Reinforcement Effect on Polymer Electrolyte for Dye Sensitized Solar Cell Applications, *Solar Energy*, 170, 442-453.
- Pujiarti, R., Ohtani, Y., and Ichiura, H., 2012, Chemical Compositions, Antioxidant and Antifungal Activities of Melaleuca leucadendron Linn. Leaf Oils from Indonesia, *Wood Res. J.*, 3, 23–29
- Ruan, G., Sun, Z., Peng, Z., and Tour, J.M., 2011, Growth of Graphene From Food, Insects, and Waste, *ACS Nano*, 5, 7601–7607.
- Santoso, J.; Adiputra, K.C.; Soerdirga, L.C.; Tarmen, K. Effect of Acetic Acid Hydrolysis on the Characteristics of Water Soluble Chitosan. *IOP Conf. Ser. Earth Environ. Sci.*, 414, 012021
- Seiler, S., Halbig, C.E., Grote, F., Rietsch, P., Börrnert, F., Kaiser, U., 2018, Effect of Friction on Oxidative Graphite Intercalation and High-Quality Graphene Formation, *Nat. Commun.*, 9, 1–9.
- Sharma, S., 2018, Glassy Carbon: A Promising Material for Micro and Nanomanufacturing, *Materials (Basel)*, 11.
- Sharma, S., Rostas, A.M., Bordonali, L., MacKinnon, N., Weber, S., Korvink, J.G. Micro and nano patternable magnetic carbon. *J. Appl. Phys.* 2016, 120, 235107.

- Sofiana, Yunida. (2010). Pemanfaatan Limbah Plastik sebagai Alternatif Bahan Pelapis (Upsholstery) pada Produk Interior. *Humaniora*, 11(2), 96-102
- Susmiyanto D., Wibowo N. A. dan Sutresno A., 2013, Karakterisasi Ekstrak Antosianin Ubi Jalar Ungu (*Ipomoea batatas* L) sebagai Fotosensitisasi pada Sel Surya Pewarna Tersensitisasi. *Seminar Nasional 2nd Lontar Physics Forum 2013*, Salatiga: Universitas Kristen Satya Wacana
- Swain, S.S., Unnikrishnan, L., Mohanty, S., and Nayak, S.K., 2018, Hybridization of MWCNTs and Reduced Graphene Oxide on Random and Electrically Aligned Nanocomposite Membrane for Selective Separation of O₂/N₂ Gas Pair, *J. Mater. Sci.*, 53, 15442–15464.
- Vincent, C.A., 1995, Ion Transport in Polymer Electrolyte, *Electrochim. Acta*, 40, 2035.
- Wang, B.; Sun, Q.; Liu, S.; Li, Y., 2013, Synergetic Catalysis of CuO and Graphene Additives on TiO₂ for Photocatalytic Water Splitting. *Int. J. Hydrogen Energy* 38, 7232–7240.
- Wang X., Bai H., Yao Z., Liu A. dan Shi G., 2010, Electrically Conductive and Mechanically Strong Biomimetic Chitosan/Reduced Graphene Oxide Composite Films, *J. Mater. Chem.*, 20, 9032-9036
- Wu, R., Ding, Y., Yu, K.M., Zhou, K., Zhu, Z., Ou, X., 2019, Edge-Epitaxial Growth of Graphene on Cu with a Hydrogen-Free Approach, *Chem. Mater.*, 31, 2555–2562.
- Y. Liu, A. Hagfeldt, X.R. Xiao, S.E. Lindquist, 1998, Solar Energy Mater. *Sol. Cells*, 55, 267-281.
- Yang Y., Hu H., Zhou C., Xu S., Sebo B., dan Zhao X., 2011, Novel Agarose Polymer Electrolyte for Quasi State Dye-Sensitized Solar Cell, *Journal of Power Sources*, 196, 2410-2415
- Yi, M. and Shen, Z., 2015, A Review on Mechanical Exfoliation for the Scalable Production of Graphene, *J. Mater. Chem. A*, 3, 11700–11715.
- Yuan W. L., Yang X., He L., Xue Y., Qin S. dan Tao G. H., 2018, Viscosity, Conductivity and Electrochemical Property of Dicyanamide Ionic Liquids, *Front Chem*, 6(59), 1-12
- Yoshida Y., Baba O., Larriba C., Saito G. (2007). Imidazolium-based ionic liquids formed with dicyanamide anion: influence of cationic structure on ionic conductivity. *J. Phys. Chem. B.*, 111, 12204–12210
- Zhang, J., Wang, X., Qi, G., Li, B., Song, Z., Jiang, H., 2016, A Novel N-doped Porous Carbon Microsphere Composed of Hollow Carbon Nanospheres, *Carbon N. Y.*, 96, 864–870.
- Zhang, Z. and Wang, Q., 2017, The New Method of XRD Measurement of the Degree of Disorder for Anode Coke Material, *Crystals*, 7, 1–10.