

## DAFTAR PUSTAKA

- Afriliana, A., Pratiwi, D., Giyarto, Belgis, M., Harada, H., Yushiharu, M., & Taizo, M. (2019). Volatile Compounds Changes in Unfermented Robusta Coffee by Re-Fermentation Using Commercial Kefir. *Nutrition & Food Science International Journal*, 8(4), 4–9. <https://doi.org/10.19080/nfsij.2019.08.555745>
- Alhabsyi, M. F., Lengkey, L. C. C. E., & Ludong, M. M. (2021). Perbandingan Mutu Biji Kopi Robusta (*coffea canephora*) Hasil Pengeringan Secara Pengasapan dan Penjemuran Di Perkebunan Kopi Desa Purworejo Kabupaten Bolaang Mongondow Timur. *Cocos*, 4(4), 1–10. <https://ejournal.unsrat.ac.id/index.php/cocos/article/view/34627>
- Alves, G. E., Borém, F. M., Andrade, E. T., Isquierdo, É. P., Siqueira, V. C., & Dias, C. D. A. (2020). *Influence Of Different Temperatures And Airflows On Drying Of Natural And Pulped Coffee Coffea arabica L.*, This study aimed to evaluate drying kinetics for natural and pulped coffee , using different temperatures and drying airflows . *For the conduction* . 4430, 192–200.
- Anisa, A., Solomon, W. K., & Solomon, A. (2017). Optimization of roasting time and temperature for brewed hararghe coffee (*Coffea Arabica L.*) using central composite design. *International Food Research Journal*, 24(6), 2285–2294.
- AOAC. (2005). *Official Methods of Analysis. 18th edition*. Association of Official Analitical Chemist. AOAC.
- Aventi. (2015). Penelitian Pengukuran Kadar Air Buah. *Seminar Nasional Cendekiawan*, 1(1), 12–27.
- Azizah, N., Al-bAARI, A., & Mulyani, S. (2012). Pengaruh Lama Fermentasi Terhadap Kadar Alkohol, pH, dan Produksi Gas pada Proses Fermentasi Bioetanol dari Whey dengan Substitusi Kulit Nanas. *Jurnal Aplikasi Teknologi Pangan*, 1(2), 72–77. [/citations?view\\_op=view\\_citation&continue=/scholar?hl=id&as\\_sdt=0,5&scilib=1&citilm=1&citation\\_for\\_view=uuVIu5AAAAAJ:YsMSGlbcyi4C&hl=id&oi=p](https://doi.org/10.29103/jtku.v7i2.1252)
- Bahri, S., Aji, A., & Yani, F. (2019). Pembuatan Bioetanol dari Kulit Pisang Kepok dengan Cara Fermentasi menggunakan Ragi Roti. *Jurnal Teknologi Kimia Unimal*, 7(2), 85. <https://doi.org/10.29103/jtku.v7i2.1252>
- Belay, A., Ture, K., Redi, M., & Asfaw, A. (2008). Measurement of caffeine in coffee beans with UV/vis spectrometer. *Food Chemistry*, 108(1), 310–315. <https://doi.org/10.1016/j.foodchem.2007.10.024>
- Benjamin, C., Paul, M. F., & Fidel, T. (2016). Coffee: Health Effects. In *Encyclopedia of Food and Health*. Academic Press is an imprint of Elsevier.
- Bressani, A. P. P., Martinez, S. J., Evangelista, S. R., Dias, D. R., & Schwan, R. F. (2018). Characteristics of fermented coffee inoculated with yeast starter cultures using different inoculation methods. *LWT - Food Science and Technology*, 92(October 2017), 212–219. <https://doi.org/10.1016/j.lwt.2018.02.029>
- BSN. (2008). *SNI 01-2907-2008. Biji kopi*. Badan Standar Nasional. Dewan Standar Nasional.
- Burdock, G. . (2010). *Fenaroli's Handbook of Flavor Ingredients Sixth Edition*. CRC Press.
- Cannon, R., Trinnaman, L., Grainger, & Trail, A. (2010). *The Key Odorants of Coffee from Various Geographical Locations*. American Chemical Society.
- Cardoso, W. ., Agnoletti, B. ., Freitas, R. ., Abreu Pinheiro, F. ., & Pereira, L. L. (2021). Biochemical aspects of coffee fermentation. In *Quality Determinants In Coffee Production* (hal. 149–208). Springer.

- De Bruyn, F., Zhang, S. J., Pothakos, V., Torres, J., Lambot, C., Moroni, A. V., Callanan, M., Sybesma, W., Weckx, S., & De Vuyst, L. (2017). Exploring the impacts of postharvest processing on the microbiota and metabolite profiles during green coffee bean production. *Applied and Environmental Microbiology*, 83(1). <https://doi.org/10.1128/AEM.02398-16>
- de Carvalho Neto, D. P., de Melo Pereira, G. V., Tanobe, V. O. A., Soccol, V. T., da Silva, B. J. G., Rodrigues, C., & Soccol, C. R. (2017). Yeast diversity and physicochemical characteristics associated with coffee bean fermentation from the Brazilian Cerrado Mineiro region. *Fermentation*, 3(1). <https://doi.org/10.3390/fermentation3010011>
- Dharmawan, A., Cahyo, F., & Widyotomo, S. (2018). *Determining Optimum Point of Robusta Coffee Bean*. 34(1), 59–65.
- Dias, R. C. E., & Benassi, M. de T. (2015). Discrimination between arabica and robusta coffees using hydrosoluble compounds: Is the efficiency of the parameters dependent on the roast degree? *Beverages*, 1(3), 127–139. <https://doi.org/10.3390/beverages1030127>
- Elhalis, H., Cox, J., Frank, D., & Zhao, J. (2021). Microbiological and biochemical performances of six yeast species as potential starter cultures for wet fermentation of coffee beans. *Lwt*, 137(August 2020), 110430. <https://doi.org/10.1016/j.lwt.2020.110430>
- Evangelista, S. R., Silva, C. F., Miguel, M. G. P. da C., Cordeiro, C. de S., Pinheiro, A. C. M., Duarte, W. F., & Schwan, R. F. (2014). Improvement of coffee beverage quality by using selected yeasts strains during the fermentation in dry process. *Food Research International*, 61, 183–195. <https://doi.org/10.1016/j.foodres.2013.11.033>
- Fadai, N. T., Melrose, J., Please, C. P., Schulman, A., & Gorder, R. A. Van. (2017). *International Journal of Heat and Mass Transfer A heat and mass transfer study of coffee bean roasting*. 104, 787–799.
- Faizah, N. (2014). *Pengaruh Konsentrasi Inokulum pada Fermentasi Kopi menggunakan Bakteri Proteolitik, Selulolitik dan Xilanolitik*. Institut Pertanian Bogor.
- Fan, Y., Li, J., Guo, Y., Xie, L., & Zhang, G. (2021). Digital image colorimetry on smartphone for chemical analysis: A review. *Measurement: Journal of the International Measurement Confederation*, 171(June 2020), 108829. <https://doi.org/10.1016/j.measurement.2020.108829>
- Farida, A., R, E. R., & Kumoro, D. A. C. (2013). Penurunan Kadar Kafein dan Asam Total pada Biji Kopi Robusta Menggunakan Teknologi Fermentasi Anaerob Fakultatif dengan Mikroba Nopkor MZ-15. *Jurnal Teknologi Kimia dan Industri*, 2(3), 70–75.
- Ferreira, C., Danielle, S., & Vilela, M. (2013). *Evaluation of a potential starter culture for enhance quality of coffee fermentation*. 235–247. <https://doi.org/10.1007/s11274-012-1175-2>
- Gita Arumsari, A., Surya, R., Irmasuryani, S., & Sapitri, W. (2021). *Analisis Proses Roasting pada Kopi*. 1(November), 1–4. <http://ejurnal.undana.ac.id/index.php/jbkHalaman%7C98>
- Goldstein, D. (2015). *The Oxford Companion to Sugar and Sweets*. Oxford University Press.
- Gumulya, D., & Helmi, I. . (2017). Kajian Budaya Minum Kopi Indonesia. *Dimensi*, 13(2), 153–172.
- Hadipernata, M., & Nugraha, S. (2012). Identifikasi fisik, kimia dan mikrobiologi biji kopi luwak sebagai dasar acuan teknologi proses kopi luwak artificial. *Prosiding InSINas, November 2012*, 117–121.

- Haile, M., & Kang, W. H. (2019). The Role of Microbes in Coffee Fermentation and Their Impact on Coffee Quality. *Journal of Food Quality*, 2019. <https://doi.org/10.1155/2019/4836709>
- Hameed, A., Hussain, S. A., Ijaz, M. U., Ullah, S., Pasha, I., & Suleria, H. A. R. (2018). Farm to Consumer: Factors Affecting the Organoleptic Characteristics of Coffee. II: Postharvest Processing Factors. *Comprehensive Reviews in Food Science and Food Safety*, 17(5), 1184–1237. <https://doi.org/10.1111/1541-4337.12365>
- Hanasasmita, N. (2018). *Profiling Komponen Aroma Kopi (Arabika Dan Robusta) Ub Forest Dengan Aplikasi Gas Chromatography Mass Spectrometry (Gc-Ms)*. Fakultas Teknologi Pertanian Universitas Brawijaya.
- Handayani, B. R. (2016). Coffee and Its Flavor. *Jurnal Ilmiah Rekayasa Pertanian dan Biosistem*, 4(1), 222–227.
- Hidayat, D. D., Indriati, A., & Andriansyah, C. E. (2021). *Changes of Some Engineering Properties of Coffee Beans Due to Roasting Process*. February 2020. <https://doi.org/10.24203/ajas.v8i1.6055>
- Holban, A. ., & Grumezescu, A. (2020). *Biotechnological Progress and Beverage Consumption*. Academic Press.
- Huch, M., & Franz, C. . (2015). *Advances in fermented food and beverages*. Max Rubner-Institut Karlsruhe.
- Hussain, S. Z., & Maqbool, K. (2014). GC-MS: Principle, Technique and its application in Food Science. *Int J Curr Sci*, 13, 116–126.
- ICO. (2021a). Coffe Market Report. *International Coffee Organization, September*, 1–11. <https://www.ico.org/Market-Report-20-21-e.asp>
- ICO. (2021b). *World coffee production*. International Coffee Organization. <https://www.ico.org/prices/po-production.pdf>
- Indrawanto, C., Kamawati, E., Munarso, Prastowo, S., Rubijo, B., & Siswanto. (2010). *Budidaya dan Pascapanen Kopi*. Pusat Penelitian dan Pengembangan Perkebunan.
- ITC. (2012). *The Coffee Exporter's Guide* (Third Edit). International Trade Center.
- Jacobs, M. (1962). *The Chemical Analysis of Food and Food Products*. 3rd Ed. D Van Nostrand Company Inc.
- Junior, G. C. A., Ferreira, N. R., & Lopes, A. S. (2021). The microbiota diversity identified during the cocoa fermentation and the benefits of the starter cultures use: an overview. *International Journal of Food Science and Technology*, 56(2), 544–552. <https://doi.org/10.1111/ijfs.14740>
- Khazalina, T. (2020). *Saccharomyces cerevisiae* in making halal products based on conventional biotechnology and genetic engineering. *Journal of Halal Product and Research*, 3(2), 88. <https://doi.org/10.20473/jhpr.vol.3-issue.2.88-94>
- Kivancli, J., & Elmaci, Y. (2015). Characterization of turkish-style boiled coffee aroma by gc/ms and descriptive analysis techniques. *International Journal of Food Properties*.
- Li, C., Yu, J., Wang, D., Li, L., Yang, X., Ma, H., & Xu, Y. (2016). Efficient removal of zinc by multi-stress-tolerant yeast *Pichia kudriavzevii* A16. *Bioresource Technology*, 206, 43–49. <https://doi.org/10.1016/j.biortech.2016.01.057>
- Mamuaja, C. F. (2016). *PENGAWASAN MUTU DAN KEAMANAN PANGAN*. Unsrat Press.
- Martínez-Avila, O., Sánchez, A., Font, X., & Barrena, R. (2020). 2-Phenylethanol (Rose Aroma) Production Potential of an Isolated *Pichia Kudriavzevii* Through Solid-State Fermentation. *Process Biochemistry*, 93(December 2019), 94–103. <https://doi.org/10.1016/j.procbio.2020.03.023>
- Mendonça, J. C. F., Franca, A. S., & Oliveira, L. S. (2009). *Physical characterization of*

- non-defective and defective Arabica and Robusta coffees before and after roasting*. 92, 474–479. <https://doi.org/10.1016/j.jfoodeng.2008.12.023>
- Mohsenin, N. N. (1970). *Physical Properties of Plant and Animal Material Vol 1. (Structure, Physical, Characteristics, and Mechanical Properties*. Gordon and Breach Science Publishers.
- Mokrzycki, W., & Tatol, M. (2011). Color difference Delta E - A survey Colour difference  $\Delta E$  - A survey Faculty of Mathematics and Informatics. *Machine Graphics and Vision*, 20(4), 383–411.
- Mulato, S. (2019). *Perubahan Fisis dan Kimiawi Biji Kopi selama Penyangraian*. <https://www.cctcid.com/2019/07/22/perubahan-fisis-dan-kimiawi-biji-kopi-selama-penyangraian/>
- Mussatto, S. I., Machado, E. M. S., Martins, S., & Teixeira, J. A. (2011). Production, Composition, and Application of Coffee and Its Industrial Residues. *Food and Bioprocess Technology*, 4(5), 661–672. <https://doi.org/10.1007/s11947-011-0565-z>
- Najiyati, S., & Danarti. (2012). *Kopi : Budi Daya dan Penanganan Pascapanen*. PT. Penebar Swadaya.
- Nurhayati, N. (2018). Karakteristik Sensori Kopi Celup Dan Kopi Instan Varietas Robusta Dan Arabika. *Jurnal Ilmiah Inovasi*, 17(2), 80–85. <https://doi.org/10.25047/jii.v17i2.547>
- Paiva, E. De, Silva, K., Júnior, F., & Brigante, G. P. (2020). *Effects of anaerobic fermentation on arabica coffee quality*. 13(12), 36–41. <https://doi.org/10.9790/2380-1312013641>
- Pangaribuan, S., Nuryawati, T., & Suprpto, A. (2016). Sifat Fisik dan Mekanik Serta Pengaruh Penyosohan terhadap Sifat Fisik dan Mekanik Biji Sorgum Varietas KD 4. *Prosiding Seminar Nasional Pengembangan Teknologi Pertanian, September*, 81–86.
- Panggabean, E. (2011). *Buku Pintar Kopi*. AgroMedia Pustaka.
- Parhusip, A. J. N., Aileen, N. W., Fernando, O. I., & Lincoln, H. (2020). *Pengaruh Waktu Perebusan Dan Waktu Fermentasi Terhadap Peningkatan Total Senyawa Fenolik Dan Flavonoid Bir Ale*. 4(2).
- Pereira, G., Neto, E., Soccol, V. T., Medeiros, A. B. P., Woiciechowski, A. L., & Soccol, C. R. (2015). Conducting starter culture-controlled fermentations of coffee beans during on-farm wet processing: Growth, metabolic analyses and sensorial effects. *Food Research International*, 75, 348–356. <https://doi.org/10.1016/j.foodres.2015.06.027>
- Pereira, L. L., Guarçoni, R. C., Pinheiro, P. F., Osório, V. M., Pinheiro, C. A., Moreira, T. R., & ten Caten, C. S. (2020). New propositions about coffee wet processing: Chemical and sensory perspectives. *Food Chemistry*, 310(December 2019), 125943. <https://doi.org/10.1016/j.foodchem.2019.125943>
- Pietsch, A. (2017). Decaffeination—Process and Quality. In *The craft and science of coffee*. Academic press.
- Pinheiro, P. F., Pinheiro, C. A., Osório, V. M., & Pereira, L. L. (2021). Chemical Constituents of Coffee. In *Quality Determinants in Coffee Production* (hal. 209–242).
- Puspitasari, I., Sandra, S., & Wibisono, Y. (2019). Physical Properties of Peanuts in Talam 1 Varieties, Talam 2 Varieties and Takar 2 Varieties. *Jurnal Ilmiah Rekayasa Pertanian dan Biosistem*, 7(2), 174–184. <https://doi.org/10.29303/jrpb.v7i2.127>
- Putri, W. D., Zubaidah, E., & Sholahudin. (2012). Ekstraksi pewarna alami daun suji, kajian pengaruh blanching dan jenis bahan pengekstrak. *Jurnal Teknik Pertanian*, 4(1), 13–24.



- Rahardjo, P. (2012). *Panduan Budidaya dan Pengolahan Kopi Arabika dan Robusta*. Penebar Swadaya.
- Ramadhani, S., Muhidong, J., & Mursalim, M. (2019). Pola Perubahan Dimensi Biji Kopi Arabika (*Coffea arabica*) Selama Proses Pengeringan. *Jurnal Agritechno*, 12(1), 78 - 84, 12(1), 78–84.
- Rao, S. (2014). *The Coffee Roasters Companion*.
- Ribeiro, L. S., Ribeiro, D. E., Evangelista, S. R., Miguel, M. G. da C. P., Pinheiro, A. C. M., Borém, F. M., & Schwan, R. F. (2017). Controlled fermentation of semi-dry coffee (*Coffea arabica*) using starter cultures: A sensory perspective. *LWT - Food Science and Technology*, 82, 32–38. <https://doi.org/10.1016/j.lwt.2017.04.008>
- Rotta, N. M., Curry, S., Han, J., Reconco, R., Spang, E., Ristenpart, W., & Donis-gonz, I. R. (2021). *Resources , Conservation & Recycling A comprehensive analysis of operations and mass flows in postharvest processing of washed coffee*. 170(October 2020).
- Rozana, Hasbullah, R., & Muhandri, T. (2016). Respon Suhu pada Laju Pengeringan dan Mutu Manisan Mangga Kering (*Mangifera indica* L.). *Jurnal Keteknik Pertanian*, 4, 59–66.
- Saripah, Aini, A. F., Manfaati, R., & Hariyadi, T. (2021). Pengaruh Suhu Lingkungan dan Waktu Fermentasi Biji Kopi Arabika Terhadap Kadar Kafein, Etanol, dan pH. *Prosiding The 12th Industrial Research Workshop and National Seminar*, 4–5.
- SCAA. (2009). *SCAA Protocols: Grading Green Coffee*. Specialty Coffee Association of America.
- Schwan, R. F., Silva, C. F., & Batista, L. R. (2012). *Coffee fermentation: Handbook of Plant-based Fermented Food and Beverage Technology*. CRC Press.
- Shankar, S. R., Sneha, H. P., Inderjit, P., Mahejibin, K., Punil Kumar, H. N., Hari, O., Basavaraj, K., & Pushpa, S. M. (2022). Microbial ecology and functional coffee fermentation dynamics with *Pichia kudriavzevii*. *Food Microbiology*, 105(February), 104012. <https://doi.org/10.1016/j.fm.2022.104012>
- Singh, R. P., & Heldman, D. R. (2013). Fluid Flow in Food Processing. In *Introduction to Food Engineering fifth edition*. Academic Press.
- Stanbury, P. ., Whitaker, A., & Hall, S. . (2013). *Principles of Fermentation Technology*. Elsevier.
- Sulistyaningtyas, A. (2017). Pentingnya Pengolahan basah (Wet Processing) Buah kopi Robusta (*Coffea* var. *robusta*) untuk menurunkan resiko kecacatan biji hijau saat coffe grading. *Prosiding Seminar Nasional Publikasi Hasil Penelitian Dan Pengabdian Masyarakat*, 9(06), 90–94.
- Suud, H. M., Savitri, D. A., & Ismaya, S. R. (2021). *Perubahan sifat fisik dan cita rasa kopi arabika asal bondowoso pada berbagai tingkat penyangraian*. 8(2).
- Suyatma. (2009). Diagram Warna Hunter. In *Jurnal Penelitian Ilmiah Teknologi Pertanian*. Institut Pertanian Bogor.
- Tawali, A. ., Abdullah, N., & Wiranata, B. . (2018). PENGARUH FERMENTASI MENGGUNAKAN BAKTERI ASAM LAKTATYOGHURT TERHADAP CITARASA KOPI ROBUSTA (*COFFEA ROBUSTA*). *Jurnal Canrea*, 1(1), 90–97.
- Thalia, T., Delvitasari, F., Lampung, P. N., Perkebunan, T., & Lampung, B. (2018). PENGARUH FERMENTASI *S . cerevisiae* TERHADAP MUTU KOPI ROBUSTA ( Fermentation Effect of *S . cerevisiae* on Robusta Coffee Quality ). *Agritrop*, 18(1), 60–77.
- Toledo, P. R. A. B., Pezza, L., Pezza, H. R., & Toci, A. T. (2016). Relationship Between the Different Aspects Related to Coffee Quality and Their Volatile Compounds.

- Comprehensive Reviews in Food Science and Food Safety*, 15(4), 705–719.  
<https://doi.org/10.1111/1541-4337.12205>
- Usman, D., Suprihadi, A., & Kusdiyantini, E. (2015). Fermentasi Kopi Robusta ( *Coffea canephora* ) Menggunakan Isolat Bakteri Asam Laktat Dari Feces Luwak Dengan Perlakuan Lama Waktu Inkubasi Kopi merupakan salah satu komoditas perkebunan unggulan Indonesia yang memiliki nilai ekspor tinggi dan memberikan de. *Jurnal Biologi*, 4(3).
- Vinícius de Melo Pereira, G., Soccol, V. T., Brar, S. K., Neto, E., & Soccol, C. R. (2017). Microbial ecology and starter culture technology in coffee processing. *Critical Reviews in Food Science and Nutrition*, 57(13), 2775–2788.  
<https://doi.org/10.1080/10408398.2015.1067759>
- Vuyst, L. De., and Weckx. (2016). The Cocoa Bean Fermentation Process: From Ecosystem Analysis to Starter Culture Development. *Journal of Applied Microbiology*, 121, 5-17
- Wang, C., Sun, J., Lassabliere, B., Yu, B., & Quan, S. (2020). *Coffee flavour modification through controlled fermentations of green coffee beans by Saccharomyces cerevisiae and Pichia kluyveri: Part I . Effects from individual yeasts*. 136(February). <https://doi.org/10.1016/j.foodres.2020.109588>
- Wang, C., Sun, J., Lassabliere, B., Yu, B., Zhao, F., Zhao, F., Chen, Y., & Liu, S. Q. (2019). Potential of lactic acid bacteria to modulate coffee volatiles and effect of glucose supplementation: fermentation of green coffee beans and impact of coffee roasting. *Journal of the Science of Food and Agriculture*, 99(1), 409–420.  
<https://doi.org/10.1002/jsfa.9202>
- Wulandari, S., Ainuri, M., & Sukartiko, A. C. (2021). Biochemical content of Robusta coffees under fully-wash , honey , and natural processing methods Biochemical content of Robusta coffees under fully-wash , honey , and natural processing methods. *IOP Conf. Series: Earth and Environmental Science*.  
<https://doi.org/10.1088/1755-1315/819/1/012067>
- Yuan, S.-F., Guo, G.-L., & Hwang, W.-S. (2017). Ethanol production from dilute-acid steam exploded lignocellulosic feedstocks using an isolated multistress-tolerant *Pichia kudriavzevii* strain. *Microbial Biotechnology*, 10(6), 1581–1590.
- Yusianto, & Widyotomo, S. (2013). Mutu dan citarasa kopi Arabika hasil beberapa perlakuan fermentasi: Suhu , jenis wadah , dan penambahan agens fermentasi. *Pelita Perkebunan*, 29(3), 220–239.
- Zapata, J., Londono, V., Naranjo, M., Osorio, J., & Lopez, C. (2018). Characterization of aroma compounds present in an industrial recovery concentrate of coffee flavor. *Journal of Food*, 16(1), 367–372.
- Zhang, S. J., De Bruyn, F., Pothakos, V., Contreras, G. F., Cai, Z., Moccand, C., Weckx, S., & De Vuyst, L. (2019). Influence of Various Processing Parameters on the Microbial Community Dynamics, Metabolomic Profiles, and Cup Quality During Wet Coffee Processing. *Frontiers in Microbiology*, 10(November), 1–24.  
<https://doi.org/10.3389/fmicb.2019.02621>