

REFERENCES

- Afriliana, A. et al., 2019. Technology of Re-fermentation Coffee Beans. *Novel Techniques in Nutrition and Food Science*, 3(3).
- Afriliana, A. et al., 2019. Volatile Compounds Changes in Unfermented Robusta Coffee by Re-Fermentation Using Commercial Kefir. *Nutrition & Food Science*, 8(4), pp. 1-6.
- Avallone, S. et al., 2001. Microbiological and Biochemical Study of Coffee Fermentation. *Current Microbiology*, 42(4), pp. 252-256.
- Awwad, S. et al., 2021. Quantification of Caffeine and Chlorogenic Acid in Green and Roasted Coffee Samples Using HPLC-DAD and Evaluation of the Effect of Degree of Roasting on Their Levels. *Molecules*, Volume 26, pp. 1-9.
- Batista, L., Chalfoun de Souza, S., Schwan, R. & Silva, C., 2016. Coffee : Types and Production. In: B. Caballero, P. Finglas & F. Toldra, eds. *Encyclopedia of Food and Health*. Oxford: Elsevier, pp. 244-251.
- Bastian, F. et al., 2021. From Plantation to Cup : Changes in Bioactive Compounds during Coffee Processing. *Foods*, 10(11).
- Bessaire, T. et al., 2019. Mycotoxins in green coffee: Occurrence and risk assessment. *Food Control*, Volume 96, pp. 59-67.
- Boulton, R., 1980. The relationship between total acidity, titratable acidity and pH in wine. *American Journal of Enology and Viticultur*, 3(1), pp. 76-80.
- Borges, M., Schwan, R. & Piccolli, R., 2005. Pectinolytic enzymes secreted by yeasts from tropical fruits. *FEMS Yeast Research*, Volume 5, pp. 859-865.
- Bressani, A. et al., 2018. Characteristics of fermented coffee inoculated with yeast starter cultures using different inoculation methods. *LWT Food Sci. Technol.*, Volume 92, pp. 212-219.
- Bressani, A. et al., 2020. Organic acids produced during fermentation and sensory perception in specialty coffee using yeast starter culture. *Food Research International*, Volume 128, pp. 1-10.
- Brice, C., Sanchez, I., Tesniere, C. & Blondin, B., 2014. Assessing the Mechanisms

- Responsible for Differences between Nitrogen Requirements of *Saccharomyces cerevisiae* Wine Yeasts in Alcoholic Fermentation. *Applied and Environmental Microbiology*, 80(4), pp. 1330-1339.
- Celestine, A. 2021. ‘Antagonistic Activity of Indigenous Yeast from Fermented Coffee Beans Against *Aspergillus ochraceus*’. Undergraduate Thesis, Gadjah Mada University, Yogyakarta.
- Cheng, B., Furtado, A., Smyth, H. E. & Henry, R. J., 2016. Influence of genotype and environment on coffee quality. *Trends in Food Science & Technology*, Volume 57, pp. 20-30.
- Couteau, D., McCartney, A., Williamson, G. & Faulds, C., 2001. Isolation and characterization of human colonic bacteria able to hydrolyse chlorogenic acid. *Journal of Applied Microbiology*, 90(6), pp. 873-881.
- CDC, 2021. *Beware of alternate names for Candida species*, Atlanta: Center for Disease Control and Prevention .
- De Melo Pereira, G. et al., 2014. Isolation, selection and evaluation of yeasts for use in fermentation of coffee beans by the wet process. *Int. J. Food Microbio*, Volume 188, pp. 60-66.
- De Melo Pereira, G. et al., 2015. Conducting starter culture- controlled fermentations of coffee beans during on-farm wet processing: Growth, metabolic analyses and sensorial effects. *Food Research International*, Volume 75, p. 348–356.
- De Mota, M. et al., 2020. Influence of fermentation conditions on the sensorial quality of coffee inoculated with yeast. *Food Research International*, Volume 136, pp. 1-8.
- Divis, P., Porizka, J., Krikala, J. 2019. The effect of coffee beans roasting on its chemical composition. *Potravinarstvo*, 13 (1), pp. 344-350
- Elhalis, H., Cox, J. & Zhao, J., 2020. Ecological diversity, evolution and metabolism of microbial communities in the wet fermentation of Australian coffee beans. *International Journal of Food Microbiology*, Volume 321.
- Elhalis, H., Cox, J., Frank, D. & Zhao, J., 2021. Microbiological and biochemical performances of six yeast species as potential starter cultures for wet fermentation of coffee beans. *LWT - Food Science and Technology*, Volume 137, pp. 1-8.



- Elhalis, H., Cox, J., Frank, D. & Zhao, J., 2021. Microbiological and Chemical Characteristics of Wet Coffee Fermentation Inoculated With *Hansinasporea uvarum* and *Pichia kudriavzevii* and Their Impact on Coffee Sensory Quality. *Frontiers in Microbiology*, 12(713969).
- Elhalis, H., Cox, J., Frank, D. & Zhao, J., 2020. The crucial role of yeasts in the wet fermentation of coffee beans and quality. *International Journal of Food Microbiology*, Volume 333.
- Evangelista, S. et al., 2015. Microbiological diversity associated with the spontaneous wet method of coffee fermentation. *International Journal of Food Microbiology*, Volume 210, pp. 102-112.
- Evranuz, eds. *Handbook of Plant-Based Fermented Food and Beverage Technology*. Florida: CRC Press, pp. 677-687.
- Farah, A. & Donangelo, C., 2006. Phenolic compounds in coffee. *Brazilian Journal of Plant Physiology*, 18(1), pp. 23-26.
- Fredlund, E. 2004. Central Carbon Metabolism in the Biocontrol Yeast *Pichia anomala* Influence of Oxygen Limitation. Doctoral Thesis. Swedish University of Agricultural Sciences
- Fuller, M. & Rao, N., 2017. The Effect of Time, Roasting Temperature, and Grind Size on Caffeine and Chlorogenic Acid Concentrations in Cold Brew Coffee. *Nature Scientific Reports*, Volume 7.
- Haile, M. & Kang, W., 2019. Isolation, Identification, and Characterization of Pectinolytic Yeasts for Starter Culture in Coffee Fermentation. *Microorganisms*, 7(401), p. 16.
- Haile, M. & Kang, W., 2020. Antioxidant Properties of Fermented Green Coffee Beans with *Wickerhamomyces anomalus* (Strain KNU18Y3). *Fermentation*, 6(1), pp. 1-16.
- Haile, M. & Kang, W., 2019. The Role of Microbes in Coffee Fermentation and Their Impact on Coffee Quality. *Journal of Food Quality*, Volume 2019, p. 6.
- Hamadi, S., Masoud, H. & Ken, M., 2019. Isolation and identification of local ethanolic yeast inhabiting coffee processing environments in Tanzania. *International Journal of Life Sciences*, 3(4), pp. 213-220.

- Hamdouche, Y., Meile, J., Nganou, N. & Noel, D., 2016. Discrimination of post-harvest coffee processing methods by microbial ecology analyses. *Food Control*, Volume 65, pp. 112-120.
- Hatiningsih, S., Antara, N. & Gunam, I., 2018. Microbiological and Physicochemical Changes of Green Coffee (*Coffea arabica*) Fermentation in Kintamani, Bangli, Bali. *Scientific Journal of Food Technology*, 5(2), pp. 123-138.
- Hii, C. & Borem, F., 2019. *Drying and Roasting of Cocoa and Coffee*. 1st Edition ed. Boca Raton: CRC Press.
- Izawa, K. et al., 2010. Human–Environment Interactions – Taste. In: L. Hung-Wen & L. Mander, eds. *Comprehensive Natural Products II : Chemical Ecology*. Amsterdam: Elsevier, Ltd., pp. 631-671.
- Iriondo-DeHond, A., Uranga-Ocio, J., Castillo, M. & Abalo, R., 2020. Effects of Coffee and Its Components on the Gastrointestinal Tract and the Brain–Gut Axis. *Nutrients*, Volume 13.
- Jackels, S. & Jackels, C., 2005. Characterization of the coffee mucilage fermentation process using chemical indicators: A field study in Nicaragua. *Journal of Food Science*, 70(5).
- Janet, E., Corry, G. & Rosamund, M., 1995. De man, rogosa and sharpe (MRS) agar. In: E. Janet, G. Corry & M. Rosamund, eds. *Progress in Industrial Microbiology vol.34*. Amsterdam: Elsevier, pp. 362-363.
- Kurtzman, C. & Fell, J., 1985. *The Yeast, a Taxonomical Study*. 4th Ed ed. Amsterdam: Elsevier Science.
- Kurtzman, C., 1984. Synonymy of the yeast genera *Hansenula* and *Pichia* demonstrated through comparisons of deoxyribonucleic acid relatedness. *Antonie van Leeuwenhoek*, 50(209), p. 217.
- Kwak, H., Jeong, Y. & Kim, M., 2018. Effect of Yeast Fermentation of Green Coffee Beans on Antioxidant Activity and Consumer Acceptability. *Journal of Food Quality*, Volume 2018.
- Kwasiborski, A., Bajji, M., Renaut, J. & Delaplace, P., 2014. Identification of Metabolic Pathways Expressed by *Pichia anomala* Kh6 in the Presence of the Pathogen *Botrytis cinerea* on Apple: New Possible Targets for Biocontrol Improvement. *PLoS ONE*, 9(3).

- Leong, K. et al., 2014. Diversity of Lactic Acid Bacteria Associated with Fresh Coffee Cherries in Taiwan. *Current Microbiology*, Volume 68, pp. 440-447.
- Lin, C., 2010. Approach of Improving Coffee Industry in Taiwan-Promote Quality of Coffee Bean by Fermentation. *The Journal of International Management Studies*, 5(154-159).
- Lopez-Galilea, I., Fournier, N., Cid, C. & Guichard, E., 2006. Changes in Headspace Volatile Concentrations of Coffee Brews Caused by the Roasting Process and the Brewing Procedure. *Agricultural and Food Chemistry*, 54(22), p. 8560–8566.
- Martinez, S., Bressani, A., Dias, D. S. J. & Schwan, R., 2019. Effect of bacterial and yeast starters on the formation of volatile and organic acid compounds in coffee beans and selection of flavors markers precursors during wet fermentation. *Front. Microbiol*, Volume 10, p. 1287.
- Martos, M., Zubreski, E., Garro, O. & Hours, R., 2013. Production of Pectinolytic Enzymes by the Yeast *Wickerhamomyces anomalus* Isolated from Citrus Fruits Peels. *Biotechnology Research International*, Volume 2013, pp. 7-14.
- Martos, M., Butiuk, A., Rojas, N. & and Hours, R., 2014. Purification and Characterization of a Polygalacturonase Produced by *Wickerhamomyces anomalus*. *Brazilian Archives of Biology and Technology*, 57(4), pp. 587-594.
- Maskum, A., Wijonarko, G., Purbowati, I. & Anggriawan, R., 2021. Optimization of phenolic compounds in robusta green beans coffee through the wet fermentation process with the response surface methodology. *AGROINTEK: Jurnal Teknologi Industri Pertanian*, Volume 15, pp. 825-832.
- Masoud, W., Cesar, L., Jespersen, M. & Jakobsen, M., 2005. Yeast involved in fermentation of *Coffea arabica* in East Africa determined by genotyping and by direct denaturing gradient gel electrophoresis. *Yeast*, Volume 21, pp. 549-556.
- Masoud, W. & Jespersen, L., 2006. Pectin degrading enzymes in yeasts involved in fermentation of *Coffea arabica* in East Africa. *International Journal of Food Microbiology*, 110(3), pp. 291-296.
- Matei, M. & Nikolai, K., 2012. Investigating the chemical changes of chlorogenic acids during coffee brewing: conjugate addition of water to the olefinic moiety of chlorogenic acids and their quinides. *J Agric Food Chem*, 60(49), pp. 12105-12115.
- Murthy, P. & Naidu, M., 2011. Improvement of Robusta Coffee Fermentation with

- Microbial Enzymes. *European Journal of Applied Science*, 3(4), pp. 130-139.
- Monteiro, M. & Farah, A., 2012. Chlorogenic acids in Brazilian Coffea arabica cultivars from various consecutive crops. *Food Chemistry*, Volume 134, pp. 611-614.
- Moon, J., Yoo, H. & Shibamoto, T., 2009. Role of roasting conditions in the level of chlorogenic acid content in coffee beans: correlation with coffee acidity. *J. Agric. Food Chem.*, Volume 57, pp. 5365-5369.
- Neto, D. et al., 2017. Yeast Diversity and Physicochemical Characteristics Associated with Coffee Bean Fermentation from the Brazilian Cerrado Mineiro Region. *Fermentation*, 3(11), pp. 1-11.
- Pereira, G. et al., 2017. Microbial Ecology and Starter Culture Technology in Coffee Processing. *Critical Reviews in Food Science and Nutrition*, 57(13), pp. 2775-2788.
- Pinheiro, P., Pinheiro, C., Osorio, V. & Pereira, L., 2021. Chemical Constituents of Coffee. In: L. Pereira & T. Moreira, eds. *Quality Determinants In Coffee Production*. Handel: Springer Nature, pp. 209-254.
- Poltronieri, P. & Rossi, F., 2016. Challenges in Specialty Coffee Processing and Quality Assurance. *Food Microbiology: Technologies and Processes, Microbiology Analysis Methods, and Antimicrobials*, 7(12), p. 19.
- Purnamayanti, N., Gunandya, I. & Arda, G., 2017. The Effects of Roasting Temperature and Roasting Duration on Physical Characteristics and Sensory Quality of Arabica Coffee (Coffea arabica L). *Jurnal BETA (Biosistem dan Teknik Pertanian)*, 5(2), pp. 39-48.
- Purwoko, T., Suranto, Setyaningsih, R. & Marliyana, S., 2022. Chlorogenic acid and caffeine content of fermented robusta bean. *Biodiversitas*, 23(2), pp. 902-906.
- Rahmanulloh, A. & Mcdonald, G., 2020. *Coffee Annual*, Jakarta: United States Department of Agriculture.
- Putri, I., Jannah, S. & Purwantisari, S., 2020. Isolation and characterization of lactic acid bacteria from Apis mellifera and their potential as antibacterial using in vitro test against growth of Listeria monocytogenes and Escherichia coli. *NICHE Journal of Tropical Biology*, 3(1), pp. 26-34.
- Ramalakshmi, K., Kubra, R. & Rao, L., 2007. Physicochemical Characteristics of

- Green Coffee : Comparison and Defective Beans. *Journal of Food Science*, 72(5), pp. 333-337.
- Raudah & Zulkifli, F. R., 2015. *Effect of Processing Method and Fermentation to Enhance Quality of Arabica Coffee*. Jember, s.n.
- Rojas, V., Gil, J., Plaga, F. & Manzanares, P., 2003. Acetate ester formation in wine by mixed cultures in laboratory fermentations. *Int. J. Food Microbiol*, Volume 86, pp. 181-188.
- Ruta, L. & Farcasanu, I., 2021. Coffee and Yeasts : From Flavor to Biotechnology. *Fermentation*, Volume 7, pp. 1-16.
- Samoggia, A. & Riedel, B., 2018. Coffee consumption and purchasing behavior review : Insights for further research. *Appetite*, Volume 129, pp. 70-81
- Santosa, K., Supriyadi, Anggrahini, S. & Rahmadian, 2020. Sensory Analysis, Caffeine, Chlorogenic Acid, and Non-Volatile Taste Compounds of Arabica coffee (*Coffea arabica*) Fermented with Sugar Addition for Brew Taste. *Indonesian Food and Nutrition Progress*, 17(2), pp. 37-34.
- Schwan, R., Batista, L. & Silva, C., 2012. Coffee Fermentation. In: Y. Hui & E. Evranuz, eds. *Handbook of Plant-Based Fermented Food and Beverage Technology*. Florida: CRC Press, pp. 677-687.
- Silva, C. et al., 2013. Evaluation of a potential starter culture for enhances quality of coffee fermentation. *World Journal of Microbiology and Biotechnology*, 29(2), pp. 235-247.
- Tournas, V. et al., 2001. *FDA - BAM Chapter 18 : Yeasts, Molds, and Mycotoxins*. [Online] Available at: <https://www.fda.gov/food/laboratory-methods-food/bam-chapter-18-yeasts-molds-and-mycotoxins> [Accessed 18 April 2022].
- Velmourougane, K., 2012. *Impact of Natural Fermentation on Physicochemical, Microbiological and Cup Quality Characteristics of Arabica and Robusta Coffee*. Uttar Pradesh, National Academy of Sciences.
- Wang, C. et al., 2018. Potential of lactic acid bacteria to modulate coffee volatiles and effect of glucose supplementation: fermentation of green coffee beans and impact of coffee roasting. *Journal of the Science of Food and Agriculture*, 99(1), pp. 409-420.
- Wang, C. et al., 2020. Coffee flavour modification through controlled fermentation of

- green coffee beans by *Saccharomyces cerevisiae* and *Pichia kluyveri*: Part II. Mixed cultures with or without lactic acid bacteria. *Food Research International*, 136(109452).
- Wiedhayati, D., 2014. *Export News Indonesia : Indonesian Coffee*, Jakarta: Directorate General for National Export Development.
- Yahia, E., Carillo-Lopez, A. & Bello-Perez, L., 2019. Carbohydrates. In: E. Yahia, ed. *Postharvest Physiology and Biochemistry of Fruits and Vegetables*. Cambridge: Elsevier, pp. 175-205.
- Zhang, S. et al., 2022. Following Coffee Production from Cherries to Cup: Microbiological and Metabolomic Analysis of Wet Processing of *Coffea arabica*. *Applied and Environmental Microbiology*, 85(6).