

## DAFTAR PUSTAKA

- [1] Kabupaten Situbondo, Peraturan Bupati (PERBUP) Kabupaten Situbondo Nomor 35 Tahun 2015 tentang Retribusi pelayanan Kesehatan Non Kelas III pada RSUD dr. ABDOER RAHEM Kab. Situbondo. 2015. [Online]. Available: <https://peraturan.bpk.go.id/Home/Details/46942>
- [2] R. M. Higgins and P. O’Sullivan, “The Robotic Surgery Learning Experience Through the Eyes of the Medical Student: What Do They See?,” *J. Surg. Educ.*, vol. 77, no. 3, pp. 549–556, May 2020, doi: 10.1016/j.jsurg.2019.12.011.
- [3] K. R. Seetharam Bhat, M. C. Moschovas, V. R. Patel, and Y. H. Ko, “The robot-assisted ureteral reconstruction in adult: A narrative review on the surgical techniques and contemporary outcomes,” *Asian J. Urol.*, vol. 8, no. 1, pp. 38–49, Jan. 2021, doi: 10.1016/j.ajur.2020.11.001.
- [4] A. Barragán-Montero et al., “Artificial intelligence and machine learning for medical imaging: A technology review,” *Phys. Med.*, vol. 83, pp. 242–256, Mar. 2021, doi: 10.1016/j.ejmp.2021.04.016.
- [5] A. Reinke, M. D. Tizabi, M. Eisenmann, and L. Maier-Hein, “Common Pitfalls and Recommendations for Grand Challenges in Medical Artificial Intelligence,” *Eur. Urol. Focus*, vol. 7, no. 4, pp. 710–712, Jul. 2021, doi: 10.1016/j.euf.2021.05.008.
- [6] S. S. Mehta and T. F. Burks, “Multi-camera Fruit Localization in Robotic Harvesting,” *IFAC-Pap.*, vol. 49, no. 16, pp. 90–95, 2016, doi: 10.1016/j.ifacol.2016.10.017.
- [7] S. Barone, P. Neri, A. Paoli, and A. V. Rationale, “3D acquisition and stereo-camera calibration by active devices: A unique structured light encoding framework,” *Opt. Lasers Eng.*, vol. 127, p. 105989, Apr. 2020, doi: 10.1016/j.optlaseng.2019.105989.
- [8] M. Coenen and F. Rottensteiner, “Pose estimation and 3D reconstruction of vehicles from stereo-images using a subcategory-aware shape prior,” *ISPRS J. Photogramm. Remote Sens.*, vol. 181, pp. 27–47, Nov. 2021, doi: 10.1016/j.isprsjprs.2021.07.006.
- [9] R. Zhang, C. Y. Ma, J. J. Liu, Y. Zhang, Y. J. Liu, and X. Z. Wang, “Stereo imaging camera model for 3D shape reconstruction of complex crystals and estimation of facet growth kinetics,” *Chem. Eng. Sci.*, vol. 160, pp. 171–182, Mar. 2017, doi: 10.1016/j.ces.2016.11.029.
- [10] W. Li, Q. Liao, and Q. Ran, “Stereo-imaging LSPIV (SI-LSPIV) for 3D water surface reconstruction and discharge measurement in mountain river flows,” *J. Hydrol.*, vol. 578, p. 124099, Nov. 2019, doi: 10.1016/j.jhydrol.2019.124099.
- [11] S. Matzner, T. Warfel, and R. Hull, “ThermalTracker-3D: A thermal stereo vision system for quantifying bird and bat activity at offshore wind energy sites,” *Ecol. Inform.*, vol. 57, p. 101069, May 2020, doi: 10.1016/j.ecoinf.2020.101069.



- [12] H. Xie, H. Yao, S. Zhou, S. Zhang, X. Tong, and W. Sun, "Toward 3D object reconstruction from stereo images," *Neurocomputing*, vol. 463, pp. 444–453, Nov. 2021, doi: 10.1016/j.neucom.2021.07.089.
- [13] S. Barone, P. Neri, A. Paoli, and A. V. Razionale, "3D vibration measurements by a virtual-stereo-camera system based on a single low frame rate camera," *Procedia Struct. Integr.*, vol. 12, pp. 122–129, 2018, doi: 10.1016/j.prostr.2018.11.101.
- [14] A. E. Gendy, A. Shalaby, M. Saleh, and G. W. Flintsch, "Stereo-vision applications to reconstruct the 3D texture of pavement surface," *Int. J. Pavement Eng.*, vol. 12, no. 3, pp. 263–273, 2011, doi: 10.1080/10298436.2010.546858.
- [15] V. S. K. P. Varma, S. Adarsh, K. I. Ramachandran, and B. B. Nair, "Real Time Detection of Speed Hump/Bump and Distance Estimation with Deep Learning using GPU and ZED Stereo Camera," *Procedia Comput. Sci.*, vol. 143, pp. 988–997, 2018, doi: 10.1016/j.procs.2018.10.335.
- [16] S. Rajendar, D. Rathinasamy, R. Pavithra, V. K. Kaliappan, and S. Gnanamurthy, "Prediction of stopping distance for autonomous emergency braking using stereo camera pedestrian detection," *Mater. Today Proc.*, p. S2214785321050707, Jul. 2021, doi: 10.1016/j.matpr.2021.07.211.
- [17] S. G.R, N. Kumar, H. P.R., and S. S, "Implementation of a Stereo vision based system for visual feedback control of Robotic Arm for space manipulations," *Procedia Comput. Sci.*, vol. 133, pp. 1066–1073, 2018, doi: 10.1016/j.procs.2018.07.031.
- [18] W.-S. Kim, D.-H. Lee, Y.-J. Kim, T. Kim, W.-S. Lee, and C.-H. Choi, "Stereo-vision-based crop height estimation for agricultural robots," *Comput. Electron. Agric.*, vol. 181, p. 105937, Feb. 2021, doi: 10.1016/j.compag.2020.105937.
- [19] X. Wang, J. Liu, S. Liu, P. Jin, T. Wu, and Z. Wang, "Accurate radius measurement of multi-bend tubes based on stereo vision," *Measurement*, vol. 117, pp. 326–338, Mar. 2018, doi: 10.1016/j.measurement.2017.12.009.
- [20] K. Williams, C. N. Rooper, A. De Robertis, M. Levine, and R. Towler, "A method for computing volumetric fish density using stereo cameras," *J. Exp. Mar. Biol. Ecol.*, vol. 508, pp. 21–26, Nov. 2018, doi: 10.1016/j.jembe.2018.08.001.
- [21] Y. Sawano, J. Miura, and Y. Shirai, "Man Chasing Robot by an Environment Recognition Using Stereo Vision," in *Human Friendly Mechatronics*, E. Arai, T. Arai, and M. Takano, Eds. Amsterdam: Elsevier Science, 2001, pp. 241–246. doi: <https://doi.org/10.1016/B978-044450649-8/50041-3>.
- [22] Y. Kardovskyi and S. Moon, "Artificial intelligence quality inspection of steel bars installation by integrating mask R-CNN and stereo vision," *Autom. Constr.*, vol. 130, p. 103850, Oct. 2021, doi: 10.1016/j.autcon.2021.103850.
- [23] J. C. A. Read, "Stereo vision and strabismus," *Eye*, vol. 29, no. 2, pp. 214–224, Feb. 2015, doi: 10.1038/eye.2014.279.
- [24] R. Kala, "2 - Basics of Autonomous Vehicles," in *On-Road Intelligent Vehicles*, R. Kala, Ed. Butterworth-Heinemann, 2016, pp. 11–35. doi: <https://doi.org/10.1016/B978-0-12-803729-4.00002-7>.



- [25] C. Balsano et al., “The application of artificial intelligence in hepatology: A systematic review,” *Dig. Liver Dis.*, p. S1590865821003170, Jul. 2021, doi: 10.1016/j.dld.2021.06.011.
- [26] A. S. BeCkeR, M. MuelleR, E. StOFFel, M. MARCOOn, S. ghAFOOR, and A. Boss, “Classification of breast cancer in ultrasound imaging using a generic deep learning analysis software: a pilot study,” *Br. J. Radiol.*, vol. 91, no. 1083, 2018, doi: 10.1259/bjr.20170576.
- [27] J.-Z. Cheng et al., “Computer-Aided Diagnosis with Deep Learning Architecture: Applications to Breast Lesions in US Images and Pulmonary Nodules in CT Scans,” *Sci. Rep.*, vol. 6, 2016, doi: 10.1038/srep24454.
- [28] Z. Han, B. Wei, Y. Zheng, Y. Yin, K. Li, and S. Li, “Breast Cancer Multi-classification from Histopathological Images with Structured Deep Learning Model,” *Sci. Rep.*, vol. 7, no. 1, 2017, doi: 10.1038/s41598-017-04075-z.
- [29] H. Wang, X. Li, and P. Ge, “Design of an optical lens combined with a total internal reflection (TIR) freeform surface for a LED front fog lamp,” *Opt. Laser Technol.*, vol. 88, pp. 11–16, 2017, doi: <https://doi.org/10.1016/j.optlastec.2016.08.015>.
- [30] C. Shen et al., “Intelligent inverse treatment planning via deep reinforcement learning, a proof-of-principle study in high dose-rate brachytherapy for cervical cancer,” *Phys. Med. Biol.*, vol. 64, no. 11, p. 115013, May 2019, doi: 10.1088/1361-6560/ab18bf.
- [31] C. Shen et al., “Operating a treatment planning system using a deep-reinforcement learning-based virtual treatment planner for prostate cancer intensity-modulated radiation therapy treatment planning,” *Med. Phys.*, vol. 47, no. 6, pp. 2329–2336, Jun. 2020, doi: 10.1002/mp.14114.
- [32] J. Watts, A. Khojandi, R. Vasudevan, and R. Ramdhani, “Optimizing Individualized Treatment Planning for Parkinson’s Disease Using Deep Reinforcement Learning,” in *2020 42nd Annual International Conference of the IEEE Engineering in Medicine Biology Society (EMBC)*, 2020, pp. 5406–5409. doi: 10.1109/EMBC44109.2020.9175311.
- [33] Z. Li and Y. Xia, “Deep Reinforcement Learning for Weakly-Supervised Lymph Node Segmentation in CT Images,” *IEEE J. Biomed. Health Inform.*, vol. 25, no. 3, pp. 774–783, 2021, doi: 10.1109/JBHI.2020.3008759.
- [34] D. J. Winkel et al., “Validation of a fully automated liver segmentation algorithm using multi-scale deep reinforcement learning and comparison versus manual segmentation,” *Eur. J. Radiol.*, vol. 126, p. 108918, 2020, doi: <https://doi.org/10.1016/j.ejrad.2020.108918>.
- [35] X. Zhen et al., “Deep convolutional neural network with transfer learning for rectum toxicity prediction in cervical cancer radiotherapy: a feasibility study,” *Phys. Med. Biol.*, vol. 62, no. 21, pp. 8246–8263, Oct. 2017, doi: 10.1088/1361-6560/aa8d09.
- [36] R. C. Gonzalez, R. E. Woods, and B. R. Masters, *Digital Image Processing*, Third Edition, 3th ed., vol. 14. New Jersey: Pearson Prentice Hall, 2009. Accessed: Oct. 07, 2021. [Online]. Available: <http://biomedicaloptics.spiedigitallibrary.org/article.aspx?doi=10.1117/1.3115362>



- [37] M. R. Soosai et al., “Versatile image processing technique for fuel science: A review,” *Sci. Total Environ.*, vol. 780, p. 146469, Aug. 2021, doi: 10.1016/j.scitotenv.2021.146469.
- [38] J. L. Boldt, K. Williams, C. N. Rooper, R. H. Towler, and S. Gauthier, “Development of stereo camera methodologies to improve pelagic fish biomass estimates and inform ecosystem management in marine waters,” *Fish. Res.*, vol. 198, pp. 66–77, Feb. 2018, doi: 10.1016/j.fishres.2017.10.013.
- [39] C. Shi, Q. Wang, X. He, X. Zhang, and D. Li, “An automatic method of fish length estimation using underwater stereo system based on LabVIEW,” *Comput. Electron. Agric.*, vol. 173, p. 105419, Jun. 2020, doi: 10.1016/j.compag.2020.105419.
- [40] A. Zaarane, I. Slimani, W. Al Okaishi, I. Atouf, and A. Hamdoun, “Distance measurement system for autonomous vehicles using stereo camera,” *Array*, vol. 5, p. 100016, Mar. 2020, doi: 10.1016/j.array.2020.100016.
- [41] T.-. Hsu and T.-. Wang, “An improvement stereo vision images processing for object distance measurement,” *Int. J. Autom. Smart Technol.*, vol. 5, no. 2, pp. 85–90, 2015.
- [42] Y. D. Salman, K. R. Ku-Mahamud, and E. Kamioka, “DISTANCE MEASUREMENT FOR SELF-DRIVING CARS USING STEREO CAMERA,” no. 105, p. 8, 2017.
- [43] J. Mrovlje and D. Vrancic, “Distance measuring based on stereoscopic pictures,” *9th Int. PhD Workshop Syst. Control Young Gener. Viewp.*, pp. 1–6, 2008.
- [44] W. C. De Jongh, H. W. Jordaan, and C. E. Van Daalen, “Experiment for pose estimation of uncooperative space debris using stereo vision,” *Acta Astronaut.*, vol. 168, pp. 164–173, Mar. 2020, doi: 10.1016/j.actaastro.2019.12.006.
- [45] C.-F. Juang, G.-C. Chen, C.-W. Liang, and D. Lee, “Stereo-camera-based object detection using fuzzy color histograms and a fuzzy classifier with depth and shape estimations,” *Appl. Soft Comput.*, vol. 46, pp. 753–766, Sep. 2016, doi: 10.1016/j.asoc.2015.10.025.
- [46] R. Lienhart and J. Maydt, “An extended set of haar-like features for rapid object detection,” *Ext. Set Haar-Featur. Rapid Object Detect.*, pp. 900–903, 2002.
- [47] G.-. Chen and C.-. Juang, “Object detection using color entropies and a fuzzy classifier,” *IEEE Comput. Intell. Mag.*, vol. 8, no. 1, pp. 33–45, 2013.
- [48] T. Kawanishi, H. Murase, S. Takagi, and M. Werner, “Dynamic active search for quick object detection with pan-tilt-zoom camera,” in *IEEE International Conference on Image Processing*, 2001, vol. 3, pp. 716–719. [Online]. Available: [www.scopus.com](http://www.scopus.com)
- [49] C.-. Juang and G.-. Chen, “A TS fuzzy system learned through a support vector machine in principal component space for real-time object detection,” *IEEE Trans. Ind. Electron.*, vol. 59, no. 8, pp. 3309–3320, 2012.
- [50] F. Wang, R. Hu, and Y. Jin, “Research on gesture image recognition method based on transfer learning,” *Procedia Comput. Sci.*, vol. 187, pp. 140–145, 2021, doi: 10.1016/j.procs.2021.04.044.



- [51] P. Singh, A. Verma, and J. S. R. Alex, "Disease and pest infection detection in coconut tree through deep learning techniques," *Comput. Electron. Agric.*, vol. 182, p. 105986, Mar. 2021, doi: 10.1016/j.compag.2021.105986.
- [52] A. Silwal, J. R. Davidson, M. Karkee, C. Mo, Q. Zhang, and K. Lewis, "Design, integration, and field evaluation of a robotic apple harvester," *J. Field Robot.*, vol. 34, no. 6, pp. 1140–1159, 2017, doi: <https://doi.org/10.1002/rob.21715>.
- [53] Z. Wang, K. Walsh, and B. Verma, "On-Tree Mango Fruit Size Estimation Using RGB-D Images," *Sensors*, vol. 17, no. 12, p. 2738, Nov. 2017, doi: 10.3390/s17122738.
- [54] H. Li, W. S. Lee, and K. Wang, "Immature green citrus fruit detection and counting based on fast normalized cross correlation (FNCC) using natural outdoor colour images," *Precis. Agric.*, vol. 17, no. 6, pp. 678–697, Dec. 2016, doi: 10.1007/s11119-016-9443-z.
- [55] C. H. Yang et al., "Integrated detection of citrus fruits and branches using a convolutional neural network," *Comput. Electron. Agric.*, vol. 174, p. 105469, Jul. 2020, doi: 10.1016/j.compag.2020.105469.
- [56] F. Longsheng, W. Bin, C. Yongjie, S. Shuai, Y. Gejima, and T. Kobayashi, "Kiwifruit recognition at nighttime using artificial lighting based on machine vision," *Biol Eng.*, vol. 8, p. 8.
- [57] C. Liang et al., "A visual detection method for nighttime litchi fruits and fruiting stems," *Comput. Electron. Agric.*, vol. 169, p. 105192, Feb. 2020, doi: 10.1016/j.compag.2019.105192.
- [58] R. Pérez-Zavala, M. Torres-Torriti, F. A. Cheein, and G. Troni, "A pattern recognition strategy for visual grape bunch detection in vineyards," *Comput. Electron. Agric.*, vol. 151, pp. 136–149, 2018, doi: <https://doi.org/10.1016/j.compag.2018.05.019>.
- [59] S. Kakehi et al., "Identification and counting of Pacific oyster *Crassostrea gigas* larvae by object detection using deep learning," *Aquac. Eng.*, vol. 95, p. 102197, Nov. 2021, doi: 10.1016/j.aquaeng.2021.102197.
- [60] A. G. Howard et al., "MobileNets: Efficient Convolutional Neural Networks for Mobile Vision Applications," *ArXiv170404861 Cs*, Apr. 2017, Accessed: Dec. 23, 2021. [Online]. Available: <http://arxiv.org/abs/1704.04861>
- [61] M. Sandler, A. Howard, M. Zhu, A. Zhmoginov, and L.-C. Chen, "MobileNetV2: Inverted Residuals and Linear Bottlenecks," in 2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition, Salt Lake City, UT, Jun. 2018, pp. 4510–4520. doi: 10.1109/CVPR.2018.00474.
- [62] A. Howard et al., "Searching for MobileNetV3," in 2019 IEEE/CVF International Conference on Computer Vision (ICCV), Seoul, Korea (South), Oct. 2019, pp. 1314–1324. doi: 10.1109/ICCV.2019.00140.
- [63] J. Huang et al., "Speed/accuracy trade-offs for modern convolutional object detectors," *ArXiv161110012 Cs*, Apr. 2017, Accessed: Dec. 24, 2021. [Online]. Available: <http://arxiv.org/abs/1611.10012>
- [64] Y. Nan, J. Ju, Q. Hua, H. Zhang, and B. Wang, "A-MobileNet: An approach of facial expression recognition," *Alex. Eng. J.*, p. S1110016821006682, Oct. 2021, doi: 10.1016/j.aej.2021.09.066.



- [65] D. Biswas, H. Su, C. Wang, A. Stevanovic, and W. Wang, "An automatic traffic density estimation using Single Shot Detection (SSD) and MobileNet-SSD," *Phys. Chem. Earth Parts ABC*, vol. 110, pp. 176–184, Apr. 2019, doi: 10.1016/j.pce.2018.12.001.
- [66] S. Ashwinkumar, S. Rajagopal, V. Manimaran, and B. Jegajothi, "Automated plant leaf disease detection and classification using optimal MobileNet based convolutional neural networks," *Mater. Today Proc.*, p. S2214785321042115, Jul. 2021, doi: 10.1016/j.matpr.2021.05.584.
- [67] J. P. Vasconez, J. Delpiano, S. Vougioukas, and F. Auat Cheein, "Comparison of convolutional neural networks in fruit detection and counting: A comprehensive evaluation," *Comput. Electron. Agric.*, vol. 173, p. 105348, Jun. 2020, doi: 10.1016/j.compag.2020.105348.
- [68] Á. Arcos-García, J. A. Álvarez-García, and L. M. Soria-Morillo, "Evaluation of deep neural networks for traffic sign detection systems," *Neurocomputing*, vol. 316, pp. 332–344, Nov. 2018, doi: 10.1016/j.neucom.2018.08.009.
- [69] F. Zhang, Q. Li, Y. Ren, H. Xu, Y. Song, and S. Liu, "An Expression Recognition Method on Robots Based on Mobilenet V2-SSD," in *2019 6th International Conference on Systems and Informatics (ICSAI)*, Shanghai, China, Nov. 2019, pp. 118–122. doi: 10.1109/ICSAI48974.2019.9010173.
- [70] Md. K. Hasan, L. Calvet, N. Rabbani, and A. Bartoli, "Detection, segmentation, and 3D pose estimation of surgical tools using convolutional neural networks and algebraic geometry," *Med. Image Anal.*, vol. 70, p. 101994, May 2021, doi: 10.1016/j.media.2021.101994.
- [71] J. Choi, S. Cho, J. W. Chung, and N. Kim, "Video recognition of simple mastoidectomy using convolutional neural networks: Detection and segmentation of surgical tools and anatomical regions," *Comput. Methods Programs Biomed.*, vol. 208, p. 106251, Sep. 2021, doi: 10.1016/j.cmpb.2021.106251.
- [72] S. Gai, F. Da, and X. Dai, "A novel dual-camera calibration method for 3D optical measurement," *Opt. Lasers Eng.*, vol. 104, pp. 126–134, May 2018, doi: 10.1016/j.optlaseng.2017.09.025.
- [73] R. Girshick, J. Donahue, T. Darrell, and J. Malik, "Rich Feature Hierarchies for Accurate Object Detection and Semantic Segmentation," p. 8.
- [74] S. Ren, K. He, R. Girshick, and J. Sun, "Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 39, no. 6, pp. 1137–1149, Jun. 2017, doi: 10.1109/TPAMI.2016.2577031.
- [75] J. Dai, Y. Li, K. He, and J. Sun, "R-FCN: Object Detection via Region-based Fully Convolutional Networks." *arXiv*, Jun. 21, 2016. Accessed: Jul. 12, 2022. [Online]. Available: <http://arxiv.org/abs/1605.06409>
- [76] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, "You Only Look Once: Unified, Real-Time Object Detection," in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Las Vegas, NV, USA, Jun. 2016, pp. 779–788. doi: 10.1109/CVPR.2016.91.
- [77] W. Liu et al., "SSD: Single Shot MultiBox Detector," *ArXiv151202325 Cs*, vol. 9905, pp. 21–37, 2016, doi: 10.1007/978-3-319-46448-0\_2.



- [78] R. Padilla, W. L. Passos, T. L. B. Dias, S. L. Netto, and E. A. B. da Silva, "A Comparative Analysis of Object Detection Metrics with a Companion Open-Source Toolkit," *Electronics*, vol. 10, no. 3, p. 279, Jan. 2021, doi: 10.3390/electronics10030279.
- [79] R. Szeliski, *Computer Vision: Algorithms and Applications*. Springer, 2010.
- [80] N. Lazaros, G. C. Sirakoulis, and A. Gasteratos, "Review of stereo vision algorithms: from software to hardware," *Int. J. Optomechatronics*, vol. 2, no. 4, pp. 435–462, 2008.
- [81] D. Scharstein and R. Szeliski, "A taxonomy and evaluation of dense two-frame stereo correspondence algorithms," *Int. J. Comput. Vis.*, vol. 47, no. 1, pp. 7–42, 2002.
- [82] B. Tippetts, D. J. Lee, K. Lillywhite, and J. Archibald, "Review of stereo vision algorithms and their suitability for resource-limited systems," *J. Real-Time Image Process.*, vol. 11, no. 1, pp. 5–25, 2016.
- [83] R. A. Hamzah, H. Ibrahim, and A. H. A. Hassan, "Stereo matching algorithm for 3D surface reconstruction based on triangulation principle," in *2016 1st International Conference on Information Technology, Information Systems and Electrical Engineering (ICITISEE)*, Yogyakarta, Indonesia, Aug. 2016, pp. 119–124. doi: 10.1109/ICITISEE.2016.7803059.
- [84] S. Mattoccia, S. Giardino, and A. Gambini, "Accurate and efficient cost aggregation strategy for stereo correspondence based on approximated joint bilateral filtering," in *Asian Conference on Computer Vision*, 2009, pp. 371–380.
- [85] A. Arranz, Á. Sánchez, and M. Alvar, "Multiresolution energy minimisation framework for stereo matching," *IET Comput. Vis.*, vol. 6, no. 5, pp. 425–434, 2012.
- [86] L. Xu et al., "Stereo matching by adaptive weighting selection based cost aggregation," in *2013 IEEE International Symposium on Circuits and Systems (ISCAS)*, 2013, pp. 1420–1423.
- [87] J. M. Pérez and P. Sánchez, "Real-time stereo matching using memory-efficient Belief Propagation for high-definition 3D telepresence systems," *Pattern Recognit. Lett.*, vol. 32, no. 16, pp. 2250–2253, 2011.
- [88] Y.-C. Wang, C.-P. Tung, and P.-C. Chung, "Efficient disparity estimation using hierarchical bilateral disparity structure based graph cut algorithm with a foreground boundary refinement mechanism," *IEEE Trans. Circuits Syst. Video Technol.*, vol. 23, no. 5, pp. 784–801, 2012.
- [89] M. Z. Brown, D. Burschka, and G. D. Hager, "Advances in computational stereo," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 25, no. 8, pp. 993–1008, 2003.
- [90] L. Nalpantidis, A. Amanatiadis, G. C. Sirakoulis, and A. Gasteratos, "Efficient hierarchical matching algorithm for processing uncalibrated stereo vision images and its hardware architecture," *IET Image Process.*, vol. 5, no. 5, pp. 481–492, 2011.
- [91] Q. Yang, P. Ji, D. Li, S. Yao, and M. Zhang, "Fast stereo matching using adaptive guided filtering," *Image Vis. Comput.*, vol. 32, no. 3, pp. 202–211, 2014.



- [92] H. Hirschmüller, P. R. Innocent, and J. Garibaldi, “Real-time correlation-based stereo vision with reduced border errors,” *Int. J. Comput. Vis.*, vol. 47, no. 1, pp. 229–246, 2002.
- [93] O. Veksler, “Fast variable window for stereo correspondence using integral images,” in *2003 IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 2003. Proceedings.*, 2003, vol. 1, p. I–I.
- [94] J. Zhang, J.-F. Nezan, M. Pelcat, and J.-G. Cousin, “Real-time GPU-based local stereo matching method,” in *2013 Conference on Design and Architectures for Signal and Image Processing*, 2013, pp. 209–214.
- [95] H. Wang, M. Wu, Y. Zhang, and L. Zhang, “Effective stereo matching using reliable points based graph cut,” in *2013 Visual Communications and Image Processing (VCIP)*, 2013, pp. 1–6.
- [96] Q. Yang, L. Wang, R. Yang, H. Stewénus, and D. Nistér, “Stereo matching with color-weighted correlation, hierarchical belief propagation, and occlusion handling,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 31, no. 3, pp. 492–504, 2008.
- [97] Y. S. Heo, K. M. Lee, and S. U. Lee, “Joint depth map and color consistency estimation for stereo images with different illuminations and cameras,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 35, no. 5, pp. 1094–1106, 2012.
- [98] A. Banno and K. Ikeuchi, “Disparity map refinement and 3D surface smoothing via directed anisotropic diffusion,” *Comput. Vis. Image Underst.*, vol. 115, no. 5, pp. 611–619, 2011.
- [99] OpenCV, “Depth Map from Stereo Images,” *Open Source Computer Vision*. [https://docs.opencv.org/4.x/dd/d53/tutorial\\_py\\_depthmap.html](https://docs.opencv.org/4.x/dd/d53/tutorial_py_depthmap.html) (accessed Jan. 16, 2022).
- [100] Harinaldi, *Prinsip-prinsip Statistik untuk Teknik dan Sains*. Jakarta: Erlangga, 2005.
- [101] E. O. Doebelin, *Measurement Systems: Application and Design*. United States of America: McGraw-Hill, 1990.
- [102] OpenCV Team, “About,” 2022. <https://opencv.org/about/> (accessed May 07, 2022).

