

DAFTAR PUSTAKA

- Ahn, Y. C., Park, S. K., Kim, G. T., Hwang, Y. J., Lee, C. G., Shin, H. S., dan Lee, J. K., 2006, Development of high efficiency nanofilters made of nanofibers. *Current Applied Physics*, 6(6 SPEC. ISS.), 1030–1035.
- Agrawal, P., dan Pramanik, K., 2016. Chitosan-poly (vinyl alcohol) nanofibers by free surface electrospinning for tissue engineering applications. *Tissue engineering and regenerative medicine*, 13(5), 485–497
- Alves, N. M., dan Mano, J. F., 2008, Chitosan derivatives obtained by chemical modifications for biomedical and environmental applications. *International Journal of Biological Macromolecules*, 43(5), 401–414.
- Baji, A., Mai, Y., Wong, S., Abtahi, M. dan Chen, P., 2010, Electrospinning of Polymer Nanofibers: Effects on Oriented Morphology, Structures and Tensile Properties, *Composites Science and Technology*, 70, 703–718.
- Bhattacharai, N., Edmondson, D., Veiseh, O., Matsen, F. A. dan Zhang, M., 2005, Electrospun chitosan-based nanofibers and their cellular compatibility. *Biomaterials*, 26(31), 6176–6184.
- Bhardwaj, N., dan Kundu, S. C. 2010, Electrospinning: A fascinating fiber fabrication technique. *Biotechnology Advances*, 28(3), 325–347.
- Butler, R. J., 2007, The Effect of a Subject-Specific Amount of Lateral Wedge on Knee, *Journal of Orthopaedic Research September*, 25(6), 1121–1127.
- Cay, A., Mirafteb, M., dan Perrin Akçakoca Kumbasar, E., 2014, Characterization and swelling performance of physically stabilized electrospun poly(vinyl alcohol)/chitosan nanofibers. *European Polymer Journal*, 61, 253–262.
- Daryanto, Ari., 2007, Eksperimen dan Analisis Pemodelan Uji Tarik Plat Logam (Sheet Metal) dengan Standar ASTM E 8M, Tesis, Universitas Muhammadiyah Surakarta, Surakarta.
- Dhandayuthapani, B., Yoshida, Y., Maekawa, T. dan Kumar, D.S., 2011. Polymeric scaffolds in tissue engineering application: a review. *International journal of polymer science*, 1-19.
- Ebewele, R. O., 2000, *Polymer Science and Technology*, CRC Press, New York.
- El-Hefian, E.A., Nasef, M.M. and Yahaya, A.H., 2011. Preparation and characterization of chitosan/poly (vinyl alcohol) blended films: mechanical, thermal and surface investigations. *E-Journal of Chemistry*, 8(1), pp. 91-96

- Gad, S. E., 2014, *Polymers*, Encyclopedia of Toxicology, pp. 1045-1050.
- GholipourK., A., Bahrami, S. H., dan Nouri, M., 2009. Chitosan-poly(vinyl alcohol) blend nanofibers: Morphology, biological and antimicrobial properties. *E-Polymers*, (133), 1–12.
- Horikoshi, T., 2006, Properties of polyvinyl alcohol fiber as reinforcing materials for cementitious composites. *International RILEM Workshop on High Performance Fiber Reinforced Cementitious Composites in Structural Applications*, (1), 145–153.
- Huang, J. J., Tian, Y., Wang, R., Tian, M., dan Liao, Y., 2020, Fabrication of bead-on-string Polyacrylonitrile Nanofibrous Air Filters with Superior Filtration Efficiency and Ultralow Pressure Drop. *Separation and Purification Technology*, 237.
- Ignatova M, Starbova K, Markova N, Manolova N, Rashkov I. Electrospun nano-fibre mats with antibacterial properties from quater- nised chitosan and poly(vinyl alcohol). *Carbohydr Res.* 2006;341(12): 2098–2107.
- Inkson, B. J., 2016, Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization, *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*, pp. 17-43.
- Jain, R., Shetty, S. dan Yadav, K. S., 2020, Unfolding the electrospinning potential of biopolymers for preparation of nanofibers. *Journal of Drug Delivery Science and Technology*, 57(1), 101-604.
- Jia, Y.T., Gong,J., Gu,X.H., Kim,H.Y., Dong,J. dan Shen,X.Y., 2007, Fabrication and characterization of poly (vinyl alcohol)/chitosan blend nanofibers produced by electrospinning method, *Carbohydrate Polymers*, 67(3), 403–409.
- Khairurrijal, Munir, M.M., Saehana, S., Iskandar, I., dan Abdullah, M., 2009, Teknik Pemintalan Elektrik untuk Pembuatan Nanoserat : dari Pemodelan hingga Eksperimen. *Jurnal Nanosains dan Nanoteknologi*, (c), 1–8.
- Kheradmandi, M., 2016, Skeletal muscle regeneration via engineered tissue culture over electrospun nanofibrous chitosan/PVA scaffold. *Journal of Biomedical Materials Research - Part A*, 104(7), 1720–1727.
- Koosha, M. dan Mirzadeh, H., 2015. Electrospinning, mechanical properties, and cell behavior study of chitosan/PVA nanofibers. *Journal of Biomedical Materials Research Part A*, 103(9), pp. 3081-3093.

- Koski, A., Yim, K., dan Shivkumar, S., 2004, Effect of molecular weight on fibrous PVA produced by electrospinning. *Materials Letters*, 58(3–4), 493–497.
- Kumar, N., dan Kumbhat, S., 2016, *Essentials in Nanoscience and Nanotechnology*. *Essentials in Nanoscience and Nanotechnology*., 310-313.
- Laurencin, C. T. dan Nair, L. S., 2008, *Nanotechnology and tissue engineering: The scaffold, Nanotechnology and Tissue Engineering: The Scaffold*. 329-351.
- Lewandowska, K., 2009., Miscibility and thermal stability of poly (vinyl alcohol)/chitosan mixtures. *Thermochimica Acta*, 493(1-2), 42-48.
- Li, D., dan Xia, Y., 2004, Electrospinning of nanofibers: Reinventing the wheel?. *Advanced Materials*, 16(14), 1151–1170.
- Lin, T., Fang J., Wang H., Cheng T., Wang X., 2006, Using chitosan as a thickener for electrospinning dilute PVA solutions to improve fibre uniformity. *Nanotechnology*, 17(15), 3718–3723.
- Marín Cardona, E., Saint, Rojas Camargo, J., dan Ciro Monsalve, Y. A., 2014, A review of polyvinyl alcohol derivatives: promising materials for pharmaceutical dan biomedical applications. *African journal of pharmacy and pharmacology*, 8(24), pp. 674–684.
- Mezzana, P., 2008. Clinical efficacy of a new chitin nanofibrils-based gel in wound healing. *Acta chirurgiae plasticae*, 50(3), pp.81-84.
- Miraftab, M., Saifullah, A. N., dan Cay, A., 2015. Physical Stabilisation of electrospun Poly(vinyl alcohol) nanofibers: comparative study on methanol and heat-based crosslinking. *J Mater Sci*, Volume 50, pp. 1943-1957.
- Morgado, P.I., Miguel, S.P., Correia, I.J. dan Aguiar-Ricardo, A., 2017. Ibuprofen loaded PVA/chitosan membranes: A highly efficient strategy towards an improved skin wound healing. *Carbohydrate polymers*, 159, pp. 136-145.
- Mourya, V.K. and Inamdar, N.N., 2008, Chitosan-modifications and applications: Opportunities galore. *Reactive and Functional polymers*, 68(6), pp.1013-1051.
- Mozafari, M., 2012, Synthesis and characterization of electrospun polyvinyl alcohol nanofibrous scaffolds modified by blending with chitosan for neural tissue engineering. *International Journal of Nanomedicine*, 25.
- Murugan, R., Ramakrishna, S., 2007, *Nanophase Biomaterials for Tissue Engineering. Nanotechnologies for the Life Sciences*. Singapore: World Scientific Publishing, 56-63.

- Nair, L.S. dan Laurencin, C.T., 2007. Biodegradable polymers as biomaterials. *Progress in polymer science*, 32(8-9), pp.762-798.
- Paipitak, K., Pornpra, T., Mongkontalang, P., Techitdheer, W., dan Pecharapa, W., 2011, Characterization of PVA-chitosan nanofibers prepared by electrospinning', *Procedia Engineering*, 8, 101–105.
- Părpăriță, E., Cheaburu, C.N., Pațachia, S.F. dan Vasile, C., 2014. Polyvinyl alcohol/chitosan/montmorillonite nanocomposites preparation by freeze/thaw cycles and characterization. *Acta Chemica Iasi*, 22(2), pp.75-96.
- Puspitasari, I., 2017, Efek Rasio PVA/kitosan Terhadap Morfologi dan Karakteristik Swelling Nanofibernya, *Skripsi*, Fisika FMIPA Universitas Gadjah Mada.
- Salihah, H., 2016, Pengoptimalan Konsentrasi Nanofiber Membran Kitosan/PVA dan Aplikasinya sebagai Filter Asap Rokok, *Skripsi*, FMIPA Fisika Universitas Gadjah Mada.
- Sastranegara, A., 2009, Mengenal Uji Tarik dan Sifat-Sifat Mekanik Logam, pp. 1–3. Available at: <http://www.infometrik.com/2009/09/mengenal-uji-tarik-dan-sifat-sifat-mekanik-logam/>.
- Shalumon, K., T., 2013, Effect of incorporation of nanoscale bioactive glass and hydroxyapatite in PCL/chitosan nanofibers for bone and periodontal tissue engineering', *Journal of Biomedical Nanotechnology*, 9(3), 430–440.
- Shi, R., Bi, J., Zhang, Z., Zhu, A., Chen, D., Zhou, X., Zhang, L. and Tian, W., 2008, The effect of citric acid on the structural properties and cytotoxicity of the polyvinyl alcohol/starch films when molding at high temperature. *Carbohydrate polymers*, 74(4), pp.763-770.
- Sun, K., dan Li, Z., H., 2011, Preparations, properties and applications of chitosan based nanofibers fabricated by electrospinning. *Express Polymer Letters*, 5(4), 342–361.
- Teo, W., E., dan Ramakrishna, S., 2006, A review on electrospinning design and nanofibre assemblies. *Nanotechnology*, 17(14), R89.
- Tijing, L., Woo, Y., Yao, M., Ren, J., dan Shon, H., 2017, Electrospinning for Membrane Fabrication: Strategies and Applications. *Comprehensive Membrane Science and Engineering*, 418-444
- Tyas A.Ari Wahyu.,2015,Efek Pemanasan pada Morfologi dan Kristalinitas Nanofiber Poly(vinyl alcohol, *Skripsi*, Jurusan Fisika FMIPA UGM, Yogyakarta.

- Wardiningsih, D., 2019, Morfologi dan Sifat Mekanik Membran Polisulfon-Poliakrilonitril (PSF-PAN) Hasil Elektrosponing, *Skripsi*, Fisika FMIPA Universitas Gadjah Mada.
- Wong, K. K. H., Zinke-Allmang, M., dan Wan, W., 2010. Effect of annealing on aqueous stability and elastic modulus of electrospun poly(vinyl alcohol) fibers. *J Mater Sci*, Volume 2456-2465, p. 45.
- Xie, X., Chen, Y., Wang, X., Xu, X., Shen, Y., Aldalbahi, A., Fetz, A.E., Bowlin, G.L., El-Newehy, M. and Mo, X., 2020. Electrospinning nanofiber scaffolds for soft and hard tissue regeneration. *Journal of Materials Science dan Technology*, 59, pp.243-261.
- Yang, Z., Peng, H., Wang, W., dan Liu, T., 2010, Crystallization behavior of poly(ϵ -caprolactone)/layered double hydroxide nanocomposites. *Journal of Applied Polymer Science*, 116(5), 2658-2667.
- Yusuf, Y., Almukarrama., Permatasari, H. A., Januariyasa, I. K., Muarif, M. F., Anggraini, R. M., dan Wati, R., 2021, Karbonat Hidroksiapatit dari Bahan Alam, Gadjah Mada University Press: Yogyakarta.
- Zhou, Y.S., Yang, D.Z. & Nie, J., 2007, Preparation and characterization of crosslinked chitosan-based nanofibers, *Chinese Chemical Letters*, 18(1), 118– 120.