

DAFTAR PUSTAKA

- Ahmed, Q., Bilgin, S. and Bat, L., 2020. Length Based Growth Estimation of Most Commercially Important Scombridae From Offshore Water of Pakistan Coast in The Arabian Sea. *Turkish Journal of Fisheries and Aquatic Sciences*, 20 (11).
- Ahmed, Q., Khan, D. and Yousuf, F., 2014. Length-weight Relationship in Adult *Scomberomorus guttatus* (Bloch. & Schneider, 1801) from Karachi coast, Pakistan. *Int. J. Biol. Res*, 2(2):101-107.
- Baweleng, S., Manginsela, F.B. and Sangari, J.R., 2018. Study of Fish Layang Otolith, *Decapterus akaadsi*, Abe 1958 from Amurang Bay. *Jurnal Ilmiah Platax*, 6(2):66-76.
- Bilge, G., 2018. Relationship between Sagittal Otolith Size and Fish Size in *Engraulis encrasicolus* and *Sardina pilchardus* (Osteichthyes: Clupeiformes) in the Southern Aegean Sea, Turkey. *Aquatic Sciences and Engineering*, 33(3):72-76.
- Chahyadi, E. and Windarti, W., 2015. Studi Pola Lingkaran Pertumbuhan Otolith Pada Ikan Katung (*Pristolepis grooti*) Yang Di Tangkap Di Hilir Sungai Siak Provinsi Riau. *Jurnal Perikanan dan Kelautan*, 20(2): 67-77.
- Chodrijah, U. and Noegroho, T., 2020, October. Growth, mortality and exploitation rate of Indo-Pacific King Mackerel (*Scomberomorus guttatus*, Bloch and Schneider, 1801) in the Tarakan waters, North Kalimantan, Indonesia. In *IOP Conference Series: Earth and Environmental Science*. IOP Publishing, 584(1):12026.
- Christin, Y., Restu, I.W. and Kartika, G.R.A., 2022. Laju Pertumbuhan Ikan Nila (*Oreochromis niloticus*) pada Tiga Sistem Resirkulasi yang Berbeda. *Current Trends in Aquatic Science*, 4(2):122-127.
- Dewi, P.S., Setiyono, H., Handoyo, G., Widada, S. and Suryoputro, A.A.D., 2020. Studi Perubahan Garis Pantai Tahun 2014-2019 di Pesisir Kabupaten Bantul, DI Yogyakarta. *Indonesian Journal of Oceanography*, 2(3): 35-44.
- Djumanto. 2020. Fish Length and Otolith Size Relationship of The *Channa striata* in Lake Rawa Pening, Central Java, Indonesia. *AACL Bioflux* 13(4):1917-1924.
- Effendie, M.I. 2002. *Biologi Perikanan*. Yayasan Pustaka Nusantara, Yogyakarta.
- Fadhil, R., Muchlisin, Z.A. and Sari, W., 2016. Hubungan panjang-berat dan morfometrik ikan julungjulung (*Zenarchopterus dispar*) dari perairan pantai utara Aceh. *Jurnal Ilmiah Mahasiswa Kelautan Perikanan Unsyiah*, 1(1).
- Fuadi, Z., Dewiyaniti, I. dan Purnawan, S. 2016. Hubungan Panjang Berat Ikan yang Tertangkap Di Krueng Simpoe, Kabupaten Bireun, Aceh (Doctoral dissertation, Syiah Kuala University).

- Jawad, L., Sadighzadeh, Z. and Al-Busaidi, H., 2012. The Relationship Between Fish Length and Otolith Dimensions of Mugilid Fish, *Liza kluzingeri* (Day, 1888) Collected From The Persian Gulf Near Bandar Abbas/Relazione Fra Lunghezza Totale E Dimensioni Dell'otolite Nel Mugilide *Liza kluzingeri* (Day, 1888) Catturato Nel Golfo Persico Vicino A Bandar Abbas. In *Annales: Series Historia Naturalis*. Scientific and Research Center of the Republic of Slovenia, 22(1):77
- Kotsiri, M., Batjakas, I.E. and Megalofonou, P., 2018. Age, growth and otolith morphometry of Atlantic bonito (*Sarda sarda* Block, 1793) from the eastern Mediterranean Sea. *Acta Adriatica*, 59(1):97-110.
- Krismatama, S., Riyantini, I., Gumilar, I. and Dewanti, L.P., 2020. Selectivity of fishing gear to *Scomberomorus guttatus* (Bloch and Schneider 1081) commodities in Pangandaran fishing ground West Java. *Asian Journal of Fishery and Aquatic Research*, 5: 1-10.
- Kumbar, S.M. and Lad, S.B., 2016. Estimation of age and longevity of freshwater fish *Salmophasia balookee* from otoliths, scales and vertebrae. *Journal of Environmental Biology*, 37(5):943.
- Kuriakose, S. 2017. Estimation of length weight relationship in fishes. In: *Course Manual Summer School on Advanced Methods for Fish Stock Assessment and Fisheries Management*. Lecture Note Series, 2:215-220.
- Moore, D. S., Notz, W. I., & Flinger, M. A. 2013. *The basic practice of statistics* (6th ed.). New York, NY: W. H. Freeman and Company.
- Mourniaty, A.Z.A., Jabbar, M.A., Suyasa, I.N. and Wujdi, A., 2020. Hubungan Morfometrik Otolith Dengan Ukuran Ikan Layang Deles (*Decapterus macrosoma Bleeker*, 1851) Di Perairan Bali Selatan. *BAWAL Widya Riset Perikanan Tangkap*, 12(3):103-107.
- Muttaqin, Z., Dewiyanti, I. dan Aliza, D. 2016. Kajian hubungan panjang berat dan faktor kondisi ikan nila (*Oreochromis niloticus*) dan ikan belanak (*Mugil cephalus*) yang tertangkap di Sungai Matang Guru, Kecamatan Madat, Kabupaten Aceh Timur (Doctoral dissertation, Syiah Kuala University).
- Nazir, A. and Khan, M.A. 2019. Relationship between fish length, otolith size and otolith weight in *Sperata aor* (*Bagridae*) and *Labeo bata* (*Cyprinidae*) from the Ganga River India. *Zoology and Ecology*, 29(2).
- Nazir, A. and Khan, M.A., 2021. Using otoliths for fish stock discrimination: status and challenges. *Acta Ichthyologica et Piscatoria*, 51:199.
- Putra, R.M. dan Ardiansyah, M. 2016. Histological Structure of Gill, Kidney and Liver of *Ompok hypophthalmus* Captured in The Upstream and downstream of The Siak River, Riau.

- Restianingsih, Y.H., Noegroho, T. and Wagiyo, K. 2016. Beberapa Aspek Biologi Ikan Tenggiri Papan (*Scomberomorus guttatus*) di Perairan Cilacap dan Sekitarnya. Bawal, 8 (3): 191–198.
- Rodríguez-Marín, E., Luque, P.L., Busawon, D., Campana, S., Golet, W., Koob, E., Neilson, J., Quelle, P. and Ruiz, M., 2013. An Attempt of Validation of Atlantic Bluefin Tuna (*Thunnus Thynnus*) Ageing Using Dorsal Fin Spines. In Report of the 2013 Bluefin Tuna Meeting on Biological Parameters Review. Tenerife: The International Commission for the Conservation of Atlantic Tunas:11-12
- Rosli, N.A.M. and Isa, M.M., 2012. Length-weight and Length-length Relationship of Long Snouted Catfish, *Plicofollis argyropleuron* (Valenciennes, 1840) in the northern part of Peninsular Malaysia. Tropical life sciences research, 23(2):59.
- Sahubawa, L., Khakim, N. dan Lasindrang, M. 2015. Kajian Sebaran Potensi Ekonomi Sumber Daya Kelautan Di Pantai Selatan Daerah Istimewa Yogyakarta Sebagai Upaya Percepatan Investasi. Jurnal Teknosains, 4(2):101-120 (Abstr.).
- Sartimbul, A., Iranawati, F., Sambah, A.B., Yona, D., Hidayati, N., Harlyan, L.I., Sari, S.H.J. and Fuad, M.A.Z. 2017. Pengelolaan Sumberdaya Perikanan Pelagis Di Indonesia. Universitas Brawijaya Press.
- Scheyer, T.M., Schmid, L., Furrer, H. and Sánchez-Villagra, M.R., 2014. An Assessment of Age Determination in Fossil Fish: The Case of The Opercula In The Mesozoic Actinopterygian *Saurichthys*. Swiss Journal of Palaeontology, 133(2):243-257.
- Tarigan, A.L., Hamdani, H., Yustiati, A. and Dewanti, L.P. 2019. Length weight Relationship and Condition Factor of Indo-Pacific King Mackerel (*Scomberomorus guttatus*) in Pangandaran Water, West Java, Indonesia. World News of Natural Sciences, 24:199-208.
- Wahyudi, R. and Maharani, E.T.W. 2017. Profil Protein Pada Ikan Tenggiri Dengan Variasi Penggaraman Dan Lama Penggaraman Dengan Menggunakan Metode SDS-PAGE. In Prosiding Seminar Nasional & Internasional.
- Wood, R.S., Chakoumakos, B.C., Fortner, A.M., Gillies-Rector, K., Frontzek, M.D., Ivanov, I.N., Kah, L.C., Kennedy, B. and Pracheil, B.M., 2022. Quantifying Fish Otolith Mineralogy For Trace-Element Chemistry Studies. Scientific Reports, 12(1):1-10.
- Wudji, A., Bram, S dan Suciadi, C. N. 2017. Identifikasi Struktur Stok Ikan Cakalang (*Katsuwonus pelamis*, Linnaeus, 1758) di Samudra Hindia (WPPNRI 573) Menggunakan Analisis Bentuk Otolith. Jurnal Penelitian Perikanan Indonesia. 23(2): 77-88.
- Xieu, W., Lewis, L.S., Zhao, F., Fichman, R.A., Willmes, M., Hung, T.C., Ellison, L., Stevenson, T., Tigan, G., Schultz, A.A. and Hobbs, J.A., 2021. Experimental

Validation of Otolith-Based Age And Growth Reconstructions Across Multiple Life Stages of A Critically Endangered Estuarine Fish. PeerJ, 9:e12280.

Yulianto, E.S., Jauhari, A., Wiadnya, D.G.R., Sunardi, S. dan Rahman, M.A. 2018. Spektrum Suara Gulamah Sebagai Kajian Awal Pembuatan Rumpon: Kasus Di Perairan Tuban, Jawa Timur. Jurnal Teknologi Perikanan dan Kelautan, 9(2):169-176.

Zarochman, K. 2012. A brief review Indo-Pacific king mackerel (*Scomberomorus guttatus*) in Indonesia. Second Working Party on Neritic Tunas, Penang, Malaysia: 9.

Zischke, M.T., Litherland, L., Tilyard, B.R., Stratford, N.J., Jones, E.L. and Wang, Y.G., 2016. Otolith Morphology of Four Mackerel Species (*Scomberomorus spp.*) in Australia: Species differentiation and prediction for fisheries monitoring and assessment. Fisheries Research, 176:39-47.