

## DAFTAR PUSTAKA

- Abu Sa'd, J., Indelman, M., Pfendner, E., Falik-Zaccai, T. C., Mizrahi-Koren, M., Shalev, S., Ben Amitai, D., *et al.* 2006. Molecular epidemiology of hereditary epidermolysis bullosa in a middle eastern population. *J Invest Dermatol*, 126; 777-781.
- Ahmed, F. E., Jeffries, C. D., Vos, P. W., Flake, G., Nuovo, G. J., Sinar, D. R., Naziri, W., *et al.* 2009. Diagnostic microrna markers for screening sporadic human colon cancer and active ulcerative colitis in stool and tissue. *Cancer Genomics Proteomics*, 6; 281-295.
- Alverdy, J. C., Hyoju, S. K., Weigerinck, M. dan Gilbert, J. A. 2017. The gut microbiome and the mechanism of surgical infection. *Br J Surg*, 104; e14-e23.
- Ashton, G. H., Mellerio, J. E., Dunnill, M. G., Pulkkinen, L., Christiano, A. M., Uitto, J., Eady, R. A., *et al.* 1997. A recurrent laminin 5 mutation in british patients with lethal (herlitz) junctional epidermolysis bullosa: Evidence for a mutational hotspot rather than propagation of an ancestral allele. *Br J Dermatol*, 136; 674-677.
- Baardman, R., Yenamandra, V. K., Duipmans, J. C., Pasmooij, A. M. G., Jonkman, M. F., van den Akker, P. C. dan Bolling, M. C. 2021. Novel insights into the epidemiology of epidermolysis bullosa (eb) from the dutch eb registry: Eb more common than previously assumed? *J Eur Acad Dermatol Venereol*, 35; 995-1006.
- Backhed, F., Roswall, J., Peng, Y., Feng, Q., Jia, H., Kovatcheva-Datchary, P., Li, Y., *et al.* 2015. Dynamics and stabilization of the human gut microbiome during the first year of life. *Cell Host Microbe*, 17; 690-693.
- Balato, A., Cacciapuoti, S., Di Caprio, R., Marasca, C., Masara, A., Raimondo, A. dan Fabbrocini, G. 2019. Human microbiome: Composition and role in inflammatory skin diseases. *Arch Immunol Ther Exp (Warsz)*, 67; 1-18.
- Baldovino, S., Moliner, A. M., Taruscio, D., Daina, E. dan Roccatoello, D. 2016. Rare diseases in europe: From a wide to a local perspective. *Isr Med Assoc J*, 18; 359-363.
- Bardhan, A., Bruckner-Tuderman, L., Chapple, I. L. C., Fine, J. D., Harper, N., Has, C., Magin, T. M., *et al.* 2020. Epidermolysis bullosa. *Nat Rev Dis Primers*, 6; 27.
- Bartee, L. 2019. Types of mutations. Available: <https://openoregon.pressbooks.pub/mhccbiology102/chapter/7-4-what-kinds-of-gene-mutations-are-possible/> [Accessed 29 Agustus 2019].
- Bereswill, S., Ekmekciu, I., Escher, U., Fiebigler, U., Stingl, K. dan Heimesaat, M. M. 2017. *Lactobacillus johnsonii* ameliorates intestinal, extra-intestinal and

- systemic pro-inflammatory immune responses following murine campylobacter jejuni infection. *Sci Rep*, 7; 2138.
- Bishnoi, P., Ng, Y. Z., Wei, H., Tan, E. C., Lunny, D. P., Wong, X., Kin Fon, L., *et al.* 2021. Self-improving dystrophic epidermolysis bullosa: First report of clinical, molecular, and genetic characterization of five patients from southeast asia. *Am J Med Genet A*, 185; 625-630.
- Blanton, L. V., Charbonneau, M. R., Salih, T., Barratt, M. J., Venkatesh, S., Ilkaveya, O., Subramanian, S., *et al.* 2016. Gut bacteria that prevent growth impairments transmitted by microbiota from malnourished children. *Science*, 351; 1-17.
- Bolling, M. C., Lemmink, H. H., Jansen, G. H. dan Jonkman, M. F. 2011. Mutations in krt5 and krt14 cause epidermolysis bullosa simplex in 75% of the patients. *Br J Dermatol*, 164; 637-644.
- Brohem, C. A., Cardeal, L. B., Tiago, M., Soengas, M. S., Barros, S. B. dan Maria-Engler, S. S. 2011. Artificial skin in perspective: Concepts and applications. *Pigment Cell Melanoma Res*, 24; 35-50.
- Brooke, M. A., Nitoiu, D. dan Kelsell, D. P. 2012. Cell-cell connectivity: Desmosomes and disease. *J Pathol*, 226; 158-171.
- Bruckner-Tuderman, L., Hopfner, B. dan Hammami-Hauasli, N. 1999. Biology of anchoring fibrils: Lessons from dystrophic epidermolysis bullosa. *Matrix Biol*, 18; 43-54.
- Bruckner-Tuderman, L. dan Payne, A. S. 2019. Epidermal and dermal adhesion. *In*: Kang, S., Amagai, M., A.L., B., A.H., E., D.J., M., A.J., M. dan J.S., O. (eds.) *Fitzpatrick's dermatology 9th edition*. New York: McGraw-Hill Education.233-248.
- Buford, T. W. 2017. (dis)trust your gut: The gut microbiome in age-related inflammation, health, and disease. *Microbiome*, 5; 80.
- Cane, L. B. 1909. Epidermolysis bullosa: Three cases: With history of the disease in four generations of the same family. *Br Med J*, 1; 1114-1116.
- Castelino, M., Eyre, S., Moat, J., Fox, G., Martin, P., Ho, P., Upton, M., *et al.* 2017. Optimisation of methods for bacterial skin microbiome investigation: Primer selection and comparison of the 454 versus miseq platform. *BMC Microbiol*, 17; 23.
- Chong, S. C., Hon, K. L., Yuen, L. Y. P., Choi, P. C. L., Ng, W. G. G. dan Chiu, T. W. 2021. Neonatal epidermolysis bullosa: Lessons to learn about genetic counseling. *J Dermatolog Treat*, 32; 29-32.
- Cifuentes, L., Kiritsi, D., Chen, W., Pennino, J., Ring, J., Weidinger, S. dan Has, C. 2013. A case of junctional epidermolysis bullosa with prurigo-like lesions and reduction of collagen xvii and filaggrin. *Br J Dermatol*, 169; 195-198.

- Ciubotaru, D., Bergman, R., Baty, D., Indelman, M., Pfendner, E., Petronius, D., Moualem, H., *et al.* 2003. Epidermolysis bullosa simplex in israel: Clinical and genetic features. *Arch Dermatol*, 139; 498-505.
- Clark, A. K., Haas, K. N. dan Sivamani, R. K. 2017. Edible plants and their influence on the gut microbiome and acne. *Int J Mol Sci*, 18.
- Condorelli, A. G., Logli, E., Cianfarani, F., Teson, M., Diociaiuti, A., El Hachem, M., Zambruno, G., *et al.* 2019. Microrna-145-5p regulates fibrotic features of recessive dystrophic epidermolysis bullosa skin fibroblasts. *Br J Dermatol*, 181; 1017-1027.
- Cong, J. dan Zhang, X. 2018. How human microbiome talks to health and disease. *Eur J Clin Microbiol Infect Dis*, 37; 1595-1601.
- Cresci, G. A. dan Bawden, E. 2015. Gut microbiome: What we do and don't know. *Nutr Clin Pract*, 30; 734-746.
- Cross, H. E., Wells, R. S. dan Esterly, J. R. 1968. Inheritance in epidermolysis bullosa letalis. *J Med Genet*, 5; 189-196.
- Cserhalmi-Friedman, P. B., Tang, Y., Adler, A., Krey, L., Grifo, J. A. dan Christiano, A. M. 2000. Preimplantation genetic diagnosis in two families at risk for recurrence of herlitz junctional epidermolysis bullosa. *Exp Dermatol*, 9; 290-297.
- Cserhalmi-Friedman, P. B., Yeboa, K. A. dan Christiano, A. M. 2001. DNA based molecular analysis in the rapid diagnosis of herlitz junctional epidermolysis bullosa. *Clin Exp Dermatol*, 26; 205-207.
- Dei-Cas, I., Giliberto, F., Luce, L., Dopazo, H. dan Penas-Steinhardt, A. 2020. Metagenomic analysis of gut microbiota in non-treated plaque psoriasis patients stratified by disease severity: Development of a new psoriasis-microbiome index. *Sci Rep*, 10; 1-11.
- Diana, I. A. Debra indonesia, chalanges and inovation. Regional Dermatology Conferences, 2017 Surabaya. PERDOSKI.
- Diana, I. A. 2021. Perdoski peringati epidermolysis bulosa awareness month. Jakarta [www.klikdokter.com](http://www.klikdokter.com).
- Diana, I. A., Gondokaryono, S. P., Dwiyan, R. F., Rahardja, J. H., Yogya, Y. dan Gunawan, H. 2019. Intrafamilial diversity of clinical severity of epidermolysis bullosa: Case series of three generations. *The Open Dermatology Journal*; 5.
- Durant, L., Stentz, R., Noble, A., Brooks, J., Gicheva, N., Reddi, D., O'Connor, M. J., *et al.* 2020. Bacteroides thetaiotaomicron-derived outer membrane vesicles promote regulatory dendritic cell responses in health but not in inflammatory bowel disease. *Microbiome*, 8; 1-16.
- Endo, M., Zoltick, P. W., Radu, A., Jiang, Q., Matsui, C., Marinkovich, P. M., McGrath, J., *et al.* 2012. Early intra-amniotic gene transfer using lentiviral

- vector improves skin blistering phenotype in a murine model of herlitz junctional epidermolysis bullosa. *Gene Ther*, 19; 561-569.
- Farokhforghani, S., Fatemi, M. J., Ghanooni, P., Asadpour, F., Araghi, S. dan Nouri, A. 2021. Epidermolysis bullosa registry data in iran. *World J Plast Surg*, 10; 99-103.
- Fassihi, H., Wessagowit, V., Ashton, G. H., Moss, C., Ward, R., Denyer, J., Mellerio, J. E., *et al.* 2005. Complete paternal uniparental isodisomy of chromosome 1 resulting in herlitz junctional epidermolysis bullosa. *Clin Exp Dermatol*, 30; 71-74.
- Featherstone, C. 2007. Epidermolysis bullosa: From fundamental molecular biology to clinical therapies. *J Invest Dermatol*, 127; 256-259.
- Featherstone, C. dan Uitto, J. 2007. Ex vivo gene therapy cures a blistering skin disease. *Trends Mol Med*, 13; 219-222.
- Fine, J. D. 2016. Epidemiology of inherited epidermolysis bullosa based on incidence and prevalence estimates from the national epidermolysis bullosa registry. *JAMA Dermatol*, 152; 1231-1238.
- Fine, J. D., Bruckner-Tuderman, L., Eady, R. A., Bauer, E. A., Bauer, J. W., Has, C., Heagerty, A., *et al.* 2014. Inherited epidermolysis bullosa: Updated recommendations on diagnosis and classification. *J Am Acad Dermatol*, 70; 1103-1126.
- Fine, J. D. dan Mellerio, J. E. 2009a. Extracutaneous manifestations and complications of inherited epidermolysis bullosa: Part i. Epithelial associated tissues. *J Am Acad Dermatol*, 61; 367-384; quiz 385-366.
- Fine, J. D. dan Mellerio, J. E. 2009b. Extracutaneous manifestations and complications of inherited epidermolysis bullosa: Part ii. Other organs. *J Am Acad Dermatol*, 61; 387-402; quiz 403-384.
- Fong, K., Bailey, C. V., Tuttle, P., Cunningham, B., McGrath, J. A. dan Cho, R. J. 2017. Questioning the clinical utility of exome sequencing in developing countries. *Pediatr Dermatol*, 34; e32-e34.
- Fozia, F., Nazli, R., Bibi, N., Khan, S. A., Muhammad, N., Shakeeb, N., Khan, S., *et al.* 2021. Whole exome sequencing confirms molecular diagnostics of three pakhtun families with autosomal recessive epidermolysis bullosa. *Front Pediatr*, 9; 727288.
- Freeman, E. B., Köglmeier, J., Martinez, A. E., Mellerio, J. E., Haynes, L., Sebire, N. J., Lindley, K. J., *et al.* 2008. Gastrointestinal complications of epidermolysis bullosa in children. *Br J Dermatol*, 158; 1308-1314.
- Fuentes, I., Guttman-Gruber, C., Tay, A. S. L., Pinon Hofbauer, J., Denil, S., Reichelt, J., Palisson, F., *et al.* 2018. Reduced microbial diversity is a feature of recessive dystrophic epidermolysis bullosa-involved skin and wounds. *J Invest Dermatol*, 138; 2492-2495.

- Gache, Y., Allegra, M., Bodemer, C., Pisani-Spadafora, A., de Prost, Y., Ortonne, J. P. dan Meneguzzi, G. 2001. Genetic bases of severe junctional epidermolysis bullosa presenting spontaneous amelioration with aging. *Hum Mol Genet*, 10; 2453-2461.
- Galehdari, H., Mohammadian, G., Azmoon, S., Salehi, B. dan Pedram, M. 2010. A novel col7a1 gene mutation in an iranian individual suffering dystrophic epidermolysis bullosa. *J Mol Diagn*, 12; 377-379.
- Gao, Z., Perez-Perez, G. I., Chen, Y. dan Blaser, M. J. 2010. Quantitation of major human cutaneous bacterial and fungal populations. *J Clin Microbiol*, 48; 3575-3581.
- Garza, L. 2019. Developmental biology of the skin. In: Kang, S., Amagai, M., A.L., B., A.H., E., D.J., M., A.J., M. dan J.S., O. (eds.) *Fitzpatrick's dermatology*. 9th ed. New York: McGraw-Hill Education.53-55.
- Gedde-Dahl, T. J. 1971. *Epidermolysis bullosa. A clinical, genetic and epidemiologic study.*, Baltimore, Johns Hopkins University Press.
- Grice, E. A. 2014. The skin microbiome: Potential for novel diagnostic and therapeutic approaches to cutaneous disease. *Semin Cutan Med Surg*, 33; 98-103.
- Grice, E. A., Kong, H. H., Conlan, S., Deming, C. B., Davis, J., Young, A. C., Program, N. C. S., *et al.* 2009. Topographical and temporal diversity of the human skin microbiome. *Science*, 324; 1190-1192.
- Halim-Fikri, H., Etemad, A., Abdul Latif, A. Z., Merican, A. F., Baig, A. A., Annuar, A. A., Ismail, E., *et al.* 2015. The first malay database toward the ethnic-specific target molecular variation. *BMC Res Notes*, 8; 176.
- Hamady, M. dan Knight, R. 2009. Microbial community profiling for human microbiome projects: Tools, techniques, and challenges. *Genome Res*, 19; 1141-1152.
- Hamady, M., Walker, J. J., Harris, J. K., Gold, N. J. dan Knight, R. 2008. Error-correcting barcoded primers for pyrosequencing hundreds of samples in multiplex. *Nat Methods*, 5; 235-237.
- Hamilton, A., Tetreault, M., Dymont, D. A., Zou, R., Kernohan, K., Geraghty, M. T., Consortium, F. C., *et al.* 2016. Concordance between whole-exome sequencing and clinical sanger sequencing: Implications for patient care. *Mol Genet Genomic Med*, 4; 504-512.
- Hammersen, J., Has, C., Naumann-Bartsch, N., Stachel, D., Kiritsi, D., Soder, S., Tardieu, M., *et al.* 2016. Genotype, clinical course, and therapeutic decision making in 76 infants with severe generalized junctional epidermolysis bullosa. *J Invest Dermatol*, 136; 2150-2157.
- Has, C. 2011. Molecular genetic assays for inherited epidermolysis bullosa. *Clin Dermatol*, 29; 420-426.

- Has, C., Bauer, J. W., Bodemer, C., Bolling, M. C., Bruckner-Tuderman, L., Diem, A., Fine, J. D., *et al.* 2020. Consensus reclassification of inherited epidermolysis bullosa and other disorders with skin fragility. *Br J Dermatol*, 183; 614-627.
- Has, C., Castiglia, D., del Rio, M., Diez, M. G., Piccinni, E., Kiritsi, D., Kohlhase, J., *et al.* 2011. Kindler syndrome: Extension of *fermt1* mutational spectrum and natural history. *Hum Mutat*, 32; 1204-1212.
- Has, C. dan Fischer, J. 2018. Inherited epidermolysis bullosa: New diagnostics and new clinical phenotypes. *Exp Dermatol*.
- Has, C. dan Fischer, J. 2019. Inherited epidermolysis bullosa: New diagnostics and new clinical phenotypes. *Exp Dermatol*, 28; 1146-1152.
- Has, C. dan He, Y. 2016. Research techniques made simple: Immunofluorescence antigen mapping in epidermolysis bullosa. *J Invest Dermatol*, 136; e65-e71.
- Hee, S. W., Willis, A., Tudur Smith, C., Day, S., Miller, F., Madan, J., Posch, M., *et al.* 2017. Does the low prevalence affect the sample size of interventional clinical trials of rare diseases? An analysis of data from the aggregate analysis of clinicaltrials.Gov. *Orphanet J Rare Dis*, 12; 44.
- Hendriks, A. C. A., Reubsat, F. A. G., Kooistra-Smid, A., Rossen, J. W. A., Dutilh, B. E., Zomer, A. L., van den Beld, M. J. C., *et al.* 2020. Genome-wide association studies of shigella spp. And enteroinvasive escherichia coli isolates demonstrate an absence of genetic markers for prediction of disease severity. *BMC Genomics*, 21; 138.
- Horiguchi, Y., Sawamura, D., Mori, R., Nakamura, H., Takahashi, K. dan Shimizu, H. 2005. Clinical heterogeneity of 1649delg mutation in the tail domain of keratin 5: A japanese family with epidermolysis bullosa simplex with mottled pigmentation. *J Invest Dermatol*, 125; 83-85.
- Horn, H. M. dan Tidman, M. J. 2002. The clinical spectrum of dystrophic epidermolysis bullosa. *Br J Dermatol*, 146; 267-274.
- Huttenhower, C., Gevers, D., Knight, R., Abubucker, S., Badger, J. H., Chinwalla, A. T. dan Creasy, H. H. 2012. Structure, function and diversity of the healthy human microbiome. *Nature*, 486; 207-214.
- Institute, N. H. G. R. 2022. *Mutation* [Online]. Available: <https://www.genome.gov/genetics-glossary/Mutation> [Accessed 20 Maret 2022 2022].
- James, W. D., Elston, D. M. dan Berger, T. G. 2011. Skin: Basic structure and function. *Andrews' disease of the skin clinical dermatology*. eleventh ed. United Kingdom: Elsevier.1-2.
- Johnson, A. J., Vangay, P., Al-Ghalith, G. A., Hillmann, B. M., Ward, T. L., Shields-Cutler, R. R., Kim, A. D., *et al.* 2019. Daily sampling reveals personalized diet-microbiome associations in humans. *Cell Host Microbe*, 25; 789-802 e785.



- Johnson, C. C. dan Ownby, D. R. 2017. The infant gut bacterial microbiota and risk of pediatric asthma and allergic diseases. *Transl Res*, 179; 60-70.
- Kalliomaki, M., Kirjavainen, P., Eerola, E., Kero, P., Salminen, S. dan Isolauri, E. 2001. Distinct patterns of neonatal gut microflora in infants in whom atopy was and was not developing. *J Allergy Clin Immunol*, 107; 129-134.
- Kang, T. W., Lee, J. S., Kim, S. E., Oh, S. W. dan Kim, S. C. 2010. Novel and recurrent mutations in keratin 5 and 14 in Korean patients with epidermolysis bullosa simplex. *J Dermatol Sci*, 57; 90-94.
- Khan, F. F., Khan, N., Rehman, S., Ejaz, A., Ali, U., Erfan, M., Ahmed, Z. M., *et al.* 2021. Identification and computational analysis of novel pathogenic variants in Pakistani families with diverse epidermolysis bullosa phenotypes. *Biomolecules*, 11.
- Kim, B. S., Jeon, Y. S. dan Chun, J. 2013. Current status and future promise of the human microbiome. *Pediatr Gastroenterol Hepatol Nutr*, 16; 71-79.
- Kim, C. H. 2013. Host and microbial factors in regulation of T cells in the intestine. *Front Immunol*, 4; 141.
- Kim, E. N., Harris, A. G., Bingham, L. J., Yan, W., Su, J. C. dan Murrell, D. F. 2017. A review of 52 pedigrees with epidermolysis bullosa simplex identifying ten novel mutations in KRT5 and KRT14 in Australia. *Acta Derm Venereol*, 97; 1114-1119.
- Kiritisi, D., Garcia, M., Brander, R., Has, C., Meijer, R., Jose Escamez, M., Kohlhaase, J., *et al.* 2014. Mechanisms of natural gene therapy in dystrophic epidermolysis bullosa. *J Invest Dermatol*, 134; 2097-2104.
- Kiritisi, D. dan Nystrom, A. 2018. Recent advances in understanding and managing epidermolysis bullosa. *F1000Res*, 7.
- Kivirikko, S., McGrath, J. A., Pulkkinen, L., Uitto, J. dan Christiano, A. M. 1996. Mutational hotspots in the LAMB3 gene in the lethal (Herlitz) type of junctional epidermolysis bullosa. *Hum Mol Genet*, 5; 231-237.
- Komorowski, L., Muller, R., Vorobyev, A., Probst, C., Recke, A., Jonkman, M. F., Hashimoto, T., *et al.* 2013. Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita. *J Am Acad Dermatol*, 68; e89-95.
- Kong, H. H. 2011. Skin microbiome: Genomics-based insights into the diversity and role of skin microbes. *Trends Mol Med*, 17; 320-328.
- Kong, H. H. dan Segre, J. A. 2017. The molecular revolution in cutaneous biology: Investigating the skin microbiome. *J Invest Dermatol*, 137; e119-e122.
- Korge, B. P. dan Krieg, T. 1996. The molecular basis for inherited bullous diseases. *J Mol Med (Berl)*, 74; 59-70.

- Kosiewicz, M. M., Dryden, G. W., Chhabra, A. dan Alard, P. 2014. Relationship between gut microbiota and development of t cell associated disease. *FEBS Lett*, 588; 4195-4206.
- Kragsnaes, M. S., Kjeldsen, J., Horn, H. C., Munk, H. L., Pedersen, F. M., Holt, H. M., Pedersen, J. K., *et al.* 2018. Efficacy and safety of faecal microbiota transplantation in patients with psoriatic arthritis: Protocol for a 6-month, double-blind, randomised, placebo-controlled trial. *BMJ Open*, 8; e019231.
- Lai-Cheong, J. E., Parsons, M., Tanaka, A., Ussar, S., South, A. P., Gomathy, S., Mee, J. B., *et al.* 2009. Loss-of-function fermt1 mutations in kindler syndrome implicate a role for fermitin family homolog-1 in integrin activation. *Am J Pathol*, 175; 1431-1441.
- Lechler, T. 2019. Growth and differentiation of the epidermis. *In*: Kang, S., Amagai, M., A.L., B., A.H., E., D.J., M., A.J., M. dan J.S., O. (eds.) *Fitzpatrick's dermatology 9th edition*. 9th ed. New York: McGraw-Hill Education.62-69.
- Lin, Z., Li, S., Feng, C., Yang, S., Wang, H., Ma, D., Zhang, J., *et al.* 2016. Stabilizing mutations of klhl24 ubiquitin ligase cause loss of keratin 14 and human skin fragility. *Nat Genet*, 48; 1508-1516.
- Lincoln, V., Cogan, J., Hou, Y., Hirsch, M., Hao, M., Alexeev, V., De Luca, M., *et al.* 2018. Gentamicin induces lamb3 nonsense mutation readthrough and restores functional laminin 332 in junctional epidermolysis bullosa. *Proc Natl Acad Sci U S A*, 115; E6536-e6545.
- Lu, S., Wang, J., Chitsaz, F., Derbyshire, M. K., Geer, R. C., Gonzales, N. R., Gwadz, M., *et al.* 2020. Cdd/sparcle: The conserved domain database in 2020. *Nucleic Acids Res*, 48; d265-d268.
- Lu, T., Chen, Y., Guo, Y., Sun, J., Shen, W., Yuan, M., Zhang, S., *et al.* 2019. Altered gut microbiota diversity and composition in chronic urticaria. *Dis Markers*, 2019; 6417471.
- Lucky, A. W., Dagaonkar, N., Lammers, K., Husami, A., Kissell, D. dan Zhang, K. 2018. A comprehensive next-generation sequencing assay for the diagnosis of epidermolysis bullosa. *Pediatr Dermatol*, 35; 188-197.
- Mahajan, R., Manjunath, S., Madakshira, M. G., Chatterjee, D., Bishnoi, A., De, D., Handa, S., *et al.* 2022. Correlating clinical and laboratory diagnostic modalities in the diagnosis of epidermolysis bullosa in a resource-poor setting. *J Cutan Pathol*, 49; 454-459.
- Mallipeddi, R., Bleck, O., Mellerio, J. E., Ashton, G. H., Eady, R. A. dan McGrath, J. A. 2003. Dilemmas in distinguishing between dominant and recessive forms of dystrophic epidermolysis bullosa. *Br J Dermatol*, 149; 810-818.
- Margolis, R. J. 2016. Utilizing innovative statistical methods and trial design in rare disease settings. Duke Center for Health Policy.



- Mariath, L. M., Santin, J. T., Frantz, J. A., Doriqui, M. J. R., Kiszewski, A. E. dan Schuler-Faccini, L. 2019. An overview of the genetic basis of epidermolysis bullosa in brazil: Discovery of novel and recurrent disease-causing variants. *Clin Genet*, 96; 189-198.
- Mariath, L. M., Santin, J. T., Schuler-Faccini, L. dan Kiszewski, A. E. 2020. Inherited epidermolysis bullosa: Update on the clinical and genetic aspects. *An Bras Dermatol*, 95; 551-569.
- Martin, A. R., Williams, E., Foulger, R. E., Leigh, S., Daugherty, L. C., Niblock, O., Leong, I. U. S., *et al.* 2019. Panelapp crowdsources expert knowledge to establish consensus diagnostic gene panels. *Nat Genet*, 51; 1560-1565.
- McGrath, J. A. 2017. A new clinical diagnostic matrix for epidermolysis bullosa. *Br J Dermatol*, 176; 1442-1443.
- McMillan, J. R., McGrath, J. A., Tidman, M. J. dan Eady, R. A. 1998. Hemidesmosomes show abnormal association with the keratin filament network in junctional forms of epidermolysis bullosa. *J Invest Dermatol*, 110; 132-137.
- Mellerio, J. E., Dunnill, M. G., Allison, W., Ashton, G. H., Christiano, A. M., Uitto, J., Eady, R. A., *et al.* 1997. Recurrent mutations in the type vii collagen gene (col7a1) in patients with recessive dystrophic epidermolysis bullosa. *J Invest Dermatol*, 109; 246-249.
- Meyer-Mueller, C., Osborn, M. J., Tolar, J., Boull, C. dan Ebens, C. L. 2022. Revertant mosaicism in epidermolysis bullosa. *Biomedicines*, 10.
- Minakawa, S., Nakano, H., Nakajima, K., Matsuzaki, Y., Takiyoshi, N., Akasaka, E., Rokunohe, D., *et al.* 2013. Mutational analysis on 16 japanese population cases with epidermolysis bullosa simplex. *J Dermatol Sci*, 72; 330-332.
- Morales, P., Fujio, S., Navarrete, P., Ugalde, J. A., Magne, F., Carrasco-Pozo, C., Tralma, K., *et al.* 2016. Impact of dietary lipids on colonic function and microbiota: An experimental approach involving orlistat-induced fat malabsorption in human volunteers. *Clin Transl Gastroenterol*, 7; e161.
- Murata, T., Masunaga, T., Ishiko, A., Shimizu, H. dan Nishikawa, T. 2004. Differences in recurrent col7a1 mutations in dystrophic epidermolysis bullosa: Ethnic-specific and worldwide recurrent mutations. *Arch Dermatol Res*, 295; 442-447.
- Nagao-Watanabe, M., Fukao, T., Matsui, E., Kaneko, H., Inoue, R., Kawamoto, N., Kasahara, K., *et al.* 2004. Identification of somatic and germline mosaicism for a keratin 5 mutation in epidermolysis bullosa simplex in a family of which the proband was previously regarded as a sporadic case. *Clin Genet*, 66; 236-238.
- Nagy, N. dan McGrath, J. A. 2010. Blistering skin diseases: A bridge between dermatopathology and molecular biology. *Histopathology*, 56; 91-99.

- Nakano, A., Lestringant, G. G., Paperna, T., Bergman, R., Gershoni, R., Frossard, P., Kanaan, M., *et al.* 2002. Junctional epidermolysis bullosa in the middle east: Clinical and genetic studies in a series of consanguineous families. *J Am Acad Dermatol*, 46; 510-516.
- Natsuga, K., Nishie, W., Shinkuma, S., Nakamura, H., Matsushima, Y., Tatsuta, A., Komine, M., *et al.* 2011a. Expression of exon-8-skipped kindlin-1 does not compensate for defects of kindler syndrome. *J Dermatol Sci*, 61; 38-44.
- Natsuga, K., Nishie, W., Smith, B. J., Shinkuma, S., Smith, T. A., Parry, D. A., Oiso, N., *et al.* 2011b. Consequences of two different amino-acid substitutions at the same codon in krt14 indicate definitive roles of structural distortion in epidermolysis bullosa simplex pathogenesis. *J Invest Dermatol*, 131; 1869-1876.
- Naussbaum, R. L., McInnes, R. R., Willard, H. F., Hamosh, A. dan Thompson, M. W. 2007. *Thompson & thompson genetics in medicine*, Philadelphia, Saunders/Elsevier.
- Niguidula, N., Alamillo, C., Shahmirzadi Mowlavi, L., Powis, Z., Cohen, J. S. dan Farwell Hagman, K. D. 2018. Clinical whole-exome sequencing results impact medical management. *Mol Genet Genomic Med*, 6; 1068-1078.
- O'Neill, C. A., Monteleone, G., McLaughlin, J. T. dan Paus, R. 2016. The gut-skin axis in health and disease: A paradigm with therapeutic implications. *Bioessays*, 38; 1167-1176.
- Oliveira, Z. N., Perigo, A. M., Fukumori, L. M. dan Aoki, V. 2010. Immunological mapping in hereditary epidermolysis bullosa. *An Bras Dermatol*, 85; 856-861.
- Pan, F., Zhang, L., Li, M., Hu, Y., Zeng, B., Yuan, H., Zhao, L., *et al.* 2018. Predominant gut lactobacillus murinus strain mediates anti-inflammaging effects in calorie-restricted mice. *Microbiome*, 6; 1-17.
- Pasmooij, A. M., Garcia, M., Escamez, M. J., Nijenhuis, A. M., Azon, A., Cuadrado-Corrales, N., Jonkman, M. F., *et al.* 2010. Revertant mosaicism due to a second-site mutation in col7a1 in a patient with recessive dystrophic epidermolysis bullosa. *J Invest Dermatol*, 130; 2407-2411.
- Pasmooij, A. M., Pas, H. H., Deviaene, F. C., Nijenhuis, M. dan Jonkman, M. F. 2005. Multiple correcting col17a1 mutations in patients with revertant mosaicism of epidermolysis bullosa. *Am J Hum Genet*, 77; 727-740.
- Patel, T., Bhattacharya, P. dan Das, S. 2016. Gut microbiota: An indicator to gastrointestinal tract diseases. *J Gastrointest Cancer*, 47; 232-238.
- Pearson, R. W. 1962. Studies on the pathogenesis of epidermolysis bullosa. *J Invest Dermatol*, 39; 551-575.
- Pérez-Cobas, A. E., Gomez-Valero, L. dan Buchrieser, C. 2020. Metagenomic approaches in microbial ecology: An update on whole-genome and marker gene sequencing analyses. *Microb Genom*, 6.

- Pulkkinen, L., Meneguzzi, G., McGrath, J. A., Xu, Y., Blanchet-Bardon, C., Ortonne, J. P., Christiano, A. M., *et al.* 1997. Predominance of the recurrent mutation r635x in the lamb3 gene in european patients with herlitz junctional epidermolysis bullosa has implications for mutation detection strategy. *J Invest Dermatol*, 109; 232-237.
- Rahayu, E. S., Utami, T., Mariyatun, M., Hasan, P. N., Kamil, R. Z., Setyawan, R. H., Pamungkaningtyas, F. H., *et al.* 2019. Gut microbiota profile in healthy indonesians. *World J Gastroenterol*, 25; 1478-1491.
- Rayinda, T., van Steensel, M. dan Danarti, R. 2021. Inherited skin disorders presenting with poikiloderma. *Int J Dermatol*, 60; 1343-1353.
- Riahi, K., Ghanbari Mardasi, F., Talebi, F., Jasemi, F. dan Mohammadi Asl, J. 2021. Digenic mutations in junctional epidermolysis bullosa in an iranian family. *Cell J*, 23; 598-602.
- Rinninella, E., Raoul, P., Cintoni, M., Franceschi, F., Miggiano, G. A. D., Gasbarrini, A. dan Mele, M. C. 2019. What is the healthy gut microbiota composition? A changing ecosystem across age, environment, diet, and diseases. *Microorganisms*, 7.
- Rosenberg, E. dan Zilber-Rosenberg, I. 2019. The hologenome concept of evolution: Medical implications. *Rambam Maimonides Med J*, 10.
- Salem, I., Ramser, A., Isham, N. dan Ghannoum, M. A. 2018. The gut microbiome as a major regulator of the gut-skin axis. *Front Microbiol*, 9; 1459.
- Scher, J. U. dan Abramson, S. B. 2011. The microbiome and rheumatoid arthritis. *Nat Rev Rheumatol*, 7; 569-578.
- Schlaeppli, K. dan Bulgarelli, D. 2015. The plant microbiome at work. *Mol Plant Microbe Interact*, 28; 212-217.
- Schommer, N. N. dan Gallo, R. L. 2013. Structure and function of the human skin microbiome. *Trends Microbiol*, 21; 660-668.
- Segata, N., Haake, S. K., Mannon, P., Lemon, K. P., Waldron, L., Gevers, D., Huttenhower, C., *et al.* 2012. Composition of the adult digestive tract bacterial microbiome based on seven mouth surfaces, tonsils, throat and stool samples. *Genome Biol*, 13; R42.
- Selvanderan, S. P., Goldblatt, F., Nguyen, N. Q. dan Costello, S. P. 2019. Faecal microbiota transplantation for clostridium difficile infection resulting in a decrease in psoriatic arthritis disease activity. *Clin Exp Rheumatol*, 37; 514-515.
- Shimizu, H., Takizawa, Y., McGrath, J. A., Pulkkinen, L., Christiano, A. M., Uitto, J., Burgeson, R. E., *et al.* 1997. Absence of r42x and r635x mutations in the lamb3 gene in 12 japanese patients with junctional epidermolysis bullosa. *Arch Dermatol Res*, 289; 174-176.

- Sims, G. E. dan Kim, S. H. 2011. Whole-genome phylogeny of escherichia coli/shigella group by feature frequency profiles (ffps). *Proc Natl Acad Sci U S A*, 108; 8329-8334.
- Singer, H. M., Levin, L. E., Garzon, M. C., Lauren, C. T., Planet, P. J., Kittler, N. W., Whittier, S., *et al.* 2018. Wound culture isolated antibiograms and caregiver-reported skin care practices in children with epidermolysis bullosa. *Pediatr Dermatol*, 35; 92-96.
- Song, H., Yoo, Y., Hwang, J., Na, Y. C. dan Kim, H. S. 2016. Faecalibacterium prausnitzii subspecies-level dysbiosis in the human gut microbiome underlying atopic dermatitis. *J Allergy Clin Immunol*, 137; 852-860.
- Stawczyk-Macieja, M., Wertheim-Tysarowska, K., Jakubowski, R., Szczerkowska-Dobosz, A., Krygier, M., Wilkowska, A., Sawicka, J., *et al.* 2018. A novel de novo mutation p.Ala428asp in krt5 gene as a cause of localized epidermolysis bullosa simplex. *Exp Dermatol*, 28; 1131-1134.
- Takeichi, T., Liu, L., Fong, K., Ozoemena, L., McMillan, J. R., Salam, A., Campbell, P., *et al.* 2015a. Whole-exome sequencing improves mutation detection in a diagnostic epidermolysis bullosa laboratory. *Br J Dermatol*, 172; 94-100.
- Takeichi, T., Nanda, A., Liu, L., Aristodemou, S., McMillan, J. R., Sugiura, K., Akiyama, M., *et al.* 2015b. Founder mutation in dystonin-e underlying autosomal recessive epidermolysis bullosa simplex in kuwait. *Br J Dermatol*, 172; 527-531.
- Tang, H. Y., Du, W. D., Cui, Y., Fan, X., Quan, C., Fang, Q. Y., Zhou, F. S., *et al.* 2009. One novel and two recurrent mutations in the keratin 5 gene identified in chinese patients with epidermolysis bullosa simplex. *Clin Exp Dermatol*, 34; e957-961.
- Tenedini, E., Artuso, L., Bernardis, I., Artusi, V., Percesepe, A., De Rosa, L., Contin, R., *et al.* 2015. Amplicon-based next-generation sequencing: An effective approach for the molecular diagnosis of epidermolysis bullosa. *Br J Dermatol*, 173; 731-738.
- Tett, A., Pasolli, E., Farina, S., Truong, D. T., Asnicar, F., Zolfo, M., Beghini, F., *et al.* 2017. Unexplored diversity and strain-level structure of the skin microbiome associated with psoriasis. *NPJ Biofilms Microbiomes*, 3; 14.
- Thusberg, J. dan Vihinen, M. 2009. Pathogenic or not? And if so, then how? Studying the effects of missense mutations using bioinformatics methods. *Hum Mutat*, 30; 703-714.
- Travis, S. P., McGrath, J. A., Turnbull, A. J., Schofield, O. M., Chan, O., O'Connor, A. F., Mayou, B., *et al.* 1992. Oral and gastrointestinal manifestations of epidermolysis bullosa. *Lancet*, 340; 1505-1506.

- Turnbaugh, P. J., Ley, R. E., Mahowald, M. A., Magrini, V., Mardis, E. R. dan Gordon, J. I. 2006. An obesity-associated gut microbiome with increased capacity for energy harvest. *Nature*, 444; 1027-1031.
- Vahidnezhad, H., Youssefian, L., Saeidian, A. H., Mozafari, N., Barzegar, M., Sotoudeh, S., Daneshpazhooh, M., *et al.* 2016. Krt5 and krt14 mutations in epidermolysis bullosa simplex with phenotypic heterogeneity, and evidence of semidominant inheritance in a multiplex family. *J Invest Dermatol*, 136; 1897-1901.
- Vahidnezhad, H., Youssefian, L., Saeidian, A. H., Touati, A., Pajouhanfar, S., Baghdadi, T., Shadmehri, A. A., *et al.* 2019a. Mutations in *plod3*, encoding lysyl hydroxylase 3, cause a complex connective tissue disorder including recessive dystrophic epidermolysis bullosa-like blistering phenotype with abnormal anchoring fibrils and type vii collagen deficiency. *Matrix Biol*, 81; 91-106.
- Vahidnezhad, H., Youssefian, L., Saeidian, A. H. dan Uitto, J. 2019b. Phenotypic spectrum of epidermolysis bullosa: The paradigm of syndromic versus non-syndromic skin fragility disorders. *J Invest Dermatol*, 139; 522-527.
- Vanden Oever, M., Muldoon, D., Mathews, W., McElmurry, R. dan Tolar, J. 2016. Mir-29 regulates type vii collagen in recessive dystrophic epidermolysis bullosa. *J Invest Dermatol*, 136; 2013-2021.
- Varki, R., Sadowski, S., Pfendner, E. dan Uitto, J. 2006. Epidermolysis bullosa. I. Molecular genetics of the junctional and hemidesmosomal variants. *J Med Genet*, 43; 641-652.
- Viennois, E., Chassaing, B., Tahsin, A., Pujada, A., Wang, L., Gewirtz, A. T. dan Merlin, D. 2019. Host-derived fecal micrornas can indicate gut microbiota healthiness and ability to induce inflammation. *Theranostics*, 9; 4542-4557.
- von Bartenwerffer, W., Has, C., Arin, M. J., Tantcheva-Poor, I., Kreuter, A., Kremer, K., Arshah, T., *et al.* 2011. Mild recessive dystrophic epidermolysis bullosa associated with two compound heterozygous *col7a1* mutations. *Eur J Dermatol*, 21; 170-172.
- Wagner, J. E., Ishida-Yamamoto, A., McGrath, J. A., Hordinsky, M., Keene, D. R., Woodley, D. T., Chen, M., *et al.* 2010. Bone marrow transplantation for recessive dystrophic epidermolysis bullosa. *N Engl J Med*, 363; 629-639.
- Wang, H., Yang, Y., Zhou, J., Cao, J., He, X., Li, L., Gao, S., *et al.* 2018. Targeted next-generation sequencing identifies a novel mutation of *lamb3* in a chinese neonatal patient presented with junctional epidermolysis bullosa. *Medicine (Baltimore)*, 97; e13225.
- Watt, S. A., Dayal, J. H., Wright, S., Riddle, M., Pourreyaon, C., McMillan, J. R., Kimble, R. M., *et al.* 2015. Lysyl hydroxylase 3 localizes to epidermal basement membrane and is reduced in patients with recessive dystrophic epidermolysis bullosa. *PLoS One*, 10; e0137639.

- Webber, B. R. dan Tolar, J. 2015. From marrow to matrix: Novel gene and cell therapies for epidermolysis bullosa. *Mol Ther*, 23; 987-992.
- Widhiati, S., Danarti, R., Trisnowati, N., Purnomosari, D., Wibawa, T. dan Soebono, H. 2021a. Novel mutations of epidermolysis bullosa identified using whole-exome sequencing in Indonesian Javanese patients. *Intractable Rare Dis Res*, 10; 88-94.
- Widhiati, S., Marcella, B., Dewi, S., Paramitasari, A. R., Ellistari, E. Y. dan Julianto, I. 2019. Clinical diagnostic matrix (cdm) as a tool to diagnose subtypes of epidermolysis bullosa cases in children. *J Gen Proced Dermatol Venereol Indones*, 3; 1-7.
- Widhiati, S., Purnomosari, D., Wibawa, T. dan Soebono, H. 2021b. Gut-skin axis microbiome in various skin disorders: A literature review. *Dermatology Reports*, Ahead of print; 26.
- Yan, Y., Meng, Z., Hao, S., Wang, F., Jin, X., Sun, D., Gao, H., *et al.* 2018. Five novel COL7A1 gene mutations in three Chinese patients with recessive dystrophic epidermolysis bullosa. *Ann Clin Lab Sci*, 48; 100-105.
- Yasukawa, K., Sawamura, D., Goto, M., Nakamura, H., Jung, S. Y., Kim, S. C. dan Shimizu, H. 2006. Epidermolysis bullosa simplex in Japanese and Korean patients: Genetic studies in 19 cases. *Br J Dermatol*, 155; 313-317.
- Ye, S., Yan, F., Wang, H., Mo, X., Liu, J., Zhang, Y., Li, H., *et al.* 2021. Diversity analysis of gut microbiota between healthy controls and those with atopic dermatitis in a Chinese population. *J Dermatol*, 48; 158-167.
- Yenamandra, V. K., Bhari, N., Ray, S. B., Sreenivas, V., Dinda, A. K., Scaria, V., Sharma, V. K., *et al.* 2017a. Diagnosis of inherited epidermolysis bullosa in resource-limited settings: Immunohistochemistry revisited. *Dermatology*, 233; 326-332.
- Yenamandra, V. K., Moss, C., Sreenivas, V., Khan, M., Sivasubbu, S., Sharma, V. K. dan Sethuraman, G. 2017b. Development of a clinical diagnostic matrix for characterizing inherited epidermolysis bullosa. *Br J Dermatol*, 176; 1624-1632.
- Yenamandra, V. K., Shamsudheen, K. V., Madhumita, R. C., Rijith, J., Ankit, V., Scaria, V., Sridhar, S., *et al.* 2017c. Autosomal recessive epidermolysis bullosa simplex: Report of three cases from India. *Clin Exp Dermatol*, 42; 800-803.
- Yenamandra, V. K., Vellarikkal, S. K., Kumar, M., Chowdhury, M. R., Jayarajan, R., Verma, A., Scaria, V., *et al.* 2017d. Application of whole exome sequencing in elucidating the phenotype and genotype spectrum of junctional epidermolysis bullosa: A preliminary experience of a tertiary care centre in India. *J Dermatol Sci*, 86; 30-36.





Zeeuwen, P. L., Kleerebezem, M., Timmerman, H. M. dan Schalkwijk, J. 2013.  
Microbiome and skin diseases. *Curr Opin Allergy Clin Immunol*, 13; 514-520.