



DAFTAR PUSTAKA

- Anastasiou, A., Michail, C., Koukou, V., Martini, N., Bakas, A., Papastamati, F., Maragkaki, P., Lavdas, L., Fountos, G., Valais, I. and Kalyvas, N. (2017) ‘Examining the Spatial Frequency Components of a Digital Dental Detector’, *Journal of Physics: Conference Series*, 931(1), pp. 6–10. doi:10.1088/1742-6596/931/1/012005.
- Arvanitis, C.D., Bohndiek, S.E., Blakesley, J., Olivo, A. and Speller, R.D. (2009) ‘Signal and noise transfer properties of CMOS based active pixel flat panel imager coupled to structured CsI:Tl’, *Medical Physics*, 36(1), pp. 116–126. doi:10.1118/1.3036117.
- Arvanitis, C.D., Bohndiek, S.E., Royle, G., Blue, A., Liang, H.X., Clark, A., Prydderch, M., Turchetta, R. and Speller, R. (2007) ‘Empirical electro-optical and x-ray performance evaluation of CMOS active pixels sensor for low dose, high resolution x-ray medical imaging’, *Medical Physics*, 34(12), pp. 4612–4625. doi:10.1118/1.2804744.
- Bae, H., Cho, M., Kim, S., Lee, H. and Cho, G. (2011) ‘Performance comparison of CMOS-based photodiodes for high-resolution and high-sensitivity digital mammography’, *Journal of Instrumentation*, 6(12). doi:10.1088/1748-0221/6/12/C12046.
- Bansal, G.J. (2006) ‘Digital radiography. A comparison with modern conventional imaging’, *Postgraduate Medical Journal*, 82(969), pp. 425–428. doi:10.1136/pgmj.2005.038448.
- Baysal, M.A. and Toker, E. (2006) ‘CMOS cassette for digital upgrade of film-based mammography systems’, *Medical Imaging 2006: Physics of Medical Imaging*, 6142, p. 61421Q. doi:10.1117/12.641746.
- Besson, G.M., Koch, A., Tesica, M., Sottoriva, R., Prieurdrevronb, P., Munier, B., Calais, E. and Degroot, P. (2002) ‘Design and Evaluation of a Slot-Scanning Full-Field Digital Mammography System’, 4682, pp. 457–468.
- Bettuzzi, M., Cornacchia, S., Rossi, M., Paltrinieri, E., Morigi, M.P., Brancaccio, R., Romani, D. and Casali, F. (2004) ‘A new linear array detector for high resolution and low dose digital radiography’, *Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms*, 213, pp. 227–230. doi:10.1016/S0168-583X(03)01577-5.
- Beutel, J., Kundel, H.L., Van Metter, R.L., 2000, *Handbook of Medical Imaging, Physics and Psychophysics*, 1, SPIE Press, Bellingham.
- Bigas, M., Cabruja, E., Forest, J., Salvi, J., 2006, Review of CMOS image sensors, *Miroelectronics Journal*, 37, 433–451. <https://doi.org/10.1016/j.mejo.2005.07.002>



- Bo, K.C., Shin, J.H., Jong, Y.K., Hosang, J., Jun, H.B., Lee, C.H., Sungho, C., Hyoungtaek, K., Kim, B.J. and Gyuseong, C. (2008) ‘Fabrication and comparison Gd₂O₃:Tb and CsI(Tl) films for X-ray imaging detector application’, *IEEE Nuclear Science Symposium Conference Record*, pp. 1232–1235. doi:10.1109/NSSMIC.2008.4774627.
- Boquete, L., Bocanegra, D.E. and De-Santiago, L. (2014) ‘Color Analysis in Retinography: Glaucoma Image Detection’, *IFMBE Proceedings 41 XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013*, pp. 325–329. doi:10.1007/978-3-319-00846-2.
- Cha, B.K., Bae, J.H., Kim, B.J., Jeon, H. and Cho, G. (2008) ‘Performance studies of a monolithic scintillator-CMOS image sensor for X-ray application’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 591(1), pp. 113–116. doi:10.1016/j.nima.2008.03.034.
- Cha, B.K., Hyung Bae, J., Lee, C.H., Chang, S. and Cho, G. (2011) ‘The sensitivity and spatial resolution dependence on the microstructures of CsI:Tl scintillation layer for X-ray imaging detectors’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 633(SUPPL. 1), pp. S297–S299. doi:10.1016/j.nima.2010.06.194.
- Cha, B.K., Kim, B.J., Cho, G., Jeon, S.C., Bae, J.H., Chi, Y.K., Lim, G.H. and Kim, Y.H. (2006) ‘A pixelated CsI (Tl) scintillator for CMOS-based X-ray image sensor’, *IEEE Nuclear Science Symposium Conference Record*, 2, pp. 1139–1143. doi:10.1109/NSSMIC.2006.356046.
- Cha, B.K., Kim, J.Y., Kim, T.J., Sim, C. and Cho, G. (2010) ‘Fabrication and imaging characterization of high sensitive CsI(Tl) and Gd₂O₃:Tb scintillator screens for X-ray imaging detectors’, *Radiation Measurements*, 45(3–6), pp. 742–745. doi:10.1016/j.radmeas.2009.12.025.
- Cha, B.K., Shin, J.H., Bae, J.H., Lee, C. hun, Chang, S., Kim, H.K., Kim, C.K. and Cho, G. (2009) ‘Scintillation characteristics and imaging performance of CsI:Tl thin films for X-ray imaging applications’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 604(1–2), pp. 224–228. doi:10.1016/j.nima.2009.01.177.
- Cherry, S.R., Shao, Y., Tornai, M.P., Siegel, S., Ricci, R.A., Phelps, M.E., (1995) ‘Collection of Scintillation Light from Small BGO Crystals’, *IEEE Transaction On Nuclear Science*, 42(4), pp. 1058–1063. <https://doi.org/10.1109/23.467749>
- Cho, G., Cha, B.K., Bae, J.H., Kim, B.J., Jeon, S.C., Kim, Y.H. and Lim, G.H.



(2007) ‘Development and characterization of CMOS-based monolithic X-ray imager sensor’, *IEEE Nuclear Science Symposium Conference Record*, 3, pp. 1950–1953. doi:10.1109/NSSMIC.2007.4436536.

Cho, M.K., Kim, H.K., Graeve, T., Yun, S.M., Lim, C.H., Cho, H. and Kim, J.M. (2008) ‘Measurements of X-ray imaging performance of granular phosphors with direct-coupled CMOS sensors’, *IEEE Transactions on Nuclear Science*, 55(3), pp. 1338–1343. doi:10.1109/TNS.2007.913939.

Cho, M.K., Member, S., Kim, H.K., Graeve, T., Yun, S.M., Lim, C.H., Cho, H., Kim, J. and Screens, A.S.P. (2008) ‘Measurements of X-ray Imaging Performance of Granular Phosphors With Direct-Coupled CMOS Sensors’, 55(3), pp. 1338–1343.

Choi,S., Choi,S., Lee,D., Kim,Y., Choi,Y.W., Kim,H.J., (2006) Effective detective quantum efficiency of two detectors in a prototype digital breast tomosynthesis, *Optik-Int J. Light and Electron Optics*, 178, 1134-1144. <https://doi.org/10.1016/j.ijleo.2018.10.094>

Chotas, H.G., Dobbins III, J.T., Ravin, C.E., 1999, Principle of Digital Radiography with Large-Area, Electronically Readable Detectors : A Review of the Basics, *Radiology*, 211, 595-599. <https://doi.org/10.1148/radiology.210.3.r99mr15595>

Cierniak, R. (2011) X-Ray Computed Tomography in Biomdecial Engineering. Poland: Springer Verlag London Limited. doi:10.1007/978 0 85729 027 4.

Coan, P., Peterzol, A., Fiedler, S., Ponchut, C., Labiche, J.C. and Bravin, A. (2006) ‘Evaluation of imaging performance of a taper optics CCD “FReLoN” camera designed for medical imaging’, *Journal of Synchrotron Radiation*, 13(3), pp. 260–270. doi:10.1107/S0909049506008983.

David, S.L., Michail, C.M., Roussou, M., Nirgianaki, E., Toutountzis, A.E., Valais, I.G., Fountos, G., Liaparinos, P.F., Kandarakis, I. and Panayiotakis, G. (2010) ‘Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detectors’, *IEEE Transactions on Nuclear Science*, 57(3 PART 1), pp. 951–957. doi:10.1109/TNS.2010.2044890.

Daneshi, I. and Mohammadzadeh, M. (2019) ‘Design and fabrication of a CsI(Tl) micro-columnar structure scintillation film for digital dental radiography application’, *Journal of Instrumentation*, 14(10). doi:10.1088/1748-0221/14/10/P10039.

Duclos,S.J, 1998, Scintillator Phosphors for Medical Imaging, *Electrochem.Soc.Interface.*, 7, 34-38. <https://iopscience.iop.org/article/10.1149/2.F07982IF/pdf>



El Gamal,A. dan Eltoukhy,H., 2005, CMOS image sensors, *IEEE Circ.&Dev.* 21(3), 6-20. <https://doi.org/10.1109/med.2005.1438751>

Elbakri, I.A. (2007) ‘Characterization of a CMOS detector for limited-view mammography’, *Medical Imaging 2007: Physics of Medical Imaging*, 6510, p. 651049. doi:10.1117/12.708347.

Elbakri, I.A., McIntosh, B.J. and Rickey, D.W. (2009) ‘Physical characterization and performance comparison of active- and passive-pixel CMOS detectors for mammography’, *Physics in Medicine and Biology*, 54(6), pp. 1743–1755. doi:10.1088/0031-9155/54/6/022.

Endrizzi, M., Oliva, P., Golosio, B. and Delogu, P. (2013) ‘CMOS APS detector characterization for quantitative X-ray imaging’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 703, pp. 26–32. doi:10.1016/j.nima.2012.11.080.

Evans, D.S., Workman, A. and Payne, M. (2002) ‘A comparison of the imaging properties of CCD-based devices used for small field digital mammography’, *Physics in Medicine and Biology*, 47(1), pp. 117–135. doi:10.1088/0031-9155/47/1/309.

Farman, T.T., Vandre, R.H., Pajak, J.C., Miller, S.R., Lempicki, A. and Farman, A.G. (2005) ‘Effects of scintillator on the modulation transfer function (MTF) of a digital imaging system’, *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*, 99(5), pp. 608–613. doi:10.1016/j.tripleo.2004.08.013.

Farman, T.T., Vandre, R.H., Pajak, J.C., Miller, S.R., Lempicki, A. and Farman, A.G. (2006) ‘Effects of scintillator on the detective quantum efficiency (DQE) of a digital imaging system’, *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*, 101(2), pp. 219–223. doi:10.1016/j.tripleo.2005.07.032.

Fish,A. dan Yadid-Pecht,O., 2004, “Active Pixel sensor Design: From Pixels to System” in *CMOS Imagers; From Phototransduction to Image Processing*, Kluwer Academic Publishers, Dordrecht,pp. 99-139.

Flynn, M.J., Hames, S.M., Wilderman, S.J. and Ciarelli, J.J. (1996) ‘Quantum noise in digital X-ray image detectors with optically coupled scintillators’, *IEEE Transactions on Nuclear Science*, 43(4 PART 1), pp. 2320–2325. doi:10.1109/23.531897.

Fossum,E.R., 1997, CMOS image sensors: Electronic camera-on-a-chip, *IEEE Trans.El.Dev.* 44(10), 1689-1698. <https://doi.org/ezproxy.ugm.ac.id/10.1109/16.628824>

Gambaccini, M., Taibi, A., Baldelli, P., Del Guerra, A. and Tuffanelli, A. (1998)



‘Image noise properties of a phosphor-coated CCD X-ray detector’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 409(1–3), pp. 508–510. doi:10.1016/S0168-9002(97)01304-1.

Gambaccini, M., Taibi, A., Del Guerra, A., Marziani, M. and Tuffanelli, A. (1996) ‘MTF evaluation of a phosphor-coated CCD for x-ray imaging’, *Physics in Medicine and Biology*, 41(12), pp. 2799–2806. doi:10.1088/0031-9155/41/12/016.

Graeve, T. and Weckler, G.P. (2001) ‘High-resolution CMOS imaging detector’, *Medical Imaging 2001: Physics of Medical Imaging*, 4320, p. 68. doi:10.1117/12.430886.

Gruner, S.M., Tate, M.W., Eikenberry, E.F., 2002, Charge-coupled device area x-ray detectors, *Rev. Sci. Instrum.*, 73, 2815–2842. <https://doi.org/10.1063/1.1488674>

Haus, A.G., Cullinan, J.E., 1989, Screen Film Processing systems for Medical Radiography : A Historical Review, *RadioGraphics*, 9, 6. <https://doi.org/10.1148/radiographics.9.6.2685941>

Haryanto, G., 2008, Probe Optik Untuk Mengukur Konsentrasi Fitoplankton, Studi Kasus Scenedesmus sp, Tesis, Departemen Teknik, Universitas Indonesia

Hejazi, S. and Trauernicht, D.P. (1997) ‘System considerations in CCD-based x-ray imaging for digital chest radiography and digital mammography’, *Medical Physics*, 24(2), pp. 287–297. doi:10.1118/1.598072 Heo, S.K., Kosonen, J., Hwang, S.H., Kim, T.W., Yun, S. and Kim, H.K. (2011) ‘12-inch-wafer-scale CMOS active-pixel sensor for digital mammography’, *Medical Imaging 2011: Physics of Medical Imaging*, 7961, p. 79610O. doi:10.1117/12.878053.

Hong, S., Jung, H., Kim, K., So, S., Kim, J., Yoo, S.K. and Yoo, H.S. (2005) ‘Development and Evaluation of a CMOS Sensor-Based Digital Intra-Oral Radiographic System’, 52(1), pp. 256–261.

Hong, S., Kim, H.J., Jung, H., Kim, K.D., So, S.G., Kim, J.H. and Yoo, H.S. (2002) ‘Development and Evaluation of Physical Properties for Digital Intra-oral Radiographic System’, *IEEE Nuclear Science Symposium and Medical Imaging Conference*, 2, pp. 1357–1360. doi:10.1109/nssmic.2002.1239571.

Huda, W., Sajewicz, A.M., Ogden, K.M. and Dance, D.R. (2003) ‘Experimental investigation of the dose and image quality characteristics of a digital mammography imaging system’, *Medical Physics*, 30(3), pp. 442–448. doi:10.1118/1.1543572.

Hwy Lim, C., Yun, S., Chul Han, J., Kim, H.K., Farrier, M.G., Graeve



Achterkirchen, T., McDonald, M. and Cunningham, I.A. (2011) ‘Characterization of imaging performance of a large-area CMOS active-pixel detector for low-energy X-ray imaging’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 652(1), pp. 500–503. doi:10.1016/j.nima.2010.09.081.

Iyer,N.S., Behary,N., Nierstrasz,V.,Guan,J., Chen,G., 2019, Study of photoluminescence property on cellulosic fabric using multifunctional biomaterials riboflavin and its derivative Flavin mononucleotide, *Springer Nature*, 9, 1-17. <https://www.nature.com/articles/s41598-019-45021-5>

J. Bushberg, J. Seibert, E. Leidholdt, J.B. (2001) ‘The Essential Physics for Medical Imaging 2nd Edition.pdf’, pp. 31–60, 97–145.

Janesick,J., Putnam,G., (2003) ‘Developments and applications of high-performance CCD and CMOS imaging arrays’, *Annu.Rev.Nucl.Part.Sci.*, 53, pp.263-300. 10.1146/annurev.nucl.53.041002.110431

Jing, Z., Huda, W., Walker, J.K. and Choi, W.Y. (1998) ‘Detective quantum efficiency of a CsI:Tl scintillator-based scanning slot x-ray detector for digital mammography’, *Medical Imaging 1998: Physics of Medical Imaging*, 3336(February), p. 583. doi:10.1117/12.317062.

Jing, Z., Huda, W., Walker, J.K. and Choi, W.Y. (1999) ‘Spatial Frequency Dependent DQE Performance of a CsI : Tl based Xray Detector for Digital Mammography’, 3659(February), pp. 159–168.

Kam, S., Kim, D.W., Yun, S. and Kim, H.K. (2019) ‘Power-law analysis of nonlinear active-pixel detector responses as a function of mammographic energy’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 947(August). doi:10.1016/j.nima.2019.162674.

Khalil,T.,Monteiro,F.,Dandache,A.,Salama,C., 2020, Review of flat panel detectors technique for medical imaging quality improvement, *AIP Conf.Proc.*, 2307. <https://doi.org/10.1063/5.0033075>

Kim, B.J., Cha, B.K., Jeon, H., Chi, Y.K. and Cho, G. (2007) ‘A study on spatial resolution of pixelated CsI(Tl) scintillator’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 579(1), pp. 205–207. doi:10.1016/j.nima.2007.04.040.

Kim, J.H., So, S.G. and Joo, K.S. (2004) ‘Development and performances of a dental digital radiographic system using a high resolution CCD image sensor’, *IEEE Nuclear Science Symposium Conference Record*, 3(C), pp. 1649–1653. doi:10.1109/nssmic.2004.1462556.



Kim, K.H. and Kim, Y.S. (2008a) ‘Scintillator and CMOS APS imager for radiography conditions’, *IEEE Transactions on Nuclear Science*, 55(3), pp. 1327–1332. doi:10.1109/TNS.2008.922214.

Kim, K.H. and Kim, Y.S. (2008b) ‘Scintillator and CMOS APS Imager for Radiography Conditions’, 55(3), pp. 1327–1332.

Kim, S. yeong, Park, J. koon, Kang, S. sik, Cha, B. youl, Cho, S. ho, Shin, J. wook, Son, D. woong and Nam, S. hee (2007) ‘Investigation of the imaging characteristics of the Gd₂O₃:Eu nanophosphor for high-resolution digital X-ray imaging system’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 576(1), pp. 70–74. doi:10.1016/j.nima.2007.01.172.

Konstantinidis, A.C., 2011, Evaluation of Digital X-ray Detectors for Medical Imaging Applications, *Thesis*, Departement of Medical Physics and Bioengineering University College, London.

Konstantinidis, A., Zheng, Y., Philip, D., Vinnicombe, S. and Speller, R. (2012) ‘A novel wafer-scale CMOS APS X-ray detector for breast cancer diagnosis using X-ray diffraction studies’, *Journal of Instrumentation*, 7(12). doi:10.1088/1748-0221/7/12/C12005.

Konstantinidis, A.C., Szafraniec, M.B., Rigon, L., Tromba, G., Dreossi, D., Sodini, N., Liaparinos, P.F., Naday, S., Gunn, S., McArthur, A., Speller, R.D. and Olivo, A. (2013) ‘X-ray performance evaluation of the dexela cmos aps x-ray detector using monochromatic synchrotron radiation in the mammographic energy range’, *IEEE Transactions on Nuclear Science*, 60(5), pp. 3969–3980. doi:10.1109/TNS.2013.2276123.

Konstantinidis, A.C., Szafraniec, M.B., Speller, R.D. and Olivo, A. (2012) ‘The Dexela 2923 CMOS X-ray detector: A flat panel detector based on CMOS active pixel sensors for medical imaging applications’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 689, pp. 12–21. doi:10.1016/j.nima.2012.06.024.

Korner,M., Weber,C.H.,Wirth,S., Pfeifer,K.F.,Reiser,M.F.,Treitl,M.,2007, Advances in Digital Radiography: Physical Principles and System Overview, *RadioGraphics*, 27(3), 675-686. <https://doi.org/10.1148/rg.273065075>

Kotter,E., Langer,M.,(2002), 'Digital radiography with large-area flat-panel detectors', *Eur.Radiol.*, 12,pp.2562-2570. doi:10.1007/s00330-002-1350-1

Lanca, L., Silva, A., 2009, Digital radiography detectors – A technical overview: Part 1, *Radiography*, 15, 1, 58 – 62. <https://doi.org/10.1016/j.radi.2008.02.004>



Lanca, L., Silva, A., 2009, Digital radiography detectors – A technical overview:
Part 2, *Radiography*, 15, 134 – 138.
<https://doi.org/10.1016/j.radi.2008.02.005>

Liaparinos, P., Kalyvas, N., Kandarakis, I. and Cavouras, D. (2013) ‘Analysis of the imaging performance in indirect digital mammography detectors by linear systems and signal detection models’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 697, pp. 87–98.
doi:10.1016/j.nima.2012.08.014.

Lim, C.H., Yun, S., Chul Han, J., Kim, H.K., Farrier, M.G., Graeve Achterkirchen, T., McDonald, M. and Cunningham, I.A. (2011) ‘Characterization of imaging performance of a large-area CMOS active-pixel detector for low-energy X-ray imaging’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 652(1), pp. 500–503.
doi:10.1016/j.nima.2010.09.081.

Louk,A.C., Suparta,G.B., 2014, Pengukuran Kulalitas Sistem Pencitraan Radiografi Digital Sinar-X, *Berkala MIPA*, 24, 2.

McCollough, C.H., 1997, The AAPM/RSNA Physics Tutorial for Residents.X-ray Production, *RadioGraphics*, 17, 967 – 984.
<https://doi.org/10.1148/radiographics.17.4.9225393>

Michail, C., Valais, I., Martini, N., Koukou, V., Kalyvas, N., Bakas, A., Kandarakis, I. and Fountos, G. (2016) ‘Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard’, *Radiation Measurements*, 94, pp. 8–17. doi:10.1016/j.radmeas.2016.04.005.

Michail, C., Valais, I., Seferis, I., Kalyvas, N., Fountos, G. and Kandarakis, I. (2015) ‘Experimental measurement of a high resolution CMOS detector coupled to CsI scintillators under X-ray radiation’, *Radiation Measurements*, 74, pp. 39–46. doi:10.1016/j.radmeas.2015.02.007.

Michail, C.M., Fountos, G.P., Valais, I.G., Kalyvas, N.I., Liaparinos, P.F., Kandarakis, I.S. and Panayiotakis, G.S. (2011) ‘Evaluation of the red emitting Gd₂O₂S: Eu powder scintillator for use in indirect X-ray digital mammography detectors’, *IEEE Transactions on Nuclear Science*, 58(5 PART 2), pp. 2503–2511. doi:10.1109/TNS.2011.2162002.

Michail, C.M., Spyropoulou, V.A., Fountos, G.P., Kalyvas, N.I., Valais, I.G., Kandarakis, I.S. and Panayiotakis, G.S. (2011) ‘Experimental and theoretical evaluation of a high resolution CMOS based detector under X-ray imaging conditions’, *IEEE Transactions on Nuclear Science*, 58(1



PART 2), pp. 314–322. doi:10.1109/TNS.2010.2094206.

Miller, S.R., Gaysinskiy, V., Shestakova, I. and Nagarkar, V. V. (2005) ‘Recent advances in columnar CsI(Tl) scintillator screens’, *Penetrating Radiation Systems and Applications VII*, 5923, p. 59230F. doi:10.1117/12.625927.

Nagarkar, Vivek V., Tipnis, S. V., Gaysinskiy, V.B., Miller, S.R., Karella, A. and Vedantham, S. (2003) ‘New design of a structured CsI(Tl) screen for digital mammography’, *Medical Imaging 2003: Physics of Medical Imaging*, 5030, p. 541. doi:10.1117/12.480249.

Nagarkar, V. V., Tipnis, S. V., Miller, S.R., Lempicki, A., Brecher, C., Szupryczynski, P. and Lingertat, H. (2003) ‘A New X-Ray Scintillator for Digital Radiography’, *IEEE Transactions on Nuclear Science*, 50(3), pp. 297–300. doi:10.1109/TNS.2003.812432.

Neitzel,U.,Maack, I., Kohfahl, S.G., 1994, Image quality of a digital chest radiography system based on a selenium detector, *Med.Phys.*, 21, 4, 509-516. <http://dx.doi.org/10.1118/1.597389>

Neitzel, U., 2005, Status and Prospects of digital Detector Technology for CR and DR, *Rad.Protec.Dosi.*, 144, 1-3, 32-38. <https://doi.org/10.1093/rpd/nch532>

Nett,B., 2019, Digital Radiography (Direct vs Indirect Flat panels), *How Radiology Works*, <https://howradiologyworks.com/direct-vs-indirect-digital-radiography/>, diakses pada 18 Maret 2022

Nikl,M.,2006, Scintillation detectors for x-rays, *Meas.Sci.Technol*, 17, 37-54. <http://dx.doi.org/10.1088/0957-0233/17/4/R01>

Ovitt,T.W., Christenson,P.C., Fisher, H.D., Frost,M.M., Nudelman, S., Roehrig,H., Seeley,G., Intravenous Angiography Using Digital Video Subtraction : X-ray Imaging System, *AJR.*, 135, 1141-1144. <https://doi.org/10.2214/ajr.135.6.1141>

Olsen,U.L.,Schmidt,S.,Poulsen,H.F.,Linnros,J.,Yun,S.H.,Di Michiel,M.,Martin,T., 2009, Structured scintillators for X-ray imaging with micrometre resolution,*Nucle.Inst.Meth.Phys.Research.*, 607, 141-144. <https://doi.org/10.1016/j.nima.2009.03.139>

Park, J.K., Choi, S.R., Noh, S.C., Jung, B.J., Choi, I.H. and Kang, S.S. (2014) ‘Fabrication and evaluation of a Gd₂O₂S:Tb phosphor screen film for development of a CMOS-based X-ray imaging detector’, *Journal of the Korean Physical Society*, 65(3), pp. 351–354. doi:10.3938/jkps.65.351.

Patent, U.S. (2018) ‘Intraoral dental radiological imaging sensor’, pp. 1–19.

Patent, U.S. (2020) ‘Scintillator’, 2002(20130101), pp. 1–12.



Philips, W.C, Alexander.S., Stanton,M., Naday,I.,Ingersoll,C., (2002) 'High-sensitivity CCD-based X-ray detector', *Acta Crystallographica Section B*, 356(1),pp.857-876. <https://doi.org/10.1107/s0909049501020143>

Prasetya,R.I., 2021, Analisis Lokasi Penempatan Detektor Radiasi Permanen pada Pesawat Radiografi Sinar-X *Fluorosens* Digital, *Thesis*, FMIPA UGM, Yogyakarta

Rocha,J.G.,Minas,G., Lanceroz-Mendez,S., (2010) 'Pixel Readout Circuit for X-Ray Imagers', *IEEE Sensors Journal*, 10(11),pp.1740-1745. <https://doi.org/10.1109/JSEN.2010.2046406f>

Roncali,E., Mosleh-Shirazi,M.A., Badano,A.,(2018), 'Modelling the transport of optical photons in scintillation detectors for diagnostic and radiotherapy imaging' , *Phys.Med.Biol.*,62(20) : 207-235. doi:10.1088/1361-6560/aa8b31.

Rong, X.J., Shaw, C.C., Johnston, D.A., Lemacks, M.R., Liu, X., Whitman, G.J., Dryden, M.J., Stephens, T.W., Thompson, S.K., Krugh, K.T. and Lai, C.J. (2002) 'Microcalcification detectability for four mammographic detectors: Flat-panel, CCD, CR, and screen/film', *Medical Physics*, 29(9), pp. 2052–2061. doi:10.1118/1.1500768.

Rosen, D., Phillips, W., Stanton, M., Xie, J., Mara, D.O. and Stewart, A. (1997) 'A prototype CCD-based detector for whole breast digital mammography', 3032, pp. 52–58. <https://doi.org/10.1117/12.274018>

Seferis, I., Michail, C., Valais, I., Zeler, J., Liaparinos, P., Fountos, G., Kalyvas, N., David, S., Stromatia, F., Zych, E., Kandarakis, I. and Panayiotakis, G. (2014) 'Light emission efficiency and imaging performance of Lu₂O₃:Eu nanophosphor under X-ray radiography conditions: Comparison with Gd₂O₂S:Eu', *Journal of Luminescence*, 151, pp. 229–234. doi:10.1016/j.jlumin.2014.02.017.

Seferis, I.E., Michail, C., Zeler, J., Kalyvas, N., Valais, I., Fountos, G., Bakas, A., Kandarakis, I., Zych, E. and Panayiotakis, G.S. (2018) 'Detective quantum efficiency (DQE) of high X-ray absorption Lu₂O₃:Eu thin screens: the role of shape and size of nano- and micro-grains', *Applied Physics A: Materials Science and Processing*, 124(9), p. 0. doi:10.1007/s00339-018-2034-2.

Seferis, I.E., Michail, C.M., Valais, I.G., Fountos, G.P., Kalyvas, N.I., Stromatia, F., Oikonomou, G., Kandarakis, I.S. and Panayiotakis, G.S. (2013) 'On the response of a europium doped phosphor-coated CMOS digital imaging detector', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 729, pp. 307–315. doi:10.1016/j.nima.2013.06.107.



- Seibert, J.A., Kwan, A., Boone, J.M., Brown, P. and Winsor, R. (2005) 'Evaluation of an optically coupled CCD digital radiography system', *Medical Imaging 2005: Physics of Medical Imaging*, 5745, p. 458. doi:10.1117/12.595751.
- Sprawls, P., 1996, Physical Principles of Medical Imaging. 2nd ed, *Radiology*, 200, 2., <https://doi.org/10.1148/radiology.200.2.504>
- Stantona, M., Phil, W., Stewarta, A., Smilowitza, L., Williams, M.B., Simoni, P., Ingersolla, C., Mccauleya, T. and Qiana, H. (1999) 'CCD-based detector for full-field digital mammography XRAY — the design is modular , it simplifies repair or', 3659(February), pp. 740–748.
- Suryanarayanan, S., Karella, A., Vedantham, S. and Onishi, S.K. (2005) 'High-resolution imager for digital mammography: Physical characterization of a prototype sensor', *Physics in Medicine and Biology*, 50(17), pp. 3957–3969. doi:10.1088/0031-9155/50/17/003.
- Svenonius, O., Sahlholm, A., Wiklund, P. and Linnros, J. (2009) 'Performance of an X-ray imaging detector based on a structured scintillator', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 607(1), pp. 138–140. doi:10.1016/j.nima.2009.03.146.
- Taibi, A., Del Guerra, A., Gambaccini, M., Marziani, M. and Tuffanelli, A. (1997) 'Evaluation of a digital X-ray detector based on a phosphor-coated ccd for mammography', *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 392(1–3), pp. 210–213. doi:10.1016/S0168-9002(97)00209-X.
- Tesic, M., Piccaro, M.F., (1996) Digital Mammography Scanner: Performance Characteristics and Preliminary Clinical Results. <https://doi.org/10.1049/ic:19960486>
- Thunberg, S.J., Sklebitz, H., Ekdahl, B., Baetz, L., Lundin, A., Moeller, H., Fleischmann, F., Kreider, G. and Weidner, T. (1999) '<title>OPDIMA: large-area CCD-based x-ray image sensor for spot imaging and biopsy control in mammography</title>', *Medical Imaging 1999: Physics of Medical Imaging*, 3659(February 1999), pp. 150–158. doi:10.1117/12.349488.
- Tipnis, S.V., Nagarkar, V.V., Gaysinskiy, V., O'Dougherty, P., Klugerman, Y., Miller, S. and Entine, G. (2003) 'Large area CCD based imaging system for mammography', 00(c), pp. 1043–1046. doi:10.1109/nssmic.1999.845840.
- Tous, J., Blazek, J., Zemlicka, J. and Jakubek, J. (2011) 'Evaluation of a YAG:Ce scintillation crystal based CCD X-ray imaging detector with the Medipix2 detector', *Journal of Instrumentation*, 6(11). doi:10.1088/1748-0221/6/11/C11011.



- Touš, J., Horváth, M., Pína, L., Blažek, K. and Sopko, B. (2008) ‘High-resolution application of YAG:Ce and LuAG:Ce imaging detectors with a CCD X-ray camera’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 591(1), pp. 264–267. doi:10.1016/j.nima.2008.03.070.
- Turner, J.E., dan Selman, J., 1994, The Fundamentals of X-Ray and Radium Physics, *Radiation Research*, 138(3), 460. <http://dx.doi.org/10.2307/3578696>
- Vedantham, S., Karella, A., Suryanarayanan, S., Levis, I., Sayag, M., Kleehammer, R., Heidsieck, R. and D’Orsi, C.J. , 2000, ‘Mammographic imaging with a small format CCD-based digital cassette: Physical characteristics of a clinical system’, *Medical Physics*, 27(8), pp. 1832–1840. doi:10.1118/1.1286720.
- Weatherwax, J.L., 1938, Characteristics of X-rays, *Radiology*, 31, 4. <https://doi.org/10.1148/31.4.464>
- Westbrook, E.M. dan Naday, I., 1997, Charged-Coupled Device-Based Area Detectors, *Meth.In.Enzym.* 276, 244-268. [http://dx.doi.org/10.1016/S0076-6879\(97\)76063-4](http://dx.doi.org/10.1016/S0076-6879(97)76063-4)
- Yaffe, M.J., Rowlands, J.A., 1997, X-ray detector for digital radiography, *Phys.Med.Biol.*, 42, 1-39. <https://doi.org/10.1088/0031-9155/42/1/001>
- Yorkston, J. (2007) ‘Recent developments in digital radiography detectors’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 580(2), pp. 974–985. doi:10.1016/j.nima.2007.06.041.
- Yu, T. and Boone, J.M. (1998) ‘Diffraction spectrometer for spectral analysis of mammographic x-ray sources’, *Medical Imaging 1998: Physics of Medical Imaging*, 3336(x), p. 58. doi:10.1117/12.317059.
- Yun, S., Kim, H.K., Han, J.C., Kam, S., Youn, H. and Cunningham, I.A. (2017) ‘Linear analysis of signal and noise characteristics of a nonlinear CMOS active-pixel detector for mammography’, *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 847(September 2016), pp. 104–110. doi:10.1016/j.nima.2016.11.049.
- Zhao, W., Ristic, G. and Rowlands, J.A. (2004) ‘X-ray imaging performance of structured cesium iodide scintillators’, *Medical Physics*, 31(9), pp. 2594–2605. doi:10.1118/1.1782676.