



## DAFTAR PUSTAKA

- Afzalpour, M.E., Chadorneshin, H.T., Foadoddini, M., & Eivari, H.A. (2015). Comparing interval and continuous exercise training regimens on neurotrophic factors in rat brain. *Physiol. Behav.* 147 : 78–83.
- Ahlskog, J.E., Geda, Y.E., Graff-Radford, N.R., & Petersen, R.C. (2011). Physical exercise as a preventive or disease-modifying treatment of dementia and brain aging. *Mayo Clin. Proc.* 86 : 876–884.
- Baciak, L., Gasparova, Z., Liptaj, T., & Juranek, I. (2017). In vivo magnetic resonance approach to trimethyltin induced neurodegeneration in rats. *Brain Res.* 1673 : 111–116.
- Bandyopadhyay, S. (2021). Role of Neuron and Glia in Alzheimer's Disease and Associated Vascular Dysfunction. *Front. Aging Neurosci.* 13 : 1–21.
- Barnes, J.N. (2015). Exercise, cognitive function, and aging. *Adv. Physiol. Educ.* 39 : 55–62.
- Bartsch, T., & Wulff, P. (2015). The hippocampus in aging and disease: From plasticity to vulnerability. *Neuroscience* 309 : 1–16.
- Benedikz, E., Kloskowska, E., & Winblad, B. (2009). The rat as an animal model of Alzheimer's disease. *J. Cell. Mol. Med.* 13 : 1034–1042.
- Berryman, D.E., Glad, C.A.M., List, E.O., & Johannsson, G. (2013). The GH/IGF-1 axis in obesity: Pathophysiology and therapeutic considerations. *Nat. Rev. Endocrinol.* 9 : 346–356.
- Biddle, S.J.H., & Batterham, A.M. (2015). High-intensity interval exercise training for public health: A big HIT or shall we HIT it on the head? *Int. J. Behav. Nutr. Phys. Act.* 12 : 1–8.
- Boyce, R.W., Lyck, L., & Gundersen, H.J.G. (2010). Toxicologic Pathology.
- Bray, N.W., Smart, R.R., Jakobi, J.M., & Jones, G.R. (2016). Exercise prescription to reverse frailty. *Appl. Physiol. Nutr. Metab.* 41 : 1112–1116.
- Brini, S., Sohrabi, H.R., Peiffer, J.J., Karrasch, M., Hämäläinen, H., Martins, R.N., et al. (2018). Physical Activity in Preventing Alzheimer's Disease and Cognitive Decline: A Narrative Review. *Sport. Med.* 48 : 29–44.



- Bromley-Brits, K., Deng, Y., & Song, W. (2011). Morris Water Maze test for learning and memory deficits in Alzheimer's disease model mice. *J. Vis. Exp.* 2–6.
- Brooks, G.A., & White, T.P. (1978). Determination of metabolic and heart rate responses of rats to treadmill exercise. *J. Appl. Physiol. Respir. Environ. Exerc. Physiol.* 45 : 1009–1015.
- Brown, B.M., Peiffer, J., & Rainey-Smith, S.R. (2019). Exploring the relationship between physical activity, beta-amyloid and tau: A narrative review. *Ageing Res. Rev.* 50 : 9–18.
- Brown, D.A., Johnson, M.S., Armstrong, C.J., Lynch, J.M., Caruso, N.M., Ehlers, L.B., et al. (2007). Short-term treadmill running in the rat: What kind of stressor is it? *J. Appl. Physiol.* 103 : 1979–1985.
- Butler, R., & Radhakrishnan, R. (2012). Dementia. *BMJ Clin. Evid.* 09 : 1–27.
- Cassilhas, R.C., Tufik, S., & De Mello, M.T. (2016). Physical exercise, neuroplasticity, spatial learning and memory. *Cell. Mol. Life Sci.* 73 : 975–983.
- Charan, J., & Kantharia, N.D. (2013). How to calculate sample size in animal studies? *J. Pharmacol. Pharmacother.* 4 : 303–6.
- Chen, C., Zhou, Y., Wang, H., Alam, A., Kang, S.S., Ahn, E.H., et al. (2021). Gut inflammation triggers C/EBP $\beta$ /δ-secretase-dependent gut-to-brain propagation of A $\beta$  and Tau fibrils in Alzheimer's disease. *EMBO J.* 40.
- Chen, W.Q., Viidik, A., Skalicky, M., Höger, H., & Lubec, G. (2007). Hippocampal signaling cascades are modulated in voluntary and treadmill exercise rats. *Electrophoresis* 28 : 4392–4400.
- Chodzko-Zajko, W.J., Proctor, D.N., Fiatarone Singh, M.A., Minson, C.T., Nigg, C.R., Salem, G.J., et al. (2009). Exercise and physical activity for older adults. *Med. Sci. Sports Exerc.* 41 : 1510–1530.
- Chow, L.S., Gerszten, R.E., Taylor, J.M., Pedersen, B.K., van Praag, H., Trappe, S., et al. (2022). Exerkines in health, resilience and disease. *Nat. Rev. Endocrinol.* 18 : 273–289.
- Delezze, J., & Handschin, C. (2018). Endocrine crosstalk between Skeletal muscle



and the brain. *Front. Neurol.* 9.

- Delwing-de Lima, D., Ulbricht, A.S.S.F., Werlang-Coelho, C., Delwing-Dal Magro, D., Joaquim, V.H.A., Salamaia, E.M., *et al.* (2018). Effects of two aerobic exercise training protocols on parameters of oxidative stress in the blood and liver of obese rats. *J. Physiol. Sci.* 68 : 699–706.
- Ding, Q., Vaynman, S., Souza, P., Whitelegge, J.P., & Gomez-Pinilla, F. (2006). Exercise affects energy metabolism and neural plasticity-related proteins in the hippocampus as revealed by proteomic analysis. *Eur. J. Neurosci.* 24 : 1265–1276.
- Dupuy, O., Billaut, F., Raymond, F., Benraiss, A., Theurot, D., Bosquet, L., *et al.* (2018). Effect of Acute Intermittent Exercise on Cognitive Flexibility: the Role of Exercise Intensity. *J. Cogn. Enhanc.* 2 : 146–156.
- Durand, M., & Guterman, D. (2014). Exercise and vascular function - how much is too much. *Can. J. Physiol. Pharmacol.* 92 : 551–7.
- Durani, L.W., Hamezah, H.S., Ibrahim, N.F., Yanagisawa, D., Makpol, S., Damanhuri, H.A., *et al.* (2017). Age-related changes in the metabolic profiles of rat hippocampus, medial prefrontal cortex and striatum. *Biochem. Biophys. Res. Commun.* 493 : 1356–1363.
- El-Kotob, R., Ponzano, M., Chaput, J.P., Janssen, I., Kho, M.E., Poitras, V.J., *et al.* (2020). Resistance training and health in adults: an overview of systematic reviews. *Appl. Physiol. Nutr. Metab.* 45 : S165–S179.
- El-Sayes, J., Harasym, D., Turco, C. V., Locke, M.B., & Nelson, A.J. (2019). Exercise-Induced Neuroplasticity: A Mechanistic Model and Prospects for Promoting Plasticity. *Neuroscientist* 25 : 65–85.
- Elliott, E., Atlas, R., Lange, A., & Ginzburg, I. (2005). Brain-derived neurotrophic factor induces a rapid dephosphorylation of tau protein through a PI-3Kinase signalling mechanism. *Eur. J. Neurosci.* 22 : 1081–1089.
- Ezzati, A., Katz, M.J., Zammit, A.R., Lipton, M.L., Zimmerman, M.E., Sliwinski, M.J., *et al.* (2017). With Verbal Episodic and Spatial Memory in Older Adults 93 : 380–385.
- Firth, J., Stubbs, B., Vancampfort, D., Schuch, F., Lagopoulos, J., Rosenbaum, S.,



- et al.* (2018). Effect of aerobic exercise on hippocampal volume in humans: A systematic review and meta-analysis. *Neuroimage* 166 : 230–238.
- Forbes, D., Forbes, S.C., Blake, C.M., Thiessen, E.J., & Forbes, S. (2015). Exercise programs for people with dementia. *Cochrane Database Syst. Rev.* 2015.
- Freeman, W.M., VanGuilder, H.D., Bennett, C., & Sonntag, W.E. (2009). Cognitive performance and age-related changes in the hippocampal proteome. *Neuroscience* 3 : 183–195.
- Gao, J., Zhou, R., You, X., Luo, F., He, H., Chang, X., *et al.* (2016). Salidroside suppresses inflammation in a D-galactose-induced rat model of Alzheimer's disease via SIRT1/NF-κB pathway. *Metab. Brain Dis.* 31 : 771–778.
- Garber, C.E., Blissmer, B., Deschenes, M.R., Franklin, B.A., Lamonte, M.J., Lee, I.M., *et al.* (2011). Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: Guidance for prescribing exercise. *Med. Sci. Sports Exerc.* 43 : 1334–1359.
- Gasparova, Z., Stara, V., Janega, P., Navarova, J., Sedlackova, N., Mach, M., *et al.* (2014). Pyridoindole antioxidant-induced preservation of rat hippocampal pyramidal cell number linked with reduction of oxidative stress yet without influence on cognitive deterioration in Alzheimer-like neurodegeneration. *Neuroendocrinol. Lett.* 35 : 454–462.
- Geloso, M.C., Corvino, V., & Michetti, F. (2011a). Trimethyltin-induced hippocampal degeneration as a tool to investigate neurodegenerative processes. *Neurochem. Int.* 58 : 729–738.
- Geloso, M.C., Corvino, V., & Michetti, F. (2011b). Trimethyltin-induced hippocampal degeneration as a tool to investigate neurodegenerative processes. *Neurochem. Int.* 58 : 729–738.
- Gibala, M.J., Little, J.P., Macdonald, M.J., & Hawley, J.A. (2012). Physiological adaptations to low-volume, high-intensity interval training in health and disease. *J. Physiol.* 590 : 1077–1084.
- Gillen, J., & Gibala, M. (2014). Is high intensity interval training a time efficient exercise strategy to improve health and fitness? *Appl Physiol Nutr Metab* 39 :



409–12.

- Gorelick, P.B., Scuteri, A., Black, S.E., DeCarli, C., Greenberg, S.M., Iadecola, C., *et al.* (2011). Vascular Contributions to Cognitive Impairment and Dementia. *Stroke* 42 : 2672–2713.
- Guo, T., Zhang, D., Zeng, Y., Huang, T.Y., Xu, H., & Zhao, Y. (2020). Molecular and cellular mechanisms underlying the pathogenesis of Alzheimer's disease. *Mol. Neurodegener.* 15 : 1–37.
- Guure, C.B., Ibrahim, N.A., Adam, M.B., & Said, S.M. (2017). Impact of Physical Activity on Cognitive Decline, Dementia, and Its Subtypes: Meta-Analysis of Prospective Studies. *Biomed Res. Int.* 2017.
- Hamezah, H.S., Durani, L.W., Yanagisawa, D., Ibrahim, N.F., Aizat, W.M., Bellier, J.P., *et al.* (2018). Proteome profiling in the hippocampus, medial prefrontal cortex, and striatum of aging rat. *Exp. Gerontol.* 111 : 53–64.
- Hawley, J.A. (2008). Specificity of training adaptation: Time for a rethink? *J. Physiol.* 586 : 1–2.
- Hermawati, E., Arfian, N., Mustofa, M., & Partadiredja, G. (2020). Chlorogenic acid ameliorates memory loss and hippocampal cell death after transient global ischemia. *Eur. J. Neurosci.* 51 : 651–669.
- Huang, G., Gibson, C.A., Tran, Z. V., & Osness, W.H. (2005). Controlled endurance exercise training and VO<sub>2</sub>max changes in older adults: a meta-analysis. *Prev. Cardiol.* 8 : 217–225.
- Hüttenrauch, M., Brauß, A., Kurdakova, A., Borgers, H., Klinker, F., Liebetanz, D., *et al.* (2016). Physical activity delays hippocampal neurodegeneration and rescues memory deficits in an Alzheimer disease mouse model. *Transl. Psychiatry* 6.
- Imbimbo, B.P., Lombard, J., & Pomara, N. (2005). Pathophysiology of Alzheimer's disease. *Neuroimaging Clin. N. Am.* 15 : 727–753.
- Inoue, K., Okamoto, M., Shibato, J., Lee, M.C., Matsui, T., Rakwal, R., *et al.* (2015). Long-term mild, rather than intense, exercise enhances adult hippocampal neurogenesis and greatly changes the transcriptomic profile of the hippocampus. *PLoS One* 10 : 1–25.



- Jackson, M.J., Vasilaki, A., & McArdle, A. (2016). Cellular mechanisms underlying oxidative stress in human exercise. *Free Radic. Biol. Med.* 98 : 13–17.
- Jodeiri, F.M., & Alviña, K. (2021). Multiple Roles in Neuroprotection for the Exercise Derived Myokine Irisin. *Front. Aging Neurosci.* 13 : 1–21.
- Kaidah, S., Rauf, S., Soesatyo, M.H.N.E., & Agustiningsih, D. (2018). Moderate-intensity interval exercise but not high-intensity interval exercise improves the spatial memory of ovariectomized rats. *J. Med. Sci.* 50 : 1–13.
- Kang, J.Y., Park, S.K., Guo, T.J., Ha, J.S., Lee, D.S., Kim, J.M., et al. (2016). Reversal of Trimethyltin-Induced Learning and Memory Deficits by 3,5-Dicaffeoylquinic Acid. *Oxid. Med. Cell. Longev.* 2016.
- Kempuraj, D., Thangavel, R., Natteru, P.A., Selvakumar, G.P., Saeed, D., Zahoor, H., et al. (2016). Neuroinflammation Induces Neurodegeneration. *J. Neurol. Neurosurg. spine* 1 : 1–15.
- Kim, J., Yang, M., Son, Y., Jang, H., Kim, D., Kim, J.C., et al. (2014). Glial activation with concurrent up-regulation of inflammatory mediators in trimethyltin-induced neurotoxicity in mice. *Acta Histochem.* 116 : 1490–1500.
- Kirchner, L., Chen, W.Q., Afjehi-Sadat, L., Viidak, A., Skalicky, M., Höger, H., et al. (2008). Hippocampal metabolic proteins are modulated in voluntary and treadmill exercise rats. *Exp. Neurol.* 212 : 145–151.
- Kirk-Sanchez, N.J., & McGough, E.L. (2013). Physical exercise and cognitive performance in the elderly: Current perspectives. *Clin. Interv. Aging* 9 : 51–62.
- Law, L.L., Rol, R.N., Schultz, S.A., Dougherty, R.J., Edwards, D.F., Kosik, R.L., et al. (2018). Moderate intensity physical activity associates with CSF biomarkers in a cohort at risk for Alzheimer's disease. *Alzheimer's Dement. Diagnosis, Assess. Dis. Monit.* 10 : 188–195.
- Lee, S., Yang, M., Kim, Jinwook, Kang, S., Kim, Juhwan, Kim, J.C., et al. (2016a). Trimethyltin-induced hippocampal neurodegeneration: A mechanism-based review. *Brain Res. Bull.* 125 : 187–199.
- Lee, S., Yang, M., Kim, Juhwan, Son, Y., Kim, Jinwook, Kang, S., et al. (2016b).

Involvement of BDNF/ERK signaling in spontaneous recovery from trimethyltin-induced hippocampal neurotoxicity in mice. *Brain Res. Bull.* 121 : 48–58.

Leuchtmann, A.B., Adak, V., Dilbaz, S., & Handschin, C. (2021). The Role of the Skeletal Muscle Secretome in Mediating Endurance and Resistance Training Adaptations. *Front. Physiol.* 12 : 1–22.

Li, G., Cai, F., Yan, W., Li, C., & Wang, J. (2012). A proteomic analysis of MCLR-induced neurotoxicity: Implications for Alzheimer's disease. *Toxicol. Sci.* 127 : 485–495.

Little, A.R., Miller, D.B., Li, S., Kashon, M.L., & O'Callaghan, J.P. (2012). Trimethyltin-induced neurotoxicity: Gene expression pathway analysis, q-RT-PCR and immunoblotting reveal early effects associated with hippocampal damage and gliosis. *Neurotoxicol. Teratol.* 34 : 72–82.

Lucas, S.J.E., Cotter, J.D., Brassard, P., & Bailey, D.M. (2015). High-intensity interval exercise and cerebrovascular health: Curiosity, cause, and consequence. *J. Cereb. Blood Flow Metab.* 35 : 902–911.

Ma, C.L., Ma, X.T., Wang, J.J., Liu, H., Chen, Y.F., & Yang, Y. (2017). Physical exercise induces hippocampal neurogenesis and prevents cognitive decline. *Behav. Brain Res.* 317 : 332–339.

MacInnis, M.J., & Gibala, M.J. (2017). Physiological adaptations to interval training and the role of exercise intensity. *J. Physiol.* 595 : 2915–2930.

Maekawa, T., Ogasawara, R., Tsutaki, A., Lee, K., Nakada, S., Nakazato, K., et al. (2018). Electrically evoked local muscle contractions cause an increase in hippocampal BDNF. *Appl. Physiol. Nutr. Metab.* 43 : 491–496.

Malekzadeh, S., Amin, M., 2□, E., Mehrabani, D., & Shariati, M. (2017). Drugs Induced Alzheimer's Disease in Animal Model. *Gmj* 6 : 185–96.

Malik, A.A., Williams, C.A., Weston, K.L., & Barker, A.R. (2018). Perceptual Responses to High- and Moderate-Intensity Interval Exercise in Adolescents, Medicine and Science in Sports and Exercise.

Manavalan, A., Mishra, M., Feng, L., Sze, S.K., Akatsu, H., & Heese, K. (2013). Brain site-specific proteome changes in aging-related dementia. *Exp. Mol.*



Med. 45 : e39-17.

- McPhee, J.S., French, D.P., Jackson, D., Nazroo, J., Pendleton, N., & Degens, H. (2016). Physical activity in older age: perspectives for healthy ageing and frailty. *Biogerontology* 17 : 567–580.
- Meier-Stephenson, F.S., Meier-Stephenson, V.C., Carter, M.D., Meek, A.R., Wang, Y., Pan, L., et al. (2022). Alzheimer's disease as an autoimmune disorder of innate immunity endogenously modulated by tryptophan metabolites. *Alzheimer's Dement. Transl. Res. Clin. Interv.* 8 : 1–14.
- Miki, T., Satriotomo, I., Li, H.P., Matsumoto, Y., Gu, H., Yokoyama, T., et al. (2005). Application of the physical disector to the central nervous system: Estimation of the total number of neurons in subdivisions of the rat hippocampus. *Anat. Sci. Int.* 80 : 153–162.
- Miranda, M., Morici, J.F., Zanoni, M.B., & Bekinschtein, P. (2019). Brain-Derived Neurotrophic Factor: A Key Molecule for Memory in the Healthy and the Pathological Brain. *Front. Cell. Neurosci.* 13 : 1–25.
- Moon, H.Y., Becke, A., Berron, D., Becker, B., Sah, N., Benoni, G., et al. (2016). Running-induced systemic cathepsin B secretion is associated with memory function. *Cell Metab* 24 : 332–340.
- Moser, M.B., Rowland, D.C., & Moser, E.I. (2015). Place cells, grid cells, and memory. *Cold Spring Harb. Perspect. Biol.* 7.
- Mu, L., Cai, J., Gu, B., Yu, L., Li, C., Liu, Q.S., et al. (2022). Treadmill Exercise Prevents Decline in Spatial Learning and Memory in 3×Tg-AD Mice through Enhancement of Structural Synaptic Plasticity of the Hippocampus and Prefrontal Cortex. *Cells* 11.
- Nederveen, J.P., Warnier, G., Di Carlo, A., Nilsson, M.I., & Tarnopolsky, M.A. (2021). Extracellular Vesicles and Exosomes: Insights From Exercise Science. *Front. Physiol.* 11.
- Nelson, A.R., Sweeney, M.D., Sagare, A.P., & Zlokovic, B. V. (2016). Neurovascular dysfunction and neurodegeneration in dementia and Alzheimer's disease. *Biochim. Biophys. Acta - Mol. Basis Dis.* 1862 : 887–900.



- Ng, F., Wijaya, L., & Tang, B.L. (2015). SIRT1 in the brain—connections with aging-associated disorders and lifespan. *Front. Cell. Neurosci.* 9 : 1–13.
- Nigam, S.M., Xu, S., Kritikou, J.S., Marosi, K., Brodin, L., Mattson, M.P., *et al.* (2018). HHS Public Access 142 : 286–296.
- Nilsberth, C., Kostyszyn, B., & Luthman, J. (2002). Changes in APP, PS1 and other factors related to Alzheimer's disease pathophysiology after trimethyltin-induced brain lesion in the rat. *Neurotox. Res.* 4 : 625–636.
- Nishijima, T., Torres-Aleman, I., & Soya, H. (2016). Exercise and cerebrovascular plasticity, 1st ed, Progress in Brain Research. Elsevier B.V.
- Nurmasitoh, T., Cahyani, D., Sari, R., & Susilowati, R. (2021). Toxic Substance-induced Hippocampal Neurodegeneration in Rodents as Model of Alzheimer 's Dementia. *Open Access Maced. J. Med. Sci.* 9 : 523–533.
- O'Connell, A.W., Strada, O., Earley, B., & Leonard, B.E. (1997). Altered expression of amyloid protein precursor mRNA in the rat hippocampus following trimethyltin intoxication: An in situ hybridization study. *Neurochem. Int.* 30 : 313–320.
- Partadiredja, G., & Bedi, K.S. (2010). Undernutrition during the gestation and suckling periods does not cause any loss of pyramidal neurons in the CA2-CA3 region of the rat hippocampus. *Nutr. Neurosci.* 13 : 102–108.
- Phillips, C., Baktir, M.A., Srivatsan, M., & Salehi, A. (2014). Neuroprotective effects of physical activity on the brain: a closer look at trophic factor signaling. *Front. Cell. Neurosci.* 8 : 170.
- Phillips, C., & Fahimi, A. (2018). Immune and Neuroprotective Effects of Physical Activity on the Brain in Depression. *Front Neurosci* 12 : 1–22.
- Pusdatin (2017). Analisis Lansia di Indonesia. Jakarta : Pusat Data dan Informasi Kemenkes RI.
- Pusdatin (2016). Situasi Lanjut Usia (Lansia) di Indonesia. Jakarta : Pusat Data dan Informasi Kemenkes RI.
- Racil, G., Ben Ounis, O., Hammouda, O., Kallel, A., Zouhal, H., Chamari, K., *et al.* (2013). Effects of high vs. Moderate exercise intensity during interval training on lipids and adiponectin levels in obese young females. *Eur. J. Appl.*



*Physiol.* 113 : 2531–2540.

- Radak, Z., Marton, O., Nagy, E., Koltai, E., & Goto, S. (2013). The complex role of physical exercise and reactive oxygen species on brain. *J. Sport Heal. Sci.* 2 : 87–93.
- Radak, Z., Suzuki, K., Higuchi, M., Balogh, L., Boldogh, I., & Koltai, E. (2016). Physical exercise, reactive oxygen species and neuroprotection. *Free Radic. Biol. Med.* 98 : 187–196.
- Rauf, S., Soesatyo, M., Agustiningsih, D., & Partadiredja, G. (2018). Intermittent exercise improves working memory and locomotor activity by attenuating oxidative stress in the prefrontal cortex and cerebellum of ovariectomized rats. *Sport Sci. Health* 14 : 615–624.
- Robinson, N.T.M., Descamps, L.A.L., Russell, L.E., Buchholz, M.O., Bicknell, B.A., Antonov, G.K., et al. (2020). Targeted Activation of Hippocampal Place Cells Drives Memory-Guided Spatial Behavior. *Cell* 183 : 1586-1599.e10.
- Saura, C.A. (2010). Presenilin/ $\gamma$ -secretase and inflammation. *Front. Aging Neurosci.* 2.
- Schnyder, S., & Handschin, C. (2015). Skeletal muscle as an endocrine organ : PGC-1  $\alpha$ , myokines and exercise. *Bone* 80 : 115–125.
- Serra, F.T., Cardoso, F. dos S., Petraconi, N., dos Santos, J.C.C., Araujo, B.H.S., Arida, R.M., et al. (2022). Resistance exercise improves learning and memory and modulates hippocampal metabolomic profile in aged rats. *Neurosci. Lett.* 766.
- Šerý, O., Povová, J., Míšek, I., Pešák, L., & Janout, V. (2013). Molecular mechanisms of neuropathological changes in Alzheimer's disease: A review. *Folia Neuropathol.* 51 : 1–9.
- Stephen, R., Hongisto, K., Solomon, A., & Lönnroos, E. (2017). Physical Activity and Alzheimer's Disease: A Systematic Review. *J. Gerontol. A. Biol. Sci. Med. Sci.* 72 : 733–739.
- Straiko, M., Gudelsky, G., Coolen, L., Harrison, R., & Zemlan, F. (2006). Treatment with trimethyltin promotes the formation of cleaved tau in the rat brain. *J. Neurosci. Res.* 84 : 1116–23.



- Tan, Z.S., Spartano, N.L., Beiser, A.S., DeCarli, C., Auerbach, S.H., Vasan, R.S., *et al.* (2017). Physical Activity, Brain Volume, and Dementia Risk: The Framingham Study. *J. Gerontol. A. Biol. Sci. Med. Sci.* 72 : 789–795.
- Thirupathi, A., & de Souza, C.T. (2017). Multi-regulatory network of ROS: the interconnection of ROS, PGC-1 alpha, and AMPK-SIRT1 during exercise. *J. Physiol. Biochem.* 73 : 487–494.
- Tian, S., Mou, H., & Qiu, F. (2021). Sustained effects of high-intensity interval exercise and moderate-intensity continuous exercise on inhibitory control. *Int. J. Environ. Res. Public Health* 18 : 1–12.
- Tivadar, B.. (2017). Physical activity improves cognition: possible explanation. *Biogerontology* 18 : 477–83.
- Trigiani, L.J., & Hamel, E. (2017). An endothelial link between the benefits of physical exercise in dementia. *J. Cereb. Blood Flow Metab.* 37 : 2649–2664.
- Tsai, C.L., Wang, C.H., Pan, C.Y., Chen, F.C., Huang, T.H., & Chou, F.Y. (2014). Executive function and endocrinological responses to acute resistance exercise. *Front. Behav. Neurosci.* 8 : 1–12.
- USDHHS (2018). Physical activity guidelines for Americans, 2nd ed. Washington, DC : U.S. Department of Health and Human Services.
- Wang, R., & Holsinger, R.M.D. (2018). Exercise-induced brain-derived neurotrophic factor expression: Therapeutic implications for Alzheimer's dementia. *Ageing Res. Rev.* 48 : 109–121.
- Wei, Y., Fang, C.L., Liu, S.J., Yang, W.Q., Wei, L.S., Lei, X.J., *et al.* (2018). Long-term moderate exercise enhances specific proteins that constitute neurotrophin signaling pathway: A TMT-based quantitative proteomic analysis of rat plasma. *J. Proteomics* 185 : 39–50.
- WHO (2021). Global Status Report on the Public Health Response to Dementia. Geneva : World Health Organization.
- WHO (2012). Dementia: A public health priority. Genewa : Department of Mental Health and Substance Abuse World Health Organization.
- Wrann, C.D., White, J.P., Salogiannnis, J., Laznik-bogoslavski, D., Wu, J., Ma, D., *et al.* (2014). Exercise induces hippocampal BDNF through a PGC-1 $\alpha$ /FNDC5



pathway. *Cell Metab.* 18 : 617–632.

Wu, H., Wang, H., Zhang, W., Wei, X., Zhao, J., Yan, P., et al. (2015). rhEPO affects apoptosis in hippocampus of aging rats by upregulating SIRT1. *Int. J. Clin. Exp. Pathol.* 8 : 6870–6880.

Xia, Y., Prokop, S., Bell, B.M., Gorion, K.M., Croft, C.L., Nasif, L., et al. (2022). Pathogenic tau recruits wild-type tau into brain inclusions and induces gut degeneration in transgenic SPAM mice. *Commun. Biol.* 5 : 1–18.

Yang, Y.J. (2019). An Overview of Current Physical Activity Recommendations in Primary Care. *Korean J. Fam. Med.* 40 : 135–142.

Young, J., Angevaren, M., Rusted, J., & Tabet, N. (2015). Aerobic exercise to improve cognitive function in older people without known cognitive impairment (Review). *Cochrane Database Syst. Rev.* 1–145.

Yu, Y., Feng, L., Li, J., Lan, X., Lixiang, A., Lv, X., et al. (2017). The alteration of autophagy and apoptosis in the hippocampus of rats with natural aging-dependent cognitive deficits. *Behav. Brain Res.* 334 : 155–162.

Yuan, J., Amin, P., & Ofengheim, D. (2019). Necroptosis and RIPK1-mediated neuroinflammation in CNS diseases. *Nat. Rev. Neurosci.* 20 : 19–33.

Yuliani, S., Mustofa, & Partadiredja, G. (2019). The neuroprotective effects of an ethanolic turmeric (*Curcuma longa* L.) extract against trimethyltin-induced oxidative stress in rats. *Nutr. Neurosci.* 22 : 797–804.

Yuliani, S., Mustofa, & Partadiredja, G. (2018). Turmeric (*Curcuma longa* L.) extract may prevent the deterioration of spatial memory and the deficit of estimated total number of hippocampal pyramidal cells of trimethyltin-exposed rats. *Drug Chem. Toxicol.* 41 : 62–71.

Zhang, Z., Li, R., Zhang, X., Wei, Y., Ma, H., Zhu, L., et al. (2019). Voluntary exercise promotes neurotrophic factor and suppresses apoptosis in hippocampal ischemia. *J. Integr. Neurosci.* 18 : 65–70.

Zoladz, J.A., Majerczak, J., Zeligowska, E., Mencel, J., Jaskolski, A., Jaskolska, A., et al. (2014). Moderate-intensity interval training increases serum brain-derived neurotrophic factor level and decreases inflammation in Parkinson's disease patients. *J. Physiol. Pharmacol.* 65 : 441–8.