

## DAFTAR PUSTAKA

- American Standard for Testing and Material (ASTM) D570., 2000. Standard Test Method for Water Absorption of Plastics.
- Andrade, T. F., Abreu, P., Restivo, M. T., Chouzal, M. F., Santoso, B. F., & Rodrigues, J., 2017. Enhancing a 3D Printer with Online Access. *International Journal of Interactive Mobile Technology*, 11(5).
- Barrasa, J. O., Ferrandes-Montero, A., Ferrari, B., & Pastor, J. Y., 2021. Characterisation and Modeling of PLA Filaments and Evolution with Time. *Polymers*, 12, 2889.
- Botelho, T., Teixeira, N., & Aguiar, F., 2004. *Poly lactic Acid Production from Sugar Molasses*, International Patent WO 2004/057008 A1.
- Boumediri, H., Bezazi, A., Del Pino, G. G., Haddad, A., Scarpa, F., & Dufresne, A. (2019). Extraction and characterization of vascular bundle and fiber strand from date palm rachis as potential bio-reinforcement in composite. *Carbohydrate Polymers*, 222 (June), Article 114997.
- Brenken, B. E. B., 2018. Pipes, Fused Filament Fabrication of Fiber Reinforced Polymers: A Review. *Additive Manufacturing*, 1-16.
- Callister Jr, W. D. & Rethwisch, D. G., 2010. *Materials Science and Engineering an Introduction*. 8th ed. New Jersey: Wiley.
- Carneiro, O. S., Cilvia, A. F., & Gomes, R., 2016. Fused Deposition Modeling with Polypropylene. *Materials & Design*, 83, 768-776.
- Carpenter, A., de Lannoy, C. & Wiesner, M., 2015. Cellulose Nanomaterials in Water Treatment Technologies. <https://doi.org/10.1021/es506351r>
- Cataldi, A., Rigotti, D., Nguyen, V. & Pegoretti, A., 2018. Polyvinyl Alcohol Reinforced with Crystalline Nanocellulose for 3D Printing Application. *Materials Today Communications*, 15, 236-244.
- Chalgham, A., Ehrmann, A., Wickennkamp, I., 2021. Mechanical properties of FDM printer PLA parts before and after thermal treatment. *Polymer*, 13, 1239.
- Chandramohan, D. & Marimuthu, K., 2011. Rapid Prototyping/Rapid Tooling an Over View and Its Applications in Orthopaedics. *International of Advanced Engineering Technology*, 2(4), 435-448.
- Chawla, K. K., 2011. *Composite Materials Science and Engineering*. 3rd ed. New York: Springer-Verlag.
- Daminabo, S. C., Goel, S., Grammatikos, S. A., Nezhad, H. Y., & Thakur, V. K., 2020. Fused Deposition Modeling-Based Additive Manufacturing (3D Printing): Techniques for Polymer Material Systems. *Materials Today Chemistry*, 1-23.



- Das, B., 1990. *Principles of Foundation Engineering (Second Edition)*. Boston: PWS Kent Publishing Company.
- Dizon, J. R. C., Ecpera Jr, A. H., Chen, Q., & Advincula, R. C., 2018. Mechanical Characterization of 3D-Printed Polymers. *Additive Manufacturing*, 20, 44-67.
- Dobbs, S., Hayward, D., & Brew, S., 2014. *The Ultimate Guide to 3D Printing*. London: Dennis Publishing.
- Dufresne, A., 2012. Nanocellulose: Potential Reinforcement in Composites. *Natural Polymers*, 2, 1-32.
- Dul, S., Fambri, L., & Pegoretti, A., 2017. Filaments Production and Fused Deposition Modelling of ABS/Carbon Nanotubes Composites. *Nanomaterials*, 8(1), 49.
- Durgun, I., & Ertan, R., 2014. Experimental Investigation of FDM Process for Improvement of Mechanical Properties and Production Cost. *Rapid Prototyping Journal*, 1(3), 79-84.
- Ekinci, A., Johnson, A. A., Gleadall, A. & Han, X., 2019. The Effect of Geometry on Mechanical Properties of Biodegradable Polyactic-Acid Tensile-Test Specimens by Material Extrusion. *16<sup>th</sup> Conference on Rapid Design, Prototyping & Manufacturing*.
- Fatriasari, W., Masruchin, N., & Hermiati, E., 2019. *Selulosa: Karakteristik dan Pemanfaatannya*. Jakarta: LIPI Press.
- Foster, E., Moon, R., Agarwal, U., Bortner, M., Bras, J., Camarero-Espinosa, S., Chan, K., Clift, M., Cranston, E., Eichhorn, S., Fox, D., Hamad, W., Heux, L., Jean, B., ff OSimonsen, J., Stinson-Bagby, K., Wanasekara, N. & Youngblood, J., 2018. Current Characterization Methods for Cellulose Nanomaterials. *Chemical Society Reviews*, 47(8), 2609-2679.
- George, J. & Sabapathi, N. S., 2015. *Cellulose nanocrystals: synthesis, functional properties, and applications*.
- Gibson, R. F., 1994. *Principles of Composite Material Mechanics*. 1st ed. New York: McGraw-Hill College.
- Irlanda, E. A. *Perancangan Kebijakan Perawatan pada Mesin Printer 3D Aurora*. Yogyakarta: Departemen Teknik Mesin dan Industri FT UGM, 2016.
- Jiang, G., Yang, T., Xu, J., Tao, D., Luo, C., Wang, C., Dong, Q., & Wang, Y., 2020. Investigation Into hydroxypropyl-methylcellulose-reinforced polylactide Composites for Fused Deposition Modelling. *Industrial Crops & Products*, 146.
- Kalia, S., Dufresne, A., Cherian, B.M., Kaith, B.S., Averous, L., Njuguna, J., & Nassiopoulou, E., 2011. Cellulose-Based Bio- and Nanocomposites: A Review. *International Journal of Polymer Science*, 1, 2011-2021.
- Kargarzadeh, H., Mariano, M., Huang, J., Lin, N., Ahmad, I., Dufresne, A., & Thomas, S., 2017. Recent Developments on Nanocellulose Reinforced Polymer Nanocomposites: A Review. *Polymer*, 132, 368-393.



- Karlsson, H. & Rinnevu, T., 2006. *Fibre Guide: Fibre Analysis and Process Applications in The Pulp and Paper Industry: A Handbook*. Kista: Lorentzen & Wettre.
- Khanjanzadeh, H., Behrooz, R., Bahramifar, N., Gindl-Altmutter, W., Bacher, M., Edler, M., Griesser, T. 2018. Surface chemical functionalization of cellulose nanocrystals by 3-aminopropyltriethoxysilane. *International Journal of Biological Macromolecules*, 106, 1288–1296.
- Khanjanzadeh, H., Behrooz, R., Bahramifar, N., Pinkl, S., & Gindl-Altmutter, W. 2019. Application of surface chemical functionalized cellulose nanocrystals to improve the performance of UF adhesives used in wood based composites - MDF type. *Carbohydrate Polymers*, 206(May 2018), 11–20.
- Klemm, D., Heublein, B., Fink, H.-P. & Bohn, A., 2005. Cellulose: Fascinating Biopolymer and Sustainable Raw Material. *Angewandte Chemie*, 44, 3358-3393.
- Kotsilkova, R., Petrova-Doycheva, I., Menseidov, D., Ivanov, E., Paddubskaya, A., & Kuzhir, P., 2019. Exploring Thermal Annealing and Graphene-Carbon Nanotube Additives to Enhance Crystallinity, Thermal, Electrical and Tensile Properties of Aged Poly (Lactic) Acid-Based Filament for 3D Printing. *Composites Science and Technology*, 181, 107712.
- Kristiawan, R. B., Imaduddin, F., Ariawan, D., & Arifin, Z., 2021. A Review on The Fused Deposition Modeling (FDM) 3D Printing: Filament Processing, Materials, and Printing Parameters. *De Gruyter Open Engineering*, 11, 639-649.
- Kumar, S. D., Venkadeshwaran, K., & Aravindan, M. K., 2020. Fused deposition modelling of PLA reinforced with cellulose nanocrystals. *Materials Today: Proceedings*, 868-875.
- Kusmono & Aji, P. P., 2020. *Fabrication and Tensile Properties Of ABS/Cellulose Nanocrystal Nanocomposite Filaments For 3D Printing*. Yogyakarta: Universitas Gadjah Mada.
- Kusmono & Wiratma, O. E., 2021. Fabrication and Characterization of PLA/Nanocrystalline Cellulose Nanocomposite Filaments for 3D Printing Application. *IOP Conf. Series: Materials Science and Engineering*, 1096, 012055.
- Kusuma, I. E., Dewi, D. S., & Gunarta, I. K., 2016. *Pengembangan Model Bisnis Berbasis Teknologi 3D Printer dengan Pendekatan Product Service System (PSS)*. Surabaya: Institut Teknologi Sepuluh November.
- Lay, M., Thajudin, N.L.N., Hamid, Z.A.A., Rusli, A., Abdullah, M.K., & Shuib, R.K., 2019. Comparison of Physical and Mechanical Properties of PLA, ABS and Nylon 6 Fabricated Using Fused Deposition Modeling and Injection Molding. *Composite Part B*, 176.
- Liu, W., Zhou, J., Ma, Y., Wang, J., & Xu, J. 2017. Fabrication of PLA Filaments and its Printable Performance on IOP Publishing, *Materials Science and Engineering*, 275(1), 012033.
- Loganathan, S., Valapa, R. B, Mishra, R. K., Pugazhenth, G., & Thomas, S., 2017. Thermogravimetric Analysis for Characterization of Nanomaterials. 1(4), 67-108.



- Lynd L., W. P., 2002. Microbial Cellulose Utilization: Fundamentals and Biotechnology. *Microbiology and Molecular Biology Reviews*, 506-577.
- Mahindru, D. V. & Mahendru, P., 2013. A Review of Rapid Prototyping Technology for The Future. *USA Global Jurnal of Computer Science and Technology Graphics & Vision*, 13(4).
- Mohammed, O. A., Masood, S. H., & Bhowmik, J. L., 2016. Mathematical Modeling and FDM Process Parameters Optimization Using Response Surface Methodology Bases on Q-Optimal Design, *Applied Mathematical Modelling*, 1(1), 10052-10073.
- Moon, R. J., Martini, A., Nairn, J., Simonsen, J., & Youngblood, J., 2011. Cellulose Nanomaterials Review: Structure, Properties and Nanocomposites. *Chemical Society Review*, 40, 3941-3994.
- Morales, M. A., Martinez, C. L. A., Maranon, A., Hernandez, C., Michaud, V., & Porras, A., 2021. Development and Characterization of Rice Husk and Recycled Polypropylene Composite Filaments for 3D Printing. *Poylmers*, 12, 1067.
- Murariu, M. & Dubois, P., 2016. PLA Composites: From Production to Properties. *Advanced Drug Delivery Reviews*, 107, 17-46.
- Ngo, T. D., Kashani, A., Imbalzano, G., Nguyen, K.T.Q., & Hui, D., 2018. Additive manufacturing (3D printing): A Review of Materials, Methods, Applications and Challenges. *Composites Part B*, 143, 172-196.
- Ning, F., Cong, W., Qiu, J., Wei, J., & Wang, S., 2015. Additive Manufacturing of Carbon Fiber Reinforced Thermoplastic Composites Using Fused Deposition Modeling. *Composites Part B: Engineering*, 80, 369-378.
- Ojeda, J. J. & Dittrich M., 2012. Microbial Systems Biology: Methods and Protocols. *Methods in Molecular Biology*, 881.
- Phanthong, P., Reubroycharoen, P., Hao, X., Xu, G., Abudula, A., and Guan, G., 2018. Nanocellulose: Extraction and Application. *Carbon Resources Conversion*, 1(1), 32-43.
- Pitjamit, S., Thunsiri, K., Nakkiew, W., Wongwichai, T., Pothacharoen, P., & Wattanutchariya, W., 2020. The Possibility of Interlocking Nail Fabrication from FFF 3D Printing PLA/PCL/HA Composites Coated by Local Silk Fibroin for Canine Bone Fracture Treatment. *Materials*, 13, 1564.
- Pratama, E. Y. A., 2020. *Fabrikasi dan karakterisasi filamen komposit PET/NCC untuk aplikasi 3D printing*. Yogyakarta: Departemen Teknik Mesin dan Industri FT UGM.
- Rahmayetty., Kanani, N., Yudo, E. W., 2018. *Pengaruh Penambahan PLA pada Pati Terplastisasi Gliserol Terhadap Sifat Mekanik Blend Film*. Seminar Nasional Sains dan Teknologi 2018. 2407.
- Rajinipriya, M., Nagalakshmaiah, M., Robert, M., & Elkoun, S., 2018. Importance of Agricultural and Industrial Waste in the Field of Nanocellulose and Recent Industrial

Developments of Wood Based Nanocellulose: A Review. *ACS Sustainable Chemistry and Engineering*, 6(3), 2807–2828.

- Raquez, J. M., Habibi, Y., Murariu, M. & Dubois, P., 2013. Polylactide (PLA)-based nanocomposites. *Progress in Polymer Science*, 38, 1504-1542.
- Roman, M., & Winter, W. T. 2004. Effect of sulfate groups from sulfuric acid hydrolysis on the thermal degradation behavior of bacterial cellulose. *Biomacromolecules*, 5(5), 1671–1677.
- Saba, N. M. J., 2019. An Overview of Mechanical and Physical Testing of Composite Material. *Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites*, 2-3.
- Sezer, H. K. & Eren, O., 2019. FDM 3D Printing of MWCNT Re-Inforced ABS Nano-Composite Parts with Enhanced Mechanical and Electrical Properties. *Journal of Manufacturing Processes*, 37, 339-347.
- Sirjani, E., Cragg, P. J. & Dymond, M. K., 2019. Glass Transition Temperatures, Melting Temperatures, Water Contact Angles and Dimensional Precision of Simple Fused Deposition Model 3D Prints and 3D Printed Channels Constructed from A Range of Commercially Available Filaments. *Chemical Data Collections*, 22.
- Skoog, D. A. & West, D. M., 1980. *Principles of Instrumental Analysis*. 2nd Ed, Philadelphia: Saunders College.
- Sung, S. H., Chang, Y. & Han, J., 2017. Development of polylactic acid nanocomposite films reinforced with cellulose nanocrystals derived from coffee silverskin. *Carbohydrate Polymers*, 169, 495-503.
- Tao, Y., Wang, H., Li, Z., Li, P., Shi, S.Q., 2017. Development and Application of Wood Flour-Filled. *Materials*, 10, 339.
- Tayeb, A., Amini, E., Ghasemi, S. & Tajvidi, M., 2018. *Cellulose Nanomaterials-Binding Properties and Applications: A Review*.
- Tontowi, A. E. & Setiawan. A., 2016. Mechanical strength of [HA/Bioplastic/Sericin] composite part printed by bioprinter. ConFAST.
- Trache, D., Hussin, M. H., Chuin, C. T. H., Sabar, S., Fazita, M. N., Taiwo, O. F. & Haafiz, M. M., 2017. Microcrystalline cellulose: Isolation, characterization and bio-composites application-A review. *International Journal of Biological Macromolecules*, 93, 789-804.
- Tripathi, D., 2002. *Practical Guide to Polypropylene*. United Kingdom: Rapra Technology Limited.
- Valino, A. D., Dizon, J. R. C., Espera Jr, A. H., Chen, Q., Messman, J., & Advincula, R. C., 2019. Advances in 3D printing of thermoplastic polymer composites and nanocomposites. *Progress in Polymer Science*, 98.



- Vidakis, N., Maniadi, A., Petousis, M., Vamvakaki, M., Kenanakis, G., & Koudoumas, E., 2020. Mechanical and Electrical Properties Investigation of 3D-Printed Acrylonitrile–Butadiene–Styrene Graphene and Carbon Nanocomposites. *Journal of Materials Engineering and Performance*, 13, 1909-1918.
- Wang, Z., Xu, J., Lu, Y., Hu, L., Fan, Y., Ma, J., & Zhou, X., 2017. Preparation of 3D printable micro/nanocellulose-polylactic acid (MNC/PLA) composite wire rods with high MNC constitution. *Industrial Crops & Products*, 109, 889-896.
- Weng, Z., Wang, J., Senthil, T., & Wu, L., 2016. Mechanical and thermal properties of ABS/montmorillonite nanocomposites for fused deposition modeling 3D printing. *Materials and Design*, 102(1), 276-283.
- Yan, X. & Gu, P., 1996. A review of rapid prototyping technologies and system. *Computer-Aided*, 28(4), 307-318.
- Zaini, L.H., Febrianto, F., Wistara, I.N.J., Marwanto, N., Maulana, M.I., Lee, S.H., Kim, M.H. 2019. Effect of Ammonium Persulfate Concentration on Characteristics of Cellulose Nanocrystals from Oil Palm Frond. *Journal of Korean Wood Science and Technology*, 47(5): 597~606.