

DAFTAR PUSTAKA

Agadi, S. 2018. Does Folate Supplementation Leads to Better Seizure Control with Antiepileptic Drug Therapy? *Indian J Pediatr*, 85(7): 489.

Al-Baradie, R.S., Chaudhary, M.W. 2014. Diagnosis and management of cerebral folate deficiency. A form of folinic acid-responsive seizures. *Neurosciences (Riyadh)*, 19(4): 312–316.

Apeland, T., Mansoor, M.A., Pentieva, K., McNulty, H., Seljeflot, I., Strandjord, R.E. 2002. The effect of B-vitamins on hyperhomocysteinemia in patients on antiepileptic drugs. *Epilepsy Res*, 51(3): 237–247.

Apeland, T., Mansoor, M.A., Strandjord, R.E. 2001. Antiepileptic drugs as independent predictors of plasma total homocysteine levels. *Epilepsy Res*, 47(1–2): 27–35.

Attilakos, A., Papakonstantinou, E., Schulpis, K., Voudris, K., Katsarou, E., Mastroianni, S., Garoufi, A. 2006. Early effect of sodium valproate and carbamazepine monotherapy on homocysteine metabolism in children with epilepsy. *Epilepsy Res*, 71(2–3): 229–232.

Bisi-Onyemaechi, A.I., Chikani, U.N., Uwaezuoke, N.A., Aronu, A.E., Ojinnaka, N.C. 2021. Serum folate levels in children on long-term anti-seizure medication in a Nigerian tertiary center-Implications for practice and public health. *Sci Prog*, 104(4): 368504211057680.

Cavazos, J., Lum, F., Spitz, M. 2003. Seizure and epilepsy: Overview and classification. <http://www.emedicine.com/neuro/topic415.htm> 18 June 2020.

Conway, J.M. 2012. Mechanisms of Action and Pharmacokinetics Antiepilepsy Drugs: Mechanisms of Action and Pharmacokinetics. *Epilepsy*: 1–11.

Dean, J., Robertson, Z., Reid, V., Wang, Q.D., Hailey, H., Moore, S., Rasalam, A.D., Turnpenny, P., Lloyd, D., Cardy, A., Shaw, D., Little, J. 2007. Fetal anticonvulsant syndromes and polymorphisms in MTHFR, MTR, and MTRR. *Am J Med Genet A*, 143A(19): 2303–2311.

Deopa, B., Parakh, M., Dara, P., Payal, V., Chordiya, K., Panday, A., Singh, S., Parashar, D. 2018. Effect of Folic Acid Supplementation on Seizure Control in Epileptic Children Receiving Long Term Antiepileptic Therapy. *Indian J Pediatr*, 85(7): 493–497.

Field, M.S., Stover, P.J. 2018. Safety of folic acid. *Ann N Y Acad Sci*, 1414(1): 59–71.

Geda, G., Caksen, H., Içağasioğlu, D. 2002. Serum lipids, vitamin B12 and folic acid levels in children receiving long-term valproate therapy. *Acta Neurol Belg*,

102(3): 122–126.

Ghodke-Puranik, Y., Thorn, C.F., Lamba, J.K., Leeder, J.S., Song, W., Birnbaum, A.K., Altman, R.B., Klein, T.E. 2013. Valproic acid pathway: pharmacokinetics and pharmacodynamics. *Pharmacogenet Genomics*, 23(4): 236–241.

Goggin, T., Gough, H., Bissesar, A.N.N., Crowley, M., Baker, M., Callaghan, N. 1987. A Comparative Study of the Relative Effects of Anticonvulsant Drugs and Dietary Folate on the Red Cell Folate Status of Patients with Epilepsy. *QJM An Int J Med*, 65(2): 911–919.

Gorjipour, F., Asadi, Y., K Osguei, N., Effatkhah, M., Samadikuchaksaraei, A. 2013. Serum level of homocysteine, folate and vitamin-B12 in epileptic patients under carbamazepine and sodium valproate treatment: a systematic review and meta-analysis. *Iran Red Crescent Med J*, 15(3): 249–253.

Goyal, S., Tiwari, K., Meena, P., Malviya, S., Asif, M. 2017. Cobalamin and folate status in malnourished children. *Int J Contemp Pediatr*, 4: 1480.

Hsieh, C.-L., Wang, H.-E., Tsai, W.-J., Peng, C.-C., Peng, R.Y. 2012. Multiple point action mechanism of valproic acid-teratogenicity alleviated by folic acid, vitamin C, and N-acetylcysteine in chicken embryo model. *Toxicology*, 291(1–3): 32–42.

Huemer, M., Ausserer, B., Graninger, G., Hubmann, M., Huemer, C., Schlachter, K., Tscharr, A., Ulmer, H., Simma, B. 2005. Hyperhomocysteinemia in children treated with antiepileptic drugs is normalized by folic acid supplementation. *Epilepsia*, 46(10): 1677–1683.

IDAI, unit K.K.N. 2016. *Buku Edukasi Dokter, Epilepsi Pada Anak*. I. Mangunatmadja, S. Handryastuti, & N. A. Risan, eds. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia.

JC, B., EJ, C., Dawson, M. 1971. Evaluation of folic acid supplements in children taking phenytoin. *Dev Med Child Neurol*, 13(3): 343–354.

Kahn, S.B., Fein, S.A., Brodsky, I. 1968. Effects of trimethoprim on folate metabolism in man. *Clin Pharmacol Ther*, 9(5): 550–560.

Karabiber, H., Sonmezgoz, E., Ozerol, E., Yakinci, C., Otlu, B., Yologlu, S. 2003. Effects of valproate and carbamazepine on serum levels of homocysteine, vitamin B12, and folic acid. *Brain Dev*, 25(2): 113–115.

Kishi, T., Fujita, N., Eguchi, T., Ueda, K. 1997. Mechanism for reduction of serum folate by antiepileptic drugs during prolonged therapy. *J Neurol Sci*, 145(1): 109–112.

Köse, S., Sözlü, S., Bölükbaşı, H., Ünsal, N., Gezmen-Karadağ, M. 2019. Obesity is associated with folate metabolism. *Int J Vitam Nutr Res*, 90(3–4): 353–364.

Kreusler, P., Vogel, M., Willenberg, A., Baber, R., Dietz, Y., Körner, A., Ceglarek, U., Kiess, W. 2021. Folate and Cobalamin Serum Levels in Healthy Children and Adolescents and Their Association with Age, Sex, BMI and Socioeconomic Status. *Nutrients*, 13(2).

Kurul, S. 2008. of Child Neurology Homocysteine Levels in Epileptic Children.

Kurul, S., Unalp, A., Yiş, U. 2007. Homocysteine levels in epileptic children receiving antiepileptic drugs. *J Child Neurol*, 22(12): 1389–1392.

Lee, S.W., Chung, S.S. 2010. A review of the effects of vitamins and other dietary supplements on seizure activity. *Epilepsy Behav*, 18(3): 139–150.

Linnebank, M., Moskau, S., Semmler, A., Widman, G., Stoffel-Wagner, B., Weller, M., Elger, C.E. 2011. Antiepileptic drugs interact with folate and vitamin B12 serum levels. *Ann Neurol*, 69(2): 352–359.

Lloyd, K.A. 2013. A scientific review: mechanisms of valproate-mediated teratogenesis. *Biosci Horizons Int J Student Res*, 6: hzt003.

Mahmood, L.A. 2014. The metabolic processes of folic acid and Vitamin B12 deficiency. *J Heal Res*, 1: 5.

Mangold, S., Blau, N., Opladen, T., Steinfeld, R., Wessling, B., Zerres, K., Häusler, M. 2011. Cerebral folate deficiency: a neurometabolic syndrome? *Mol Genet Metab*, 104(3): 369–372.

Means, R.T., Fairfield, K.M. 2021. Folic Acid Deficiency. In Motil J(Ed). Diakses tanggal 13 Mei 2022 dari <https://www.uptodate.com/contents/causes-and-pathophysiology-of-vitamin-b12-and-folate-deficiencies>.

Means, R.T., Fairfield, K.M. 2021. Treatment of vitamin B12 and folate deficiencies. In Mentzer C (Ed). Diakses tanggal 16 Mei 2022 dari <https://www.uptodate.com/contents/treatment-of-vitaminB12-and-folate-deficiencies>

Meidahl Petersen, K., Eplov, K., Kjær Nielsen, T., Jimenez-Solem, E., Petersen, M., Broedbaek, K., Daugaard Popik, S., Kallehave Hansen, L., Enghusen Poulsen, H., Trærup Andersen, J. 2016. The Effect of Trimethoprim on Serum Folate Levels in Humans: A Randomized, Double-Blind, Placebo-Controlled Trial. *Am J Ther*, 23(2): e382-7.

Morrell, M.J. 2002. Folic Acid and Epilepsy. *Epilepsy Curr*, 2(2): 31–34.

Murthy., A., Malladad, A., Kariyappa, M. 2020. Estimation of serum folate and vitamin B12 levels in children with severe acute malnutrition. *Int J Contemp Pediatr*, 7.

Nour, O., Abd, S.M., Shatla, R.H., Omara, N.A., Elgammal, S.S. 2012. Homocysteine , folic acid and vitamin B12 levels in serum of epileptic children.

Egypt J Med Hum Genet, 13(3): 275–280.

Reynolds, E.H. 1967. Effects of folic acid on the mental state and fit-frequency of drug-treated epileptic patients. *Lancet (London, England)*, 1(7499): 1086–1088.

Sener, U., Zorlu, Y., Karaguzel, O., Ozdamar, O., Coker, I., Topbas, M. 2006. Effects of common anti-epileptic drug monotherapy on serum levels of homocysteine, vitamin B12, folic acid and vitamin B6. *Seizure*, 15(2): 79–85.

Shane, B. 2008. Folate and vitamin B12 metabolism: overview and interaction with riboflavin, vitamin B6, and polymorphisms. *Food Nutr Bull*, 29(2 Suppl): S5-16; discussion S17-9.

Shih, J., Tatum, W., Rudzinski, L. 2013. New drug classes for the treatment of partial onset epilepsy: Focus on perampanel. *Ther Clin Risk Manag*, 9: 285–293.

Soetomenggolo, T.S. 2000. Kelainan Paroksismal. In J. Passat, ed. *Buku Ajar Neurologi Anak*. Jakarta: IDAI.

Sunardi, D., Bardosono, S., Basrowi, R.W., Wasito, E., Vandenplas, Y. 2021. Dietary Determinants of Anemia in Children Aged 6–36 Months: A Cross-Sectional Study in Indonesia. *Nutr*, 13(7).

Suwarba, G.N., Novayanti, N., Sidiartha, L., Mahalini, D. 2019. Correlation Between Pyridoxal 5'-Phosphate Level And Valproic Acid In Epilepsy Children. *Mol Cell Biomed Sci*, 3: 42.

Tangkilisan, H., Rumbajan, D. 2016. Defisiensi Asam Folat. *Sari Pediatr*, 4: 21.

Triono, A., Herini, E. 2016. Faktor Prognostik Kegagalan Terapi Epilepsi pada Anak dengan Monoterapi. *Sari Pediatr*, 16: 248.

Verrotti, A., Pascarella, R., Trotta, D., Giuva, T., Morgese, G., Chiarelli, F. 2000. Hyperhomocysteinemia in children treated with sodium valproate and carbamazepine. *Epilepsy Res*, 41(3): 253–257.

WHO. 2019. *Epilepsy. A public health imperative*. WHO. https://www.who.int/mental_health/neurology/epilepsy/report_2019/en/.

WHO. 2012. *Serum and red blood cell folate concentrations for assessing folate status in populations*. Geneva PP - Geneva: World Health Organization. <https://apps.who.int/iris/handle/10665/162114>.

Widodo, Y., Sandjaja, Sumadi, E. 2013. Gambaran Konsumsi Zat Gizi Anak Umur 6 bulan - 12 tahun di Indonesia. *Gizi Indones*, 36(2): 143–152.

Xu, Y., Zhang, N., Xu, S., Xu, H., Chen, S., Xia, Z. 2019. Effects of phenytoin on serum levels of homocysteine, vitamin B12, folate in patients with epilepsy: A systematic review and meta-analysis (PRISMA-compliant article). *Medicine (Baltimore)*, 98(12): e14844.