



DAFTAR PUSTAKA

- Abdullah, M.T., Siswanto, H., Widiyanto, A., Setiabudi, A., and Firmansyah. 1997. Abundance, diversity and distributional records of bats in disturbed habitats in Kalimantan Barat, Indonesia. *Sarawak Mus. J.* 51: 75-84.
- Abdullah, M.T. 2003. *Biogeography and variation of Cynopterus brachyotis in Southeast Asia*. University of Queensland, Queensland, 238 p.
- Abramoff, M.D., Magalhaes, P.J., and Ram, S.J. 2004. Image processing with imageJ. *Biophotonics Intern.* 11: 2002-2003.
- Agisimanto, D., Martasari, C., and Supriyanto, A. 2007. Perbedaan primer RAPD dan ISSR dalam identifikasi hubungan kekerabatan genetik jeruk siam (*Citrus suhuniensis* L. Tan) Indonesia. *J. Hort.* 17: 101-110.
- Andersen, K. 1912. *Catalogue of the Chiroptera in the collection of the British Museum. Megachiroptera*, 1. Taylor and Francis, London, 854 p.
- Ando, K., Tagawa, T., and Uchida, T.A. 1980. A karyotypic study on four species of the indonesian fruit-eating bats, belonging to *Cynopterus*, *Eonycteris* and *Macroglossus* (Chiroptera: Pteropidae). *Caryologia*. 33: 41-53.
- Anne, C. 2006. Choosing the right molecular genetic markers for studying biodiversity: From molecular evolution to practical aspects. *Genetica*. 127: 101-120.
- Ansori, A.N.M., Kharisma, V.D., and Solikhah, T.I. 2021. Medicinal properties of *Muntingia calabura* L.: A Review. *Research J. Pharm. and Tech.* 14: 4509-4512.
- Anthony, N.M., Johnson-Bawe, M., Jeffery, K., Clifford, S.L., Abernethy, K.A., Tutin, C.E., Lahm, S.A., White, L.J., Utley, J.F., Wickings, E.J., and Bruford, M.W. 2007. The role of Pleistocene refugia and rivers in shaping gorilla genetic diversity in central Africa. *PNAS*. 104: 20432-20436.
- Aplin, P. K., Suzuki, H., Chinen, A.A., Chesser, R.T., Ten Have, J., Donnellan, S.C., Austin, J., Frost, A., Gonzalez, J.P., Herbreteau, V., Catzeffis, F., Soubrier, J., Yin-Ping, F., Robins, J., Matisoo-Smith, E., Bastos, D.S.A., Maryanto, I., Sinaga, H.M., Denys, C., Van Den Bussche, A.R., Conroy, C., Rowe, K., and Cooper, A. 2011. Multiple geographic origins of commensalism and complex dispersal history of black rats. *PLoS ONE*. 6: e26357.
- Arif, M. F., Subositi, D., Sari, A.N., Aristya, G.R., Lesmana, I., and Kasiamdari, R.S. 2020. Genetic diversity of green chireta (*Andrographis paniculata* (Burm.f.) Wall. Ex Nees.) from Indonesia based on ISSR and RAPD markers. *Malays. Appl. Biol.* 49: 61-68.
- Asher, C. 2009. Patterns of genetic diversity in populations of two bat species (*Sturnira ludovici* and *Artibeus toltecus*) in Cusuco National Park, Honduras. *Bioscience Horizons*. 2: 147-154.
- Asra, R. 2014. Genetic diversity of *Daemonorops draco* (Palmae) using ISSR marker. *Biodiversitas*. 15: 109-114.
- Baker, R. J., Haiduk, M.W., Robbins, L.W., Cadena, A., and Koop, B.F. 1982.



- Chromosomal studies of South American bats and their systematic implications. *Mammalian Biology in South America*. 4: 303-327.
- Baker, R. J. and Patton, J. L. 1967. Karyotypes and karyotypic variation of North American Vespertilionid bats. *J. Mammal*. 48: 270-286.
- Bandelt, H., Forster, P., and Röhl, A. 1999. Median-joining networks for inferring intraspecific phylogenies. *Mol. Biol. Evol*. 16: 37-48.
- Baskara, M. and Wicaksono, K.P. 2013. Tumbuhan *Ficus*: Penjaga keberlanjutan budaya dan ekonomi di lingkungan karst. *Prosiding Temu Ilmiah IPLBI*. C-21-25.
- Beharav, A., Maras, M., Kitner, M., Šuštar-Vozlič, J., Sun, G.L., Doležalová, I., Lebeda, A., and Meglič, V. 2010. Comparison of three genetic similarity coefficients based on dominant markers from predominantly self-pollinating species. *Biol. Plant*. 54: 4–60.
- Benathar, T.C.M., Nagamachi, C.Y., Rodrigues, L.R.R., O'Brien, P.C.M., Ferguson-Smith, M.A., Yang, F., and Pieczarka, J.C. 2019. Karyotype, evolution and phylogenetic reconstruction in Micronycterinae bats with implications for the ancestral karyotype of Phyllostomidae. *BMC Evol. Biol*. 19:1-13.
- Bradley, R. D. and Baker, R. J. 2001. A test of the genetic species concept: Cytochrome *b* sequences and mammals. *J. Mammal*. 82: 960-973.
- Bergmans, W. 1997. Taxonomy and biogeography of African fruit bats (Mammalia, Megachiroptera). 5. The genera *Lissonycteris* Andersen, 1912, *Myonycteris* Matschie, 1899 and *Megalochirus* Pagenstecher, 1885; general remarks and conclusions; annex: key to all species. *Beaufortia*. 47: 11-90.
- BPS-Statistics Indonesia. 2013. *Indonesia population projection 2010-2035*. (<https://www.bps.go.id/>). Diakses tanggal 28 Juni 2022.
- Bruford, M. and Wayne, R. K. 1993. Microsatellites and their application to population genetic studies. *Curr. Opin. Genet. Dev*. 3: 939-943.
- Burg, T. M., Trites, A. W., and Smith, M. J. 1999. Mitochondrial and microsatellite DNA analyses of harbour seal population structure in the northeast Pacific Ocean. *Can. J. Zool*. 77: 930-943.
- Campbell, P., Schneider, C.J., Adnan, A.M., Zubaid, A., and Kunz, T.H.. 2004. Phylogeny and phylogeography of Old World fruit bats in the *Cynopterus brachyotis* complex. *Mol. Phylogenet. Evol*. 33: 764-781.
- _____. 2006a. Comparative population structure of *Cynopterus* fruit bats in peninsular Malaysia and southern Thailand. *Mol. Ecol*. 15: 29-47.
- _____. 2006b. Comparative roosting ecology of *Cynopterus* (Chiroptera: Pteropodidae) fruit bats in peninsular Malaysia. *Biotropica*. 38: 725-734.
- Chattopadhyay, B., Garg, K.M., Kumar, A.K., Doss, D., Rheindt, F.E., Kandula, S., and Ramakrishnan, U. 2016. Genome-wide data reveal cryptic diversity and genetic introgression in an Oriental cynopterine fruit bat radiation. *BMC Evol. Biol*. 16: 1-15.
- Chattopadhyay, B., Garg, K.M., Mendenhall, I.H., and Rheindt, F.E. 2019. Historic DNA reveals Anthropocene threat to a tropical urban fruit bat.



Curr. Biol. 29: R1299-R1300.

- Chan, A.A.Q., Aziz, S.A., Clare, E.L., and Coleman, J.L.. 2020. Diet, ecological role and potential ecosystem services of the fruit bat, *Cynopterus brachyotis*, in a tropical city. *Urban Ecosyst.* 24: 251-263.
- Chen, J., Rossiter, S.J., Flanders, J.R., Sun, Y., Hua, P., Miller-Butterworth, C., Liu, X., Rajan, K.E., and Zhang, S. 2010. Contrasting genetic structure in two co-distributed species of old world fruit bat. *PLoS ONE.* 5: e13903.
- Cheng, J., Kao, H., and Dong, S. 2020. Population genetic structure and gene flow of rare and endangered *Tetraena mongolica* Maxim. revealed by reduced representation sequencing. *BMC Plant Biol.* 20: 1-13.
- Cicconardi, F., Lewis, J.J., Martin, S.H., Reed, R.D., Danko, C.G., and Montgomery, S.H. 2021. Chromosome fusion affects genetic diversity and evolutionary turnover of functional loci but consistently depends on chromosome size. *Mol. Biol. Evol.* 38: 4449-4462.
- Clare, E.L., Lim, B.K., Engstrom, M.D., Eger, J.L., and Hebert, P.D. 2007. DNA barcoding of Neotropical bats: Species identification and discovery within Guyana: Barcoding. *Mol. Ecol. Notes.* 7: 184-190.
- Cleary, K.A., Waits, L.P., and Hohenlohe, P.A. 2016. Development and characterization of fourteen novel microsatellite markers for the chestnut short-tailed fruit bat (*Carollia castanea*), and cross-amplification to related species. *PeerJ.* 4: e2465.
- Corbet, G. and Hill, J. E. 1992. *The mammals of the Indomalayan region: a systematic review* (Vol. 488). Oxford University Press, Oxford, 488 p.
- Costa, F.C., Pessoa, K.K., Liberal, C.N., Filgueiras, B.K., Salomão, R.P., and Iannuzzi, L. 2013. What is the importance of open habitat in a predominantly closed forest area to the dung beetle (Coleoptera, Scarabaeinae) assemblage?. *Rev. Bras. Entomol.* 57: 329-334.
- Coyne, J. 2014. *Adaptation*. In Zeigler, D. (Ed). *Evolution: Components and mechanisms*. Academic Press, USA.
- Darriba, D., Taboada, G.L., Doallo, R., and Posada, D. 2012. jModelTest 2: more models , new heuristics and parallel computing CircadiOmics : integrating circadian genomics, transcriptomics, proteomics. *Nat. Methods.* 9: 772.
- Ditchfield, A.D. 2000. The comparative phylogeography of Neotropical mammals: Patterns of intraspecific mitochondrial DNA variation among bats contrasted to nonvolant small mammals. *Mol. Ecol.* 9: 1307-18.
- Dobigny, G. and Xuéreb, A. 2011. *Cytogenetics: karyotyping and tissue sampling for fibroblast cell culture*. pp. 29-31. In Herbreteau, V. et al. (Eds). *Protocols for Field and Laboratory Rodent Studies*. Kasetsart University Press. Thailand.
- Dobigny, G., Britton-davidian, J., and Robinson, T. J. 2015. Chromosomal polymorphism in mammals: an evolutionary perspective. *Biol.* 92: 1-21.
- Dwivedi, B. and Gadagkar, S. R. 2014. Phylogenetic inference under varying proportions of indel-induced alignment gaps. *BMC Evol. Biol.* 9: 1-18.
- Ekawati, S., Budiningsih, K., Sylviani, S.E., and Hakim, I. 2015. Kajian tinjauan kritis pengelolaan hutan di Pulau Jawa. *Policy Brief.* 9: 1-8.
- Ekeolu, O.K. and Adebiyi, O.E. 2018. Hematology and erythrocyte osmotic



- fragility of the Franquet's fruit bat (*Epomops franqueti*). *J. Basic Clin. Physiol Pharmacol.* 29: 391-394.
- Eldridge, F. 1985. *Cytogenetic of Livestock*. Avi Publishing Company Inc, New York, 298 p.
- Ellegren, H. 2009. The different levels of genetic diversity in sex chromosomes and autosomes. *Trends Genet.* 25: 278-284.
- Eriksson, G. and Ekberg, I. 2001. *An introduction to forest genetics*. SLU Repro, Uppsala, 166 p.
- Ewens, W. J. 2013. *Genetic Variation*. pp. 290–291. In Maloy, S. and Hughes, K. (Eds). *Brenner's Encyclopedia of Genetics, Second Edition*. Academic Press, USA.
- Excoffier, L., Smouse, P.E., and Quattro, J.M. 1992. Analysis of molecular variance inferred from metric distances among DNA haplotypes: application to human mitochondrial DNA restriction data. *Genetics*. 131: 479-491.
- Faure, P.A., Re, D.E., and Clare, E.L. 2009. Wound healing in the flight membranes of big brown bats. *J. Mammal.* 90: 1148-1156.
- Fisher, P.J., Gardner, R.C., and Richardson, T.E. 1996. Single locus microsatellites isolated using 5' anchored PCR. *Nucleic Acids Res.* 24: 4369-4371.
- Fong, P. H., Yuzine, E., and Abdullah, M. 2013. Genetic variations and population structure of the Genus *Cynopterus* in Malaysia. *Pertanika J. Trop. Agric. Sci.* 36: 225-247.
- Fox, S. 2006. *Population structure in the spectacled flying fox, Pteropus conspicillatus: a study of genetic and demographic factors*. James Cook University, Australia, 181 p.
- Francis, C.M., Borisenko, A.V., Ivanova, N.V., Eger, J.L., Lim, B.K., Guillén-Servent, A., Kruskop, S.V., Mackie, I., and Hebert, P.D. 2010. The role of DNA barcodes in understanding and conservation of mammal diversity in Southeast Asia. *PLoS ONE*. 5: 1-12.
- Frankham, R. 1996. Relationship of genetic variation to population size in wildlife. *Conserv. Biol.* 10: 1500-1508.
- Frankham, R. 2005. Genetics and extinction. *Biol. Conserv.* 126: 131-140.
- Fukuda, D., Tisen, O.B., Momose, K., and Sakai, S.. 2009. Bat Diversity in the vegetation mosaic around a lowland dipterocarp forest of Borneo. *Raffles Bull. Zool.* 57: 213-221.
- Gersen, S. and Keagle, B. 2005. *The Principles of Clinical Cytogenetics, 2nd Ed.* Humana Press, New Jersey, 596 p.
- Gupta, M., Chyi, Y.S., Romero-Severson, J., and Owen, J.L. 1994. Amplification of DNA markers from evolutionarily diverse genomes using single primers of simple-sequence repeats. *Theor. Appl. Genet.* 89: 998-1006.
- Ha, J.C. and Campion, T.L. 2018. *Dog Behavior: Modern Science and Our Canine Companions*. Academic Press, Massachusetts, 228 p.
- Haiduk, M. W., Baker, R.J., Robbins, L.W., and Schlitter, D.A. 1980. Karyotype studies of seven species of African megachiropterans (Mammalia: Pteropodidae). *Ann. Carnegie Mus.* 49:181-191.
- Hammer, Ø., Harper, D.A., and Ryan, P.D. 2001. PAST: Paleontological statistics



software package for education and data analysis. *Palaeontol. Electron.* 4: 1-9.

- Harada, M. and Kobayashi, T. 1980. Studies on the small mammal fauna of Sabah, East Malaysia II. Karyological analysis of some Sabahan mammals (Primates, Rodentia, Chiroptera). *Contr. Biol. Lab. Kyoto Univ.* 26: 83-95.
- Hirai, H., Mootnick, A.R., Takenaka, O., Suryobroto, B., Mouri, T., Kamanaka, Y., Katoh, A., Kimura, N., Katoh, A., and Maeda, N. 2003. Genetic mechanism and property of a whole-arm translocation (WAT) between chromosomes 8 and 9 of agile gibbons (*Hylobates agilis*). *Chromosome Res.* 11: 37-50.
- Hoffmann, J.J., Nabbe, K.C., and van den Broek, N.M. 2015. Effect of age and gender on reference intervals of red blood cell distribution width (RDW) and mean red cell volume (MCV). *Clin. Chem. Lab. Med.* 53: 2015-2019.
- Hollocher, H. 2016. *Genetic variation in populations*. pp. 144-150. In Kliman, R. M. (Ed.). *Encyclopedia of Evolutionary Biology, Volume 2*. Elsevier, Academic Press, USA.
- Honnay, O. 2013. *Genetic Drift*. pp. 251–253. In Maloy, S. and Hughes, K. (Eds). *Brenner's Encyclopedia of Genetics, Second Edition*. Academic Press, USA.
- Hood, C.S., Schlitter, D.A., Georgudaki, J.I., Yenbutra, S., and Baker, R.J. 1988. Chromosomal studies of bats (Mammalia: Chiroptera) from Thailand. *Ann. Carnegie Mus.* 57: 99-109.
- Howe, B., Umrigar, A., and Tsien, F. 2014. Chromosome preparation from cultured cells. *J. Vis. Exp.* 83: 1-5.
- Huang, J.C.C., Jazdzyk, E.L., Nusalawo, M., Maryanto, I., Wiantoro, S., and Kingston, T. 2014. A recent bat survey reveals Bukit Barisan Selatan Landscape as a chiropteran diversity hotspot in Sumatra. *Acta Chiropt.* 16: 413-449.
- _____. 2016. *Kunci Identifikasi Kelelawar di Sumatera: Dengan Catatan Hasil Perjumpaan di Kawasan Bukit Barisan Selatan*, (<https://www.seabcru.org>). Diakses tanggal 20 October 2019.
- ITIS. 2019. *Cynopterus brachyotis* (Müller, 1838). (https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=631552#). Diakses tanggal 20 October 2019.
- Kartono, A.P., Prayogi, K.D., and Maryanto, I. 2017. Keanekaragaman jenis kelelawar di hutan pendidikan Gunung Walat Sukabumi Jawa Barat. *Zoo Indonesia*. 26: 33-43.
- Karuppudurai, T. and Sripathi, K. 2018. Foraging and roosting ecology of the Lesser Dog-faced Fruit Bat *Cynopterus brachyotis* (Mammalia: Chiroptera: Pteropodidae) in southern India. *J. Threat. Taxa.* 10: 12163-12172.
- Kitchener, D. J. and Maharatunkamsi. 1991. Description of a new species of *Cynopterus* (Chiroptera: Pteropodidae) from Nusa Tenggara, Indonesia. *Rec. West Aust. Mus.* 15: 307-367.
- Kriangwanich, W., Nganvongpanit, K., Buddhachat, K., Brown, J.L., Siengdee, P., Chomdej, S., Bansiddhi, P., and Thitaram, C. 2018. Genetic diversity and variation in captive Asian Elephants (*Elephas maximus*) in Thailand.



Trop. Conserv. Sci. 11: 1-10.

- Kumar, S., Stecher, G., Li, M., Knyaz, C., and Tamura, K. 2018. MEGA X : Molecular evolutionary genetics analysis across computing platforms. *Mol. Biol. Evol.* 35: 1547-1549.
- Lacy, R.C. 1997. Importance of genetic variation to the viability of mammalian populations. *J. Mammal.* 78: 320-335.
- Levan, A., Fredga, K., and Sandberg, A.A. 1964. Nomenclature for centromeric position on chromosomes. *Hereditas.* 52: 201-220.
- Leigh, J.W. and Bryant, D. 2015. POPART : full-feature software for haplotype network construction. *Methods Ecol. Evol.* 6: 1110-1116.
- Leitwein, M., Duranton, M., Rougemont, Q., Gagnaire, P.A., and Bernatchez, L. 2019. Using haplotype information for conservation genomics. *Trends Ecol. Evol.* 35: 245-258.
- Li, L., Li, M., Wu, Z., and Chen, J. 2014. Complete mitochondrial genome of *Cynopterus sphinx* (Pteropodidae: *Cynopterus*). *Mitochondrial DNA.* 26: 908-909.
- Lim, V.C., Ramli, R., Bhassu, S., and Wilson, J.J.. 2017. A checklist of the bats of Peninsular Malaysia and progress towards a DNA barcode reference library. *PLoS ONE.* 12: e0179555.
- Loganathan, E., Anuja, M.R., and Madian, N. 2012. Automated Identification to the centromere position and the centromere index of human chromosome in G banded images. *Int. J. Eng. Res. Adv. Technol.* 2: 13-17.
- Ludwig, J.A. and Reynolds, J.F. 1988. *Statistical ecology: A primer on methods and computing.* Wiley-Interscience Pub., New York, 44 p.
- Luque, C., Legal, L., Staudter, H., Gers, C., and Wink, M. 2002. ISSR (inter simple sequence repeats) as genetic markers in Noctuids (Lepidoptera). *Hereditas.* 136: 251-253.
- Lynch, M. and Conery, J. S. 2003. The origins of genome complexity. *Science.* 302: 1401-1404.
- Maddison, W. P. and Maddison, D. R. 2018. Mesquite: a modular system for evolutionary analysis Version 3.40 2018.
- Manivannan, Y., Abd Rahman, M.R., Tingga, R.C.T., and Khan, F.A.A.A. 2019. Genetic Diversity of the cave roosting dusky fruit bat, Penthetor lucasi from Sarawak. *Malays. Appl. Biol.* 48: 167-179.
- Mapatuna, Y., Gunasekera, M.B., Ratnasooriya, W.D., Goonesekere, N.C.W., and Bates, P.J.. 2002. Original investigation unravelling the taxonomic status of the Genus *Cynopterus* (Chiroptera: Pteropodidae) in Sri Lanka by multivariate morphometrics and mitochondrial DNA sequence analysis. *Mamm.* 67: 321-337.
- Maryanto, I. 1993. Aktivitas kelelawar pemencar biji (*Cynopterus brachyotis*) dalam memanfaatkan buah-buahan masak di kawasan DAS Hulu Cisadane. *Zoo Indonesia.* 17: 1-7.
- Maryanto, I., Yani, M., Prijono, S.N., and Wiantoro, S. 2011. Altitudinal distribution of fruit bats (Pteropodidae) in Lore Lindu National Park, Central Sulawesi, Indonesia. *Hystrix.* 22: 167-177.
- Maryanto, I. and Higashi, S. 2011. Comparison of zoogeography among rats, fruit



- bats and insectivorous bats on Indonesian islands. *Treubia*. 38: 33-52.
- Maryati, M., Kartono, A.P., and Maryanto, I. 2008. Kelelawar pemakan buah sebagai polinator yang diidentifikasi melalui polen yang digunakan sebagai sumber pakannya di kawasan sektor Linggarjati, Taman Nasional Ciremai Jawa Barat. *J. Biologi Indones.* 4: 335-347.
- McLaughlin, A.B., Epstein, J.H., Prakash, V., Smith, C.S., Daszak, P., Field, H.E., and Cunningham, A.A. 2007. Plasma biochemistry and hematologic values for wild-caught flying foxes (*Pteropus giganteus*) in India. *J. Zoo Wildl. Med.* 38: 446-452.
- McMichael, L., Edson, D., McLaughlin, A., Mayer, D., Kopp, S., Meers, J., and Field, H. 2015. Haematology and plasma biochemistry of wild black flying-foxes (*Pteropus alecto*) in Queensland, Australia. *PLoS ONE*. 10: 1-13.
- Mehdizadeh, R., Akmali, V., and Sharifi, M. 2019. Mitochondrial DNA marker (*D-loop*) reveals high genetic diversity but low population structure in the pale bent-wing bat (*Miniopterus pallidus*) in Iran. *Mitochondrial DNA A*. 30: 424-433.
- Mickleburgh, S.P., Hutson, A.M., and Racey, P.A. 1992. *Old world fruit bats: An action plan for their conservation, international union for conservation of nature and natural resources*. Information Press, Oxford, 263 p.
- Mohd-Ridwan, A.R. and Abdullah, M.T. 2012. Population genetics of the cave-dwelling dusky fruit bat, *Penthetor lucasi*, based on four populations in Malaysia. *Pertanika J. Trop. Agric. Sci.* 35: 459-484.
- Moresco, R.M., Maniglia, T.C., De Oliveira, C., and Margarido, V.P., 2013. The pioneering use of ISSR (Inter Simple Sequence Repeat) in Neotropical anurans: Preliminary assessment of genetic diversity in populations of *Physalaemus cuvieri* (Amphibia, Leiuperidae). *Biol. Res.* 46: 53-57.
- Mubarok, H., Perwitasari-Farajallah, D., and Maryanto, I. 2018. Karyotypes of fruit bats (Chiroptera, Pteropodidae) and rats (Rodentia, Muridae) from Mt. Bawakaraeng, South Sulawesi, Indonesia. *Borneo Science*. 39: 1-15.
- Mubarok, H., Handayani, N.S.N., Maryanto, I. and Arisuryanti, T. 2021a. Karyotype variation in lesser short-nosed fruit bat *Cynopterus brachyotis* (Müller 1838) from Special Region Yogyakarta, Indonesia. *Biodiversitas*. 22: 2560-2568.
- _____. et al. 2021b. Haematology profile of fruit bats *Cynopterus* spp. from Special Region Yogyakarta, Indonesia. *Malays. Appl. Biol.* 50: 1-9.
- Nair, N. G., Elangovan, V., Sripathi, K., Marimuthu, G., and Subbaraj, R. 1999. Foraging behaviour of the Indian short-nosed fruit bat *Cynopterus sphinx*. *Z. Säugetierkd.* 64: 187-191.
- Nei, M. 1978. Estimation of average heterozygosity and genetic distance from a small number of individuals. *Genetics*. 89: 583-590.
- Nei, M. 1987. *Molecular evolutionary genetics*. Colombia University Press, New York, 514 p.
- Nei, M. 2013. *Genetic Distance*. pp. 248-250. In Maloy, S. and Hughes, K. (Eds). *Brenner's Encyclopedia of Genetics, Second Edition*. Academic Press, USA.
- Ng, W. L. and Tan, S. G. 2015. Inter-Simple Sequence Repeat (ISSR) markers.



ASM Sci. 9: 30-39.

- Nie, C.P., Wu, X.B., Li, Y.Y., and Zhao, J. 2012. ISSR markers as a tool for assessing genetic diversity in the Chinese alligator (*Alligator sinensis*). *Asian Herpetol. Res.* 3: 310-315.
- Nonić, M. and Šijačić-Nikolić, M. 2021. *Genetic diversity: sources, threats, and conservation*. pp. 421-435. In Filho, W. L. et al. (Eds). *Life on Land*. Springer, Switzerland.
- O'Brien, J., McCracken, G.F., Say, L., and Hayden, T.J. 2007. Rodrigues fruit bats (*Pteropus rodricensis*, Megachiroptera: Pteropodidae) retain genetic diversity despite population declines and founder events. *Conserv. Genet.* 8: 1073-1082.
- Oliveira, E. J., Pádua, J.G., Zucchi, M.I., Vencovsky, R., and Vieira, M.L.C. 2006. Origin, evolution and genome distribution of microsatellites. *Genet. Mol.* 29: 294-307.
- Page, R. D. and Holmes, E. C. 2009. *Molecular evolution: a phylogenetic approach*. John Wiley & Sons, USA, 352 p.
- Paradis, E. 2018. Analysis of haplotype networks: The randomized minimum spanning tree method. *Methods Ecol. Evol.* 9: 1308-1317.
- Peakall, R. and Smouse, P. E. 2012. GenAIEx 6.5: genetic analysis in Excel. Population genetic software for teaching and research-an update. *Bioinformatics*. 28: 2537-2539.
- Peel, A.J., Rossiter, S.J., Wood, J.L., Cunningham, A.A., and Sargan, D.R.. 2010. Characterization of microsatellite loci in the straw-colored fruit bat, *Eidolon helvum* (Pteropodidae). *Conserv.* 2: 279-282.
- Pun, K.M., Albrecht, C., Castella, V., and Fumagalli, L., 2009. Species identification in mammals from mixed biological samples based on mitochondrial DNA control region length polymorphism. *Electrophoresis*. 30: 1008-1014.
- Rahma, A., Hanaditra, D., Prawira, A.Y., Cahyadi, D.D., Supratikno, H.M., Satyaningtjas, A.S., and Agungpriyono, S. 2018. Identifikasi tingkat kesehatan dan stres kelelawar pemakan buah (*Cynopterus titthaecheilus*). *Jurnal Veteriner*. 19: 460-466.
- Rashid, N., Irfan, M., Nadeem, M.S., and Shabbir, A. 2016. Comparative seasonal haematology of two bat species, *Scotophilus heathii* and *Pipistrellus pipistrellus*, in a Subtropical area of Pakistan. *Pak. J. Zool.* 48: 1503-1510.
- Reinhardt, K.D. and Nekaris, K.A. 2016. Climate-mediated activity of the Javan slow loris, *Nycticebus javanicus*. *AIMS Environ. Sci.* 3: 249-260.
- Rickart, E.A., Heaney, L.R., and Rosenfeld, M.J. 1989. Chromosomes of ten species of Philippine fruit bats (Chiroptera: Pteropodidae). *Proc. Biol. Soc. Wash.* 102: 520-531.
- Ripperger, S.P., Tschapka, M., Kalko, E.K., Rodriguez-Herrera, B., and Mayer, F. 2012. Life in a mosaic landscape: anthropogenic habitat fragmentation affects genetic population structure in a frugivorous bat species. *Conserv. Genet.* 14: 925-934.
- Rozas, J., Ferrer-Mata, A., Sánchez-DelBarrio, J.C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S.E., and Sánchez-Gracia, A. 2017. DnaSP 6: DNA



- sequence polymorphism analysis of large data sets. *Mol. Biol. Evol.* 34: 3299-3302.
- Saccone, C., Attimonelli, M., and Sbisa, E. 1987. Structural elements highly preserved during the evolution of the *D-loop*-containing region in vertebrate mitochondrial DNA. *J. Mol. Evol.* 26: 205-211.
- Saimina, A.J., de Queljoe, E., and Lengkong, H.J. 2019. Deskripsi hematologi kelelawar di gunung Tangkoko berdasarkan pemeriksaan darah lengkap. *Pharmacon.* 8: 243-251.
- Sakamoto, Y. and Zacaro, A. 2009. LEVAN an ImageJ plugin for morphological cytogenetic analysis of mitotic and meiotic chromosomes. (<http://rsbweb.nih.gov/ij/>). Diakses tanggal 20 October 2019.
- Sari, E.M., Jianlin, H., Noor, R.R., Sumantri, C. and Margawati, E.T. 2016. Phylogenetic analysis of Aceh cattle breed of Indonesia through mitochondrial *D-loop* region. *J. Genet. Eng. Biotechnol.* 14: 227-231.
- Sbisà, E., Tanzariello, F., Reyes, A., Pesole, G., and Saccone, C. 1997. Mammalian mitochondrial *D-loop* region structural analysis: identification of new conserved sequences and their functional and evolutionary implications. *Gene.* 205: 125-140.
- Schubert, I. and Lysak, M. A. 2011. Interpretation of karyotype evolution should consider chromosome structural constraints. *Trends Genet.* 27: 207-216.
- Seltmann, A., Czirják, G.Á., Courtiol, A., Bernard, H., Struebig, M.J., and Voigt, C.C. 2017. Habitat disturbance results in chronic stress and impaired health status in forest-dwelling paleotropical bats. *Conserv. Physiol.* 5: cox020.
- Shaffer, L.G., McGowan-Jordan, J., and Schmid, M. 2013. *ISCN 2013: an international system for human cytogenetic nomenclature (2013)*. Karger Medical and Scientific Publishers, Germany, 140 p.
- Simmons, N.B. and Cirranello, A.L., 2020. Bat species of the world: a taxonomic and geographic database. Accessed on. 7: 2020.
- Smith, C., Andrews, C.M., Collard, J. K., Hall, D.E., and Walker, A.K. 1994. *Color Atlas of Comparative, Diagnostic and Experimental Hematology*. Wolfe Publishing, Barcelona, 192 p.
- Sodik, M., Pudyatmoko, S., and Yuwono, P.S.H. 2019. Okupansi kukang Jawa (*Nycticebus javanicus* E. Geoffroy 1812) di hutan tropis dataran rendah di Kemuning, Bejen, Temanggung, Jawa Tengah. *Jurnal Ilmu Kehutanan.* 13: 15-27.
- Soegiharto, S., Kartono, A.P., and Maryanto, I. 2010. Pengelompokan kelelawar pemakan buah dan nektar berdasarkan karakteristik jenis pakan polen di Kebun Raya Bogor, Indonesia. *J. Biologi Indones.* 6: 225-235.
- Sotero-Caio, C.G., Baker, R. J., and Volleth, M. 2017. Chromosomal evolution in Chiroptera. *Genes.* 8: 272.
- Šprem, N., Frantz, A.C., Cubric-Curik, V., Safner, T., and Curik, I. 2013. Influence of habitat fragmentation on population structure of red deer in Croatia. *Mamm.* 78: 290-295.
- Srikwan, S., Hufford, K., Eggert, L., and Woodruff, D.S.. 2002. Variable microsatellite markers for genotyping Tree Shrews, *Tupaia*, and their potential use in genetic studies of fragmented populations. *Sci.* 28: 93-97.



- Stoneking, M., Hedgecock, D., Higuchi, R.G., Vigilant, L., and Erlich, H.A. 1991. Population variation of human mtDNA control region sequences detected by enzymatic amplification and sequence-specific oligonucleotide probes. *Am. J. Hum. Genet.* 48: 37-382.
- Stoneking, M. 2000. Hypervariable sites in the mtDNA control region are mutational hotspots. *Am. J. Hum. Genet.* 67: 1029-1032.
- Storz, J. F. 2000. Variation at tri- and tetra-nucleotide repeat microsatellite loci in the fruit bat genus *Cynopterus* (Chiroptera: Pteropodidae). *Mol. Ecol.* 9: 2199-2201.
- Storz, J. F. 2002. Contrasting patterns of divergence in quantitative traits and neutral DNA markers: analysis of clinal variation. *Mol. Ecol.* 11: 2537-2551.
- Suchard, M.A., Lemey, P., Baele, G., Ayres, D.L., Drummond, A.J., and Rambaut, A. 2018. Bayesian phylogenetic and phylodynamic data integration using BEAST 1.10. *Virus Evol.* 4: vey016.
- Suyanto, A. 2001. *Kelelawar di Indonesia*. Puslitbang Biologi-LIPI, Bogor, 126 p.
- Suyanto, A., Yoneda, M., Maryanto, I., Maharatunkamsi, S. J., and Sugardjito, J. 2002. *Checklist of the mammals of Indonesia. Scientific name and distribution area table in Indonesia including CITES, IUCN and Indonesian category for conservation*. LIPI-JICA-PHKA, Bogor, 63 p.
- Suzuki, H., Nunome, M., Kinoshita, G., Aplin, K.P., Vogel, P., Kryukov, A.P., Jin, M.L., Han, S.H., Maryanto, I., Tsuchiya, K., and Ikeda, H. 2013. Evolutionary and dispersal history of Eurasian house mice *Mus musculus* clarified by more extensive geographic sampling of mitochondrial DNA. *Heredity*. 11: 375-390.
- Tanalgo, K.C., Sritongchuay, T., and Hughes, A.C. 2021. Seasonal activity of fruit bats in a monoculture rubber and oil palm plantation in the Southern Philippines. *Conservation*. 1: 258-270.
- Teacher, A.G.F. and Griffiths, D.J. 2011. HapStar: automated haplotype network layout and visualization. *Mol. Ecol. Resour.* 11: 151-153.
- Trujillo, R. G. and Amelon, S. K. 2009. Development of microsatellite markers in *Myotis sodalis* and cross-species amplification in *M. gricescens*, *M. leibii*, *M. lucifugus*, and *M. septentrionalis*. *Conserv. Genet.* 10: 1965-1968.
- Villalba-Alemán, E., Bustos, X., Crisante, G., De Jesús, R., Mata, J., Pereira, F., and Romo, M.M. 2020. Hematological characterization of common bats in urban areas from Mérida (Venezuela), and observations on possible hemopathogens. *Acta Chiropt.* 22: 449-459.
- Whitlock, M. C. and McCauley, D. E. 1999. Indirect measures of gene flow and migration: $FST \neq 1/(4Nm + 1)$. *Heredity*. 82: 117-125.
- Wijayanti, F., Solihin, D.D., Alikodra, H.S., and Maryanto, I. 2011. Eritrosit dan Hemoglobin pada Kelelawar Gua di Kawasan Karst Gombong, Kebumen, Jawa Tengah. *J. Biologi Indones.* 7: 89-98.
- Wijayanto, H., Hirai, Y., Kamanaka, Y., Katho, A., Sajuthi, D., and Hirai, H. 2005. Patterns of C-heterochromatin and telomeric DNA in two representative groups of small apes, the genera *Hylobates* and *Sympalangus*. *Chromosome Res.* 13: 715-722.



- Wilkinson, G.S., Mayer, F., Kerth, G., and Petri, B. 1997. Evolution of repeated sequence arrays in the *D-loop* region of bat mitochondrial DNA. *Genetics*. 146: 1035-1048.
- Wright, A.F. 2005. *Genetic variation: polymorphisms and mutations*. pp. 1-10. In *Encyclopedia of Life Science*. John Wiley & Sons, USA.
- Wright, P.G., Hamilton, P.B., Schofield, H., Glover, A., Damant, C., Davidson-Watts, I. and Mathews, F. 2018. Genetic structure and diversity of a rare woodland bat, *Myotis bechsteinii*: comparison of continental Europe and Britain. *Conserv. Genet.* 19: 777-787.
- Yagci, T. and Baydemir, N. A. 2019. Genetic divergence patterns of two Sibling species (*Myotis Myotis*, *Myotis blythii*) and *Myotis cappacinii* (Mammalia: Chiroptera) in Central Anatolia region. *Ecological Life Sciences*. 14: 49-57.
- Yamamoto, Y. 2013. *D-loop*. pp. 539–540. In Reeve, E. C. R. (Ed). *Encyclopedia of Genetics*. CRC Press, USA.
- Yong, H.S., Dhaliwal, S.S., Lim, B.L., Teh, K.L., and Start, A.N. 1973. Uniformity of karyotypes of the fruit bats *Cynopterus* (Mammalia: Chiroptera, Pteropidae). *Malaysian J. Sci.* 2: 19-23.
- Yong, H.S and Dhaliwal, S. 1976. Chromosomes of the fruit-bat subfamily Macroglossinae from peninsular Malaysia. *Cytologia*. 41: 85-89.
- Yoon, K.B., Kim, J.Y., and Park, Y.C. 2014. Characteristics of complete mitogenome of the lesser short-nosed fruit bat *Cynopterus brachyotis* (Chiroptera : Pteropodidae) in Malaysia. *Mitochondrial DNA A*. 27: 2091-2092.
- Zein, M.S. and Sulandari, S. 2008. Keragaman genetik ayam Lombok berdasarkan sekuen *D-loop* DNA Mitokondria. *JITV*. 13: 308-314.
- _____, S. 2012. Keragaman genetik dan distribusi haplogrup ayam kampung dengan menggunakan hipervariabel-I daerah kontrol DNA mitokondria. *JITV*. 17: 120-131.
- Zhang, L., Sun, K., Csorba, G., Hughes, A.C., Jin, L., Xiao, Y., and Feng, J. 2021. Complete mitochondrial genomes reveal robust phylogenetic signals and evidence of positive selection in horseshoe bats. *BMC Ecol. Evol.* 21: 1-15.
- Zhao, F., Wang, X., and Liu, J. 2007. Population genetic structure of *Sargassum thunbergii* (Fucales, Phaeophyta) detected by RAPD and ISSR markers. *J. Appl. Phycol.* 19: 409-416.
- Zietkiezicz, E., Rafalski, A., and Labuda, D. 1994. Genome fingerprinting by simple sequence repeat (SSR)-anchored PCR amplification. *Genomics*. 20: 176-183.