

## DAFTAR PUSTAKA

- Abraham, W.T., 2002. Cardiac resynchronization therapy for heart failure: biventricular pacing and beyond. *Curr. Opin. Cardiol.* 17.
- Adamo, L., Rocha-Resende, C., Prabhu, S.D., Mann, D.L., 2020. Reappraising the role of inflammation in heart failure. *Nat. Rev. Cardiol.* 17: 269–285. doi:10.1038/s41569-019-0315-x
- Arber, N., Pras, E., Copperman, Y., Schapiro, J.M., Meiner, V., Lossos, I.S., Militianu, A., Hassin, D., Pras, E., Shai, A., 1994. Pacemaker endocarditis. Report of 44 cases and review of the literature. *Medicine (Baltimore)*. 73: 299–305. doi:10.1097/00005792-199411000-00003
- Arrecubieta, C., Asai, T., Bayern, M., Loughman, A., Fitzgerald, J.R., Shelton, C.E., Baron, H.M., Dang, N.C., Deng, M.C., Naka, Y., Foster, T.J., Lowy, F.D., 2006. The role of Staphylococcus aureus adhesins in the pathogenesis of ventricular assist device-related infections. *J. Infect. Dis.* 193: 1109–1119. doi:10.1086/501366
- Atreya, A.R., Cook, J.R., Lindenauer, P.K., 2016. Complications arising from cardiac implantable electrophysiological devices: Review of epidemiology, pathogenesis and prevention for the clinician. *Postgrad. Med.* 128: 223–230. doi:10.1080/00325481.2016.1151327
- Baddour, L.M., Epstein, A.E., Erickson, C.C., Knight, B.P., Levison, M.E., Lockhart, P.B., Masoudi, F.A., Okum, E.J., Wilson, W.R., Beerman, L.B., Bolger, A.F., Estes, N.A.M., Gewitz, M., Newburger, J.W., Schron, E.B., Taubert, K.A., 2010. Update on cardiovascular implantable electronic device infections and their management: A scientific statement from the american heart association. *Circulation* 121: 458–477. doi:10.1161/CIRCULATIONAHA.109.192665
- Barakat, A.F., Wazni, O.M., Tarakji, K.G., Callahan, T., Nimri, N., Saliba, W.I., Shah, S., Abdur Rehman, K., Rickard, J., Brunner, M.P., Martin, D.O., Kanj, M., Baranowski, B., Cantillon, D., Niebauer, M., Dresing, T., Lindsay, B.D., Wilkoff, B.L., Hussein, A.A., 2018. Transvenous Lead Extraction in Chronic Kidney Disease and Dialysis Patients with Infected Cardiac Devices. *Circ. Arrhythmia Electrophysiol.* 11: 1–10. doi:10.1161/CIRCEP.117.005706
- Berbudi, A., Rahmadika, N., Tjahjadi, A.I., Ruslami, R., 2019. Type 2 Diabetes and its Impact on the Immune System. *Curr. Diabetes Rev.* 16: 442–449. doi:10.2174/1573399815666191024085838
- Birnie, D.H., Wang, J., Alings, M., Philippon, F., Parkash, R., Manlucu, J., Angaran, P., Rinne, C., Coutu, B., Low, R.A., Essebag, V., Morillo, C., Redfearn, D., Toal, S., Becker, G., Degrâce, M., Thibault, B., Crystal, E., Tung, S., LeMaitre, J., Sultan, O., Bennett, M., Bashir, J., Ayala-Paredes, F., Gervais, P., Rioux, L., Hemels, M.E.W., Bouwels, L.H.R., Exner, D. V., Dorian, P., Connolly, S.J., Longtin, Y., Krahn, A.D., 2019. Risk Factors for Infections Involving Cardiac Implanted Electronic Devices. *J. Am. Coll. Cardiol.* 74: 2845–2854. doi:10.1016/j.jacc.2019.09.060
- Bloom, H., Heeke, B., Leon, A., Mera, F., Delurgio, D., Beshai, J., Langberg, J., 2006. Renal Insufficiency And The Risk of Infection From Pacemaker or Defibrillator Surgery. *PACE - Pacing Clin. Electrophysiol.* 29: 142–145.

- doi:10.1111/j.1540-8159.2006.00307.x
- Cabell, C.H., Heidenreich, P.A., Chu, V.H., Moore, C.M., Stryjewski, M.E., Corey, G.R., Fowler, V.G., 2004. Increasing rates of cardiac device infections among Medicare beneficiaries: 1990-1999. *Am. Heart J.* 147: 582–586. doi:10.1016/j.ahj.2003.06.005
- Chauhan, A., Grace, A.A., Newell, S.A., Stone, D.L., Shapiro, L.M., Schofield, P.M., Petch, M.C., 1994. Early Complications After Dual Chamber Versus Single Chamber Pacemaker Implantation. *Pacing Clin. Electrophysiol.* 17: 2012–2015. doi:10.1111/j.1540-8159.1994.tb03791.x
- Crossley, G.H., Poole, J.E., Rozner, M.A., Asirvatham, S.J., Cheng, A., Chung, M.K., Ferguson, T.B., Gallagher, J.D., Gold, M.R., Hoyt, R.H., Irefin, S., Kusumoto, F.M., Moorman, L.P., Thompson, A., 2011. The Heart Rhythm Society (HRS)/American Society of Anesthesiologists (ASA). *Hear. Rhythm* 8: 1114–1154. doi:10.1016/j.hrthm.2010.12.023
- Da Costa, A., Lelièvre, H., Kirkorian, G., Célard, M., Chevalier, P., Vandenesch, F., Etienne, J., Touboul, P., 1998. Role of the preaxillary flora in pacemaker infections: A prospective study. *Circulation* 97: 1791–1795. doi:10.1161/01.CIR.97.18.1791
- Dahlan, M.S., 2019. Besar sampel dalam penelitian kedokteran dan kesehatan, 5th ed. PT. Epidemiologi Indonesia, Jakarta Timur.
- Daneman, N., Homenauth, E., Saskin, R., Ng, R., Ha, A., Wijeyesundera, H.C., 2020. The predictors and economic burden of early-, mid- and late-onset cardiac implantable electronic device infections: a retrospective cohort study in Ontario, Canada. *Clin. Microbiol. Infect.* 26: 255.e1-255.e6. doi:10.1016/j.cmi.2019.02.009
- Daubert, J.C., Saxon, L., Adamson, P.B., Auricchio, A., Berger, R.D., Beshai, J.F., Breithard, O., Brignole, M., Cleland, J., Delurgio, D.B., Dickstein, K., Exner, D. V., Gold, M., Grimm, R.A., Hayes, D.L., Israel, C., Leclercq, C., Linde, C., Lindenfeld, J., Merkely, B., Mont, L., Murgatroyd, F., Prinzen, F., Saba, S.F., Shinbane, J.S., Singh, J., Tang, A.S., Vardas, P.E., Wilkoff, B.L., Zamorano, J.L., Anand, I., Blomström-Lundqvist, C., Boehmer, J.P., Calkins, H., Cazeau, S., Delgado, V., Estes, N.A.M., Haines, D., Kusumoto, F., Leyva, P., Ruschitzka, F., Stevenson, L.W., Torp-Pedersen, C.T., 2012. 2012 EHRA/HRS expert consensus statement on cardiac resynchronization therapy in heart failure: Implant and follow-up recommendations and management. *Europace* 14: 1236–1286. doi:10.1093/europace/eus222
- del Río, A., Anguera, I., Miró, J.M., Mont, L., Fowler, V.G., Azqueta, M., Mestres, C.A., 2003. Surgical Treatment of Pacemaker and Defibrillator Lead Endocarditis: The Impact of Electrode Lead Extraction on Outcome. *Chest* 124: 1451–1459. doi:https://doi.org/10.1378/chest.124.4.1451
- Deniz, A., Karaaslan, M.B., Celik, A.I., Cureoglu, A., Gelincik, H., Kanadasi, M., Demir, M., Usal, A., 2018. The Infections of Cardiac Implantable Electronic Devices: Four Year Experience of the Center. *J. Clin. Exp. Investig.* 9: 2–5. doi:10.5799/jcei.433805
- Desimone, D.C., Sohail, M.R., 2018. Infection Management. *Card. Electrophysiol. Clin.* 10: 601–607. doi:10.1016/j.ccep.2018.04.002

- DeSimone, D.C., Sohail, M.R., 2016. Management of bacteremia in patients living with cardiovascular implantable electronic devices. *Hear. Rhythm* 13: 2247–2252. doi:10.1016/j.hrthm.2016.08.029
- El-Chami, M.F., Matar, L., Smith, P., Casey, M., Addish, M.A., Kelly, K., Wood, C., Merlino, J., Goyal, A., Leon, A.R., Merchant, F.M., 2017. Long-term survival of implantable cardioverter defibrillator recipients with end-stage renal disease. *J. Arrhythmia* 33: 459–462. doi:10.1016/j.joa.2017.05.002
- Eleftheriadis, T., Antoniadi, G., Liakopoulos, V., Kartsios, C., Stefanidis, I., 2007. Disturbances of acquired immunity in hemodialysis patients. *Semin. Dial.* 20: 440–451. doi:10.1111/j.1525-139X.2007.00283.x
- François, P., Vaudaux, P., Lew, P.D., 1998. Role of Plasma and Extracellular Matrix Proteins in the Physiopathology of Foreign Body Infections. *Ann. Vasc. Surg.* 12: 34–40. doi:<https://doi.org/10.1007/s100169900112>
- Frausing, M.H.J.P., Nielsen, J.C., Johansen, J.B., Jørgensen, O.D., Olsen, T., Gerdes, C., Kristensen, J., Kronborg, M.B., 2022. Rate of permanent cardiac implantable electronic device infections after active fixation temporary transvenous pacing: A nationwide Danish cohort study. *Hear. Rhythm* 02 3: 50–56. doi:10.1016/j.hroo.2021.11.008
- Greenspon, A.J., Patel, J.D., Lau, E., Ochoa, J.A., Frisch, D.R., Ho, R.T., Pavri, B.B., Kurtz, S.M., 2012. Trends in permanent pacemaker implantation in the United States from 1993 to 2009: Increasing complexity of patients and procedures. *J. Am. Coll. Cardiol.* 60: 1540–1545. doi:10.1016/j.jacc.2012.07.017
- Greenspon, A.J., Patel, J.D., Lau, E., Ochoa, J.A., Frisch, D.R., Ho, R.T., Pavri, B.B., Kurtz, S.M., 2011. 16-Year Trends In The Infection Burden For Pacemakers and Implantable Cardioverter-Defibrillators In The United States: 1993 to 2008. *J. Am. Coll. Cardiol.* 58: 1001–1006. doi:10.1016/j.jacc.2011.04.033
- Gutiérrez, E., Carretero, Rezaei, K., Mora, F.R., Alarcón, A. de, 2019. Infections on Cardiovascular Implantable Electronic Devices: a critical review. *Med. Res. Arch.* 7: 1–64.
- Habib, A., Irfan, M., Baddour, L.M., Le, K.Y., Anavekar, N.S., Lohse, C.M., Friedman, P.A., Hayes, D.L., Wilson, W.R., Steckelberg, J.M., Rizwan Sohail, M., 2013. Impact of prior aspirin therapy on clinical manifestations of cardiovascular implantable electronic device infections. *Europace* 15: 227–235. doi:10.1093/europace/eus292
- Harper, M.W., Usan, D.Z., Greenspon, A.J., Baddour, L.M., Carrillo, R.G., Danik, S.B., Tolosana, J.M., Le, K., Miro, J.M., Naber, C.K., Peacock, J., Sohail, M.R., Vikram, H.R., Prutkin, J.M., 2018. Clinical presentation of CIED infection following initial implant versus reoperation for generator change or lead addition. *Open Hear.* 5: e000681. doi:10.1136/openhrt-2017-000681
- Heilmann, C., Schweitzer, O., Gerke, C., Vanittanakom, N., Mack, D., Götz, F., 1996. Molecular basis of intercellular adhesion in the biofilm-forming *Staphylococcus epidermidis*. *Mol. Microbiol.* 20: 1083–1091. doi:<https://doi.org/10.1111/j.1365-2958.1996.tb02548.x>
- Kato, S., Chmielewski, M., Honda, H., Pecoits-Filho, R., Matsuo, S., Yuzawa, Y.,

- Tranaeus, A., Stenvinkel, P., Lindholm, B., 2008. Aspects of immune dysfunction in end-stage renal disease. *Clin. J. Am. Soc. Nephrol.* 3: 1526–1533. doi:10.2215/CJN.00950208
- Kimmel, P.L., Phillips, T.M., Simmens, S.J., Peterson, R.A., Weihs, K.L., Alleyne, S., Cruz, I., Yanovski, J.A., Veis, J.H., 1998. Immunologic function and survival in hemodialysis patients. *Kidney Int.* 54: 236–244. doi:10.1046/j.1523-1755.1998.00981.x
- Kirk, J.A., Kass, D.A., 2013. Electromechanical dyssynchrony and resynchronization of the failing heart. *Circ. Res.* 113: 765–776. doi:10.1161/CIRCRESAHA.113.300270
- Klug, D., Balde, M., Pavin, D., Hidden-Lucet, F., Clementy, J., Sadoul, N., Rey, J.L., Lande, G., Lazarus, A., Victor, J., Barnay, C., Grandbastien, B., Kacet, S., 2007. Risk factors related to infections of implanted pacemakers and cardioverter-defibrillators: Results of a large prospective study. *Circulation* 116: 1349–1355. doi:10.1161/CIRCULATIONAHA.106.678664
- Klug, D., Lacroix, D., Savoye, C., Goullard, L., Grandmougin, D., Jean, L.H., Kacet, S., Lekieffre, J., 1997. Systemic Infection Related to Endocarditis on Pacemaker Leads. *Circulation* 95: 2098–2107. doi:10.1161/01.CIR.95.8.2098
- Krahn, Andrew D, Longtin, Y., Philippon, F., Birnie, D.H., Manlucu, J., Angaran, P., Rinne, C., Coutu, B., Low, R.A., Essebag, V., Morillo, C., Redfearn, D., Toal, S., Becker, G., Degrâce, M., Thibault, B., Crystal, E., Tung, S., LeMaitre, J., Sultan, O., Bennett, M., Bashir, J., Ayala-Paredes, F., Gervais, P., Rioux, L., Hemels, M.E., Bouwels, L.H.R., van Vlies, B., Wang, J., Exner, D. V., Dorian, P., Parkash, R., Alings, M., Connolly, S.J., 2018. Prevention of Arrhythmia Device Infection Trial. *J. Am. Collage Cardiol.* 72: 3098–3109. doi:10.1016/j.jacc.2018.09.068
- Krahn, Andrew D., Longtin, Y., Philippon, F., Birnie, D.H., Manlucu, J., Angaran, P., Rinne, C., Coutu, B., Low, R.A., Essebag, V., Morillo, C., Redfearn, D., Toal, S., Becker, G., Degrâce, M., Thibault, B., Crystal, E., Tung, S., LeMaitre, J., Sultan, O., Bennett, M., Bashir, J., Ayala-Paredes, F., Gervais, P., Rioux, L., Hemels, M.E.W., Bouwels, L.H.R., van Vlies, B., Wang, J., Exner, D. V., Dorian, P., Parkash, R., Alings, M., Connolly, S.J., 2018. Prevention of Arrhythmia Device Infection Trial: The PADIT Trial. *J. Am. Coll. Cardiol.* 72: 3098–3109. doi:10.1016/j.jacc.2018.09.068
- Kupferwasser, L.I., Yeaman, M.R., Nast, C.C., Kupferwasser, D., Xiong, Y.Q., Palma, M., Cheung, A.L., Bayer, A.S., 2003. Salicylic acid attenuates virulence in endovascular infections by targeting global regulatory pathways in *Staphylococcus aureus*. *J. Clin. Invest.* 112: 222–233. doi:10.1172/JCI200316876
- Kuroki, Y., Tsuchida, K., Go, I., Aoyama, M., Naganuma, T., Takemoto, Y., Nakatani, T., 2007. A study of innate immunity in patients with end-stage renal disease: Special reference to toll-like receptor-2 and -4 expression in peripheral blood monocytes of hemodialysis patients. *Int. J. Mol. Med.* 19: 783–790. doi:10.3892/ijmm.19.5.783
- Kusumoto, F.M., Schoenfeld, M.H., Barrett, C., Edgerton, J.R., Ellenbogen, K.A., Gold, M.R., Goldschlager, N.F., Hamilton, R.M., Joglar, J.A., Kim, R.J., Lee,

- R., Marine, J.E., McLeod, C.J., Oken, K.R., Patton, K.K., Pellegrini, C.N., Selzman, K.A., Thompson, A., Varosy, P.D., 2019. 2018 ACC/AHA/HRS Guideline on the Evaluation and Management of Patients With Bradycardia and Cardiac Conduction Delay: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm, Circulation. doi:10.1161/CIR.0000000000000628
- Kutinsky, I.B., Jarandilla, R., Jewett, M., Haines, D.E., 2010. Risk of hematoma complications after device implant in the clopidogrel era. *Circ. Arrhythmia Electrophysiol.* 3: 312–318. doi:10.1161/CIRCEP.109.917625
- Lambert, C.T., Tarakji, K.G., 2017. Cardiac implantable electronic device infection. *Cleve. Clin. J. Med.* 84: 47–53. doi:10.3949/CCJM.84.S3.05
- Lekkerkerker, J.C., Van Nieuwkoop, C., Trines, S.A., Van der Bom, J.G., Bernards, A., Van de Velde, E.T., Bootsma, M., Zeppenfeld, K., Jukema, J.W., Borleffs, J.W., Schalij, M.J., Van Erven, L., 2009. Risk factors and Time Delay Associated with Cardiac Device Infections: Leiden Device Registry. *Heart* 95: 715–720. doi:10.1136/hrt.2008.151985
- Lin, Y.S., Hung, S.P., Chen, P.R., Yang, C.H., Wo, H.T., Chang, P.C., Wang, C.C., Chou, C.C., Wen, M.S., Chung, C.M., Chen, T.H., 2014. Risk factors influencing complications of cardiac implantable electronic device implantation: Infection, pneumothorax and heart perforation. *Med. (United States)* 93: 1–8. doi:10.1097/MD.0000000000000213
- Mann, D.L., 2015. Innate immunity and the failing heart: The cytokine hypothesis revisited. *Circ. Res.* 116: 1254–1268. doi:10.1161/CIRCRESAHA.116.302317
- Martinelli, M., D’Orio Nishioka, S.A., Varejão, T., Uipe, D., Pedrosa, A.A.A., Costa, R., Danik, S.B., De Oliveira, J.C., 2009. Efficacy of antibiotic prophylaxis before the implantation of pacemakers and cardioverter-defibrillators: Results of a large, prospective, randomized, double-blinded, placebo-controlled trial. *Circ. Arrhythmia Electrophysiol.* 2: 29–34. doi:10.1161/CIRCEP.108.795906
- Mela, T., McGovern, B.A., Garan, H., Vlahakes, G.J., Torchiana, D.F., Ruskin, J., Galvin, J.M., 2001. Long-term infection rates associated with the pectoral versus abdominal approach to cardioverter- defibrillator implants. *Am. J. Cardiol.* 88: 750–753. doi:https://doi.org/10.1016/S0002-9149(01)01845-8
- Metkus, T.S., Schulman, S.P., Marine, J.E., Eid, S.M., 2019. Complications and Outcomes of Temporary Transvenous Pacing: An Analysis of > 360,000 Patients From the National Inpatient Sample. *Chest* 155: 749–757. doi:10.1016/j.chest.2018.11.026
- Michaud, G.F., Pelosi, F., Noble, M.D., Knight, B.P., Morady, F., Strickberger, S.A., 2000. A randomized trial comparing heparin initiation 6 h or 24 h after pacemaker or defibrillator implantation. *J. Am. Coll. Cardiol.* 35: 1915–1918. doi:10.1016/S0735-1097(00)00633-1
- Mirowski, M., Reid, P.R., Mower, M.M., Watkins, L., Gott, V.L., Schauble, J.F., Langer, A., Heilman, M.S., Kolenik, S.A., Fischell, R.E., Weisfeldt, M.L., 1980. Termination of Malignant Ventricular Arrhythmias with an Implanted



- Automatic Defibrillator in Human Beings. *N. Engl. J. Med.* 303: 322–324. doi:10.1056/NEJM198008073030607
- Nagpal, A., Baddour, L.M., Sohail, M.R., 2012. Microbiology and pathogenesis of cardiovascular implantable electronic device infections. *Circ. Arrhythmia Electrophysiol.* 5: 433–441. doi:10.1161/CIRCEP.111.962753
- National Healthcare Safety Network, 2021. Surgical Site Infection Event (SSI). *Centres Dis. Control Prev.* 1–39.
- Nery, P.B., Fernandes, R., Nair, G.M., Sumner, G.L., Ribas, C.S., Menon, S.M.D., Wang, X., Krahn, A.D., Morillo, C.A., Connolly, S.J., Healey, J.S., 2010. Device-related infection among patients with pacemakers and implantable defibrillators: Incidence, risk factors, and consequences. *J. Cardiovasc. Electrophysiol.* 21: 786–790. doi:10.1111/j.1540-8167.2009.01690.x
- Nowak, K., Kusztal, M., 2021. Cardiac implantable electronic devices in hemodialysis and chronic kidney disease patients—an experience-based narrative review. *J. Clin. Med.* 10. doi:10.3390/jcm10081745
- Olsen, T., Jørgensen, O.D., Nielsen, J.C., Thøgersen, A.M., Philbert, B.T., Johansen, J.B., 2019. Incidence of device-related infection in 97 750 patients: Clinical data from the complete Danish device-cohort (1982–2018). *Eur. Heart J.* 40: 1862–1869. doi:10.1093/eurheartj/ehz316
- Polewczyk, A., Jacheć, W., Polewczyk, A.M., Tomasik, A., Janion, M., Kutarski, A., 2017. Infectious complications in patients with cardiac implantable electronic devices: Risk factors, prevention, and prognosis. *Polish Arch. Intern. Med.* 127: 597–607. doi:10.20452/pamw.4065
- Polyzos, K.A., Konstantelias, A.A., Falagas, M.E., 2015. Risk Factors for Cardiac Implantable Electronic Device Infection: A Systematic Review and Meta-Analysis. *Europace* 17: 767–777. doi:10.1093/europace/euv053
- Poole, J.E., Gleva, M.J., Mela, T., Chung, M.K., Uslan, D.Z., Borge, R., Gottipaty, V., Shinn, T., Dan, D., Feldman, L.A., Seide, H., Winston, S.A., Gallagher, J.J., Langberg, J.J., Mitchell, K., Holcomb, R., 2010. Complication rates associated with pacemaker or implantable cardioverter-defibrillator generator replacements and upgrade procedures: Results from the REPLACE registry. *Circulation* 122: 1553–1561. doi:10.1161/CIRCULATIONAHA.110.976076
- Quinn, M.J., Fitzgerald, D.J., 1999. Ticlopidine and clopidogrel. *Circulation* 100: 1667–1672. doi:10.1161/01.CIR.100.15.1667
- Saad, T.F., Ahmed, W., Davis, K., Jurkovitz, C., 2015. Cardiovascular Implantable Electronic Devices in Hemodialysis Patients: Prevalence and Implications for Arteriovenous Hemodialysis Access Interventions. *Semin. Dial.* 28: 94–100. doi:10.1111/sdi.12249
- Sadeghi, H., Alizadehdiz, A., Fazelifar, A., Emkanjoo, Z., Haghjoo, M., 2018. New insights into predictors of cardiac implantable electronic device infection. *Texas Hear. Inst. J.* 45: 128–135. doi:10.14503/THIJ-17-6300
- Salzer, U., Müller, A., Zhou, Q., Nieters, A., Grundmann, S., Wehr, C., 2022. Susceptibility to infections and adaptive immunity in adults with heart failure. *ESC Hear. Fail.* 6–8. doi:10.1002/ehf2.13793
- Schwartz, I.S., Pervez, N., 1971. Bacterial Endocarditis Associated with a Permanent Transvenous Cardiac Pacemaker. *JAMA J. Am. Med. Assoc.* 218:

- 736–737. doi:10.1001/jama.1971.03190180056018
- Sohail, M.R., Hussain, S., Le, K.Y., Dib, C., Lohse, C.M., Friedman, P.A., Hayes, D.L., Uslan, D.Z., Wilson, W.R., Steckelberg, J.M., Baddour, L.M., 2011. Risk Factors Associated with Early-Versus Late-Onset Implantable Cardioverter-Defibrillator Infections. *J. Interv. Card. Electrophysiol.* 31: 171–183. doi:10.1007/s10840-010-9537-x
- Sohail, Muhammad R, Uslan, D.Z., Khan, A.H., Friedman, P.A., Hayes, D.L., Wilson, W.R., Steckelberg, J.M., Stoner, S., Baddour, L.M., 2007. Management and Outcome of Permanent Pacemaker and Implantable Cardioverter-Defibrillator Infections. *J. Am. Collage Cardiol.* 49: 1851–1859. doi:10.1016/j.jacc.2007.01.072
- Sohail, Muhammad R., Uslan, D.Z., Khan, A.H., Friedman, P.A., Hayes, D.L., Wilson, W.R., Steckelberg, J.M., Stoner, S.M., Baddour, L.M., 2007. Risk Factor Analysis of Permanent Pacemaker Infection. *Clin. Infect. Dis.* 45: 166–173. doi:10.1086/518889
- Song, J., Tark, A., Larson, E.L., 2020. The relationship between pocket hematoma and risk of wound infection among patients with a cardiovascular implantable electronic device: An integrative review. *Hear. Lung* 49: 92–98. doi:10.1016/j.hrtlng.2019.09.009
- Steffen, M.M., Osborn, J.S., Cutler, M.J., 2019. Cardiac Implantable Electronic Device Therapy: Permanent Pacemakers, Implantable Cardioverter Defibrillators, and Cardiac Resynchronization Devices. *Med. Clin. North Am.* 103: 931–943. doi:10.1016/j.mcna.2019.04.005
- Swindle, J.P., Rich, M.W., McCann, P., Burroughs, T.E., Hauptman, P.J., 2010. Implantable cardiac device procedures in older patients: Use and in-hospital outcomes. *Arch. Intern. Med.* 170: 631–637. doi:10.1001/archinternmed.2010.30
- Tarakji, K.G., Mittal, S., Kennergren, C., Corey, R., Poole, J., Stromberg, K., Lexcen, D.R., Wilkoff, B.L., 2016. Worldwide Randomized Antibiotic Envelope Infection Prevention Trial (WRAP-IT). *Am. Heart J.* 180: 12–21. doi:10.1016/j.ahj.2016.06.010
- Tarakji, K.G., Mittal, S., Kennergren, C., Corey, R., Poole, J.E., Schloss, E., Gallastegui, J., Pickett, R.A., Evonich, R., Philippon, F., McComb, J.M., Roark, S.F., Sorrentino, D., Sholevar, D., Cronin, E., Berman, B., Riggio, D., Biffi, M., Khan, H., Silver, M.T., Collier, J., Eldadah, Z., Wright, D.J., Lande, J.D., Lexcen, D.R., Cheng, A., Wilkoff, B.L., 2019. Antibacterial Envelope to Prevent Cardiac Implantable Device Infection. *N. Engl. J. Med.* 380: 1895–1905. doi:10.1056/nejmoa1901111
- Tessaro, F.H.G., Ayala, T.S., Nolasco, E.L., Bella, L.M., Martins, J.O., 2017. Insulin Influences LPS-Induced TNF- $\alpha$  and IL-6 Release Through Distinct Pathways in Mouse Macrophages from Different Compartments. *Cell. Physiol. Biochem.* 42: 2093–2104. doi:10.1159/000479904
- Tompkins, C., McLean, R., Cheng, A., Brinker, J.A., Marine, J.E., Nazarian, S., Spragg, D.D., Sinha, S., Halperin, H., Tomaselli, G.F., Berger, R.D., Calkins, H., Henrikson, C.A., 2011. End-stage renal disease predicts complications in pacemaker and ICD implants. *J. Cardiovasc. Electrophysiol.* 22: 1099–1104.

doi:10.1111/j.1540-8167.2011.02066.x

- Tovia-Brodie, O., Rav Acha, M., Belhassen, B., Gasperetti, A., Schiavone, M., Forleo, G.B., Guevara-Valdivia, M.E., Ruiz, D.V., Lellouche, N., Hamon, D., Castagno, D., Bellettini, M., De Ferrari, G.M., Laredo, M., Carvès, J.B., Ignatiuk, B., Pasquetto, G., De Filippo, P., Malanchini, G., Pavri, B.B., Raphael, C., Rivetti, L., Mantovan, R., Chinitz, J., Harding, M., Boriani, G., Casali, E., Wan, E.Y., Biviano, A., Macias, C., Havranek, S., Lazzerini, P.E., Canu, A.M., Zardini, M., Conte, G., Cano, Ó., Casella, M., Rudic, B., Omelchenko, A., Mathuria, N., Upadhyay, G.A., Danon, A., Schwartz, A.L., Maury, P., Nakahara, S., Goldenberg, G., Schaerli, N., Bereza, S., Auricchio, A., Glikson, M., Michowitz, Y., 2022. Implantation of cardiac electronic devices in active COVID-19 patients: Results from an international survey. *Hear. Rhythm* 19: 206–216. doi:10.1016/j.hrthm.2021.10.020
- Tracy, C.M., Epstein, A.E., Darbar, D., Dimarco, J.P., Dunbar, S.B., Estes, N.A.M., Ferguson, T.B., Hammill, S.C., Karasik, P.E., Link, M.S., Marine, J.E., Schoenfeld, M.H., Shanker, A.J., Silka, M.J., Stevenson, L.W., Stevenson, W.G., Varosy, P.D., 2012. 2012 ACCF/AHA/HRS focused update of the 2008 guidelines for device-based therapy of cardiac rhythm abnormalities: A report of the American college of cardiology foundation/american heart association task force on practice guidelines. *Circulation* 126: 1784–1800. doi:10.1161/CIR.0b013e3182618569
- Uslan, D.Z., Gleva, M.J., Warren, D.K., Mela, T., Chung, M.K., Gottipaty, V., Borge, R., Dan, D., Shinn, T., Mitchell, K., Holcomb, R.G., Poole, J.E., 2012. Cardiovascular implantable electronic device replacement infections and prevention: Results from the REPLACE registry. *PACE - Pacing Clin. Electrophysiol.* 35: 81–87. doi:10.1111/j.1540-8159.2011.03257.x
- Uslan, D.Z., Sohail, M.R., St Sauver, J.L., Friedman, P.A., Hayes, D.L., Stoner, S.M., Wilson, W.R., Steckelberg, J.M., Baddour, L.M., 2007. Permanent pacemaker and implantable cardioverter defibrillator infection: A population-based study. *Arch. Intern. Med.* 167: 669–675. doi:10.1001/archinte.167.7.669
- Wells, G., Parkash, R., Healey, J.S., Talajic, M., Arnold, J.M., Sullivan, S., Peterson, J., Yetisir, E., Theoret-Patrick, P., Luce, M., Tang, A.S.L., 2011. Cardiac resynchronization therapy: A meta-analysis of randomized controlled trials. *Cmaj* 183: 421–429. doi:10.1503/cmaj.101685
- Wolfson, M., Strong, C.J., Minturn, D., Gray, D.K., Kopple, J.D., 1984. Nutritional status and lymphocyte function in maintenance hemodialysis patients. *Am. J. Clin. Nutr.* 39: 547–555. doi:10.1093/ajcn/39.4.547
- Yang, P.S., Jeong, J., You, S.J., Yu, H.T., Kim, T.H., Sung, J.H., Lee, S.S., Park, H.D., Joung, B., 2019. The burden and risk factors for infection of transvenous cardiovascular implantable electronic device: A nationwide cohort study. *Korean Circ. J.* 49: 742–752. doi:10.4070/kcj.2018.0361
- Zhang, S., Johar, S., Mam, C., Chan, N.-Y., Naik, A., Saxena, A., Awan Aslam, Z., Nogami, A., Kobayashi, Y., Ngarmukos, T., Sriratanasathavorn, C., Muhammad, Z., Tseveendee, S., Nwe, N., Boddington, P.T., 2019. APHRS White Book 2019. *APHRS White B.* 2019 53: 1689–1699. doi:10.1017/CBO9781107415324.004



Zhang, Y., Bauersachs, J., Langer, H.F., 2017. Immune mechanisms in heart failure.  
*Eur. J. Heart Fail.* 19: 1379–1389. doi:10.1002/ejhf.942