

DAFTAR PUSTAKA

- Abdin, M.Z., Rehman, R.U., Israr, M., Srivasta, P.S., Bansal, K.C. 2002. Abiotic stress related genes and their role in conferring resistance in plant. *Indian J Biotechnol* 1: 225-24.
- Ahmed, S.A., Baig, M.M.V. 2014. Biotic elicitor enhanced production of psoralen in suspension cultures of *Psoralea corylifolia* L. *Saudi J. Biol. Sci.* 21(5):499–504.
- Akula, R., and Ravishankar, G.A. 2011. Influence of abiotic stress signals on secondary metabolites in plants. *Plant Signal Behav.* 6:1720–1731.
- Al-Khayri, J.M., Upadhyia, V., Pai, S.R., Naik, P.M., Al-Mssallem, M.Q., Alessa, F.M. 2022. Comparative Quantification of the Phenolic Compounds, Piperine Content, and Total Polyphenols along with the Antioxidant Activities in the *Piper trichostachyon* and *P. nigrum*. *Molecules.* 27:5965.
- Ali, R.M., Elfeky, S.S., Abbas, H. 2008. Response of salt stressed *Ricinus communis* L. to exogenous application of glycerol and/or aspartic acid. *Journal of Biological Science.* 8(1):171-175.
- Andriolo, J.L., Luz, G.L., Witter, M.H., Godoi, R.S., Barros, G.T., Bortolotto, O.C. 2005. Growth and yield of lettuce plants under salinity. *Horticultura Brasileira.* 23(4):931-934.
- Arianto, B., Zainuddin, Mirni, U.B. 2013. Callus induction of two clones of Sulawesi cacao (*Theobroma cacao* L.) in various concentrations of 2,4-dichlorophenoxyacetic acid in vitro. *Agrotekbis* 1 (3): 211-220.
- Awuchi, C.G. 2019. The Biochemistry, Toxicology, and Uses of the Pharmacologically Active Phytochemicals: Alkaloids, Terpenes, Polyphenols, and Glycosides. *Journal food and pharmaceutical sciences.* 7(3): 131-150.
- Bariyyah K. 2015. The effect of NaCl on callus of sugarcane varieties Bululawang. *Agroekotek J.* 7(1): 1-5.
- Blumwald, E., G.S. Aharon and M.P. Apse. 2000. Sodium transport in plant cells. *Biochim. Biophys. Acta.* 1465:140–151.
- Breitling, R., Cenicerros, A., Jankevics, A., & Takano, E. 2013. Metabolomics for secondary metabolite research. *Metabolites.* 3(4);1076–1083.
- Bourgaud, F., Gravot, A., Milesi, S., Gontier, E. 2001. Production of plant secondary metabolites: a historical perspective. *Plant Sci.* 161:839–851.
- Chandran, H., Meena, M., Barupal, T., & Sharma, K. 2020. Plant tissue culture as a perpetual source for production of industrially important bioactive compounds. *Biotechnology reports (Amsterdam, Netherlands).* 26:e00450.
- Chopra, B., Dhingra, A.K., Kapoor, R.P. Prasad DN. 2016. Piperine and its various physicochemical and biological aspects: a review. *Open Chem J.* 3:75-96.
- Daneshmand, F., Arvin, M.J. & Kalantari, K.M. 2010. Physiological responses to NaCl stress in three wild species of potato in vitro. *Acta Physiol Plant.* 32(91). <https://doi.org/10.1007/s11738-009-0384-2>.
- Departemen Kesehatan Republik Indonesia. 2007. *Kebijakan Obat Tradisional Nasional Tahun 2007*. Jakarta: Departemen Kesehatan Republik Indonesia.

- Diamond, A., & Desgagne-Penix, I. 2015. Metabolic engineering for the production of plant isoquinoline alkaloids. *Plant Biotechnol J.* 14(6):1319-1328. doi:10.1111/pbi.12494.
- Duangporn, P & Siripong, P. 2009. Effect of auxin and cytokinin on phyllanthusol A production by callus cultures of *Phyllanthus acidus* skeels. *Am-Eurasian J Agri Environ Sci.* 5:258–263.
- Efferth, T. 2019. Biotechnology applications of plant callus cultures. *Engineering.* 5(1):50–59.
- El-Meleigy, A.E., Gabr, M.F., Fouad, H., Ismail, M.A. 2004. Responses to NaCl salinity of tomato cultivated and breeding lines differing in salt tolerance in callus cultures. *Int J Agric Biol.* 6(1):1560-8530.
- Fatima, S., Mujib, A. & Tonk, D. 2015. NaCl amendment improves vinblastine and vincristine synthesis in *Catharanthus roseus*: a case of stress signalling as evidenced by antioxidant enzymes activities. *Plant Cell Tiss Organ Cult.* 121:445–458.
- Felicia, N., Widarta, I.W.R., usasrini, N.L.A. 2016. Pengaruh ketuaan daun dan metode pengolahan terhadap aktivitas antioksidan dan karakteristik sensoris the herbal bubuk daun alpukat (*Persea americana* Mill.) *J. ITEPA.* 5(2):85-94.
- Fowler, M. 1983. Commercial application and economic aspects of mass plant cell culture, from Mantell, S.H., Smith, H. (ed.). London: *Plant Biotechnology.* Cambridge University Press, 3-38.
- Friedman, M., Levin, C.E., Lee, S., Lee, J., Ohnisi-Kameyama, M., Kozukue, N. 2008. Analysis by HPLC and LC/MS of pungent piperamides in commercial black, white, green, and red whole and ground eppercorns. *J. Agric. Food Chem.* 56:3028-3036.
- Ganesan, M. and N. Jayabalan. 2005. Carbon source dependent somatic embryogenesis and plant regeneration in cotton, *Gossypium hirsutum* L. cv. SVPR2 through suspension cultures. *Indian J. Exp. Biol.* 43(10):921-925.
- Gandjar, I.G., dan Rohman, A., 2012. *Analisis Obat Secara Spektrofotometri dan Kromatografi.* Yogyakarta : Pustaka Pelajar
- Geisler, J.G. & Gross, G.G. The biosynthesis of piperine in *Piper nigrum*. *Phytochemistry* 1990, 29:489–492.
- Gomes, M.A.D.C., Pestana, I.A., Santa-catarirsa, C., Hauser Davis, R.A., Suzuki, M.S. 2017. Salinity effects on photosynthetic pigments, proline, biomass, and nitric oxide in *Salvinia auriculata* Aubl. *Acta Limbologica Brasilensia*, 229:9.
- Gorgani, L., Mohammadi, M., Najafpour, G.D., Nikzad, M. 2016. Piperine—The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations. *Comprehensive Reviews in Food Science and Food Safety.* 16(1):124-140.
- Green, B.T., Lee, S.T., Panter, K.E., Brown, D. 2012. Piperidine alkaloids: Human and food animal teratogens. *Food and Chemical Toxicology* 50: 2049---2055.
- Gowthami, L. 2018. Role of elicitors in plant defense mechanism. *Journal of Pharmacognosy and Phytochemistry.* 7(6):2806-2812.
- Guerriero, G., Berni, R., Muñoz-Sanchez, J.A., Apone, F., Abdel-Salam, E.M., Qahtan, A.A., Alatar, A.A., Cantini, C., Cai, G., Hausman, J.F., Siddiqui,

- K.S., Hernández-Sotomayor, S., Faisal, M. 2018. Production of Plant Secondary Metabolites: Examples, Tips and Suggestions for Biotechnologists. *Genes*. 9(6):309.
- Guru, A., Dwivedi, P., Kaur, P., Pandey, D.K. 2021. Exploring the role of elicitors in enhancing medicinal values of plants under in vitro condition. *South African Journal of Botany*. 1(11):1-15. <https://doi.org/10.1016/j.sajb.2021.10.014>.
- Han, J. Q., Zhou, Y.M., Li, D.D., Zhai, G.Q. 2018. Effects of short-term high-salt stresses on photosynthetic characteristics, activities of protective enzyme and copper uptake of *Acorus calamus* in microcosm submerged wetlands. *Fresenius Environ Bull*. 27:982–988.
- Haryudin, W. & O. Rostiana. 2009. Karakteristik Morfologi Tanaman Cabe JAWA (*Piper retrofractum* Vahl) Di Beberapa Sentra Produksi. *Bul. Littro*. 20(1):1-10.
- Hawa, L.C., Sugesti, A., Laily, A.N., Yosika, N.I.W., Wibisono, Y., Sutan, S.M. 2021. Drying cabya (*Piper retrofractum* Vahl.) at three ripeness stage. *IOP Conf. Ser.: Earth Environ. Sci*. 733:1-7.
- Hayat, S., Hayat, Q., Alyemeni, MN., Wani, AS., Pichtel, J., and Ahmad, A. 2012. Role of proline under changing environments: A review. *Plant Signaling and Behavior*. vol 7(11): 1456–1466. doi: <https://doi.org/10.4161/psb.21949>
- Husen, A., Iqbal, M., Khanam, N., Aref, I.M., Sohrab, S.S., Masresha, G. 2019. Modulation of salt-stress tolerance of niger (*Guizotia abyssinica*), an oilseed plant, by application of salicylic acid. *J Environ Biol*. 40:96–104.
- Hussain, O.A., Qarshi. I.A., Nazir, H., Ullah, I. 2012. Plant Tissue Culture: Current Status and Opportunities. In: Leva A (ed) *Recent advances in plant in vitro culture*. Intech, London, pp 8–19.
- Ikeuchi M, Sugimoto K, Iwase A. 2013. Plant callus: Mechanisms of induction and repression. *Plant Cell*. 25: 3159–3173.
- Indah, P.N., & Dini, E. 2013. Induksi Kalus Daun Nyamplung (*Calophyllum inophyllum* Linn.) pada Beberapa Kombinasi Konsentrasi 6-Benzylaminopurine (BAP) dan 2,4-Dichlorophenoxyacetic Acid (2,4-D). *Jurnal Sains dan Seni Pomits*, 2(1):2337-3520.
- ITIS. 2021. *Piper retrofractum* Vahl. <https://www.itis.gov>. Diakses tanggal 11 Maret 2021, jam 15.35 WIB.
- Iwase A., Mitsuda N., Koyama T., Hiratsu K., Kojima M., Arai T., Inoue Y., Seki M., Sakakibara H., Sugimoto K., Ohme-Takagi M. 2011. The AP2/ERF transcription factor WIND1 controls cell dedifferentiation in *Arabidopsis*. *Curr. Biol*. 21: 508–514.
- Juan, M., Rivero, R.M., Romero, L., Ruiz, J.M. 2005. Evaluation of some nutritional and biochemical indicators in selecting salt-resistant tomato cultivars. *Environ Exp Bot*. 54:193–201
- Junairiah, D. A., Sofiana, Y.S.W., Manuhara, Surahmaida. 2018. Induksi kalus *Piper retrofractum* Vahl. dengan zat pengatur tumbuh auksin dan sitokinin. *Journal of Pharmacy and Science*. 3(2):41-46.
- Khan, M. S. A., Ahmad, I., Chattopadhyay, D. 2019. Chapter 1 - Herbal Medicine: *Current Trends and Future Prospects*. In: Khan, M. S. A., Ahmad, I. New Look to Phytomedicine. Academic Press. P. 3-13.

- Kim Y.H. 2014. A new phenylpropanoid and an alkylglycoside from *Piper retrofractum* leaves with their antioxidant and α -glucosidase inhibitory activity. *Bioorg Med Chem Lett*. 24(17):4120-4124.
- Kubo M., Ishii R., Ishino Y., Harada K., Matsui N., Akagi M., Kato E., Hosoda S., Fukuyama Y. (2013). Evaluation of constituents of *Piper retrofractum* fruits on neurotrophic activity. *J Nat Prod*. 76(4):769-773.
- Kumar, U., Singh, I., Priyanka, Vimala, Y. 2010. In vitro salt stress induced production of gymnemic acid in callus cultures of *Gymnema sylvestre* R.Br. *African Journal of Biotechnology*. 9(31):4904-4909.
- Kundu, K. A. Roy, G., Saxena, L., Kumar, Bharadvaja, N. 2016. Effect of different carbon sources and elicitors on shoot multiplication in accessions of *Centella asiatica*. *Med. Aromat. Plants*. 5:1-4.
- Lizawati. 2012. Induksi kalus embriogenik daei eksplan tunas apical tanaman jarak pagar (*Jathropa curcas* L.) dengan penggunaan 2,4 D dan TDZ. *Bioplantae*. 192):75-87.
- Luyen, B. T. T., Tai, B. H., Thao, N. P., Yang, S. Y., Cuong, N. M., Kwon, Y. I., Jang, H. D., Kim, Y. H. 2014. A new phenylpropanoid and an alkylglycoside from *Piper retrofractum* leaves with their antioxidant and α -glucosidase inhibitory activity. *Bioorganic & Medicinal Chemistry Letters*. 24(17):4120-4124.
- Mahadi, I., Syafi'I, W., Sari, Y. 2016. Induksi Kalus Jeruk Kasturi (*Citrus microcarpa*) Menggunakan Hormon 2,4-D dan BAP dengan Metode in vitro. *Jurnal Ilmu Pertanian Indonesia (JIPI)*, 21(2):84-89.
- Mahmoud, O., Kosar, M. 2013. Regeneration and historological oplant-deriveded from leaf explants in vitro culture of strawberry. *International Journal of Agriculture and Crop Sciences*. 5(9):943-950.
- Mardhiyetti, Syarif, Z, Jamarun, N., Suliansyah, I. 2015. Pengaruh BAP (Benzil Adenin Purin) dan NAA (Naphthalen Acetic Acid) terhadap eksplan tanaman turi (*Sesbania Grandiflora*) dalam media multiplikasi *in vitro*. *Pastura*. 5(1):35-38.
- Muharini, R., Liu Z., Lin W., Proksch P. 2015. New amides from the fruits of *Piper retrofractum*. *Tetrahedron Lett*. 56(19):2521-2525.
- Muns, R., & Gilliam, M. 2015. Salinity tolerance of crops—What is the cost? *New Phytol*. 208:668–673.
- Murthy, H.N., Lee, E.J., Paek., K.Y. 2014. Production of secondary metabolites from cell and organ cultures: strategies and approaches for biomass improvement andmetabolite accumulation. *Plant Cell Tissue Organ Cult*. 118:1–16.
- Naik, P.M., & Al-Khayri. J.M. 2016. Abiotic and biotic elicitors-role in secondary metabolites production through *in vitro* culture of medicinal plants. A.K. Shanker, Ch Shanker (Eds.), Abiotic and Biotic Stress in Plants-Recent Advances and Future Perspectives. *InTech, Rijeka, Croatia*, pp. 247-277.
- Narayani, M., Srivastava, S. 2017. Elicitation: a stimulation of stress in in vitro plant cell/tissue cultures for enhancement of secondary metabolite production. *Phytochem Rev*. 16:1227–1252. <https://doi.org/10.1007/s11101-017-9534-0>.
- Nasim, A.S., Dhir, B., Kapoor, R. Fatima, S., Mahmooduzzafar., Mujib, A. 2010. Alliin production in various tissues and organs of *Allium sativum* grown under

- normal and sulphur-supplemented in vitro conditions. *Plant Cell, Tissue Organ Cult.* 101:59–63. doi:10.1007/s11240-009-9664-1.
- Oktaviani, D. 2022. Profil metabolit sekunder kalus hasil mikropropagasi tanaman cabai JAWA (*Piper retrofractum* Vahl.) secara *in vitro*. Skripsi. Universitas Gadjah Mada, Yogyakarta.
- Petruczynik, A., & Ciesla, L.M. 2015. Thin-Layer Chromatography in the Analysis of Biologically Active Ionic and Ionizable Compounds. *JPC – Journal of Planar Chromatography – Modern TLC*, 28:413–425.
- Philips, G. C. & Martina, G. 2019. Plant tissue culture media and practices: an overview. *In Vitro Cellular & Developmental Biology – Plant* 55, pp.243-244.
- Ptak, A., Simlat, M., Moranska, E., Skrzypek, E., Warchol, M., Tarakemeh, A., Laurain-mattar, D. 2019. Exogenous melatonin stimulated Amaryllidaceae alkaloid biosynthesis in in vitro cultures of *Leucojum aestivum* L. *Industrial Crops & Products*. 138:1-8.
- Puente-Garza, C., Espinosa-Leal, C., Garcia-Lara, S. 2021. Effects of saline elicitors on saponin production in *Agave salmiana* plants grown *in vitro*. *Plant Physiology and Biochemistry*. 162:476-482.
- Purnamaningsih, R. 2002. Regenerasi Tanaman Melalui Embriogenesis Somatik dan Beberapa Gen yang Mengendalikannya. *Bul. Agrobio*. 5(2) : 51-58.
- Qados, A.M.S.A. 2011. Effect of salt stress on plant growth and metabolism of bean plant *Vicia faba* (L.). *Journal of the Saudi Society of Agricultural Sciences*. 10(1):7-15.
- Radi, A.A., Farghaly, F.A., Hamada, A.M. 2013. Physiological and biochemical responses of salt-tolerant and salt-sensitive wheat and bean cultivars to salinity. *J. Biol. Earth Sci.* 3:72–88.
- Ramirez-Estrada, K., Osuna, L., Moyano, E., Bonfill, M., Tapia, N., Cusido, R.M., Palazon, J. 2015. Changes in gene transcription and taxane production in elicited cell cultures of *Taxus × media* and *Taxus globosa*. *Phytochemistry*. 117:174-184. doi: 10.1016/j.phytochem.2015.06.013.
- Rasouli, D., Werbrouck, S., Maleki, B., Jafary, H., Schurdi-Levraud, V. 2021. Elicitor-induced in vitro shoot multiplication and steviol glycosides production in *Stevia rebaudiana*, *South African Journal of Botany*. 137:265-271.
- Ray, B.P., Hassan, L., Nasiruddin, K.M. 2011. *In vitro* regeneration of Brinjal (*Solanum melongena* L.). *Bangladesh Journal of Agricultural Research*. 36(3):397-406.
- Rusdianto & Indrianto, A. 2012. Induksi kalus embriogenik pada wortel (*Daucus carota* L.) menggunakan 2,4-Dichlorophenoxyacetic acid (2,4-D). 13(2):136-141.
- Sajc, L., Grubisic, D., Vunjak-Novakovic, G. 2000. Bioreactors for plant engineering: an outlook for further research. *Biochem Eng J.* 4:89–99. doi:10.1016/S1369-703X(99)00035-2.
- Schimdt, W., Peters, S., Beerhues, L. 2000. Xanthone 6-hydroxylase from cell cultures of *Centaurea erythraea* and *Hypericum androsaemum* L. *Phytochemistry*. 53: 427–431.



- Schnabel, A., Contiguiba, F., Athmer, B., Vogt, T. 2021. Piper nigrum CYP719A37 Catalyzes the Decisive Methylenedioxy Bridge Formation in Piperine Biosynthesis. *s. Plants*. 10(128):1-15.
- Semler, U. & Gross, G.G. 1987. Distribution of piperine in vegetative parts of *Piper nigrum*. *Phytochemistry*. 27:1566–1567.
- Shimaoka, T., Ohnishi, M., Sazuka, T., Mitsuhashi, N., Hara-Nishimura, I., Shimazaki, K.I., *et al.* 2004. Isolation of intact vacuoles and proteomic analysis of tonoplast from suspension-cultured cells of *Arabidopsis thaliana*. *Plant Cell Physiol*. 45:672–683.
- Shintiavira., Soedarjo, H., Suryawati, M., Winarto, B. 2012. Studi pengaruh substitusi hara makro dan mikro media MS dengan pupuk majemuk dalam kultur *in vitro* krisan. *J. Hort*. 219(4):334-341.
- Taibi, K., Taïbi, F., Abderrahim, L.A., Ennajah, A., Belkhodja, M., Mulet, J.M. 2016. Effect of salt stress on growth, chlorophyll content, lipid peroxidation and antioxidant defense systems in *Phaseolus vulgaris* L. *S. Afr. J. Bot*. 105: 306–312. DOI: doi.org/10.1016/j.sajb.2016.03.011.
- Tang, W. and R.J. Newton. 2005. Polyamines promote root elongation and growth by increasing root cell division in regenerated Virginia pine (*Pinus virginiana* Mill.) plantlets. *Plant Cell Rep.*, 24(10): 581-589.
- Tang, R., Zhang, Y.Q., Hu, D.B., Yang, X.F., Yang, J., San, M.M., Oo, T.N., Kong, Y., Wang, Y.H. 2019. New amides and phenylpropanoid glucosides from the fruits of *Piper retrofractum*. *Nat Prod Bioprospect*. 9(3): 231- 241.
- Tanveer, H., Ali, S., Khan, Z.D. 2012. Appraisal of an important flavonoid, Quercetin, in callus cultures of *Citrullus colocynthis* (L.) Schard. *Sci Int*. 24:75–80
- Thakur, M., Bhattacharya, S., Khosla, P.K., Puri, S. 2019. Improving production of plant secondary metabolites through biotic and abiotic elicitation. *J. Appl.Res.Med.aromat. Plants*. 12:1-12.
- Yuliani, F., Dewi, W.S., Yunus, A., Siswanto, U. 2018. The Study of Artemisinin Content in Callus *Artemisia annua* L. Cultures Elicited with Endophytic Fungi *Aspergillus* sp. *Molecule*. 13(2):155 – 161.
- Zhang, F., Yang, Y.L., He, W.L., Zhao, X., Zhang, L.X. 2004. Effect of salinity on growth and compatible solutes of callus induced from *Populus euphratica*. *In Vitro Cellular & Developmental Biology. Plant*. 40(5):491-494.
- Zhao, J., Davis, L.C., Verpoorte, R. 2005. Elicitor signal transduction leading to production of plant secondary metabolites. *Biotechnol Adv*. 23:283–333. doi:10.1016/j. Biotechadv.2005.01.003.