



## REFERENCES

- Abdel-Latif, A., & Osman, G. 2017. Comparison of three genomic DNA extraction methods to obtain high quality DNA from maize. *Plant methods*, 13(1):
- Afifah, E. N. (2012). The use of molecular markers to accelerate and facilitate the improvement of the quality of tea plants (*Camellia sinensis* L O. Kuntze). Gadjah Mada University, Yogyakarta.
- Ajibade S, Weeden N, Chite S (2000) Inter simple sequence repeat analysis of genetic relationships in the genus *Vigna*. *Euphytica* 111:47-55.
- Al-Bataina, B.A., Maslat, A.O., Al-Kofahi, M.M. (2003). Analisis Unsur dan Kajian Biologi Sepuluh Rempah Oriental Menggunakan XRF dan Uji Ames. *Jurnal Elemen Jejak dalam Kedokteran dan Biologi*. 17(2):85-90.
- Allard, R.W. 1960. Principles of Plant Breeding. John Wiley, New York.
- ALTINKUT-UNCUOĞLU, A., 2011. Identification of genetic polymorphism and DNA methylation pattern in wheat (*Triticum aestivum* L.). *Turkish Journal of Field Crops*, 16(2), pp.157-165.
- Amzeri, A., Indradewa, D., Daryono, B. S., & Rachmawati, D. (2011). Kekerabatan Jagung (*Zea mays* L.) Lokal Madura Berdasarkan Karakter Morfologi dan Penanda RAPD. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 227-235.
- Angeles, J.G.C., A.C. Laurena & E.M. Tecson-Mendoza. 2005. Extraction of genomic DNA from the lipid-, polysaccharide-, and polyphenol-rich coconut (*Cocos nucifera* L.). *Plant Mol. Bio. Reporter* 23: 297a-297i.
- Angereini E. 2008. Random Amplified Polymorphic DNA (RAPD), A Method of DNA Analysis in Explaining Various Biological Phenomena. Jambi: Biospecies Volume 1 No 2, June 2008 pp. 73 – 76.
- Apuan D.A.; Torres M.A.J. & Demayo C. G. (2010). Describing variations and taxonomic status of earthworms collected from selected areas in Misamis Oriental, Philippines using principal component and parsimony analysis. *Egyptian Academic Journal of*
- Arief, M. K. (2015). Application of Levels of Inquiry in Science Learning with the Theme of Global Warming to Improve Science Literacy. *Educentric*, 2(2), 166-176.
- Arif, Y., Singh, P., Siddiqui, H., Bajguz, A., & Hayat, S. (2020). Salinity induced physiological and biochemical changes in plants: An omic approach towards salt stress tolerance. *Plant Physiology and Biochemistry*, 156, 64-77.
- Arrijani, A. (2005). Biology and Conservation of Genus *Myristica* in Indonesia. *Biodiversity Journal of Biological Diversity*, 6(2), 147-151.
- Asgarpanah, J and Kazemivash, N. 2012. Phytochemistry and Pharmacological Properties of *Myristica fragrans* Houtt: A Review. *African Journal of Biotechnology*. 11 (65):12787-12793.
- Balai Penelitian Tanaman Rempah dan Obat (Balitro). (2015). *Buletin Penelitian Tanaman Rempah dan Obat*. 26(1).
- Biological Sciences, B Zoology, Vol. 2, No. 1, pp. 27-36, ISSN 2090-0759.



- Bioversity. 2007. Descriptors for Durian (*Durio zibethinus* Murr.). Bioversity International. Rome, Italy. 64p.
- Bornet, B., Muller, C., Paulus, F., Branchard, M. (2002). Highly informative nature of inter simple sequence repeat (ISSR) sequences amplified using tri-and tetra-nucleotide primers from DNA of cauliflower (*Brassica oleracea* var. *botrytis* L.). *Genome*. 45(5): 890–896.
- Brantestam AK, Bothmer RV, Dayteg C, Rashal I, Tuvesson S, Weibull J (2004) Inter simple sequence repeat analysis of genetic diversity and relationships in cultivated barley of Nordic and Baltic origin. *Hereditas* 141:186-187.
- Brown, M.J. 1997. *Durio – A Bibliographic Review* (R.K. Arora, V. Ramanatha Rao and A.N. Rao, Editors). IPGRI office of South Asia, New Delhi. 188p.
- Campos, E. T., Espinosa, M. A. G, Warburton, M. L, Varela A. S. and Monter, Á.V (2005). "Characterization of madarin (CITRUS spp.) Using morphological and aflu markers." *Formato Documento Electrónico (ISO)* 30(11): 687-693.
- Carsono, N., Lukman, P. N., Damayanti, F., Susanto, U., & Sari, S. (2014). Identifikasi polimorfis marka-marka molekuler yang diduga berkaitan dengan karakter daya hasil tinggi pada 30 genotip padi. *Chimica et Natura Acta*, 2(1).
- Charters Y, Wilkinson M (2000) The use of self-pollinated progenies as 'in-groups' for the genetic characterization of cocoa germplasm. *Theoretical and Applied Genetics* 100:160-166.
- Charters Y, Wilkinson M (2000) The use of self-pollinated progenies as 'in-groups' for the genetic characterization of cocoa germplasm. *Theoretical and Applied Genetics* 100:160-166.
- Chatfield C, Collis A (1980) *Introduction to Multivariate Analysis*, CRC Press,Boca Raton, 246 pp.
- Chaudhary, Raju, Ghimire, Surya Kant, Joshi, Bal Krishna, Ojha, Bishnu Raj, Niroula, Raj Kumar and Yadav, Pradip Kumar (2016). Genetic diversity in large cardamom (*Amomum subulatum* Roxb.) dissected using RAPD markers. *internet. J. Adv. Res.*, 4(6): 1443-1451.
- Chen, L., Zhou, Z. X., & Yang, Y. J. (2007). Genetic improvement and breeding of tea plant (*Camellia sinensis*) in China: from individual selection to hybridization and molecular breeding. *Euphytica*, 154(1), 239-248.
- Cheng, F.S., S.K. Brown & NF. Weeden. 1997. A DNA extraction protocol from various tissues in woody species. *Hortscience* 32(5): 921-922.
- Chiapella J. (2000). The *Deschampsia cespitosa* complex in central and northern Europe: morphological analysis. *Botanical Journal of the Linnean Society*, Vol.134. No. 4, (August 2006), pp. 495-512, ISSN 1095-8339.
- Das, S. S., Sudarsono, S., Djoefrie, H. B., & Ek, Y. W., 2012. Keragaman Spesies Pala (*Myristica* spp.) Maluku Utara Berdasarkan Penanda Morfologi Dan Agronomi. *Jurnal Pe nelitian Tanaman Industri*. 18(1): 1-9.
- Demeke T, Adams RP. 1994. The use of PCR-RAPD analysis in plant taxonomy and evolution. In: Griffin HG, Griffin AM, editor. *PCR Technology Current Innovations*. London: CRC Pr. p. 184.
- Dilek, T.O.K., SENTÜRK-AKFIRAT, F., Sevinc, D., AYDIN, Y. and



- Direktorat general of plantation. "Realize the triumph of plantation". 2018, pp 1–20 (in Indonesian).
- Doyle, J.J. & J.L. Doyle. 1990. Isolation of plant DNA from fresh tissue. Focus 12(1): 13-15.
- Fitriana, Nita. 2019. Keanekaragaman dan Hubungan Kekerabatan Kultivar Bawang Merah (*Allium cepa* L.) di Pulau Jawa Berdasarkan Karakter Morfologi dan Marka ISSR. Tesis Biologi UGM: Yogyakarta.
- Ganeshaiah, K.N., Ravi Shankar, K.V., Anand, Lalitha, Shibu, M. and Shanker, Uma (2000). Identification of sex specific DNA markers in the dioecious tree, nutmeg. Plant Genet. Resour. Newslett., 121:59-61.
- Garcia, A.A.F., L. Luciana, Benchimol, A.M.M. Barbosa, I.O. Gerald, C.L. Souza Jr. & A.P. de Souza. 2004. Comparison of RAPD, RFLP, AFLP and SSR marker for diversity studies on tripical maize inbred lines. Genetics and Molecular Biology 27: 579-588.
- Gawari G, Bhandari U, Naik G, Haider ZS, Chauhan (2016) Genetic diversity in *Cinnamomum tamala* Nees. Accessions through DNA fingerprinting using molecular markers. Indian Journal of Agricultural Research 50 : 446-450.
- Godwin, I.D., E.A.B. Aitken & L.W. Smith. 1997. Application of inter simple sequence repeat (ISSR) marker to plant genetics. Electrophoresis 18(9) :1524-1528.
- González A, Coulson A, Brettell R (2002) Development of DNA markers (ISSRs) in mango. Acta Horticulturae 575: 139-143.
- Govindaraj, M., Vetriventhan, M., & Srinivasan, M. (2015). Importance of genetic diversity assessment in crop plants and its recent advances: an overview of its analytical perspectives. Genetics research international, 2015.
- Hadad, E.A. (1991). Keragaman Peranaman Cengkeh di Propinsi Sulawesi Utara. Buletin Penelitian Tanaman Rempah dan Obat, 6(2): 61-68.
- Hafif, B. (2021). The Strategy to Maintain Indonesia as a Main Nutmeg Producer in the World.
- Hasibuan, A. M., Sudjarmoko, B., & Listyati, D. (2012). Analisis keunggulan komparatif dan kompetitif usahatani pala (Studi kasus: Kabupaten Bogor dan Sukabumi). Jurnal Tanaman Industri dan Penyegar, 3(3), 223-230.
- Heyne, K. (1987). Tumbuhan berguna indonesia. *Badan Penelitian dan Pengembangan Kehutanan, Departemen Kehutanan*, 2, 1188-1189.
- Hillman, L. C., Stace, N. H., & Pomare, E. W. (1984). Irritable bowel patients and their long-term response to a high fiber diet. American Journal of Gastroenterology (Springer Nature), 79(1).
- Hotelling, H. (1933). Analysis of a complex of statistical variable into principal components. Journal of Educational Psychology, Vol. 24, No. 6, (September 1933), pp. 417-441, ISSN 0022-0663.
- Jeffers, J.N., 1967. Two case studies in the application of principal component analysis. Journal of the Royal Statistical Society: Series C (Applied Statistics), 16(3), pp.225-236.
- Jolliffe I (2002) Principal Component Analysis. Springer Series in Statistics (2nd Edn), New York, U.S.A., 487 pp.



- Journal of Agricultural Research 50 : 446-450. Anerao JS, Jha V, Korgaonkar L, Devi SP, Desai N (2016) Disserting genetic diversity in *garcinia xanthochymus* using ISSR and RAPD markers. Journal of Plant Breed and Genetics 04: 69-76.
- K.L., Reid, I.N., Kirkpatrick, J.D., Burgasser, A.J., Liebert, J., Solomon, A.R., Covey, K.R. (2007). Meeting the cool neighbors. IX. The luminosity function of M7- L8 ultracool dwarfs in the field. Astron. J., 133(2), 439.
- Karsinah, Sudarsono, L. Setyobudi & H. Aswidinnoor. 2002. Keragaman genetik plasma nutfah jeruk berdasarkan analisis penanda RAPD. Jurnal Bioteknologi Pertanian 7(1):8-16.
- Keragan Spesies Pala (*Myristica* Spp.) Maluku Utara Berdasarkan Penanda Morfologi dan Agronomi. Jurnal Penelitian Tanaman Industri.18:1.
- Khan MK, Pandey A, Thomas G, Akkaya MS, Kayis SA, Ozsensoy Y, Hamurcu M, Gezgin S, Topal A, Hakki EE (2015) Genetic diversity and population structure of wheat in India and. AoB Plants 7: plv083.
- Krishnamoorthy, B & J. Rema. (2000). pala dan Bunga pala. Buku Pegangan Herbal dan Rempah-rempah. Indian Balai Penelitian Spesies, Kerala. kepala kayu Penerbitan Terbatas. Cambridge Inggris. 238-248.
- Krishnan AG, John R, Cyriac A, Sible GV (2017) Estimation of genetic diversity in nutmeg (*Myristica fragrans* Houtt.) selections using RAPD markers. International Journal of Plant Sciences12:102-107.
- Krishnan, A.G., John, R. and Varghese, S.G., 2019. Marker Based Assessment of Genetic Diversity In Nutmeg (*Myristica fragrans* Houtt.) Using ISSR Primers. Journal of Experimental Biology and Agricultural Sciences. 7(2): 108-116.
- Kucharczyk H. & Kucharczyk M. (2009). *Thrips atratus* HALIDAY, 1836 and *Thrips montanus* PRIESNER, 1920 (Thysanoptera: Thripidae) – one or two species? Comparative morphological studies. Acta Zoologica Academiae Scientiarum Hungaricae, Vol. 55, No. 4, (November 2009), pp. 349-364, ISSN 1217-8837.
- Kucharczyk, H., Kucharczyk, M., Stanisławek, K., & Fedor, P. (2012). Application of PCA in taxonomy research—*Thrips* (Insecta, Thysanoptera) as a model group. Principal Component Analysis-Multidisciplinary Applications. New York, NY, USA: InTech, 111-126.
- Kumar, K. 2016. Nutmeg oil quality and market. Presented at Workshop and Training: Succeed in the nutmeg oil business, October 21, 2016. Banda Aceh, Indonesia. (in Indonesian).
- Lande, R., & Barrowclough, G.F., 1987. Effective population size, genetic variation, and their use in population management. In: Viable populations for conservation. Soule, M.E., ed. Pp. 87-123 Cambridge University Press: New York, NY.
- Landry BS, Li RQ, Cheung WY, Granger RL (1994) Phylogeny analysis of 25 apple rootstocks using RAPD markers and tactical gene tagging. Theor Appl Genet 89:847–852
- Leela, N.K. (2008). Nutmeg and Mace. CABI International. London, UK bby Biddles Ltd.



- Lilburn TG & Garrity G.M. (2004). Exploring prokaryotic taxonomy. International Journal of Systematic and Evolutionary Microbiology, Vol. 54, No. 1, (January 2004), pp. 7-13, ISSN 1466-5026.
- Lucena-Aguilar, G., Sánchez-López, A. M., Barberán-Aceituno, C., Carrillo-Ávila, J. A., López-Guerrero, J. A., & Aguilar-Quesada, R. 2016. DNA Source Selection for Downstream Applications Based on DNA Quality Indicators Analysis. Biopreservation and biobanking, 14(4), 264–270.
- Luo, Z., Brock, J., Dyer, J.M., Kutchan, T., Schachtman, D., Augustin, M., Ge, Y., Fahlgren, N. and Abdel-Haleem, H., 2019. Genetic diversity and population structure of a *Camelina sativa* spring panel. Frontiers in Plant Science, 10, p.184.
- Lynch, M., 1996. A quantitative-genetic perspective on conservation issues. In: Conservation genetics. Case histories from nature Avise, J. C., & Hamrick, J. L., eds. Pp. 471-501. Chapman & Hall: New York.
- Mabberley, D. J., 1987. The Plant Book. Cambridge: Cambridge University Press.
- Mariana, B.D., A. Sugiyatno & A. Supriyanto. 2011. Genetic diversity of local accessions of *Dimocarpus longan* revealed by ISSR markers. bull. Germplasm 17(1): 25-29.
- Marks, S., & Pomeroy, J. (1995). International trade in nuts and mace: issues and options for Indonesia. Bulletin of Indonesian Economic Studies, 31(3), 103-118.
- Métais I, Aubry A, Hamon B, Jaluzot R (2000) Description and analysis of genetic diversity between commercial bean lines (*Phaseolus vulgaris* L.). Theor Appl Genet 101:1207-1214.
- Moeljoprawiro, S. 2010. Microsatellite markers as an alternative to the BUSS test in the protection of rice varieties. bull. Germplasm 16(1): 1-7.
- Naeem, N., Rehman, R., Mushtaq, A., & Ghania, J. B. 2016. Nutmeg: A review on uses and biological properties. *International Journal of Chemical and Biochemical Sciences*. 9:107-110.
- Nasution, M.A., B.G. Nur & Z. Razak. 2011. Genetic diversity of some passion fruit accessions based on ISSR markers. J. Agrivigor 10(2): 157-167.
- Ni J, Colowit PM, Mackill DJ (2002) Evaluasi genetik keragaman subspecies padi menggunakan penanda mikrosatelit. Tanaman Sains 42: 601-607.
- Ojechi, B.O., J.A. Souzey, D.E. Akpomedaye. 1998. Microbial stability of mango (*Mangifera indica* L.) juice preserved by combined application of mild heat and extracts of two tropical spices. J. Food Protection. 61(6):725-727.
- Pandin, D.S. 2010. Penanda DNA untuk pemuliaan tanaman kelapa (*Cocos nucifera* L.). Perspektif 9(1):21-35.
- Pandin, D.S., 2009. Keragaman Genetik Kultivar kelapa Dalam Mapanget (DMT) dan Dalam Tenga (DTA) Berdasarkan penanda RAPD. Buletin Palma (36) :17-29.
- Pearson, K. (1901). On lines and planes of closest fit to systems of points in space. Philosophical Magazine, Vol. 2, pp. 559-572, ISSN 1478-6443 <http://pbil.univ-lyon1.fr/R/pearson1901.pdf> [accessed October 2011].



- Periasamy G, Karim A, Gibrelibanos M, Gebremedhin G (2016) Nutmeg (*Myristica fragrans* Houtt.) oils. In: Preedy VR (ed) Essential oils in food preservation, flavor and safety. Elsevier, Amsterdam, pp. 607–616.
- Proceedings of the VIII optima meeting. Sevilla 25 Sep.-1 Oct. 1995.
- Purseglove, J.W., Brown, E.G., Green, CL & Robbins, SRJ (1981) Spices. New York: Longman.
- Purseglove, J.W., E.G., Brown, S.L. Green & SRJ Robbins. (1995). Spices. Longmans, New York, 175-228.
- Radhakrishnan, V.V. and Mohanan, K.V. (2005). Molecular characterization of some elite genotypes of cardamom (*Eleteria cardamomum* Maton). Indian J. Genet. Plant Breed., 65 (3): 227-228.
- Rahadian, D. D. (2009). Effect of nutmeg seed extract (*Myristica fragrans* Houtt) dose of 7.5 mg/25grBB on sleep induction time and sleep duration in thiopental-induced BALB/C mice (Doctoral dissertation, Medical faculty).
- Rahayu, S.E. and S. Handayani. 2010. Genetic diversity of pandanus from West Java based on ISSR markers. Makara Science 14(2): 158-162.
- Rahayu, S.E., dan Sri Handayani. 2010. Keragaman genetik pandan asal Jawa Barat berdasarkan penanda Inter Simple Sequence Repeat. Jurnal MAKARA, Sains. 14(2): 158-162.
- Ratnaparkhe M, Tekeoglu M, Muehlbauer F (1998) Inter-simple sequence-repeat (ISSR) polymorphisms are useful for finding markers associated with disease resistance gene clusters. Theoretical and Applied Genetics 97:515-519.
- Reddy MP, Sarla N, Siddiq E (2002) Inter simple sequence repeat (ISSR) polymorphism and its application in plant breeding. Euphytica 128:9-17.
- Retrieved (2011) from the Integrated Taxonomic Information System (ITIS) online database, [www.itis.gov](http://www.itis.gov), CC0 <https://doi.org/10.5066/F7KH0KBKruz>
- Robert, S. Runtunuwu, J.E.X. Rogi dan Y. Pamandungan. 2015. Keragaman Buah Pala (*Myristica fragrans*Houtt) di Kabupaten Kepulauan Sangihe dan Kabupaten Sitaro. Eugenia. 21(3): 118-126.
- Sahuquillo E.; Fraga M.I. & Martinez Cortizas A. (1997). Comparative study of classical and numerical taxonomic methods for infraspecific taxa of *Triticum aestivum* L. traditionally cultivated in Galicia (NW Spain), pp. 919-926. Valdes B. & Pastor J.(Eds.)
- Sandigawad, A.M. and Patil, C.G. (2011). genetic diversity in *Cinnamomum zeylanicum* Blume. (Lauraceae) using amplified polymorphic DNA (RAPD) markers. African J. Biotechnol., 10 (19): 3682-3688.
- Sari, V., Miftahudin, dan Sobir. 2015. Keragaman Genetik Bawang Merah (*Allium cepa* L.) Berdasarkan Marka Morfologi dan ISSR. J. Agron. Indonesia, Agustus 2017, 45(2):175-181.
- Sari, V.K. & RH Murti. 2015. An effective method for DNA extraction of mature leaf of sapodilla (*Manilkara zapota* (L.) van Royen). Agrivita 37(1): 18-23.
- Setyaningsih, P., & Jayaprawira, A. R. (2020). Strengthening Agricultural Investment through Sustainable Islamic Banking. International Journal of Business Studies, 4(2), 82-103.



- Shaffer, M.L., 1981. Minimum population sizes for species conservation. BioScience 31:131- 134.
- Sheeja TE, Rajesh Y, Krishnamoorthy B, Parthasarathy VA (2008) Optimization of DNA isolation and PCR parameters in *Myristica* sp. and related genera for RAPD and ISSR analysis. Journal of Spices and Aromatic Crops 17: 91–97.
- Sheeja TE, Sabeesh C, Shabna OV, Shalini RS, Krishnamoorthy B (2013) Genetic diversity analysis of *Myristica* and related genera using RAPD and ISSR markers. Journal of Spices and Aromatic Crops 22: 38-46.
- Sheeja, T.E., Rajesh, Y., Krishnamoorthy, B. and Parthasarathy, VA (2006). DNA polymorphism in clonal and seedling progenies of an elite nutmeg (*Myristicafragrans* Houtt.) by RAPD. J. Plantn. Crops, 34 :558–561.
- Shimada T, Hayama H, Haji T, Yamaguchi M, Yoshida M., 1999. Genetic diversity of plums characterized by random amplified polymorphic DNA (RAPD) analysis. Euphytica 109:143–147.
- Shulgin, A. T. (1963). Composition of the myristicin fraction from oil of nutmeg. Nature, 197(4865), 379-379.
- Sinclair, J. (1958). Flora Malesiana Precurzores VI. II. The genus.
- Singh, G. 1999. Plant Systematics. Science Publisher, New Hampshire, USA
- Singh, S.K., Kumar, M., Seema, Singh, P.K., Yadav, L.M. 2010. Effect of Sulphur Sources and Levels on Growth, Yield and Quality of Onion (*Allium cepa* L.). Current Journal of Applied Science and Technology. 33(2): 1-4.
- Sjahrul Bustaman. (2008). Prospek Pengembangan Minyak Pala Banda Sebagai Komoditas Ekspor Maluku. Litbang Pertanian. 27(3):93-98.
- Sneath, P. H., & Sokal, R. R. (1973). Numerical taxonomy. The principles and practice of numerical classification.
- Soenarsih S.DAS., Sudarsono S., H.M.H Bintoro D. & Yudiwanti W.E.K. (2012).
- Soeroso, S. (2012) Nutmeg (*Myrystica* spp.) North Maluku Based on Morphological Diversity, Essential Content, Estimation of Plant Sex and Analysis of SSR Markers. Bogor (ID): Bogor Agricultural University.
- Sokal RR. 1986. Phenetic taxonomy: Theory and Methods. Annu Rev. Ecol. Evol. Syst.17:423-442.
- Stecchini, M.L., I. Sarais, P. Giavedoni. 1993. Effect of essential oils on *Aeromonas hydrophyla* in a culture medium and in cooked pork. J. Food Protection 56(5):406-409.
- Stuessy, T.F. 2009. Plant Taxonomy: The Systematics of Comparative Data (2nd Ed). Columbia University Press. New York
- Sulassih. 2011. Analysis of the relationships between mangosteen (*Garcinia mangostana* L.) using morphological and molecular markers (ISSR) against close relatives. Thesis. Bogor Agricultural Institute. Bogor.
- Suryatini, K.Y. 2011. Analysis of genetic diversity of *Jatropha* (*Jatropha curcas* L) using the ISSR method. Thesis. Udayana University. Denpasar.
- Susandarini, R., Arifati, R., Chasani, A.R. and Subandiyah, S., 2016. The assessment of genetic variability and taxonomic affinity of local pummelo accessions from Yogyakarta, Indonesia based on RAPD. Indonesian Journal of Biotechnology, 19(2), pp.153-158.



- Syafarudin & T.J. Santoso. 2011. Optimization of efficient and effective DNA isolation and purification techniques on sunan candlenut (Reutalis trisperma (Blanco) Airy Shaw). *Journal of Littri* 17(1): 11-17.
- Syahruddin, K. 2012. Analisis keragaman beberapa genotipe durian (Durio zibethinus Murr.) menggunakan penanda morfologi dan molekuler (ISSR). Tesis. Institut Pertanian Bogor. Bogor.
- Tainter, R.D & Grenis, T.A. (1993). Ilmu dan Teknologi Pangan Rempah dan Bumbu. Penerbit VCH, New York, hal.226.
- TALLEI, T. E., & KOLON DAM, B. J. (2015). DNA barcoding of Sangihe Nutmeg (*Myristica fragrans*) using matK gene. *HAYATI Journal of Biosciences*, 22(1), 41-47.
- Tanti Augustina, (2022). Variability and Phenetic Relationships of Nutmeg (*Myristica fragrans* Houtt.)on Sangihe Island Based on Morphological and Inter Simple Sequence Repeat Markers. Master's thesis, Universitas Gadjah Mada.
- Uji, T. (2005). Keanekaragaman jenis dan sumber plasma nutfah Durio (Durio spp.) di Indonesia. *Buletin Plasma Nutfah*, 11(1).
- Umasangaji, A., Johan A. Patty. & A. Rumakamar. (2012). Kerusakan Pala Akibat Serangan Hama Penggerek Batang (Batocera Hercules). *Jurnal Agrologi*. 1(2): 163-169.
- Uslan, U., & PHARMAWATI, M. (2020). Genetic diversity of *Sterculia quadrifida* in Kupang, Indonesia based on RAPD (Random Amplified Polymorphic DNA) markers. *Biodiversitas Journal of Biological Diversity*, 21(7).
- Vanijajiva, O. 2012. The application of ISSR markers in genetic variance detection among durian (Durio zibethinus Murr.) cultivars in the Nonthaburi Province, Thailand. *Procedia Engineering* 32: 155-159.
- Véla E.; Tirard A.; Rinucci M.; Suesh C.M. & Provost E. (2007). Floral Chemical Signatures in the Genus *Ophrys* L. (Orchidaceae): A Preliminary Test of a New Tool for Taxonomy and Evolution. *Plant Molecular Biology Reporter*, Vol. 25, No. 3-4, (December 2007), pp. 83-97, ISSN 0735-9640.
- Vidal JR, Coarer M, Defontain (1999) A Genetic relationships among grapevine varieties grown in different French and Spanish regions based on RAPD markers. *Euphytica* 109:161–172.
- Wahyuni, S., & Bermawie, N. (2020). Yield and fruit morphology of selected high productive Papua nutmeg trees (*Myristica argentea* Warb.). In IOP Conference Series: Earth and Environmental Science (Vol. 418, No. 1, p. 012032). IOP Publishing.
- Weising, K., Nybom, H., Wolff, K., Kahl.G. 2005. DNA Fingerprinting in Plants: Principles, Methods, and Applications (2nd Ed.). Taylor and Francis, London
- Weiss, E.A. (2002) Spices Crops. New York: CABI Publishing.
- Widiastuti, A. 2010. Analisis keragaman genetik manggis (*Garcinia mangostana* L.) hasil iradiasi sinar gamma berdasarkan morfologi, anatomi, dan penanda ISSR. Tesis. Institut Pertanian Bogor. Bogor.



- Widyastuti DA. 2017. Isolation of *Salmonella* sp. chromosomal DNA. and its visualization on agarose gel electrophoresis. National Seminar on Biology and Science Education, 311-317.
- Widyatmoko, A.Y.P.B.C., Lejo, E.S.P., Prasetyaningsih, A. dan Rimbawanto, A. 2010. Keragaman Genetik Populasi Araucaria cunninghamii Menggunakan Penanda RAPD (Random Amplified Polymorphic DNA). Jurnal Pemuliaan Tanaman Hutan, 4 (2): 63-77.
- Wolfe, AD and A. Liston. 1998. Contribution of PCR-based methods to plant systematic and evolutionary biology in Plant Molecular Systematic II. D.E. Soltis, P. Soltis, S. Doyle JJ. (Eds). Kluwer. P.43-86.
- Wolff R. L.; Comps B.; Marpeau A. M. & Deluc L.G. (1997). Taxonomy of *Pinus* species based on the seed oil fatty acid compositions. Trees – Structure and Function, Vol. 12, No. 2, (December 1977), pp. 113-118, ISSN 0931-1890.
- Zhang X, Zhang Y, Yan R, Han G, Hong F, Wang J, Cao K (2010) Genetic variation of white clover (*Trifolium repens* L.) collections from China detected by morphological traits, RAPD and SSR. Afr J Biotechnol 9(21):3032-3041.
- Zulfahmi. 2013. Penanda DNA untuk analisis genetik tanaman. J. Agroteknologi 3(2): 41-52.