

DAFTAR PUSTAKA

- Agustina, S. (2016). *Potensi Likuifaksi dan Prediksi Penurunan Tanah setelah Gempa di Kota Yogyakarta dan Kabupaten Bantul*. Universitas Gadjah Mada.
- Akogul, C., & Celik, O. (2008). Effect of Elastomeric Bearing Modeling Parameters on the Seismic Design of RC Highway Bridges with Precast Concrete Girders. *The 14th World Conference on Earthquake Engineering*. <ftp://jetty.ecn.purdue.edu/spujol/Andres/files/05-02-0036.PDF>
- Amin, A., Islam, M., & Ahamed, M. J. (2020). Base isolation of multi-storied building using lead rubber bearing. *ITEGAM- Journal of Engineering and Technology for Industrial Applications (ITEGAM-JETIA)*, 6(26). <https://doi.org/10.5935/jetia.v6i26.697>
- Ariyanto, D. D., & Untung, D. (2013). Studi daya dukung tiang pancang tunggal dengan beberapa metode analisa. *Jurnal Teknik POMITS*, 1(1), 1–5.
- Asrurifak, M. (2010). *Peta Respon Spektra Indonesia untuk Perencanaan Struktur Bangunan Tahan Peta Respon Spektra Indonesia untuk Perencanaan Struktur Bangunan Tahan Gempa Berdasarkan Model Sumber Gempa Tiga Dimensi dalam (Issue August)*. Institut Teknologi Bandung.
- Asrurifak, M. (2021). *Laporan Final Site Specific Response Spectra (SSRS) Jembatan Kretek II D.I. YOGYAKARTA*.
- Badan Geologi. (2019). *Atlas Zona Kerentanan Likuefaksi Indonesia*. Kementerian Energi Sumber Daya Mineral. <https://doi.org/9786029105780>
- Badan Standardisasi Nasional Indonesia. (2016). SNI 1725:2016 Pembebanan untuk Jembatan. In *Badan Standarisasi Nasional (Vol. 1725)*.
- Badan Standarisasi Nasional Indonesia. (2016). *SNI 2833:2016 Perencanaan Jembatan Terhadap Beban Gempa (2833rd ed.)*.
- Badan Standarisasi Nasional Indonesia. (2017). SNI 8460:2017 Persyaratan Perancangan Geoteknik. In *Persyaratan perancangan geoteknik (Vol. 8460)*.
- Badan Standarisasi Nasional Indonesia. (2019). *SNI 1726:2019 Tata cara perencanaan ketahanan gempa untuk struktur bangunan gedung dan nongedung (Issue 8)*.
- BAPPENAS. (2006). *Preliminary Damage and Loss Assessment Yogyakarta and Central Java Natural Disaster (Issue The 15th Meeting of The Consultative Group on Indonesia)*.
- Bardet, J., & Tobita, T. (2001). *NERA : A Computer Program for Nonlinear Earthquake site Response Analyses of Department of Civil Engineering A Computer Program for Nonlinear Earthquake site Response Analyses of Layered Soil Deposits. February*.
- Bartlett, S. F., & Youd, T. L. (1990). *State-of-the-Art for Assessing Earthquake Hazards in the United States; Report 27: Evaluation of ground failure displacement associated with soil liquefaction: compilation of case histories. S-73-1, 87*.
- Boore, D. M., Stewart, J. P., Seyhan, E., & Atkinson, G. M. (2014). NGA-West2

- Equations for Predicting Response Spectral Accelerations for Shallow Crustal Earthquakes. In *Peer Report* (Vol. 30, Issue 3).
- Boulanger, R. W., & Idriss, I. M. (2012). Probabilistic SPT-based liquefaction triggering procedure. *Journal of Geotechnical and Geoenvironmental Engineering*. [https://doi.org/http://dx.doi.org/10.1061/\(ASCE\)GT.1943-5606.0000700](https://doi.org/http://dx.doi.org/10.1061/(ASCE)GT.1943-5606.0000700)
- Bowles, J. E. (1997). Foundation Analysis and Design International Fifth Edition. In *Civil Engineering Materials* (Fifth). The McGraw-Hill Companies, Inc.
- Bridgestone. (2015). *Seismic Isolation Product Line-up* (Version 20, Vol. 1). Bridgestone Engineered Products of Asia Sdn Bhd. http://www.bridgestone.com/products/diversified/antiseismic_rubber/index.html
- Broms, B. B. (1964). Lateral Resistance of Piles in Cohesionless Soils. *Journal of Soil Mechanics and Foundations Division*, 90(SM2), 123–156.
- Buana, T. W., & Agung, M. W. (2015). Liquefaction Characteristic Based on Ground Response Linier Equivalent Analysis and Cyclic Stress Concept on Young Merapi Volcanic Deposit in Bantul *Jseg.or.Jp*, 1–5. https://www.jseg.or.jp/2015ARC/data/TP2/TP2-10_1072033_1532599.pdf
- Byrne, P. M., Naesgaard, E., & Seid-Karbasi, M. (2006). Analysis and Design of Earth Structures to Resist Seismic Soil Liquefaction. *59th Canadian Geotechnical Conference*.
- Campbell, K. W., & Bozorgnia, Y. (2013). NGA-West2 Campbell-Bozorgnia Ground Motion Model for the Horizontal Components of PGA, PGV, Response Spectra for Periods Ranging from 0.01 to 10 sec, PEER Report 2013/06. In *Peer Report* (Issue May).
- Cetin, K. O., Seed, R. B., Moss, R. E. S., & Der Kiureghian, A. (2000). *Field Case histories for SPT-Based in Situ Liquefaction Potential Evaluation*. August, 471.
- Chen, C. J., & Juang, C. H. (2000). Calibration of SPT- and CPT-based liquefaction evaluation methods. *Proceedings of Sessions of Geo-Denver 2000 - Innovations and Applications in Geotechnical Site Characterization*, GSP 97, 285, 49–64. [https://doi.org/10.1061/40505\(285\)4](https://doi.org/10.1061/40505(285)4)
- Chiou, B. S. J., & Youngs, R. R. (2014). Update of the Chiou and Youngs NGA model for the average horizontal component of peak ground motion and response spectra. In *Peer Report* (Vol. 30, Issue 3). <https://doi.org/10.1193/072813EQS219M>
- Chung, J., & Rogers, J. D. (2017). Deterministic and Probabilistic Assessment of Liquefaction Hazards Using the Liquefaction Potential Index and Liquefaction Reduction Number. *Journal of Geotechnical and Geoenvironmental Engineering*, 143(10). [https://doi.org/10.1061/\(asce\)gt.1943-5606.0001772](https://doi.org/10.1061/(asce)gt.1943-5606.0001772)
- Clayton, C. (1990). SPT energy transmission: theory, measurement and significance. *Ground Engineering*, 23(10), 33–42. <http://eprints.soton.ac.uk/id/eprint/75019>
- Das, B. M., & Sobhan, K. (2013). Principles of Geotechnical Engineering. In *Journal of Chemical Information and Modeling* (Ninth, Vol. 53, Issue 9). Cengage Learning.
- Delitriana, A. (2022). Efektivitas Penggunaan LRB pada Struktur Jembatan. *Webinar HPJI*.
- Direktorat Jenderal Bina Marga. (2016). *Pedoman Praktis Uji Pondasi Tiang Jembatan*.

Kementerian Pekerjaan Umum dan Perumahan Rakyat.

- Direktorat Jenderal Bina Marga. (2017). *Surat Edaran tentang Penyampaian Perubahan Bridge Management System (BMS) Peraturan Perencanaan Teknik Jembatan Volume 1 (Bridge Design Code Section 3, 4 & 5) Nomor 17/SE/Db/2017* (p. 302). Direktorat Jenderal Bina Marga.
- Direktorat Jenderal Bina Marga. (2021). *Aplikasi LINI Binamarga*. <http://lini.binamarga.pu.go.id/>
- Evan, L. T., & Duncan, J. M. (1982). *Simplified Analysis of Laterally Loaded Piles: Vol. UCB/GT/82-*.
- Faculty of Societal Safety Sciences, B. T.-T. F. and T. D. (Ed.). (2018). *Chapter 8 - Liquefaction With the Great East Japan Earthquake* (pp. 147–159). Butterworth-Heinemann. <https://doi.org/https://doi.org/10.1016/B978-0-12-814078-9.00008-X>
- Fadillah, R. M. (2020). *Analisis Kapasitas Dukung Fondasi Bore Pile Pasca Konstruksi dan Keandalannya terhadap Pengaruh Potensi Likuefaksi di Pesisir Selatan Pulau Jawa (Studi Kasus: Proyek Pembangunan Dome Coal Yard PLTU Jawa Tengah 2 Adipala, Cilacap, Jawa Tengah)*. Universitas Gadjah Mada.
- Fathani, T. F., & Wilopo, W. (2017). Seismic microzonation studies considering local site effects for Yogyakarta City, Indonesia. *International Journal of GEOMATE*, 12(32), 152–160. <https://doi.org/10.21660/2017.32.63655>
- Fauzy, A. I. (2021). *Analisis Potensi Likuefaksi Berdasarkan Data CPT Daerah Pantai Samas dan Sekitarnya, Kabupaten Bantul, Daerah Istimewa Yogyakarta*. Universitas Gadjah Mada.
- Gibbs, H., & Holtz, W. (1957). Research on Determining the Density of Sands by Spoon Pénetration Testing. *Fourth International Conference on Soil Mechanics and Foundation Engineering*, 35–39.
- Ginting, T. J. (2019). *Studi Parametrik Efektifitas Lead Rubber Bearing (LRB) Pada Jembatan Beton Bentang Menerus*. Institut Teknologi Bandung.
- Google Earth. (2021). *Citra Satelit Google Earth - Area Jembatan Kretek 2*. <https://earth.google.com/web/>
- Google Earth. (2023). *Citra Satelit Google Earth - Titik Bor Penyelidikan Tanah Jembatan Kretek 2*. <https://earth.google.com/web/>
- Groenendyk, D. G., Ferré, T. P. A., Thorp, K. R., & Rice, A. K. (2015). Hydrologic-process-based soil texture classifications for improved visualization of landscape function. *PLoS ONE*, 10(6). <https://doi.org/10.1371/journal.pone.0131299>
- Hakam, A. (2020). *Analisis Praktis Potensi Likuefaksi : Referensi Untuk Peneliti dan Praktisi* (Issue September). UNAND Press.
- Hansen, J. B. (1961). The Ultimate design of piles against transversal loads. *Geoteknisk Institut (Danish Geotechnical Institute)*, 12, 16. www.geo.dk
- Hardiyatmo, H. C. (2018). *Analisis dan Perancangan Fondasi II* (4th ed.). Gadjah Mada University Press.
- Hardiyatmo, H. C. (2020). *Analisis dan Perancangan Fondasi I* (4th ed.). Gadjah Mada University Press.

- Hasancebi, N., & Ulusay, R. (2006). Evaluation of site amplification and site period using different methods for an earthquake-prone settlement in Western Turkey. *Engineering Geology - ENG GEOL*, 87, 85–104. <https://doi.org/10.1016/j.enggeo.2006.05.004>
- Hashash, Y. M. A., Musgrove, M. I., Harmon, J. A., Ilhan, O., Xing, G., Numanoglu, O., Groholski, D. R., Phillips, C. A., & Park, D. (2020). *DeepSOIL V 7.0-User Manual*. Board of Trustees of University of Illinois at Urbana-Champaign.
- Hendrix, M. S., Thompson, G. R., & Turk, J. (2020). *Earth science : an introduction*.
- Idriss, I. (1990). Response of soft soil sites during earthquakes. *Proc. H. Bolton Seed Memorial Symp.*, 2.
- Idriss, I. M. (1999). An Update of The Seed-Idriss Simplified Procedure For Evaluating Liquefaction Potential. *Transportation Research Board '99 Workshop New Approaches to Liquefaction Analysis*, 37–52.
- Idriss, I. M., & Boulanger, R. W. (2004). Evaluating The Potential for Liquefaction or Cyclic Failure of Silts and Clays. *Neuroscience Letters*, 339(December), 123–126.
- Idriss, I. M., & Boulanger, R. W. (2008). Soil Liquefaction During Earthquakes. *Machinery and Production Engineering*, 160(Earthquake Engineering Research Institute), 43. <https://doi.org/10.1177/136218079700300202>
- Imran, I. (2022). Kriteria dan standar desain struktur atas dan bawah jembatan khusus. *Sosialisasi SOP Dan Pedoman Pembahasan Penyelenggaraan Keamanan Jembatan Dan Terowongan Jalan (Wilayah Sumatera Dan Kalimantan)*, 25–26.
- Indra, A. V., Suryanita, R., & Ismeddiyanto. (2016). Analisis Respons Dinamik Jembatan Rangka Baja Menggunakan Sistem Seismic Isolation Lead Rubber Bearing (LRB). *Jom FTEKNIK*, 3(1), 1–12.
- Ishihara, K. (1985). Stability of natural deposits during earthquakes. *Proc. 11th International Conference on Soil Mechanics and Foundation Engineering, San Francisco, August 1985. Vol. 1, (Balkema)*, 321–376.
- Ishihara, Kenji, & Yoshimine, M. (1992). Evaluation of settlements in sand deposits following liquefaction during earthquakes. *Soils and Foundations*, 32(1), 178–188. <https://doi.org/10.3208/sandf1972.32.173>
- Iwasaki, T., Tokida, K., & Tatsuoka, F. (1981). Soil Liquefaction Potential Evaluation with Use of the Simplified Procedure. *International Conferences on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, 12, 209–214. <https://scholarsmine.mst.edu/icrageesd/01icrageesd/session02/12>
- Jalil, A., Fathani, T. F., Satyarno, I., & Wilopo, W. (2021). Nonlinear site response analysis approach to investigate the effect of pore water pressure on liquefaction in Palu. *IOP Conference Series: Earth and Environmental Science*, 871(1). <https://doi.org/10.1088/1755-1315/871/1/012053>
- Jeongsik, P. (2018). *Nonlinear 3-Dimensional Analysis of Dynamic P-y Curve in Sand* (Issue June) [Yonsei University]. <https://doi.org/10.13140/RG.2.2.15146.93124>
- Juang, C. H., Ching, J., & Luo, Z. (2013). *Assessing SPT-Based Probabilistic Models for Liquefaction Potential Evaluation : A Ten-Year Update*. <https://doi.org/10.1080/17499518.2013.778117>

- Juang, C. H., Ching, J., Luo, Z., & Ku, C. S. (2012). New models for probability of liquefaction using standard penetration tests based on an updated database of case histories. *Engineering Geology*, 133–134(October 2017), 85–93. <https://doi.org/10.1016/j.enggeo.2012.02.015>
- Kanno, T., Narita, A., Morikawa, N., Fujiwara, H., & Fukushima, Y. (2006). A new attenuation relation for strong ground motion in Japan based on recorded data. *Bulletin of the Seismological Society of America*, 96(3), 879–897. <https://doi.org/10.1785/0120050138>
- Kardogan, P. S. O., Isik, N. S., Onur, M. I., & Bhattacharya, S. (2019). A Study on the Laterally Loaded Pile Behaviour in Liquefied Soil Using P-Y Method. *IOP Conference Series: Materials Science and Engineering*, 471(4). <https://doi.org/10.1088/1757-899X/471/4/042015>
- Kawanda, A. (2017a). *Crosshole Sonic Logging (CSL) Report for Shaft D2 P4 P5 P6 P7 Manado Bitung Toll Road Project*.
- Kawanda, A. (2017b). *Pile Driving Analyzer (PDA) Report for Piles D2 P3 R7 & D2 P3 L7 Manado Bitung Toll Road Project*.
- Kementerian Pekerjaan Umum dan Perumahan Rakyat. (2015). *Pedoman Perancangan Bantalan Elastomer untuk Perletakan Jembatan* (10/SE/M/20). Kementerian Pekerjaan Umum dan Perumahan Rakyat.
- Kerciku, A. A., Bhattacharya, S., Lubkowski, Z. A., & Burd, H. J. (2008). Failure of Showa Bridge During the 1964 Niigata Earthquake: Lateral Spreading or Buckling Instability? *The 14 Th World Conference on Earthquake Engineering, October 2014*, 8. http://www.iitk.ac.in/nicee/wcee/article/14_06-0165.PDF
- Kosasi, M., Wijaya, D. H., & Budi, G. S. (2015). Korelasi Daya Dukung Pondasi Tiang Antara Static Loading Test Dengan Pile Driving Analyzer. *Jurnal Dimensi Pratama Teknik Sipil*. <http://studentjournal.petra.ac.id/index.php/teknik-sipil/article/view/2599>
- Krishna, A. M., & Madhav, M. R. (2009). Engineering of Ground for Liquefaction Mitigation Using Granular Columnar Inclusions: Recent Developments. *American Journal of Engineering and Applied Sciences*, 2(3). <https://doi.org/10.3844/ajeassp.2009.526.536>
- Kristian, Y. (2013). *Analisis Respon Dinamik Tanah yang Berpotensi Likuefaksi di Kawasan Kabupaten Bantul*. Universitas Gadjah Mada.
- Ku, C. S., Juang, C. H., Chang, C. W., & Ching, J. (2011). Probabilistic version of the robertson and wride method for liquefaction evaluation: Development and application. *Canadian Geotechnical Journal*, 49(1), 27–44. <https://doi.org/10.1139/T11-085>
- Lee, D. H., Ku, C. S., & Yuan, H. (2004). A study of the liquefaction risk potential at Yuanlin, Taiwan. *Engineering Geology*, 71(1–2), 97–117. [https://doi.org/10.1016/S0013-7952\(03\)00128-5](https://doi.org/10.1016/S0013-7952(03)00128-5)
- Likins, G. (2004). *Pile Testing - Selection and Economy of Safety Factors*. 40743(July 2004), 239–252. [https://doi.org/10.1061/40743\(142\)14](https://doi.org/10.1061/40743(142)14)
- Look, B. G. (2007). *Handbook of Geotechnical Investigation and Design Tables* (Vol. 4, Issue 1). Taylor & Francis Group.

- Magdatama. (2021a). *Magda Elastomer Bearing*. PT Magdatama Multi Usaha. <https://magdatama.co.id/pt-magdatama-brosur-magda-elastomer-bearing-pad/>
- Magdatama. (2021b). *Magda LRB* (Vol. 2). PT Magdatama Multi Usaha. <https://magdatama.co.id/pt-magdatama-brosur-magda-lrb/>
- Mase, L. Z. (2013). *Analisis Potensi Likuifaksi Di Kali Opak Imogiri Daerah Istimewa Yogyakarta (Studi Eksperimental dan Analisis Empiris)*. Universitas Gadjah Mada.
- Mase, L. Z. (2017a). Experimental Liquefaction Study of Southern Yogyakarta Using Shaking Table. *Jurnal Teknik Sipil ITB*, 24(1), 11–18. <https://doi.org/10.5614/jts.2017.24.1.2>
- Mase, L. Z. (2017b). Liquefaction potential analysis along coastal area of Bengkulu province due to the 2007 Mw 8.6 Bengkulu earthquake. *Journal of Engineering and Technological Sciences*, 49(6), 721–736. <https://doi.org/10.5614/j.eng.technol.sci.2017.49.6.2>
- Mase, L. Z., Fathani, T. F., & Adi, A. D. (2021). A simple shaking table test to measure liquefaction potential of prambanan area, yogyakarta, Indonesia. *ASEAN Engineering Journal*, 11(3), 89–108. <https://doi.org/10.11113/AEJ.V11.16874>
- Maulana, A., Ahmad, R., & Fikri, F. (2020). Liquefaction potential analysis on runway construction based on soil engineering properties. *4th ICEEDM 2019, 02003*, 3–8. <https://doi.org/https://doi.org/10.1051/e3sconf/202015602003>
- Maurer, B. W., Green, R. A., Cubrinovski, M., & Bradley, B. A. (2014). Evaluation of the Liquefaction Potential Index for Assessing Liquefaction Hazard in Christchurch, New Zealand. *Journal of Geotechnical and Geoenvironmental Engineering*, 140(7). [https://doi.org/10.1061/\(asce\)gt.1943-5606.0001117](https://doi.org/10.1061/(asce)gt.1943-5606.0001117)
- Mertadiwangsa, B. (2021). *Testing Report Crosshole Sonic Logging Pile Integrity Testing Jembatan Kretek Kali Opak Bantul - Yogyakarta*.
- Minno, M., Persio, R., & Petrella, F. (2015). Finite element modeling of a piled raft for a tall building on cohesionless soil. *Geotechnical Engineering for Infrastructure and Development - Proceedings of the XVI European Conference on Soil Mechanics and Geotechnical Engineering, ECSMGE 2015*, 7(March), 4019–4024.
- Morita, T., Iai, S., Hanlong, L., Ichii, K., & Sato, Y. (1997). *Simplified Parameter to Determine Parameter of FLIP, Technical Report, TR No. 869*.
- New Zealand Geotechnical Society. (2005). *Field description of Soil and rock - Guideline for the field classification and description of soil and rock for engineering purpose. December*, pp.3-38. <https://www.nzgs.org/libraries/field-description-of-soil-and-rock/>
- Nurdin, S. (2021). *Study Forensic Terhadap Kerusakan Struktur Akibat Likuifaksi Pada Gempa Palu 2018 di Sulawesi Tengah*.
- O'Neill, M. W., & Reese, L. C. (1989). New Design Method for Drilled Shaft From Common Soil and Rock Tests. In *Foundation Engineering - Current Principles and Practices* (pp. 1026–1039).
- Pacific Earthquake Engineering Research Center. (2014). *PEER Ground Motion Database*. <https://ngawest2.berkeley.edu/>
- Pertiwi, B. S. (2019). *Evaluasi Kuat Dukung Fondasi Tiang Bor terhadap Potensi*

- Likuefaksi Studi Kasus: Gedung Main Powerhouse Yogyakarta International Airport*. Universitas Gadjah Mada.
- Port and Harbour Research Institute. (1997). Handbook on liquefaction remediation of reclaimed land. In Port and Harbour Research Institute (Ed.), *Handbook on liquefaction remediation of reclaimed land*. A.A. Balkema.
- Pudjianto, H. (2021a). *Laporan Pengujian Beban Statik Lateral Proyek LOT3 Jembatan Kretek 2 Bantul - Yogyakarta Bore Pile Diameter 1000 MM Pile No P1-9*.
- Pudjianto, H. (2021b). *Laporan Pengujian Dinamis (PDA Test) Proyek LOT3 Jembatan Kretek 2 Bantul - Yogyakarta Bore Pile Diameter 100 CM*.
- Pusat Gempabumi dan Tsunami. (2019). *Katalog Gempabumi Signifikan dan Merusak 1821-2018*. Badan Meteorologi Klimatologi dan Geofisika.
- Pusat Studi Gempa Nasional. (2017). *Peta Sumber dan Bahaya Gempa Indonesia Tahun 2017*. Kementerian Pekerjaan Umum dan Perumahan Rakyat.
- Rahardjo, W., Sukandarrumidi, & Rosidi, H. M. D. (1977). Geologic Map of The Yogyakarta Quadrangle, Java. In *Direktorat Geologi, Departemen Pertambangan, Republik Indonesia*.
- Reese, L. C., & Wright, S. J. (1977). *Drilled Shaft Manual, Volume I, Construction Procedures and Design for Axial Loading*.
- Reese, Lymon C, Touma, F. T., & O'Neill, M. W. (1977). Behaviour of Drilled Piers Under Axial Loading. *Journal of Geotechnical and Geoenvironmental Engineering*, 102, 493–510.
- Reiter, L. (1990). *Earthquake Hazard Analysis: Issues and Insight*. Columbia University Press.
- Rostami, R., B. Mickovski, S., Hytiris, N., & Bhattacharya, S. (2021). The Dynamic Behaviour of Pile Foundations in Seismically Liquefiable Soils: Failure Mechanisms, Analysis, Re-Qualification. *Earthquakes - From Tectonics to Buildings, December*. <https://doi.org/10.5772/intechopen.94936>
- Saido, A. P., Kristiawan, S. A., & Zakariya, A. (2011). Penilaian Kondisi dan Penyusunan Sistem Informasi Geografis Jembatan Rangka Baja dengan Bantuan ArcGIS 9.2 (Studi Kasus Jembatan Rangka Baja Kabupaten Sukoharjo). *Forum Ilmiah Tahunan (FIT) 2011 - Ikatan Surveyor Indonesia*, 128–145. <https://www.ptonline.com/articles/how-to-get-better-mfi-results>
- Saiful Islam, A. B. M., Jumaat, M. Z., Hussain, R. R., Hosen, M. A., & Huda, M. N. (2015). Incorporation preference for rubber-steel bearing isolation in retrofitting existing multi storied building. *Computers and Concrete*, 16(4), 503–529. <https://doi.org/10.12989/cac.2015.16.4.503>
- Sari, E. K. (2017). *Perancangan Fondasi Tiang Bor pada Jembatan Kretek 2 Bantul, Yogyakarta*. Universitas Gadjah Mada.
- Satuan Kerja Pelaksanaan Jalan Nasional Wilayah Provinsi DIY. (2021a). *Laporan Pekerjaan Lapangan : Gambar Kerja Jembatan Kretek 2*.
- Satuan Kerja Pelaksanaan Jalan Nasional Wilayah Provinsi DIY. (2021b). *Laporan Pekerjaan Lapangan Survey Downhole Seismik*.

- Satuan Kerja Pelaksanaan Jalan Nasional Wilayah Provinsi DIY. (2021c). *Laporan Survei Penyelidikan Tanah : Pembangunan Jembatan Kretek 2, Jogjakarta.*
- Satuan Kerja Pelaksanaan Jalan Nasional Wilayah Provinsi DIY. (2021d). *Uji Paritan Sesar Aktif Opak di Jembatan Kretek II , Yogyakarta.*
- Seed, H. B., & Idriss, I. M. (1970). *A Simplified Procedure for Evaluating Soil Liquefaction Potential* (Issue November). University of California.
- Sekretaris Daerah Provinsi Sulawesi Utara. (2019). *Peraturan Gubernur Sulawesi Tengah Nomor 10 Tahun 2019: Rencana Rehabilitasi dan Rekonstruksi Pascabencana* (Vol. 10). Pemerintah Provinsi Sulawesi Tengah.
- Setiawan, K. (2022). *Mengenal Lead Rubber Bearing (LRB) Produksi Dalam Negeri* (Webinar Civil Bridge Engineer).
- Skempton, A. W. (1986). Standard penetration test procedures and the effects in sands of overburden pressure, relative density, particle size, ageing and overconsolidation. *Geotechnique*, 36, 425–447.
- Soebowo, E., Tohari, A., & Sarah, D. (2009). Potensi Likuifaksi Akibat Gempabumi Berdasarkan Data Cpt Dan N-Spt Di Daerah Patalan Bantul, Yogyakarta. *Jurnal Riset Geologi Dan Pertambangan*, 19(2), 85. <https://doi.org/10.14203/risetgeotam2009.v19.25>
- Soebowo, E., Tohari, A., & Sarah, D. (2007). Studi Potensi Likuifaksi di Daerah Zona Patahan Opak Patalan - Bantul, Jogjakarta. *Prosiding Seminar Geoteknologi Kontribusi Ilmu Kebumihan Dalam Pembangunan Berkelanjutan*, 0(0), 57–65.
- Sonmez, H., & Gokceoglu, C. (2005). A liquefaction severity index suggested for engineering practice. *Environmental Geology*, 48(1), 81–91. <https://doi.org/10.1007/s00254-005-1263-9>
- Sukmana, F., & Vaza, H. (2008). Jembatan Indonesia : Sekarang dan Mendatang. *Konferensi Regional Teknik Jalan Ke-10*, 5.
- Supartoyo. (2006). Gempabumi Yogyakarta Tanggal 27 Mei 2006. *Buletin Berkala Merapi*, 3(2), 36–55.
- Suryadi, T., Delitriana, A., Fukar, Z., & Tjendana, R. (2020). Seismic isolation system of two hinged arch suspended-deck bridge: A case study on Kalikuto bridge-Indonesia. *E3S Web of Conferences*, 156. <https://doi.org/10.1051/e3sconf/202015605024>
- Tandirerung, R. (2017). *Kajian Potensi Likuifaksi di Daerah Pantai Pandansimo, Bantul, Daerah Istimewa Yogyakarta*. Universitas Gadjah Mada.
- Taruna, R. M., Rohadi, S., Rudyanto, A., & Heryanto, D. T. (2018). Determining Ground Motion Prediction Equations (GMPEs) Using Euclidean and Likelihood Method for East Java. *Jurnal Meteorologi Dan Geofisika*, 17(3), 177–190. <https://doi.org/10.31172/jmg.v17i3.357>
- Terzaghi, K., Peck, R. B., & Mesri, G. (1996). *Soil Mechanics in Engineering Practice*. In John wiley & sons Inc. John wiley & sons Inc.
- Testindo. (2018). *Pengujian Crosshole Sonic Logging Test di Jembatan Pulau Balang II*. <https://testindo.com/article/425/pengujian-csl-cross-hole-sonic-logging-jembatan-pulau-balang>

- Tjje-liong, G. (2011). *Sonic Logging VS PIT untuk Mendeteksi Integritas Pondasi Tiang*. 9, 1031–1045.
- Tjun Nji, L. (2015). *PDA Test*. <https://lauwtjunnji.weebly.com/pda-test.html>
- Towhata, I., Wu, W., & Borja, R. I. (2008). Geotechnical Earthquake Engineering. In *Springer Series in Geomechanics and Geoengineering* (Vol. 1). <https://doi.org/10.2113/gseegeosci.iii.1.158>
- Tsuchida, T. (1970). Prediction and Countermeasure against Liquefaction in Sand Deposits. *Seminar of the Port and Harbour Research Institute, Ministry of Transport, Yokosuka, Japan*, 3.1-3.33.
- Verdugo, R., Sitar, N., Frost, J. D., Bray, J. D., Candia, G., Eldridge, T., Hashash, Y., Olson, S. M., & Urzua, A. (2012). Seismic performance of earth structures during the February 2010 Maule, Chile, earthquake: Dams, levees, tailings dams, and retaining walls. *Earthquake Spectra*, 28(SUPPL.1). <https://doi.org/10.1193/1.4000043>
- Xiao, M., Qiu, T., Khosrojerdi, M., Basu, P., & Withiam, J. L. (2016). Synthesis and Evaluation of the Service Limit State of Engineered Fills for Bridge Support. *Federal Highway Administration, FHWA-HRT-1*(February), 151. <https://www.fhwa.dot.gov/publications/research/infrastructure/structures/bridge/15080/15080.pdf>
- Yegian, M. K., & Vitelli, B. M. (1981). Analysis for Liquefaction : Empirical Approach. *International Conferences on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, Int. Conf. Recent Adv. Geotech. Earthq. Eng. Soil Dyn.*, 1–6.
- Youd, T. L., Tinsley, J. C., Perkins, D. M., King, E. J., & Preston, R. F. (1979). Liquefaction Potential Map of San Fernando Valley, California. *Geological Survey Circular (United States)*, 807, 37–48.
- Youd, T. Leslie, & Perkins, D. M. (1978). Mapping Liquefaction-Induced Ground Failure Potential. *ASCE J Geotech Eng Div*, 104(4), 433–446. <https://doi.org/10.1061/ajgeb6.0000612>
- Zakariya, A. (2022). Laporan Kegiatan Magang : LOT 3 – Pembangunan Jembatan Kretek 2. In *Universitas Gadjah Mada*.
- Zakariya, A., Rifa'i, A., & Ismanti, S. (2022a). Behaviour of Axial Bearing Pile under Liquefaction Condition Based on Empirical and 3D Numerical Simulation. *Semnas Nasional Dan Pameran Ke-2 Metode Dan Teknologi Bidang Konstruksi*. 7 Desember. Semarang: Politeknik PU.
- Zakariya, A., Rifa'i, A., & Ismanti, S. (2022b). Comparative Analysis of Liquefaction Potential , Reduction Number , Risk , Severity , and Displacement Index on Medium- Dense Cohesionless Soil. *26th PIT HATTI*. 9 November. Jakarta: Himpunan Ahli Teknik Tanah Indonesia
- Zakariya, A., Rifa'i, A., & Ismanti, S. (2022c). Ground Motion and Liquefaction Study at Opak River Estuary Bantul. *5th International Conference on Eartquake Engineering and Disaster Mitigation*. 28 September 2022. Yogyakarta: Universitas Gadjah Mada.
- Zakariya, A., Rifa'i, A., & Ismanti, S. (2022d). Seismic load reduction on the bridge over

- liquefaction vulnerability zone by lead rubber bearing. *7th International Conference on Sustainable Built Environment (ICSBE)*. 15 November 2022. Yogyakarta: Universitas Islam Indonesia.
- Zakariya, A., Rifa'i, A., Ismanti, S., & Hidayat, M. S. (2022). Axial and lateral bearing capacity assessment of bored piles on medium-dense sand and liquefiable potential based on numerical simulation. *2nd International Symposium on Civil Engineering and Environmental Research*. 25 Oktober 2022. Banjarmasin: Universitas Lambung Mangkurat.
- Zaw, M. T., & Yu, K. T. (2008). Stability Analysis of A Tall Building with Mat Foundation over Sandy Soil with Soil-Structure Interaction Approach. *2nd International Conference on Built Environment in Developing Countries 2008, Icbecdc*, 362–391.
- Zhang, G., Robertson, P. K., & Brachman, R. W. I. (2004). Estimating Liquefaction-Induced Lateral Displacements Using the Standard Penetration Test or Cone Penetration Test. *Journal of Geotechnical and Geoenvironmental Engineering*, 130(8), 861–871. [https://doi.org/10.1061/\(asce\)1090-0241\(2004\)130:8\(861\)](https://doi.org/10.1061/(asce)1090-0241(2004)130:8(861))
- Zulkifli, E. (2018). *Modul Kuliah SI-6112 Rekayasa Jembatan : Bridge Dynamics*.