

## DAFTAR PUSTAKA

- Agah, H. R. (2009). Evaluation of Pedestrian Characteristics for Different Type of Facilities and its Uses. *Most*.
- Agah, H. R., & Widjajanti, E. (1987). Efisiensi Pemanfaatan Fasilitas Prasarana Pejalan Kaki Daerah Urban. *Konferensi Tahunan Teknik Jalan Ke-3*,.
- Al-Azzawi, M., & Raeside, R. (2007). Modeling Pedestrian Walking Speeds on Sidewalks. *Journal of Urban Planning and Development*, 133(3), 211–219. [https://doi.org/10.1061/\(asce\)0733-9488\(2007\)133:3\(211\)](https://doi.org/10.1061/(asce)0733-9488(2007)133:3(211))
- Althoff, T., Hicks, J. L., King, A. C., Delp, S. L., Biohub, Z., & Francisco, S. (2018). Large-scale physical activity data reveal worldwide activity inequality. *Nature*, 547(7663), 336–339. <https://doi.org/10.1038/nature23018>. Large-scale
- Ambarwati, L., & Indriatuti, A. K. (2006). Pengaruh Kegiatan Lain pada Trotoar terhadap Tingkat Pelayanan Trotoar dan Karakteristik Berjalan Pejalan Kaki : Studi Kasus di Pusat Kota Malang. *Jurnal Transportasi*, 6(1), 51–62.
- Amprasi, V., Politis, I., Nikiforiadis, A., & Basbas, S. (2020). Comparing the microsimulated pedestrian level of service with the users' perception: The case of Thessaloniki, Greece, coastal front. *Transportation Research Procedia*, 45(2019), 572–579. <https://doi.org/10.1016/j.trpro.2020.03.055>
- Ardina, I. (2017). *Kenapa penduduk Indonesia malas jalan kaki*. Lokadata. <https://lokadata.id/artikel/kenapa-penduduk-indonesia-malas-jalan-kaki>
- Banerjee, A., & Maurya, A. K. (2020). Comparative study of pedestrians' movement on different types of pedestrian sidewalks in Sikkim, Gangtok. *Lecture Notes in Civil Engineering*, 45, 3–17. [https://doi.org/10.1007/978-981-32-9042-6\\_1](https://doi.org/10.1007/978-981-32-9042-6_1)
- Banerjee, A., Maurya, A. K., & Lämmel, G. (2018). Pedestrian flow characteristics and level of service on dissimilar facilities: A critical review. *Collective Dynamics*, 3, 1–52. <https://doi.org/10.17815/cd.2018.17>
- Bargegol, I., Moghaddam Gilani, V. N., & Farghedayn, S. (2014). Analysis of the effect of vehicles conflict on pedestrian's crossing speed in signalized and un-signalized intersection. *Advances in Environmental Biology*, 8(21), 502–509.
- Brilon, W. (1994). *a New German Highway Capacity Manual*. 1, 151–169. <https://trid.trb.org/view/415224>
- Brogan, D. C., & Johnson, N. L. (2003). Realistic human walking paths. *Proceedings - IEEE Workshop on Program Comprehension, 2003-Janua*, 94–101. <https://doi.org/10.1109/CASA.2003.1199309>
- Buckley, A., Lowry, M. B., Brown, H., & Barton, B. (2013). Evaluating safe routes to school events that designate days for walking and bicycling. *Transport Policy*, 30, 294–300. <https://doi.org/10.1016/j.tranpol.2013.09.021>
- Budiarto, A., Purnomo, A. B., Nurhikmah, N., & Purnomo, A. B. (2019). Persepsi Pejalan Kaki Dengan Keberadaan Pedestrian Di Path Studi Kasus: Kawasan Pasar Minggu, Jakarta. *Jurnal Penelitian Dan Karya Ilmiah Lembaga Penelitian Universitas Trisakti*, 4(1), 41–46. <https://doi.org/10.25105/pdk.v4i1.4029>
- Burstedde, C., Klauck, K., Schadschneider, A., & Zittartz, J. (2001). Simulation of pedestrian dynamics using a two-dimensional cellular automaton. *Physica A: Statistical Mechanics and Its Applications*, 295(3–4), 507–525. [https://doi.org/10.1016/S0378-4371\(01\)00141-8](https://doi.org/10.1016/S0378-4371(01)00141-8)
- Campisi, T., Canale, A., Tesoriere, G., Lovric, I., & Čutura, B. (2019). The importance

- of assessing the level of service in confined infrastructures: Some considerations of the old ottoman Pedestrian bridge of mostar. *Applied Sciences (Switzerland)*, 9(8). <https://doi.org/10.3390/app9081630>
- Cao, Z., Qin, Y., & Xie, Z. (2019). Research on Classification Methods of LOS for Urban Rail Transit Stations Passages. *Proceedings - 2018 Prognostics and System Health Management Conference, PHM-Chongqing 2018, October*, 264–269. <https://doi.org/10.1109/PHM-Chongqing.2018.00052>
- Chandra, S., & Bharti, A. K. (2013). Speed Distribution Curves for Pedestrians During Walking and Crossing. *Procedia - Social and Behavioral Sciences*, 104, 660–667. <https://doi.org/10.1016/j.sbspro.2013.11.160>
- Chen, H. C., Chen, W. J., & Zhou, Y. (2013). Estimation of chromaticity coordinates for LEDs array by modulation of red or yellow LEDs with artificial neural network. *Proceedings - 2013 9th International Conference on Intelligent Information Hiding and Multimedia Signal Processing, IIH-MSP 2013, July*, 88–91. <https://doi.org/10.1109/IIH-MSP.2013.31>
- Chen, S., Fu, L., Fang, J., & Yang, P. (2019). The effect of obstacle layouts on pedestrian flow in corridors: An experimental study. *Physica A: Statistical Mechanics and Its Applications*, 534, 122333. <https://doi.org/10.1016/j.physa.2019.122333>
- Chen, X., Ye, J., & Jian, N. (2010). Relationships and characteristics of pedestrian traffic flow in confined passageways. *Transportation Research Record*, 2198, 32–40. <https://doi.org/10.3141/2198-05>
- Christensen, K., Chen, A., & Sadra Sharifi, M. (2016). *Analysis of walking facility performance guidelines for individuals with disabilities FINAL REPORT*. [https://wmich.edu/sites/default/files/attachments/u883/2017/TRCLC\\_15\\_12\\_Report.pdf](https://wmich.edu/sites/default/files/attachments/u883/2017/TRCLC_15_12_Report.pdf)
- Daamen, W., & Hoogendoorn, S. P. (2003). Experimental Research of Pedestrian Walking Behavior. *Transportation Research Record*, 2003(1828), 20–30. <https://doi.org/10.3141/1828-03>
- Dabbs, J. M., & Stokes, N. A. (1975). Beauty is Power: The Use of Space on the Sidewalk. *Sociometry*, 38(4), 551. <https://doi.org/10.2307/2786367>
- Dampang, S., Ramayanti, C., & Nugraha, B. (2018). Studi Tentang Keamanan Pejalan Kaki di Kampus Unsika Menggunakan Uji Wilcoxon Signed Rank dan Aplikasi SPSS. *JTERA (Jurnal Teknologi Rekayasa)*, 3(2), 273. <https://doi.org/10.31544/jtera.v3.i2.2018.273-278>
- Darat, D. P. (1997). *Perekayasaan Fasilitas Pejalan Kaki Di Wilayah Kota*.
- Das, P., Parida, M., & Katiyar, V. K. (2015). Analysis of interrelationship between pedestrian flow parameters using artificial neural network. *Journal of Medical and Biological Engineering*, 35(6), 298–309. <https://doi.org/10.1007/s40534-015-0088-9>
- Davis, D. G., & Braaksma, J. P. (1988). Adjusting for luggage-laden pedestrians in airport terminals. *Transportation Research Part A: General*, 22(5), 375–388. [https://doi.org/10.1016/0191-2607\(88\)90014-3](https://doi.org/10.1016/0191-2607(88)90014-3)
- Dewanti, Istikhomah, A. N., & Priyanto, S. (2019). ANALISIS TINGKAT KEPUASAN PESEPEDA YANG MENGGUNAKAN FASILITAS LAJUR KHUSUS SEPEDA JL. VETERAN – JL. PEMUDA KLATEN. *Jurnal Syntax Admiration*, 3(10).
- Dictionary, S. M. (2011). *analytical study*. The Free Dictionary [Internet].
- Dowling, R., Flannery, A., Landis, B., Petritsch, T., Roupail, N., & Ryus, P. (2008). Multimodal level of service for urban streets. In *Transportation Research Record (Issue 2071)*. <https://doi.org/10.3141/2071-01>

- Dridi, M. H. (2015). List of Parameters Influencing the Pedestrian Movement and Pedestrian Database. *International Journal of Social Science Studies*, 3(4), 93–106. <https://doi.org/10.11114/ijsss.v3i4.870>
- East, M., Watt, J., & Stephenson, G. (2000). *A brief history of the evolution of transportation over time.* 1–5. <https://www.centrostudisubalpino.it/lang1/files/Brief-hystory-of-transport.pdf>
- Emtenan, A. M. T. (2017). Pedestrian Flow Characteristics Under Heterogeneous Traffic Conditions. *American Journal of Civil Engineering*, 5(5), 282. <https://doi.org/10.11648/j.ajce.20170505.13>
- Ereti, M. Y. (2010). *History of Highway Capacity Manual.*
- Fadhilah, S. R., & Wibowo, S. S. (2020). *Calibration and Validation of Walking Behavior Parameter (Case Study: Sky Bridge of Sultan Mahmud Badaruddin II Airport, Palembang).* 193(Istsd 2019), 46–51. <https://doi.org/10.2991/aer.k.200220.010>
- Fadilah, S. R. (2019). *Analisis Tingkat Pelayanan Stasiun Lrt Dan Sky Bridge Bandara Sultan Mahmud Badaruddin Ii Palembang.* (Vol. 25017045). ITB.
- Feng, Y., Duives, D., Daamen, W., & Hoogendoorn, S. (2021). Data collection methods for studying pedestrian behaviour: A systematic review. *Building and Environment*, 187(September 2020), 107329. <https://doi.org/10.1016/j.buildenv.2020.107329>
- FHWA. (2009). *Speed Concepts : Informational Guide* (Patent No. FHWA-SA-10-001). FHWA.
- Fikroturrofiyah. (2014). Hipotesis Penelitian. *Eureka Pendidikan*, June. <https://doi.org/10.13140/RG.2.2.11440.17927>
- Frazila, R. B., Zukhruf, F., Nawassa, K., Jihanny, J., Zusman, E., Nakano, R., & Nugroho, S. B. (2018). Performance Evaluation of Pedestrian Facilities from Pedestrian and Vehicular User Perspectives. *Journal of the Eastern Asia Society for Transportation Studies*, Volume 12, 1252–1265.
- Friis, C., & Svensson, L. (2013). *Pedestrian Microsimulation.* Chalmers University of Technology.
- Fruin, J. (1971). Pedestrian and Planning Design. *Metropolitan Association of Urban Designers and Environmental Planners. 1971Library of Congress Catalogue Number 70-159312 (Elevator World Inc. Educational Services Division. PO Box 6507, 354 Morgan Avenue, Mobile, Alabama 36606)),* 1–15.
- Fu, L., & Zou, N. (2016). The influence of pedestrian countdown signals on children's crossing behavior at school intersections. *Accident Analysis and Prevention*, 94, 73–79. <https://doi.org/10.1016/j.aap.2016.05.017>
- Galiza, R., & Ferreira, L. (2012). Developing standard pedestrian-equivalent factors. *Transportation Research Record*, 2299, 166–173. <https://doi.org/10.3141/2299-18>
- Galiza, R. J., Ferreira, L., & Charles, P. (2010). Apples and oranges: Exploring the effects of composition on pedestrian flow. *ATRF 2010: 33rd Australasian Transport Research Forum*, May 2014.
- Galiza, R. J., Ferreira, L., & Ferreira, L. (2014). *Developing Standard Pedestrian Equivalent ( SPE ) Factors : A PCE Approach for Dealing with Pedestrian Diversity Developing Standard Pedestrian Equivalent ( SPE ) Factors : A PCE Approach for Dealing with Pedestrian Diversity.* January 2012.
- Gao, Y., Zhuang, Y., Dong, F., Peng, F., Zhang, P., Yang, L., & Ni, Y. (2020). Experimental study on the effect of trolley case on unidirectional pedestrian flow. *Physica A: Statistical Mechanics and Its Applications*, 544, 122670. <https://doi.org/10.1016/j.physa.2019.122670>
- Geistefeldt, J. (2010). Consistency of stochastic capacity estimations. *Transportation*

- Research Record*, 2173, 89–95. <https://doi.org/10.3141/2173-11>
- Gitelman, V., Levi, S., Carmel, R., Korchatov, A., & Hakkert, S. (2019). Exploring patterns of child pedestrian behaviors at urban intersections. *Accident Analysis and Prevention*, 122(July 2018), 36–47. <https://doi.org/10.1016/j.aap.2018.09.031>
- Goffman, E. (1971). *RELATIONS IN PUBLIC : Microstudies of the Public Order* (2nd ed.). Basic Books, Inc., Publishers. <http://library1.nida.ac.th/termpaper6/sd/2554/19755.pdf>
- Gogtay, N. J., & Thatte, U. M. (2017). Principles of correlation analysis. *Journal of Association of Physicians of India*, 65(MARCH), 78–81.
- Golkar, N., Sadeghpour, A., & Divandari, J. (2021). Drawing inspiration from the spine, designing a pedestrian bridge [spine-inspired design of a pedestrian bridge]. *Journal of Architecture and Urbanism*, 45(2), 119–130. <https://doi.org/10.3846/jau.2021.13369>
- Golson, H. L., & James M. Dabbs, J. (1972). *Line-following Tendencies Among Pedestrians: A Sex Difference* Hodges.
- Gore, N., Dave, S., Shah, J., Arkatkar, S., & Pulugurtha, S. (2021). Effect of On-Street parking on pedestrian flow characteristics and level of service - an Indian viewpoint. *Case Studies on Transport Policy*, 9(3), 1386–1398. <https://doi.org/10.1016/j.cstp.2021.07.012>
- Gore, N., Dave, S., Shah, J., Jain, M., Rathva, D., & Garg, V. (2020). Comparative analysis of pedestrian walking speed on sidewalk and carriageway. *Lecture Notes in Civil Engineering*, 45(January 2020), 65–76. [https://doi.org/10.1007/978-981-32-9042-6\\_6](https://doi.org/10.1007/978-981-32-9042-6_6)
- Greenshield, B. D. (1935). A Study of Traffic Capacity. *Highway Research Board*, 14, 448–477.
- Gulivindala, P., & Mehar, A. (2018). Analysis of side friction on urban arterials. *Transport and Telecommunication*, 19(1), 21–30. <https://doi.org/10.2478/ttj-2018-0003>
- Gunn, S. (2018). The history of transport systems in the UK. *Government Office for Science Foresight*, 1–36. [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/761929/Historyoftransport.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/761929/Historyoftransport.pdf)
- Haghani, M., & Sarvi, M. (2018). Crowd behaviour and motion: Empirical methods. *Transportation Research Part B: Methodological*, 107, 253–294. <https://doi.org/10.1016/j.trb.2017.06.017>
- Hagos, K. G., Adnan, M., & Yasar, A. ul H. (2020). Effect of sidewalk vendors on pedestrian movement characteristics: A microscopic simulation study of Addis Ababa, Ethiopia. *Cities*, 103(May), 102769. <https://doi.org/10.1016/j.cities.2020.102769>
- Hanafi, R. (2022). *Sejarah Jalan Malioboro : Bagian dari ' Sangkan Paraning Dumadi '* . Detik.Com. <https://www.detik.com/jateng/jogja/d-5910982/sejarah-jalan-malioboro-bagian-dari-sangkan-paraning-dumadi>
- Handoko, B. (2019). *ANALISIS PENYALAHGUNAAN TROTOAR DI BEBERAPA JALAN DI KOTA MEDAN (Studi Kasus)*. Universitas Muhammadiyah Sumatera Utara.
- Harsono, K., Arsandrie, Y., Setiawan, W., Studi, P., Arsitektur, T., Teknik, F., & Surakarta, U. M. (2013). Identifikasi Kenyamanan Pejalan Kaki Di City Walk Jalan Slamet Riyadi di Surakarta. *Sinetika*, 13(1), 33–42.
- Helbing, D., & Molnár, P. (1995). Social force model for pedestrian dynamics. *Physical*



- Review E, 51(5), 4282–4286. <https://doi.org/10.1103/PhysRevE.51.4282>
- Hendrawan, C., & Dwisusanto, Y. B. (2017). KONSEP ACTIVE LIVING DALAM PERANCANGAN JALUR PEDESTRIAN. *Teknik Arsitektur*, 2(2), 15–32. [https://www.google.com/url?sa=i&url=https%3A%2F%2Fjournal.unwira.ac.id%2Findex.php%2FARTEKS%2Farticle%2Fdownload%2F38%2F21%2F&psig=AOvVaw20sdEYljadF50ukZjJ\\_Kre&ust=1639400883909000&source=images&cd=vfe&ved=0CA0Q3YkBahcKEwiYkt6vqt70AhUAAAAAHQAAAAAQCCQ](https://www.google.com/url?sa=i&url=https%3A%2F%2Fjournal.unwira.ac.id%2Findex.php%2FARTEKS%2Farticle%2Fdownload%2F38%2F21%2F&psig=AOvVaw20sdEYljadF50ukZjJ_Kre&ust=1639400883909000&source=images&cd=vfe&ved=0CA0Q3YkBahcKEwiYkt6vqt70AhUAAAAAHQAAAAAQCCQ)
- Hendrawan, H. (2020). Peak Hour Factor At Urban Road Network System With Fixed Hourly Interval and Moving Hourly Interval (a Case Study At Urban Road in Cimahi City). *Creative Research Journal*, 6(01), 29. <https://doi.org/10.34147/crj.v6i01.256>
- Hill, M. R. (1987). *The Sociology and Experiences of Pedestrians*.
- Huang, F., Liu, P., Yu, H., & Wang, W. (2013). Identifying if VISSIM simulation model and SSAM provide reasonable estimates for field measured traffic conflicts at signalized intersections. *Accident Analysis and Prevention*, 50, 1014–1024. <https://doi.org/10.1016/j.aap.2012.08.018>
- Huang, L., Gong, J., Li, W., Xu, T., Shen, S., Liang, J., Feng, Q., Zhang, D., & Sun, J. (2018). Social force model-based group behavior simulation in virtual geographic environments. *ISPRS International Journal of Geo-Information*, 7(2). <https://doi.org/10.3390/ijgi7020079>
- Huang, S., Wei, R., Lo, S., & Lu, S. (2019). Experimental study on luggage-laden pedestrian movement in narrow seat aisle. *IOP Conference Series: Earth and Environmental Science*, 257(1). <https://doi.org/10.1088/1755-1315/257/1/012049>
- Huang, S., Wei, R., Lo, S., Lu, S., Li, C., An, C., & Liu, X. (2019). Experimental study on one-dimensional movement of luggage-laden pedestrian. *Physica A: Statistical Mechanics and Its Applications*, 516, 520–528. <https://doi.org/10.1016/j.physa.2018.09.038>
- Huff Herbie, K., & Liggett, R. (2014). *The Highway Capacity Manual's Method for Calculating Bicycle and Pedestrian Levels of Service: the Ultimate White Paper*. 62p. <http://www.lewis.ucla.edu/wp-content/uploads/sites/2/2014/09/HCM-BICYCLE-AND-PEDESTRIAN-LEVEL-OF-SERVICE-THE-ULTIMATE-WHITE-PAPER.pdf%5Cnhttps://meritt.cdlib.org/d/ark:/13030/m5281nrv/1/producer/891678314.pdf%5Cnhttps://trid.trb.org/view/1326489>
- Hummer, J., Roupail, N., Hughes, R., Fain, S., Toole, J., Patten, R., Schneider, R., Monahan, J., & Do, A. (2005). User Perceptions of the Quality of Service on Shared Paths. *Transportation Research Record: Journal of the Transportation Research Board*, 1939(1939), 28–36. <https://doi.org/10.3141/1939-04>
- Irawan, B., Legowo, S. J., & MHM, A. (2017). Analisis karakteristik dan tingkat pelayanan fasilitas pejalan kaki di kawasan pasar gede kota surakarta. *E-Jurnal MATRIKS TEKNIK SIPIL*, 1991, 30–37.
- Irawan, M. Z., & Putri, N. H. (2015). Kalibrasi Vissim Untuk Mikrosimulasi Arus Lalu Lintas Tercampur Pada Simpang Bersinyal (Studi Kasus: Simpang Tugu, Yogyakarta). *Jurnal Penelitian Transportasi Multimoda*, 13(3), 97–106.
- Ishaque, M. M., & Noland, R. B. (2007). Trade-offs between vehicular and pedestrian traffic using micro-simulation methods. *Transport Policy*, 14(2), 124–138. <https://doi.org/10.1016/j.tranpol.2006.11.001>
- Janvier Twagirimana, B., & Bester, C. J. (2013). *Establishing and Applying Speed-Flow Relationships for Traffic on Rural Two-Lane Two- Way Highways in the Western Cape. December*.

- Johansson, A., Helbing, D., & Shukla, P. K. (2007). Specification of the social force pedestrian model by evolutionary adjustment to video tracking data. *Advances in Complex Systems*, 10(SUPPL. 2), 271–288. <https://doi.org/10.1142/s0219525907001355>
- Johansson, E. (2013). *Pedestrians in microscopic traffic simulation*.
- Julio, N., Giesen, R., & Lizana, P. (2016). Real-time prediction of bus travel speeds using traffic shockwaves and machine learning algorithms. *Research in Transportation Economics*, 59, 250–257. <https://doi.org/10.1016/j.retrec.2016.07.019>
- Kachroo, P., & Özbay, K. M. A. (2018). *Traffic Flow Theory* (Vol. 27, Issue 9, pp. 57–87). [https://doi.org/10.1007/978-3-319-69231-9\\_3](https://doi.org/10.1007/978-3-319-69231-9_3)
- Kadali, B. R., & Vedagiri, P. (2015). Evaluation of pedestrian crosswalk level of service (LOS) in perspective of type of land-use. *Transportation Research Part A: Policy and Practice*, 73, 113–124. <https://doi.org/10.1016/j.tra.2015.01.009>
- Kawsar, L. A., Ghani, N. A., Kamil, A. A., & Mustafa, A. (2017). An Improved Speed-Density Relationship Model for Pedestrian Flow. *American Journal of Applied Sciences*, 14(1), 184–203. <https://doi.org/10.3844/ajassp.2017.184.203>
- Kawulur, C. I., T.K.Sendow, E.Lintong, & A.L.E.Rumayar. (2013). Analisa Kecepatan yang diinginkan oleh Pengemudi ( Studi Kasus Ruas Jalan Manado-Bitung ). *Sipil Statik*, 1(4), 289–297.
- Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MenKes/413/2020 Tentang Pedoman Pencegahan dan Pengendalian Corona Virus Disease 2019 (Covid-19), 2019 MenKes/413/2020 207 (2020).
- Kementerian PU. (2014a). *Pedoman Perencanaan, Peneyediaan, dan Pemanfaatan Prasarana dan Sarana Jaringan Pejalan Kaki di Kawasan Perkotaan (Tanpa Lampiran)* (Vol. 8).
- Kementerian PU. (2014b). *Peraturan Menteri Pekerjaan Umum NOMOR : 03/PRT/M/2014 tentang Pedoman Perencanaan, Penyediaan, dan Pemanfaatan Prasarana dan Sarana Jaringan Pejalan Kaki di Kawasan Pekotaan. 2013*.
- Kemloh Wagoum, A. U., Seyfried, A., & Holl, S. (2012). Modeling the dynamic route choice of pedestrians to assess the criticality of building evacuation. *Advances in Complex Systems*, 15(7). <https://doi.org/10.1142/S0219525912500294>
- Khisty, C. J. (1994a). Evaluation of pedestrian facilities: beyond the level-of-service concept. *Transportation Research Record*, 1438, 45–50.
- Khisty, C. J. (1994b). Evaluation of pedestrian facilities: beyond the level-of-service concept. *Transportation Research Record*, 1438, 45–50.
- Kibret, H. G., Adnan, M., & Yasar, A.-H. (2019a). Effect of Sidewalk Vendors on Pedestrian Walking Speed and Lateral Position: A Study in Addis Ababa, Ethiopia. *International Journal of Traffic and Transportation Management*, 1(2), 27–34. <https://doi.org/10.5383/jttm.01.02.004>
- Kibret, H. G., Adnan, M., & Yasar, A. (2019b). Effect of Sidewalk Vendors on Pedestrian Walking Speed and Lateral Position: A Study in Addis Ababa, Ethiopia. *International Journal of Traffic and Transportation Management*, 1(2), 27–34. <https://doi.org/10.5383/jttm.01.02.004>
- Kim, I., Galiza, R., & Ferreira, L. (2013). Modeling pedestrian queuing using micro-simulation. *Transportation Research Part A: Policy and Practice*, 49, 232–240. <https://doi.org/10.1016/j.tra.2013.01.018>
- Kim, T., & Zhang, H. M. (2004). An empirical study on gap time and its relation to the fundamental diagram of traffic flow. *IEEE Conference on Intelligent Transportation Systems, Proceedings, ITSC*, 94–99. <https://doi.org/10.1109/itsc.2004.1398878>

- Kittelson, W. K., & Roess, R. P. (2001). Highway capacity analysis after Highway Capacity Manual 2000. *Transportation Research Record*, 1950(1776), 10–16. <https://doi.org/10.3141/1776-02>
- Kohavi, R. (1995). A Study of Cross-Validation and Bootstrap for Accuracy Estimation and Model Selection. *International Joint Conference on Artificial Intelligence (IJCAI)*.
- Koswara, A. Y., & Pamungkas, A. (2017). *Strategi Penyediaan Kawasan Komersial Di Lingkungan Kampus Its Surabaya*. 10. <http://>
- Kretz, T. (2009). *The use of dynamic distance potential fields for pedestrian flow around corners*. June 2009. <https://doi.org/10.13140/2.1.1999.2647>
- Kretz, T. (2014). *The use of dynamic distance potential fields for pedestrian flow around corners*. June 2009. <https://doi.org/10.13140/2.1.1999.2647>
- Kretz, T., Große, A., Hengst, S., Kautzsch, L., Pohlmann, A., & Vortisch, P. (2011). Quickest paths in simulations of pedestrians. *Advances in Complex Systems*, 14(5), 733–759. <https://doi.org/10.1142/S0219525911003281>
- Kretz, T., Lohmiller, J., & Sukennik, P. (2018). *Some Indications on how to Calibrate the Social Force Model of*. 1–17.
- Kusnandar, E. (2009). Pengkinian Manual Kapasitas Jalan Indonesia 1997. *Jurnal Jalan Dan Jembatan*, 26(2), 1–11.
- Kusumo, H. S. (2010). *Analisi perhitungan...*, Hanafi Suryo Kusumo, FT UI, 2010. Universitas Indonesia.
- Lagervall, Malin; samuelsson, S. (2014). *Microscopic Simulation of Pedestrian Traffic in a Station Environment : A Study of Actual and Desired Walking Speeds*. Linköping University.
- LAGERVALL, Malin; SAMUELSSON, S. (2014). *Microscopic Simulation of Pedestrian Traffic in a Station Environment : A Study of Actual and Desired Walking Speeds*. 83.
- Laker, L. (2020). Milan announces ambitious scheme to reduce car use after lockdown. *The Guardian*, 1–6. <https://www.theguardian.com/world/2020/apr/21/milan-seeks-to-prevent-post-crisis-return-of-traffic-pollution>
- Lam, W. H. K., & Cheung, C. (2000). Pedestrian Speed/Flow Relationships For Walking Facilities In Hong Kong. *Journal of Transportation Engineering*, 126(4), 343–349.
- Lämmel, G., Rieser, M., & Nagel, K. (2008). Bottlenecks and Congestion in Evacuation Scenarios: A Microscopic Evacuation Simulation for Large-Scale Disasters. *International Conference on Autonomous Agents and Multiagent Systems, Aamas*, 8. <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Bottlenecks+and+Congestion+in+Evacuation+Scenarios+:+A+Microscopic+Evacuation+Simulation+for+Large-Scale+Disasters#0>
- Landis, B. W., Vattikuti, V. R., Ottenberg, R. M., McLeod, D. S., & Guttenplan, M. (2001). Modeling the roadside walking environment: Pedestrian level of service. *Transportation Research Record*, 1773, 82–88. <https://doi.org/10.3141/1773-10>
- Laxman, K. K., Rastogi, R., & Chandra, S. (2010). Pedestrian flow characteristics in mixed traffic conditions. *Journal of Urban Planning and Development*, 136(1), 23–33. [https://doi.org/10.1061/\(ASCE\)0733-9488\(2010\)136:1\(23\)](https://doi.org/10.1061/(ASCE)0733-9488(2010)136:1(23))
- Leather, J., Fabian, H., Gota, S., & Mejia, A. (2011). Walkability and Pedestrian Facilities in Asian Cities State and Issues. *Asian Development Bank Sustainable Development Working Paper Series*, 17, 69.
- Lemke, K. (2016). *The New German Highway Capacity Manual (HBS 2015)*.

- Transportation Research Procedia*, 15, 26–35.  
<https://doi.org/10.1016/j.trpro.2016.06.003>
- Lestari, E. S. (2020). Kajian Perkembangan Aktifitas Komersial di Kawasan Kambang Iwak Palembang. *Jurnal Tekno Global*, 09(01), 13–19.
- Limpong, R., Sendow, T. K., & Jansen, F. (2015). Pemodelan Fasilitas Arus Pejalan Kaki (Trotoar). *Jurnal Sipil Statik*, 3(3), 212–220.
- Listianto, T. I. P. (2006). *Hubungan Fungsi Dan Kenyamanan Jalur Pedestrian ( Studi Kasus Jalan Pahlawan Semarang)*. Universitas Diponegoro.
- Lopez-rodriguez, M. I. (2020). *Modelling Movements in Shared-Use Paths with PTV Viswalk*. *Modelling Movements in Shared-Use Paths with PTV Viswalk* (Issue October). Universität Stuttgart.
- Lučić, P., & Teodorović, D. (2002). Transportation modeling: An artificial life approach. *Proceedings of the International Conference on Tools with Artificial Intelligence*, 216–223. <https://doi.org/10.1109/TAI.2002.1180807>
- Ma, J., Song, W. G., Lo, S. M., & Fang, Z. M. (2013). New insights into turbulent pedestrian movement pattern in crowd-quakes. *Journal of Statistical Mechanics: Theory and Experiment*, 2013(2). <https://doi.org/10.1088/1742-5468/2013/02/P02028>
- Mandar, M., Karim, L., Boulmakoul, A., & Lbath, A. (2017). Triangular intuitionistic fuzzy number theory for driver-pedestrians interactions and risk exposure modeling. *Procedia Computer Science*, 109, 148–155.  
<https://doi.org/10.1016/j.procs.2017.05.309>
- May, A. D. (1990). *Traffic Flow Fundamentals* (1st ed.). Prentice Hall.
- McLeod, S. (2021). *What are Confidence Intervals in Statistics?* Simplypsychology.  
<https://www.simplypsychology.org/statistics.html>
- Meir, A., Parmet, Y., & Oron-Gilad, T. (2013). Towards understanding child-pedestrians' hazard perception abilities in a mixed reality dynamic environment. *Transportation Research Part F: Traffic Psychology and Behaviour*, 20, 90–107.  
<https://doi.org/10.1016/j.trf.2013.05.004>
- Minderhoud, M. M., Botma, H., & Bovy, P. H. L. (1997). Assessment of roadway capacity estimation methods. *Transportation Research Record*, 1572, 59–67.  
<https://doi.org/10.3141/1572-08>
- Moeur, R. C. (2017). *Perils For Pedestrians - What is a Peril?* Perils For Pedestrians.  
<http://www.pedestrians.org/examples.htm#Good>
- Mori, M., & Tsukaguchi, H. (1987). A new method for evaluation of level of service in pedestrian facilities. *Transportation Research Part A: General*, 21(3), 223–234.  
[https://doi.org/10.1016/0191-2607\(87\)90016-1](https://doi.org/10.1016/0191-2607(87)90016-1)
- Moussaïd, M., Helbing, D., Garnier, S., Johansson, A., Combe, M., & Theraulaz, G. (2009). Experimental study of the behavioural mechanisms underlying self-organization in human crowds. *Proceedings of the Royal Society B: Biological Sciences*, 276(1668), 2755–2762. <https://doi.org/10.1098/rspb.2009.0405>
- Munawar, A. (2006). Queues and Delays At Signalized Intersections , Indonesian Experience. *5th International Symposium on Highway Capacity and Quality of Service*.
- Munawar, A. (2007). *Public Transport Reform in Indonesia , A Case Study in the City of Yogyakarta*. 39–44.
- Muraleetharan, T., Adachi, T., Hagiwara, T., Kagaya, S., & Member, S. (2000). Method To Determine Overall Level-of-Service of Pedestrians on Sidewalks Based on Total Utility Value. *Imagine*, 8–11.



- Murwadi, H., & Dewancker, B. (2017). Study of quassessment model for campus pedestrian ways, case study: Sidewalk of the University of Lampung. *Sustainability (Switzerland)*, 9(12), 1–16. <https://doi.org/10.3390/su9122285>
- Muslihun, M. (2013). *Studi Kenyamanan Pejalan Kaki Terhadap Pemanfaatan Jalur Pedestrian Di Jalan Protokol Kota Semarang (Studi Kasus Jalan Pahlawan)*. 1–95.
- Muslim, M. R., Hustim, M., & Pasra, M. (2018). *Analisis Kinerja Simpang Bersinyal Haji Bau – Jl . Cendrawasih – Jl . Arif Rate Di Makassar*.
- Newell, G. F. (1961). Nonlinear Effects in the Dynamics of Car Following. *Operations Research*, 9(2), 209–229. <https://doi.org/10.1287/opre.9.2.209>
- Novrizaldi. (2018). *STRATEGI PEMBINGKAIAN ( FRAMING ) KOALISI PEJALAN KAKI ( KoPK ) JAKARTA : PERSPEKTIF GERAKAN SOSIAL*.
- Nugroho, W. (2009). *Analisis Persepsi Kualitas Pelayanan Jasa Terhadap Kepuasan Konsumen Pengguna Bus Malam Cepat Sedya Mulya*. 29.
- Onelcin, P., & Alver, Y. (2017). The crossing speed and safety margin of pedestrians at signalized intersections. *Transportation Research Procedia*, 22(2016), 3–12. <https://doi.org/10.1016/j.trpro.2017.03.002>
- Parida, M., Katiyar, V. K., & Das, P. (2018). Macroscopic Pedestrian Flow Modelling Using Simulation Technique. *International Journal For Traffic And Transport Engineering*, 8(2), 166–176. [https://doi.org/10.7708/ijtte.2018.8\(2\).02](https://doi.org/10.7708/ijtte.2018.8(2).02)
- Parida, P., Najamuddin, & M.Parida. (2007). Development of Qualitative Evaluation Methodology for. *ITPI Journal*, 3(February), 27–33.
- Patelida. (2022). *Perceiving Sidewalk Environment after the E- scooter Phenomena in Stockholm*. Studentblogg.
- Pertana, P. R. (2018). *Mewujudkan Malioboro Yogya sebagai Kawasan Khusus Pedestrian*. DetikNews. <https://news.detik.com/berita-jawa-tengah/d-4289104/mewujudkan-malioboro-yogya-sebagai-kawasan-khusus-pedestrian>
- Petritsch, T. A., Landis, B. W., McLeod, P. S., Huang, H. F., Challa, S., Skaggs, C. L., Guttenplan, M., & Vattikuti, V. (2006). Pedestrian level-of-service model for urban arterial facilities with sidewalks. *Transportation Research Record*, 1982, 84–89. <https://doi.org/10.3141/1982-12>
- Pinna, F., & Murrau, R. (2017). Isolated and Single Pedestrians and Pedestrian Groups on Sidewalks. *Infrastructures*, 2(4), 21. <https://doi.org/10.3390/infrastructures2040021>
- Pipes, L. A. (1967). Car following models and the fundamental diagram of road traffic. *Transportation Research*, 1(1), 21–29. [https://doi.org/10.1016/0041-1647\(67\)90092-5](https://doi.org/10.1016/0041-1647(67)90092-5)
- Prabhu, T. D., & Sarkar, P. K. (2016). Pedestrian Warrants for Developing Countries by Simulation Approach. *Procedia Computer Science*, 83(Ant), 665–669. <https://doi.org/10.1016/j.procs.2016.04.148>
- Pradana, A. H., Ernawati, J., & Martinigrum, I. (2017). *Walkability Jalur Pedestrian by Design di Area Kampus Universitas Brawijaya Malang*.
- Pradipto, R., Kharis, Z., Wicaksono, Y. I. I., & Indriastuti, A. K. (2014). Evaluasi Kinerja Ruang Pejalan Kaki di Jalan Malioboro Yogyakarta. *Jurnal Karya Teknik Sipil*, 3, 564–572.
- Prasetyaningsih, I. (2010). *Analisis karakteristik dan tingkat pelayanan fasilitas pejalan kaki di kawasan pasar malam ngarsopuro surakarta*. Universitas Sebelas Maret.
- Pratiwi, F. D. (2011). *Studi Karakteristik Pergerakan Pejalan Kaki Di Pedestrians Road Stasiun Tugu Yogyakarta*. Universitas Sebelas Maret.
- Prayogi, F., Priyanto, S., & Muthohar, I. (2020). Analisis Kinerja Dan Tingkat Pelayanan

- Fasilitas Pejalan Kaki Di Kawasan Stasiun Karet. *Teknisia*, XXV(2), 1–10. <https://doi.org/10.20885/teknisia.vol25.iss2.art1>
- Prayuda, A. S., Priyo, E., Salsabila, L., & Kasiwi, A. (2020). Persepsi Wisatawan Terhadap Penataan Kawasan Pedestrian Malioboro. *Jurnal Nasional Pariwisata*, 12(2), 9–18.
- Prevedouros, P. D., & Koga, C. A. (1996a). Comparison of 1985 and 1994 HCM: Signalized intersection delay estimates. In *ITE Journal (Institute of Transportation Engineers)* (Vol. 66, Issue 7, pp. 26–30).
- Prevedouros, P. D., & Koga, C. A. (1996b). Comparison of 1985 and 1994 HCM: Signalized intersection delay estimates. *ITE Journal (Institute of Transportation Engineers)*, 66(7), 26–30.
- Pribadi, L. T. (2004). Studi Hubungan Volume, Kecepatan, dan kerapatan pada ruas jalan gatot subroto, kota cimahi. *Jurnal Teknik*, 3(1), 233–239.
- Pribadi, O. S. (2017). *Pengkinian Manual Kapasitas Jalan Indonesia Segmen Jalan Perkotaan Dengan Traffic Microsimulation*. Universitas Gadjah Mada.
- PTV AG. (2020). PTV Vissim 2020 User Manual. *PTV Group*, 1278 p.
- PU, K. (2014). *Peraturan Menteri PU PR RI No 3 Th 2014*. 2013.
- Purbasari, K. (2016). *Analisa Pejalan Kaki (Pedestrian) (Studi Kasus: Jalan Laksda Adisucipto Caturtunggal, Depok, Sleman, Daerah Istimewa Yogyakarta)*. Universitas Muhammadiyah Yogyakarta.
- Putro, R. Y. A., & Kamal, M. (2013). *Analisis Pengaruh Brand Reputation, Brand Competence, dan Brand Liking Terhadap Trust In Brand Pada Konsumen Windows Phone Nokia di Surabaya*. 10(2), 178–185. <https://doi.org/10.14710/jsmo.v10i2.5916>
- Raharjo, S. (2017). *Cara Uji Normal Probability Plot dalam Model Regresi dengan SPSS*. <https://www.spssindonesia.com/2017/03/normal-probability-plot.html>
- Raj G., G., Sekhar, C. R., & Velmurugan, S. (2013). Micro Simulation based Performance Evaluation of Delhi Bus Rapid Transit Corridor. *Procedia - Social and Behavioral Sciences*, 104, 825–834. <https://doi.org/10.1016/j.sbspro.2013.11.177>
- Ramadan, M. F. (2022). *Mobility as A Service (MaaS-Layanan Transportasi Berbasis Kebutuhan)* 11. Kompasiana. <https://www.kompasiana.com/mfaliqr/6344de284addee58e80471b2/mobility-as-a-service-maas-layanan-transportasi-berbasis-kebutuhan?page=all#section1>
- Rastogi, R., Ilango, T., & Chandra, S. (2013). Pedestrian flow characteristics for different pedestrian facilities and situations. *European Transport - Trasporti Europei*, 53, 1–21.
- Riad, K., & Surbakti, M. S. (2015). *Studi Karakteristik Arus Pejalan Kaki Yang Melalui Akses Kampus USU*. 1.
- Robin, T., Antonini, G., Bierlaire, M., & Cruz, J. (2009). Specification, estimation and validation of a pedestrian walking behavior model. *Transportation Research Part B: Methodological*, 43(1), 36–56. <https://doi.org/10.1016/j.trb.2008.06.010>
- Robinson, J., Naveen Arasu, A., Devi, V. R., & Sagunthala, R. (2017). Pedestrian Flow under the Influence of Obstacles. *International Journal of ChemTech Research CODEN (USA): IJCRGG*, 10(8), 596–604. <https://doi.org/10.13140/RG.2.2.28436.40324>
- Rodríguez, D. A., & Joo, J. (2004). The relationship between non-motorized mode choice and the local physical environment. *Transportation Research Part D: Transport and Environment*, 9(2), 151–173. <https://doi.org/10.1016/j.trd.2003.11.001>
- Roess, R. P., & Prassas, E. S. (2014). *The Highway Capacity Manual: A Conceptual and*

- Research History Springer Tracts on Transportation and Traffic STTT Volume 1: Uninterrupted Flow* (Vol. 1).
- Romanowska, A., & Jamroz, K. (2021). Comparison of traffic flow models with real traffic data based on a quantitative assessment. *Applied Sciences (Switzerland)*, 11(21). <https://doi.org/10.3390/app11219914>
- Rosanti, C. V., Wicaksono, A., & Sutikno, F. R. (2012). Interaksi Penggunaan Lahan Terhadap Pergerakan Pejalan Kaki Dengan Sistem Dinamik (Studi Kasus : Kawasan Alun-Alun Kota Malang). *Rekayasa Sipil*, 6(2), 144–155.
- Rosas-Jaimes, O. A., Quezada-Téllez, L. A., & Fernández-Anaya, G. (2017). Stability analysis in Greenberg's traffic model. *International Journal of Modern Physics C*, 28(10). <https://doi.org/10.1142/S0129183117501303>
- Roughail, N., Hummer, J., Milazzo, J., & Allen, P. (1998). Capacity analysis of pedestrian and bicycle facilities. *Pedestrian and Bicyclist Safety*, c(February), 56. <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Capacity+Analysis+of+Pedestrian+and+Bicycle+Facilities#4>
- Roughail, N. M., Hummer, J. E., Milazzo, J. S., & Allen, P. (1998). *Recommended procedures for chapter 13, "pedestrians," of the highway capacity manual* (Issue February).
- Rummi, J. (2022). *Mobility as a Service (MaaS) Sudah Hadir di Jabodetabek?* Suara Pemerintah. <https://suarapemerintah.id/2022/10/mobility-as-a-service-maas-sudah-hadir-di-jabodetabek/>
- Samuelsson, S. (2014). *Microscopic Simulation of Pedestrian Traffic in a Station Environment : A Study of Actual and Desired Walking Speeds Malin Lagervall Microscopic Simulation of Pedestrian Traffic in a Station Environment : A Study of Actual and Desired Walking Speeds Exame.*
- Sangeeth, K., & Lokre, A. (2019). Factors influencing Pedestrian Speed in Level of Service (LOS) of pedestrian facilities. *Transportation Research Interdisciplinary Perspectives*, 3, 100066. <https://doi.org/10.1016/j.trip.2019.100066>
- Sari, E. P., & MCA, T. (2020). Analisis Tingkat Pelayanan Jalur Pedestrian di Jalan Kranggan Kota Surabaya. *Jurnal Teknologi Dan Manajemen*, 1(1), 50–56.
- Sarkar, S. (1993). Determination of service levels for pedestrians, with European examples. *Transportation Research Record*, 14(5), 35–42.
- Schadschneider, A., Chraibi, M., Seyfried, A., Tordeux, A., & Zhang, J. (2018). Pedestrian dynamics: From empirical results to modeling. In *Modeling and Simulation in Science, Engineering and Technology* (Vol. 1). [https://doi.org/10.1007/978-3-030-05129-7\\_4](https://doi.org/10.1007/978-3-030-05129-7_4)
- Setiawan, R. (2005). Usulan Standar dan Evaluasi Tingkat Pelayanan Walkway di Universitas Kristen Petra. *Dimensi Teknik Arsitektur*, 33(1), 1–20.
- Seyfried, A., Passon, O., Steffen, B., Boltes, M., Rupperecht, T., & Klingsch, W. (2009). New insights into pedestrian flow through bottlenecks. *Transportation Science*, 43(3), 395–406. <https://doi.org/10.1287/trsc.1090.0263>
- Sharifi, M. S., Christensen, K., & Chen, A. (2015a). *Capacity analysis of pedestrian facilities involving individuals with disabilities.*
- Sharifi, M. S., Christensen, K., & Chen, A. (2015b). *Capacity analysis of pedestrian facilities involving individuals with disabilities.*
- Sholahudin, F., & Nurmayadi, D. (2021). Analisis Karakteristik Arus Lalu Lintas Dengan Model Greenshield, Greenberg Dan Underwood Di Ruas Jalan. 04(September), 77–83.
- Shrestha, N. (2020). Detecting Multicollinearity in Regression Analysis. *American*

- Journal of Applied Mathematics and Statistics*, 8(2), 39–42.  
<https://doi.org/10.12691/ajams-8-2-1>
- Sismanto, A., & Siti Malkhamah. (2002). Analisis perilaku dan tundaan pemakai jalan di penyeberangan ber – apill *atau* pelican (pedestrian light controlled). *Simposium V FSTPT*, 1–25.
- Siswanto, J., & Teguh, J. (2008). Analisis Kebutuhan Jenis Fasilitas Penyeberangan Jalan Berdasarkan Gap Kritis (Studi Kasus PT . Sido Muncul Ungaran – Jawa Tengah ). *Media Komunikasi Teknik Sipil*, 16(2), 148–159.
- Siswanto, N., Salsabila, N. Y., Rochmadhan, O. A., & Widodo, E. (2020). Analisis Availabilitas Perusahaan Pythalic Anhydride Berdasarkan Persediaan Spare Part dan Penyangga. *Teknoin*, 26(1), 30–45. <https://doi.org/10.20885/teknoin.vol26.iss1.art4>
- Sousa, A., Santos, B., & Goncalves, J. (2019). Pedestrian Environment Quality Assessment in Portuguese Medium-Sized Cities. *IOP Conference Series: Materials Science and Engineering*, 471(6). <https://doi.org/10.1088/1757-899X/471/6/062033>
- Srie Kusumastutie, N., Rusmandani, P., Kusuma Pradana, M., Pamungkas, W., & Silvi Ersamulia, M. (2020). Simulasi Penerapan Chicane Dengan Menggunakan Software Vissim. *Jurnal Keselamatan Transportasi Jalan (Indonesian Journal of Road Safety)*, 7(1), 26–39. <https://doi.org/10.46447/kjt.v7i1.73>
- Sukhadia, H., Dave, S. M., Shah, J., & Rathva, D. (2016). The Effect of Events on Pedestrian Behavior and its Comparison with Normal Walking Behavior in CBD Area in Indian Context. *Transportation Research Procedia*, 17(December 2014), 653–663. <https://doi.org/10.1016/j.trpro.2016.11.120>
- Suparwoko, W., & Mukti, Y. G. (2015). Revitalisasi Sirkulasi Dan Pedestrian Pada Kawasan Malioboro , Yogyakarta. *Konferensi Nasional II Forum Wahana Teknologi*, 1–10.
- Sutomo, H. (1998). Pemodelan Fasilitas Pejalan Kaki Di Pusat Pertokoan (Studi Kasus di Pusat Pertokoan Salatiga). *Forum Teknik Sipil*, 22(1), 161–171.
- Syakhdiah. (2017). Dinamika Pariwisata Daerah Istimewa Yogyakarta. *Prosiding Semnasfi*, 1(1), 225–233.  
[https://www.researchgate.net/publication/325048860\\_Dynamics\\_of\\_Tourism\\_in\\_Special\\_District\\_of\\_Yogyakarta/fulltext/5af334320f7e9b026bc93f70/Dynamics-of-Tourism-in-Special-District-of-Yogyakarta.pdf](https://www.researchgate.net/publication/325048860_Dynamics_of_Tourism_in_Special_District_of_Yogyakarta/fulltext/5af334320f7e9b026bc93f70/Dynamics-of-Tourism-in-Special-District-of-Yogyakarta.pdf)
- Tabibi, Z., Pfeffer, K., & Sharif, J. T. (2012). The influence of demographic factors, processing speed and short-term memory on Iranian children’s pedestrian skills. *Accident Analysis and Prevention*, 47, 87–93.  
<https://doi.org/10.1016/j.aap.2012.01.013>
- Tamin, O. Z. (2000). *Perencanaan & Pemodelan Transportasi (Second Edition)* (2nd ed.). ITB Press.
- TAN, D., WANG, W., LU, J., & BIAN, Y. (2007). Research on Methods of Assessing Pedestrian Level of Service for Sidewalk. *Journal of Transportation Systems Engineering and Information Technology*, 7(5), 74–79.  
[https://doi.org/10.1016/S1570-6672\(07\)60041-5](https://doi.org/10.1016/S1570-6672(07)60041-5)
- Tanaboriboon, Y., & Guyano, J. A. (1991). Analysis of Pedestrian Movements in Bangkok. *Transportation Research Record*, 1294, 52–56.
- Tanan, N. (2011a). Fasilitas Pejalan Kaki. *Pusat Penelitian Dan Pengembangan Jalan Dan Jembatan*, 1–46.
- Tanan, N. (2011b). Fasilitas Pejalan Kaki. In M. Ir. I.F. Poernomosidhi, M.Sc., Ph.D., MCIT & P. . Tri Basuki Joewono (Eds.), *Pusat Penelitian Dan Pengembangan Jalan Dan Jembatan* (1st ed.). Kementerian Pekerjaan Umum.



- Tanan, N. (2011c). Fasilitas Pejalan Kaki. *Kementerian Pekerjaan Umum*, 35.
- Tanan, N., Wibowo, S. S., & Tinumbia, N. (2017). Pengukuran Walkability Index pada Ruas Jalan di Kawasan Perkotaan ( Walkability Index Measurement on Road Links in Urban Area ). *Jurnal Jalan-Jembatan*, 34(2), 115–127.
- Tarko, A. P., & Perez-Cartagena, R. I. (2005). Variability Of A Peak Hour Factor At Intersections. *Annual Meeting of the Transportation Research Board*, 30332(404), 1–17.
- Teknomo, K. (2002). *Microscopic Pedestrian Flow Characteristics: Development of an Image Processing Data Collection and Simulation Model* (Issue March) [Tohoku University]. <http://arxiv.org/abs/1610.00029>
- Teknomo, K. (2006). Application of microscopic pedestrian simulation model. *Transportation Research Part F: Traffic Psychology and Behaviour*, 9(1), 15–27. <https://doi.org/10.1016/j.trf.2005.08.006>
- Toole, J. L., Pietrucha, M. T., & Davis, J. (2010). *FHWA Course on Bicycle and Pedestrian Transportation*. 281. [http://safety.fhwa.dot.gov/ped\\_bike/univcourse/pdf/swless124.pdf](http://safety.fhwa.dot.gov/ped_bike/univcourse/pdf/swless124.pdf)
- Torrens, P. M., & McDaniel, A. W. (2013). Modeling Geographic Behavior in Riotous Crowds. *Annals of the Association of American Geographers*, 103(1), 20–46. <https://doi.org/10.1080/00045608.2012.685047>
- TRB. (2000a). Highway capacity manual. In *National Research Council, Washington, DC*.
- TRB. (2000b). *Highway capacity manual*.
- TRB. (2010). *HCM 2010 - Volume 1* (1st ed.). Transportation Research Board.
- Utomo, F. T., & Tjahjani, A. R. I. (2014). Analisis Karakteristik Dan Tingkat Pelayanan Fasilitas Pejalan Kaki Di Kawasan Terminal Kendaraan Umum Kota Depok. *Jurnal Infrastruktur*, 3(2), 107–114.
- Utomo, F. T., & Tjahjani, A. R. I. (2019). Analisis Karakteristik Dan Tingkat Pelayanan Fasilitas Pejalan Kaki Di Kawasan Terminal Kendaraan Umum Kota Depok. *Jurnal Infrastruktur*, 3(2), 107–114. <https://doi.org/10.35814/infrastruktur.v3i2.710>
- Vásquez, D., Castro, J., Silvera, M., & Campos, F. (2020). Influence of the parameters of the social force model in the analysis of capacity in public spaces for people with reduced mobility. *Proceedings of the LACCEI International Multi-Conference for Engineering, Education and Technology*, 1–7. <https://doi.org/10.18687/LACCEI2020.1.1.545>
- Vedove, S. D. (2020). *The traffic in Orchard Road*. <https://www.alamy.com/singapore-january-2020-the-traffic-in-orchard-road-image341920235.html?imageid=7166B7CE-69CC-41EE-9C01-98876DB3C0AE&p=572292&pn=1&searchId=430865c13a14983d9614631dde882e7a&searchtype=0>
- Vicsek, T., Czirok, A., Ben-Jacob, E., Cohen, I., & Shochet, O. (1995). Novel Type of Phase Transition in a System of Self-Driven Particles. *Physical Review Letters*, 75(6), 1226–1229.
- Wang, H., Tan, D., Schwebel, D. C., Shi, L., & Miao, L. (2018). Effect of age on children's pedestrian behaviour: Results from an observational study. *Transportation Research Part F: Traffic Psychology and Behaviour*, 58, 556–565. <https://doi.org/10.1016/j.trf.2018.06.039>
- Weidmann, U. (1993). Transporttechnik der Fussgänger. *IVT, Institut Für Verkehrsplanung, Transporttechnik, Strassen- Und Eisenbahnbau*, 90, 110.
- Wibawa, B. A., & Saraswati, R. S. (2013). Evaluasi Jalur Pejalan Kaki Di Kota Semarang

- Menurut Permen Pu 03/Prt/M/2014. In *Jurnal Ilmiah Teknosains* (Vol. 3, Issue 1030048502). <https://doi.org/10.26877/jitek.v3i2.1885>
- Wibowo, S. S., & Fadilah, S. R. (2018). Queuing analysis using Viswalk for check-in counter: Case study of Lombok Praya International Airport. *MATEC Web of Conferences*, 181. <https://doi.org/10.1051/mateconf/201818102006>
- Wibowo, S. S., & Gitawardhani, F. A. (2011). Ruang Pejalan Kaki yang Nyaman untuk Kawasan Perkotaan, Sebuah Kajian tentang Persepsi Pejalan Kaki terhadap Fasilitas Pejalan Kaki. *Seminar Nasional Aplikasi Teknologi Prasarana Wilayah*, 39–44.
- Wicaksono, P. (2021). Daya Tarik Wisata Kota Yogyakarta yang Memesona Meski Tanpa Pantai dan Gunung. *Tempo*, 1–17. <https://travel.tempo.co/read/1445715/daya-tarik-wisata-kota-yogyakarta-yang-memesona-meski-tanpa-pantai-dan-gunung>
- Windyani, F., Gunawan, P. H., & Tarwidi, D. (2020). Macroscopic Modelling of Pedestrian Flows Based on Conservation Law. *Journal of Physics: Conference Series*, 1641(1). <https://doi.org/10.1088/1742-6596/1641/1/012031>
- Wu, N. (2009). Further Development of the German Highway Capacity Manual (HBS2011). *ICCTP 2009: Critical Issues in Transportation Systems Planning, Development, and Management* ©2009, 1719–1725.
- Wu, N. (2017). New Features in the 2015 German Highway Capacity Manual (HBS2015). *Transportation Research Procedia*, 00(July 2016).
- Yang, L. (2012). Stochastic Traffic Flow Modeling and Optimal Congestion Pricing. *ProQuest Dissertations and Theses*, 117. <https://search.proquest.com/docview/1151383009?accountid=188395>
- Ye, J., Chen, X., & Jian, N. (2012). Impact analysis of human factors on pedestrian traffic characteristics. *Fire Safety Journal*, 52, 46–54. <https://doi.org/10.1016/j.firesaf.2012.05.003>
- Ye, J. H., Chen, X., Yang, C., & Wu, J. (2008). Walking Behavior and Pedestrian Flow Characteristics for Different Types of Walking Facilities. *Transportation Research Record*, 2048(2048), 43–51. <https://doi.org/10.3141/2048-06>
- Yu, C., Zhang, J., Yao, D., Zhang, R., & Jin, H. (2016). Speed-Density Model of Interrupted Traffic Flow Based on Coil Data. *Mobile Information Systems*, 2016. <https://doi.org/10.1155/2016/7968108>
- Yugendar, P., & Ravishankar, K. V. R. (2018). Crowd behavioural analysis at a mass gathering event. *Journal of Konbin*, 46(1), 5–20. <https://doi.org/10.2478/jok-2018-0020>
- Yuliasar, I. (2019). Evaluasi Konsep Ruang Terbuka Publik Terhadap Tingkat Pelayanan Pejalan Kaki Di Kawasan Jalan Pahlawan Semarang. *Lakar Jurnal Arsitektur*, 02(01), 53–58.
- Zanlungo, F., Yücel, Z., Brščić, D., Kanda, T., & Hagita, N. (2017). Intrinsic group behaviour: Dependence of pedestrian dyad dynamics on principal social and personal features. *PLoS ONE*, 12(11), 1–82. <https://doi.org/10.1371/journal.pone.0187253>
- Zhang, Y., & Rakha, H. (2008). Systematic analysis of capacity of weaving sections. *Efficient Transportation and Pavement Systems: Characterization, Mechanisms, Simulation, and Modeling - Proceedings of the 4th International Gulf Conference on Roads*, 6, 151–164. <https://doi.org/10.1201/9780203881200.ch18>
- Zulfa, S. S., Jesiro, A., & Aura, B. (2020, November). Menuju Malioboro Khusus Pedestrian , Apa Dampaknya? *Clapeyron Media*, November, 1–8. <https://www.clapeyronmedia.com/blog/2020/11/26/menuju-malioboro-khusus->

pedestrian-apa-dampaknya/