

DAFTAR PUSTAKA

- Abo, M., Kakuda, W., Watanabe, M., Morooka, A., Kawakami, K., & Senoo, A. (2012). Effectiveness of low-frequency rTMS and intensive speech therapy in poststroke patients with aphasia: A pilot study based on evaluation by fMRI in relation to type of aphasia. *European Neurology*, 68(4), 199–208. <http://doi.org/10.1159/000338773>
- Airavaara, M., Voutilainen, M. H., Wang, Y., & Hoffer, B. (2012). Neurorestoration. *Parkinsonism & Related Disorders*, 18 Suppl 1, S143-6. [http://doi.org/10.1016/S1353-8020\(11\)70045-1](http://doi.org/10.1016/S1353-8020(11)70045-1)
- Andreou, G., & Trott, K. (2013). Verbal fluency in adults diagnosed with attention-deficit hyperactivity disorder (ADHD) in childhood. *ADHD Attention Deficit and Hyperactivity Disorders*, 5(4), 343–351. <http://doi.org/10.1007/s12402-013-0112-z>
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 1–384. <http://doi.org/10.1007/s12402-013-0112-z>
- Caplan, L. (2009). *Caplan's Stroke*. *Caplan's Stroke*. <http://doi.org/10.1016/C2009-0-54516-3>
- Cheung, N., Rogers, S., Couper, D. J., Klein, R., Sharrett, a R., & Wong, T. Y. (2007). Is diabetic retinopathy an independent risk factor for ischemic stroke? *Stroke; a Journal of Cerebral Circulation*, 38(2), 398–401. <http://doi.org/10.1161/01.STR.0000254547.91276.50>
- Connor, L. T., Obler, L. K., Tocco, M., Fitzpatrick, P. M., & Albert, M. L. (2001). Effect of socioeconomic status on aphasia severity and recovery. *Brain and Language*, 78(2), 254–7. <http://doi.org/10.1006/brln.2001.2459>
- Cuomo, J., Flaster, M., & Biller, J. (2014). Right brain: A reading specialist with alexia without agraphia: Teacher interrupted. *Neurology*, 82(1). <http://doi.org/10.1212/01.wnl.0000438218.39061.93>
- Dinata, C. A., Safrita, Y., & Sastri, S. (2012). Gambaran Faktor Risiko dan Tipe Stroke pada Pasien Rawat Inap di Bagian Penyakit Dalam RSUD Kabupaten Solok Selatan Periode 1 Januari 2010 - 31 Juni 2012. *Jurnal Kesehatan Andalas*, 2(2), 57–61. Retrieved from <http://jurnal.fk.unand.ac.id/index.php/jka/article/view/119>

- Dion, J. E. (2004). Management of Ischemic Stroke in the Next Decade: Stroke Centers of Excellence. *Journal of Vascular and Interventional Radiology*, 15(1), S133–S141. <http://doi.org/10.1097/01.RVI.0000112977.88422.CF>
- Epstein, C. M., Wassermann, E. M., & Ziemann, U. (2012). *Oxford Handbook of Transcranial Stimulation. Oxford Handbook of Transcranial Stimulation*. <http://doi.org/10.1093/oxfordhb/9780198568926.001.0001>
- Fitzgerald, M. J. T., Gruener, G., & Mtui, E. (2007). *Clinical Neuroanatomy and Neuroscience*. 2007. [http://doi.org/10.1002/1521-3773\(20010316\)40:6<9823::AID-ANIE9823>3.3.CO;2-C](http://doi.org/10.1002/1521-3773(20010316)40:6<9823::AID-ANIE9823>3.3.CO;2-C)
- González-Fernández, M., Davis, C., Molitoris, J. J., Newhart, M., Leigh, R., & Hillis, A. E. (2011). Formal education, socioeconomic status, and the severity of aphasia after stroke. *Archives of Physical Medicine and Rehabilitation*, 92(11), 1809–1813. <http://doi.org/10.1016/j.apmr.2011.05.026>
- Gofir, A. (2011). *Manajemen Stroke*. Pustaka Cendekia Press.
- Holland, A. L., Greenhouse, J. B., Fromm, D., & Swindell, C. S. (1989). Predictors of language restitution following stroke: A multivariate analysis. *Journal of Speech and Hearing Research*, 32(2), 232–238. <http://doi.org/10.1044/jshr.3202.232>
- Kasper, D., Fauci, A., Hauser, S., Longo, D., Jameson, J., & Loscalzo, J. (2015). *Harrison's Principles of Internal Medicine*. Star. <http://doi.org/0.1036/007149619X>
- Larry, G. B. (2011). Left atrial enlargement: A cause of stroke? *CMAJ*. <http://doi.org/10.1503/cmaj.110617>
- Laska, A. C., Hellblom, A., Murray, V., Kahan, T., & Von Arbin, M. (2001). Aphasia in acute stroke and relation to outcome. *Journal of Internal Medicine*, 249(5), 413–422. <http://doi.org/10.1046/j.1365-2796.2001.00812.x>
- Lazar, R. M., Minzer, B., Antoniello, D., Festa, J. R., Krakauer, J. W., & Marshall, R. S. (2010). Improvement in aphasia scores after stroke is well predicted by initial severity. *Stroke*, 41(7), 1485–1488. <http://doi.org/10.1161/STROKEAHA.109.577338>
- Lazar, R. M., Speizer, A. E., Festa, J. R., Krakauer, J. W., & Marshall, R. S. (2008). Variability in language recovery after first-time stroke. *Journal of*

Neurology, Neurosurgery & Psychiatry, 79(5), 530–534.
<http://doi.org/10.1136/jnnp.2007.122457>

Medina, J., Norise, C., Faseyitan, O., Coslett, H. B., Turkeltaub, P. E., & Hamilton, R. H. (2012). Finding the right words: Transcranial magnetic stimulation improves discourse productivity in non-fluent aphasia after stroke. *Aphasiology*, 26(9), 1153–1168.
<http://doi.org/10.1080/02687038.2012.710316>

Naeser, M. A., Martin, P. I., Nicholas, M., Baker, E. H., Seekins, H., Kobayashi, M., ... Pascual-Leone, A. (2005). Improved picture naming in chronic aphasia after TMS to part of right Broca's area: An open-protocol study. *Brain and Language*, 93(1), 95–105.
<http://doi.org/10.1016/j.bandl.2004.08.004>

Peinemann, A., Reimer, B., Löer, C., Quartarone, A., Münchau, A., Conrad, B., & Siebner, H. R. (2004). Long-lasting increase in corticospinal excitability after 1800 pulses of subthreshold 5 Hz repetitive TMS to the primary motor cortex. *Clinical Neurophysiology*, 115(7), 1519–1526.
<http://doi.org/10.1016/j.clinph.2004.02.005>

Pettit, L., McCarthy, M., Davenport, R., & Abrahams, S. (2013). Heterogeneity of Letter Fluency Impairment and Executive Dysfunction in Parkinson's Disease. *Journal of the International Neuropsychological Society*, 19(9), 986–994. <http://doi.org/10.1017/S1355617713000829>

RII, D.-P. (2000). The Indonesian aphasia test “TADIR”: Tes afasia untuk diagnose informasi rehabilitasi. *Asia Pacific Journal of Speech, Language & Hearing*, 5(3), 143–147. <http://doi.org/10.1179/136132800805576924>

Rossi, S., Hallett, M., Rossini, P. M., & Pascual-Leone, A. (2009). Safety, ethical considerations, and application guidelines for the use of transcranial magnetic stimulation in clinical practice and research. *Clin Neurophysiol*, 120(12), 2008–2039. [http://doi.org/S1388-2457\(09\)00519-7](http://doi.org/S1388-2457(09)00519-7) [pii]r10.1016/j.clinph.2009.08.016 [doi]

Rothwell, J. C. (1997). Techniques and mechanisms of action of transcranial stimulation of the human motor cortex. *Journal of Neuroscience Methods*, 74(2), 113–122. [http://doi.org/10.1016/S0165-0270\(97\)02242-5](http://doi.org/10.1016/S0165-0270(97)02242-5)

Rothwell, P. M., Giles, M. F., Flossmann, E., Lovelock, C. E., Redgrave, J. N. E., Warlow, C. P., & Mehta, Z. (2005). A simple score (ABCD) to identify individuals at high early risk of stroke after transient ischaemic attack. *Lancet*, 366(9479), 29–36. [http://doi.org/10.1016/S0140-6736\(05\)66702-5](http://doi.org/10.1016/S0140-6736(05)66702-5)

- Saur, D., & Hartwigsen, G. (2012). Neurobiology of language recovery after stroke: Lessons from neuroimaging studies. *Archives of Physical Medicine and Rehabilitation*. <http://doi.org/10.1016/j.apmr.2011.03.036>
- Saur, D., Lange, R., Baumgaertner, A., Schraknepper, V., Willmes, K., Rijntjes, M., & Weiller, C. (2006). Dynamics of language reorganization after stroke. *Brain*, 129(6), 1371–1384. <http://doi.org/10.1093/brain/awl090>
- Seniów, J., Litwin, M., & Leśniak, M. (2009). The relationship between non-linguistic cognitive deficits and language recovery in patients with aphasia. *Journal of the Neurological Sciences*, 283(1–2), 91–94. <http://doi.org/10.1016/j.jns.2009.02.315>
- Szaflarski, J. P., Vannest, J., Wu, S. W., DiFrancesco, M. W., Banks, C., & Gilbert, D. L. (2011). Excitatory repetitive transcranial magnetic stimulation induces improvements in chronic post-stroke aphasia. *Medical Science Monitor*, 17(3), CR132-9. <http://doi.org/10.12659/MSM.881446>
- Thiel, A., Hartmann, A., Rubi-Fessen, I., Anglade, C., Kracht, L., Weiduschat, N., ... Heiss, W. D. (2013). Effects of noninvasive brain stimulation on language networks and recovery in early poststroke aphasia. *Stroke*, 44(8), 2240–2246. <http://doi.org/10.1161/STROKEAHA.111.000574>
- Touge, T., Gerschlagel, W., Brown, P., & Rothwell, J. C. (2001). Are the after-effects of low-frequency rTMS on motor cortex excitability due to changes in the efficacy of cortical synapses? *Clinical Neurophysiology*, 112(11), 2138–2145. [http://doi.org/10.1016/S1388-2457\(01\)00651-4](http://doi.org/10.1016/S1388-2457(01)00651-4)
- Van Der Elst, W., Hurks, P., Wassenberg, R., Meijs, C., & Jolles, J. (2011). Animal Verbal Fluency and Design Fluency in school-aged children: Effects of age, sex, and mean level of parental education, and regression-based normative data. *Journal of Clinical and Experimental Neuropsychology*, 33(9), 1005–1015. <http://doi.org/10.1080/13803395.2011.589509>
- Waldowski, K., Seniów, J., Leśniak, M., Iwański, S., & Członkowska, A. (2012). Effect of Low-Frequency Repetitive Transcranial Magnetic Stimulation on Naming Abilities in Early-Stroke Aphasic Patients: A Prospective, Randomized, Double-Blind Sham-Controlled Study. *The Scientific World Journal*, 2012, 1–8. <http://doi.org/10.1100/2012/518568>
- Warlow, C., van Gijn, J., Dennis, M., Wardlaw, J., Bamford, J., Hankey, G., ... Rothwell, P. (2008). *Stroke: Practical Management: Third Edition*. *Stroke: Practical Management: Third Edition*. <http://doi.org/10.1002/9780470696361>

Zhao, Q., Guo, Q., & Hong, Z. (2013). Clustering and switching during a semantic verbal fluency test contribute to differential diagnosis of cognitive impairment. *Neuroscience Bulletin*, 29(1), 75–82.
<http://doi.org/10.1007/s12264-013-1301-7>