

## DAFTAR PUSTAKA

- Afif, M. F., Muthiah, A., Putri, R., Rahmawati, K., & Nuravifah, U. (2015). Optimizing Composition of Sodium Lignosulfonate and Oleic Acid to Reach IFT 10-3 Mixed Surfactant on EOR Operation. In *Indonesian Petroleum Association (IPA), Thirty-Ninth Annual Convention & Exhibition*.
- Ah, A., Wr, S., Zaidijaafar, M., & Augustineaja, A. (2017). Anionic Surfactant Adsorption : Insight for Enhanced Oil Recovery. *Recent Advances in Petrochemical Science (RAPSCI)*, 1(5), 7–10.
- Aoudia, M., Al-Shibli, M. N., Al-Kasimi, L. H., Al-Maamari, R., & Al-Bemani, A. (2006). Novel surfactants for ultralow interfacial tension in a wide range of surfactant concentration and temperature. *Journal of Surfactants and Detergents*, 9(3), 287–293.
- Azis, M. M., Febrina, F., Anindia, I., Darmawati, G.A., Fenyka, D.A., Purwono, S. & Rochmadi (2019). Development of Ultralow Interfacial Tensions Lignosulfonate from Kraft Black Liquor for Enhanced Oil Recovery. Diterima untuk publikasi pada *Journal of Engineering & Technological Sciences*.
- Calvo-Flores, F. G., Dobado, J. A., Isac-García, J., & Martín-Martínez, F. J. (2015). *Lignin and Lignans as Renewable Raw Materials: Chemistry, Technology and Applications*. *Lignin and Lignans as Renewable Raw Materials: Chemistry, Technology and Applications*. United Kingdom: John Wiley & Sons, Ltd.
- Churcher, P. L., French, P. R., Shaw, J. C., & Schramm, L. L. (1991). Rock Properties of Berea Sandstone, Baker Dolomite, and Indiana Limestone. *SPE International Symposium on Oilfield Chemistry, SPE 21044*, 431–440.
- Dantas, T. N. C., Neto, A. A. D., Moura, M. C. P. A., Neto, E. L. B., Forte, K. R., & Leite, R. H. L. (2003). Heavy Metals Extraction by Microemulsions. *Water Research*, 37(11), 2709–2717.

- Furi, T. A., & Coniwanti, P. (2012). Pengaruh Perbedaan Ukuran Partikel Dari Ampas Tebu dan Konsentrasi Natrium Bisulfit ( $\text{NaHSO}_3$ ) Pada Proses Pembuatan Surfaktan. *Jurnal Teknik Kimia*, 18(4), 49–58.
- Gargulak, J. D., & Lebo, S. E. (1999). Commercial Use of Lignin-Based Materials. *American Chemical Society Symposium Series in Washington DC*, 304–320.
- Gurgel, A., Moura, M. C. P. A., Dantas, T. N. C., Neto, E. L. B., & Neto, A. A. D. (2008). a Review on Chemical Flooding Methods Applied in Enhanced Oil Recovery. *Brazilian Journal Of Petroleum and Gas*, 83–95.
- Healy, R. N., Reed, R. L., Spe-AIME, M., & Stenmark, D. G. (1976). Multiphase Microemulsion System. *SPE-AIME 50th Annual Fall Technical Conference and Exhibition in Dallas*.
- Hendraningrat, L., Engeset, B., Suwarno, S., Li, S., & Torsæter, O. (2013). Laboratory Investigation of Porosity and Permeability Impairment in Berea Sandstones Due to Hydrophilic Nanoparticle Retention. *Paper SCA2013-062 Presented at the International Symposium of the Society of Core Analysts Held in Napa Valley, California, USA*, 16–19.
- Ismiyati, Suryani, A., Mangunwidjaya, D., Machfud, & Hambali, E. (2007). Optimasi Proses Sulfonasi Lignin Menjadi Natrium Lignosulfonat (NaLS) dan Karakterisasi Sebagai Aditif Jenis Water Reducing Admixtures (WRA). *Jurnal Esa Unggul, Vol : 6*.
- Jamaloei, B. Y., & Kharrat, R. (2010). Analysis of Microscopic Displacement Mechanisms of Dilute Surfactant Flooding in Oil-Wet and Water-Wet Porous Media. *Journal of Transport in Porous Media*, 81(1), 1–19.
- Karnanda, W., Benzagouta, M. S., AlQuraishi, A., & Amro, M. M. (2013). Effect of Temperature, Pressure, Salinity, and Surfactant Concentration on IFT for Surfactant Flooding Optimization. *Arabian Journal of Geosciences*, 6(9), 3535–3544.

- Kim, D., Cheon, J., Kim, J., Hwang, D., Hong, I., Kwon, O. H., Cho, D. (2017). Extraction and Characterization of Lignin From Black Liquor and Preparation of Biomass-Based Activated Carbon There- From. *Carbon Letters*, 22, 81–88.
- Lake, L. W.(1989). *Enhanced Oil Recovery*. Prattice-Hall, Englewood Cliffts. New Jersey.
- Lake, L. W., Johns, R., Rossen, B., Pope, G., Russell Johns, Bill Rossen, & Gary Pope. (2014). *Fundamentals of Enhanced Oil Recovery*. Society of Petroleum Engineers.
- Lestari, A. (2006). *Kajian Pengaruh Suhu, Lama Pemanasan dan Konsentrasi Asam (HCl) terhadap Kemampuan Surfaktan Metil Ester Sulfonat(MES) sebagai Oil Well Stimulation Agent*. Institut Pertanian Bogor.
- Ma'ruf, A., Pramudono, B., & Aryanti, N. (2018). Synthesis of Natural Surfactant of Sodium Lignosulfonate from Rice Husk Lignin by Ultrasound Assisted - Sulfonation. *Key Engineering Materials*, 775, 20–25.
- Nummedal, Dag., towler, D., Mason, C and Allen, M. (2003). *Enhanced Oil Recovery in Wyoming*. University of Wyoming.
- Prakoso, N. I., & Purwono, S. (2017). Synthesis of Sodium Lignosulphonate From Oil Palm Empty Fruit Bunches ' s Lignin. *AIP Conference Proceedings*, 1823,
- Purwono, S., Murachman, B., Wiyono, A., & Sumadi. (1999). Improving Recovery Percentage Of Residual Oil In Simulated Reservoir Using Petroleum And Non-Petroleum Base Surfactant. *Forum Teknik*, 23(1), 9.
- Rini, S., Siregar, S., Marhaendrajana, T., Wahyuningrum, D., & Fajriah, S. (2017). Studi Laboratorium Karakteristik Alamiah Surfaktan Ampas Tebu sebagai Bahan Alternatif untuk Injeksi Surfaktan. *Jurnal Teknologi Minyak Dan Gas Bumi, Ikatan Ahli Teknik Perminyakan Indonesia (JTMGB IATMI)*, 13(1), 21–30.

- Rivai, M., Irawadi, T. T., Suryani, A., Setyaningsih, D., & Hambali, E. (2011). Penentuan Lama Sulfonasi Pada Proses Produksi Surfaktan Mes Untuk Aplikasi EOR, *Jurnal Ilmu Pertanian Indonesia*, 16(1), 28–34.
- Salager, J. L., Bourrel, M., Schechter, R. S., & Wade, W. H. (1979). Mixing Rules for Optimum Phase-Behavior Formulations of Surfactant/Oil/Water Systems. *Society of Petroleum Engineers Journal*, 19(5), 271–278.
- Santoso, A., Ruhendi, S., Hadi, Y. S., & Suminar S Achmadi. (2004). Sintesis dan Karakterisasi Resin Lignin Resorsinol Formaldehida Sebagai Perekat Kayu Lamina. *Ilmu Pengetahuan Alam dan Teknologi*, 15(3), 89–98.
- Sari, C. N., Usman, Faozani, Y., Herlina, L., Kristiawan, O., Safrizal, Sawitri, K. (2012). Produksi Biosurfaktan untuk Peningkatan Perolehan Minyak Tahap Lanjut dengan DNA Rekombinan. *Jurnal Teknologi Minyak Dan Gas Bumi*, 3(3).
- Sheng, J. J. (2011). *Modern Chemical Enhanced Oil Recovery: Theory and Practice*. Elsevier. USA: Elsevier.
- Sheng, J. J. (2013). Review of Surfactant Enhanced Oil Recovery in Carbonate Reservoirs. *Advances in Petroleum Exploration and Development*, 6(1), 1–10.
- Sheng, J. J. (2015). Status of Surfactant EOR Technology. *Petroleum*, 1(2), 97–105.
- Strey, R., & Jonströmer, M. (1992). Role of Medium-Chain Alcohols in Interfacial Films of Nonionic Microemulsions. *The Journal of Physical Chemistry*, 96(4),
- Wibowo, E. B., Buntoro, A., & Natsir, M. (2007). Upaya Peningkatan Perolehan Minyak Menggunakan Metode Chemical Flooding di Lapangan Limau. In *Proceeding Simposium Nasional IATMI*.
- Yuliansyah, A. T. (2004). *Aliran Dua Fasa Melalui Media Berpori Pada Enhanced Oil Recovery Dengan Polymer Flooding*. Thesis, Laporan Penelitian Laboratorium Teknologi Minyak Bumi, Jurusan Teknik Kimia Fakultas Teknik Universitas Gadjah Mada, Yogyakarta.