

DAFTAR PUSTAKA

- Arjunan, P., Silsbee, M. R., & Roy, D. M. (1999). Sulfoaluminate-belite cement from low-calcium fly ash and sulfur-rich and other industrial by-products. *Cement and Concrete Research*, 29(8), 1305–1311. [https://doi.org/10.1016/S0008-8846\(99\)00072-1](https://doi.org/10.1016/S0008-8846(99)00072-1)
- Avrami, M. (1939). Kinetics of phase change. I: General theory. *The Journal of Chemical Physics*, 7(12), 1103–1112. <https://doi.org/10.1063/1.1750380>
- Avrami, M. (1941). Granulation, phase change, and microstructure kinetics of phase change. III. *The Journal of Chemical Physics*, 9(2), 177–184. <https://doi.org/10.1063/1.1750872>
- Beretka, J., de Vito, B., Santoro, L., Sherman, N., & Valenti, G. L. (1993). Hydraulic behaviour of calcium sulfoaluminate-based cements derived from industrial process wastes. *Cement and Concrete Research*, 23(5), 1205–1214. [https://doi.org/10.1016/0008-8846\(93\)90181-8](https://doi.org/10.1016/0008-8846(93)90181-8)
- Christian, J. W. (2002). *The Theory of Transformations in Metals and Alloys*. Elsevier (Third, Vol. 91). Oxford: Pergamon Press Ltd.
- El-Didamony, H., A. Khalil, K., Ahmed, I. A., & Heikal, M. (2012). Preparation of β -dicalcium silicate (β -C₂S) and calcium sulfoaluminate (C₃A₃C \bar{S}) phases using non-traditional nano-materials. *Construction and Building Materials*, 35(3), 77–83. <https://doi.org/10.1016/j.conbuildmat.2012.02.064>
- EL-Sokkary, T. M., Khalil, K. A., & Ahmed, I. A. (2012). Preparation of β -dicalcium silicate (β -C₂S) and calcium sulfoaluminate phases using non-

- traditional nano-materials. *HBRC Journal*, 8(2), 91–98.
<https://doi.org/10.1016/j.hbrcj.2012.09.004>
- Ghosh, S. N., Rao, P. B., Paul, A. K., & Raina, K. (1979). The chemistry of dicalcium silicate mineral. *Journal of Materials Science*, 14(7), 1554–1566.
<https://doi.org/10.1007/BF00569274>
- H. El-Didamony; A.M. Sharara; I.M. Helmy and S. Abd El-Aleem. (1996). Hydration Characteristics of p-C,S IN The Presence of Some Accelerators. *Cement and Concrete Research*, 26(8), 1179–1187.
- Hughes, D. C., Jaglin, D., Kozłowski, R., & Mucha, D. (2009). Roman cements - Belite cements calcined at low temperature. *Cement and Concrete Research*, 39(2), 77–89. <https://doi.org/10.1016/j.cemconres.2008.11.010>
- Khawam, A., & Flanagan, D. R. (2005). Role of isoconversional methods in varying activation energies of solid-state kinetics: II. Nonisothermal kinetic studies. *Thermochimica Acta*, 436(1–2), 101–112.
<https://doi.org/10.1016/j.tca.2005.05.015>
- Mackenzie, K. J. D., & Hadipour, N. (1978). Formation kinetics of Portland Cement clinker phases: III-β Dicalcium silicate and Tricalcium silicate. *Trans. J. British. Cer. Soc.*, 77(6), 168–172.
- Matschei, T., Lothenbach, B., & Glasser, F. P. (2007). Thermodynamic properties of Portland cement hydrates in the system CaO-Al₂O₃-SiO₂-CaSO₄-CaCO₃-H₂O. *Cement and Concrete Research*, 37(10), 1379–1410.
<https://doi.org/10.1016/j.cemconres.2007.06.002>

- Nurdiyanto, N. (2010). “Pemanfaatan Limbah Lumpur Panas Bumi Dari Pembangkit Listrik Tenaga Panas Bumi Dieng Sebagai Bahan Pozzolan.”
- Pimraksa, K., Hanjitsuwan, S., & Chindaprasirt, P. (2009). Synthesis of belite cement from lignite fly ash. *Ceramics International*, 35(6), 2415–2425. <https://doi.org/10.1016/j.ceramint.2009.02.006>
- Popescu, C. D., Muntean, M., & Sharp, J. H. (2003). Industrial trial production of low energy belite cement. *Cement and Concrete Composites*, 25(7), 689–693. [https://doi.org/10.1016/S0958-9465\(02\)00097-5](https://doi.org/10.1016/S0958-9465(02)00097-5)
- Raupp-Pereira, F., Ball, R. J., Rocha, J., Labrincha, J. A., & Allen, G. C. (2008). New waste based clinkers: Belite and lime formulations. *Cement and Concrete Research*, 38(4), 511–521. <https://doi.org/10.1016/j.cemconres.2007.11.008>
- Rodrigues, F. A. (2003). Synthesis of chemically and structurally modified dicalcium silicate. *Cement and Concrete Research*, 33(6), 823–827. [https://doi.org/10.1016/S0008-8846\(02\)01065-7](https://doi.org/10.1016/S0008-8846(02)01065-7)
- Rungchet, A., Chindaprasirt, P., Wansom, S., & Pimraksa, K. (2016). Hydrothermal synthesis of calcium sulfoaluminate-belite cement from industrial waste materials. *Journal of Cleaner Production*, 115, 273–283. <https://doi.org/10.1016/j.jclepro.2015.12.068>
- See, M. B. (2013). Applying the Avrami Equation To.
- Singh, N. B., Rai, S., & Chaturvedi, S. (2002). Hydration of composite cement. *Progress in Crystal Growth and Characterization of Materials*, 45(1–2), 171–174. [https://doi.org/10.1016/S0960-8974\(02\)00045-1](https://doi.org/10.1016/S0960-8974(02)00045-1)

- Sinyoung, S., Kunchariyakun, K., Asavapisit, S., & MacKenzie, K. J. D. (2017). Synthesis of belite cement from nano-silica extracted from two rice husk ashes. *Journal of Environmental Management*, 190, 53–60. <https://doi.org/10.1016/j.jenvman.2016.12.016>
- Tantawy, M. A., Shatat, M. R., El-Roudi, A. M., Taher, M. A., & Abd-El-Hamed, M. (2014). Low Temperature Synthesis of Belite Cement Based on Silica Fume and Lime. *International Scholarly Research Notices*, 2014, 1–10. <https://doi.org/10.1155/2014/873215>
- Telschow, S., Frandsen, F., Theisen, K., & Dam-johansen, K. (2012). Cement Formation-A Success Story in a Black Box High Temperature Phase Formation of Portland Cement Clinker. *American Chemical Society*, 51, 10983–11004.
- Weisweiler, W., Osen, E., Eck, J., & Höfer, H. (1986). Kinetic studies in the CaOSiO₂ - System Part I Mechanism and kinetic data of the reactions between CaO- and SiO₂- powder compacts. *Cement and Concrete Research*, 16(3), 283–295. [https://doi.org/10.1016/0008-8846\(86\)90103-1](https://doi.org/10.1016/0008-8846(86)90103-1)
- West. A. R., 1984, *Solid State Chemistry and Its Applications*, Department of Chemistry University of Aberdeen.