

DAFTAR PUSTAKA

- Abas, T., Astika, W., & Johan, E. (2003). Pola Pemetikan Melompat Baris Ganda Dengan Mesin Petik Teh GT 120. In *Prosiding Simposium Teh Nasional 2003* (pp. 35–46). Bandung: Pusat Penelitian Teh dan Kina Gambung, Bandung.
- Adamsen, F. J. J., Pinter Jr., P. J., Barnes, E. M., LaMorte, R. L., Wall, G. W., Leavitt, S. W., ... Pinter, P. J. (1999). Measuring Wheat Senescence with a Digital Camera. *Crop Sci.*, 39(3), 719–724.
- Adhikari, K., Carre, F., Toth, G., & Montanarella, L. (2009). *Site Specific Land Management General Concepts and Applications*. Luxembourg: European Commission, Joint Research Centre, Institute for Environment and Sustainability. <https://doi.org/JRC53692> EUR 23978 EN ISBN 978-92-79-13350-3 ISSN 1018-5593 DOI 10.2788/32619
- Afrousheh, M., Ardalan, M., Hokmabadi, H., & Hatami, S. (2007). Visual Deficiency Symptoms of Nitrogen , Iron , Magnesium , Manganese and Molybdenum (Macro- and Micronutrients) on Pistachio Seedlings. *Middle Eastern and Russian Journal of Plant Science and Biotechnology*, 1(2).
- Agüera, F., Carvajal, F., & Pérez, M. (2012). Measuring Sunflower Nitrogen Status From an Unmanned Aerial Vehicle-Based System and an on the Ground Device. In *Conference on Unmanned Aerial Vehicle in Geomatics* (Vol. XXXVIII-1/, pp. 33–37). Zurich, Switzerland: International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences. <https://doi.org/10.5194/isprsarchives-XXXVIII-1-C22-33-2011>
- Ahmad, I. S., Reid, J. F., Noguchi, N., & Hansen, A. C. (1999). Nitrogen Sensing for Precision Agriculture Using Chlorophyll Maps. In *Proceeding of 1999 ASAE/CSAE-SCGR Annual International Meeting* (p. 13 p). Toronto, ON. Canada: ASAE.
- Ali, M. M., Al-ani, A., Eamus, D., & Tan, D. K. Y. (2012). A New Image Processing Based Technique to Determine Chlorophyll in Plants. *American-Eurasian J. Agric. & Environ. Sci.*, 12(10), 1323–1328. <https://doi.org/10.5829/idosi.ajeaes.2012.12.10.1917>
- Anderson, H. B., Nilsen, L., Tømmervik, H., Karlsen, S. R., Nagai, S., & Cooper, E. J. (2016). Using ordinary digital cameras in place of near-infrared sensors to derive vegetation indices for phenology studies of High Arctic vegetation. *Remote Sensing*, 8(10). <https://doi.org/10.3390/rs8100847>
- Argadipradja, J. (1978). Manajemen Petikan Perkebunan Marjandi, PT Perkebunan VIII. *Warta Balai Penelitian Teh Dan Kina*, 4(3–4), 359–370.
- Asil, M. H. (2008). Effects of Plucking Methods on Yield and Quality of Black Tea (*Camellia sinensis* L.). *Journal of Food, Agriculture & Environment*, 6(2), 337–341.

- Astika, I. W., Sugiyanta, & Cibro, M. M. (2012). Pengukuran Tingkat Warna Daun Padi Dan Dosis Pemupukan Dengan Telepon Seluler Android. In *Prosiding InSINas* (pp. 43–49). Bogor, Indonesia: Institut Pertanian Bogor.
- Balasubramanian, V. (2003). Leaf Color Chart in Rice Improving Rice Farming in Asia : N Management in Rice Production. *Production*.
- Balasuriya, J. (2000). The partitioning of net total dry matter to roots of clonal tea (*Camellia sinensis*) at different altitudes in the wet zone of Sri Lanka. *Tropical Agriculture*, 77(3), 163–168.
- Baltzer, J. L., & Thomas, S. C. (2005). Leaf Optical Responses to Light and Soil Nutrient Availability in Temperate Deciduous Trees. *American Journal of Botany*, 92(2), 214–223.
- Bijay-Singh, Gupta, R. K., Yadvinder-Singh, Gupta, S. K., Singh, J., Bains, J. S., & Vashishta, M. (2006). Need-Based Nitrogen Management Using Leaf Color Chart in Wet Direct-Seeded Rice in Northwestern India. *Journal of New Seeds*, 8(1), 35–47. <https://doi.org/10.1300/J153v08n01>
- Blackburn, G. A. (2007). Hyperspectral remote sensing of plant pigments. *Journal of Experimental Botany*, 58(4), 855–867. <https://doi.org/10.1093/jxb/erl123>
- Bojovi, B., & Markovi, A. (2009). Correlation Between Nitrogen and Chlorophyll Content in Wheat (*Triticum aestivum* L.). *Kragujevac J. Sci*, 31, 69–74.
- Britto, D. T., & Kronzucker, H. J. (2002). NH₄⁺ toxicity in higher plants : a critical review. *J. Plant Physiology*, 159, 567–584.
- Bronson, K. F., Wheeler, T. a., Brown, C. M., Taylor, R. K., Scharf, P. C., & Barnes, E. M. (2012). Use of Nitrogen Calibration Ramps and Canopy Reflectance on Farmers' Irrigated Cotton Fields. *Soil Science Society of America Journal*, 76(3), 1060–1067. <https://doi.org/10.2136/sssaj2011.0344>
- Brouder, S., Hofmann, B., & Reetz, H. F. J. (2001). Evaluating Spatial Variability of Soil Parameters for Input Management. *Better Crops*, Vol. 85(2), 4.
- Brunetto, G., Trentin, G., Ceretta, C. A., Giroto, E., Lorensini, F., Miotto, A., ... de Melo, G. W. (2012). Use of the SPAD-502 in Estimating Nitrogen Content in Leaves and Grape Yield in Grapevines in Soils with Different Texture. *American Journal of Plant Sciences*, 03(11), 1546–1561. <https://doi.org/10.4236/ajps.2012.311187>
- Burgess, P. J., & Carr, M. K. V. (1996). Responses of Young Tea (*Camellia sinensis*) Clones to Drought and Temperature. II. Dry Matter Production and Partitioning. *Experimental Agriculture*, 32, 377–394. Retrieved from https://dspace.lib.cranfield.ac.uk/bitstream/1826/3879/1/Responses_of_Young_Tea-CAMELLIA_SINENSIS-Clones_to_Drought_II-1996.pdf
- Burgess, P. J., & Carr, M. K. V. (1997). Responses of Young Tea (*Camellia sinensis*) Clones to Drought and Temperature. 3. Shoot Extension and Development. *Experimental Agriculture*, 33(03), 367–383. Retrieved from

- Buschmann, C., Lenk, S., & Lichtenthaler, H. K. (2012). Reflectance Spectra and Images of Green Leaves with Different Tissue Structure and Chlorophyll Content. *Israel Journal of Plant Sciences*, 60(1), 49–64. <https://doi.org/10.1560/IJPS.60.1-2.49>
- Cabrera, C., Artacho, R., & Giménez, R. (2006). Beneficial Effects of Green Tea - a Review. *Journal of the American College of Nutrition*, 25(2), 79–99. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16582024>
- Cain, M. L., Subler, S., Evans, J. P., & Fortin, M.-J. (1999). Sampling Spatial and Temporal Variation in Soil Nitrogen Availability. *Oecologia*, 118, 8.
- Campillo, C., & Orden-valdesequera, F. La. (2010). Study of a Non-destructive Method for Estimating the Leaf Area Index in Vegetable Crops Using Digital Images. *HortScience*, 45(10), 1459–1463.
- Carter, G. A., & Miller, R. L. (1994). Early Detection of Plant Stress by Digital Imaging within Narrow Stress-Sensitive Wavebands. *Remote Sens. Environ.*, 302(September), 295–301.
- Carter, G. A., & Napp, A. K. (2001). Leaf Optical Properties In Higher Plants: Linking Spectral Characteristics To Stress And Chlorophyll Concentration. *American Journal of Botany*, 88(4), 677–684.
- Castalanelli, C., Hoffmann, H., & McPharlin, I. (2009). Identifying nutritional deficiencies in the home garden. Perth, Australia: Western Australian Agriculture Authority. <https://doi.org/092433-06/09-ID10256>
- Cazzonelli, C. I. (2011). Carotenoids in Nature : Insights from Plants and Beyond. *Functional Plant Biology*, 38, 833–847.
- Chong, K. P., Ho, T. Y., & Jalloh, M. B. (2008). Soil Nitrogen Phosphorus and Tea Leaf Growth in Organic and Conventional Farming of Selected Fields at Sabah Tea Plantation Slope. *Journal of Sustainable Development*, 1(3).
- Clay, D. E., Kharel, T. P., Reese, C., Beck, D., Carlson, C. G., Clay, S. a., & Reicks, G. (2012). Winter Wheat Crop Reflectance and Nitrogen Sufficiency Index Values are Influenced by Nitrogen and Water Stress. *Agronomy Journal*, 104(6), 1612. <https://doi.org/10.2134/agronj2012.0216>
- Clemens, S. (2012). *Procedures for Correcting Digital Camera Imagery Acquired by the AggieAir Remote Sensing Platform*. Retrieved from <http://digitalcommons.usu.edu/gradreports/186>
- Corwin, D. L., & Plant, R. E. (2005). Applications of Apparent Soil Electrical Conductivity in Precision Agriculture. *Computers and Electronics in Agriculture*, 46(1–3), 1–10. <https://doi.org/10.1016/j.compag.2004.10.004>
- Coste, S., Baraloto, C., Leroy, C., Marcon, É., Renaud, A., Richardson, A. D., ... Hérault, B. (2010). Assessing foliar chlorophyll contents with the SPAD-502 chlorophyll meter: a calibration test with thirteen tree species of tropical rainforest in French Guiana. *Annals of*

- Davenport, J. R., Perry, E. M., Lang, N. S., & Stevens, R. G. (2005). Leaf Spectral Reflectance for Nondestructive Measurement of Plant Nutrient Status. *Horticulture Technology*, 15(1), 31–35.
- De Costa, W. A. J. M., Mohotti, A. J., & Wijeratne, M. A. (2007). Ecophysiology of Tea. *Braz. J. Plant Physiol*, 19(4), 299–332. Retrieved from <http://www.scielo.br/pdf/bjpp/v19n4/a05v19n4.pdf>
- Dewi, I. R. (2002). Pengaruh Kombinasi Konsentrasi Pupuk Hayati Dengan Pupuk Organik Cair Terhadap Kualitas dan Kuantitas Hasil Tanaman Teh (*Camellia sinensis* (L.) O. Kuntze) Klon Gambung 4. Bandung: Universitas Padjadjaran. Retrieved from http://pustaka.unpad.ac.id/wp-content/uploads/2009/06/kultivasi_teh_revisi.pdf
- Dutta, R. (2006). *Assessment of Tea Bush Health and Yield Using Geospatial Techniques*. *Geo-Information Science*.
- Dutta, R. (2010). *An integrated approach for monitoring tea plantations*.
- Dutta, R. (2011). Impact of Age and Management Factors on Tea Yield and Modelling the Influence of Leaf Area Index on Yield Variations. *Science Asia*, 37, 83–87. <https://doi.org/10.2306/scienceasia1513-1874.2011.37.083>
- Effendi, D. S., Syakir, M., Yusron, M., & Wiratno. (2011). *Budidaya dan Pasca Panen Teh*. (Jusniarti & A. Budiharto, Eds.). Bogor, Indonesia: Pusat Penelitian dan Pengembangan Perkebunan.
- Eftekhari, M., Kamkar, B., & Alizadeh, M. (2011). Prediction of Leaf Area in Some Iranian Table Grape (*Vitis vinifera* L .) Cuttings by a Non-destructive and Simple Method. *Science Research Reporter*, 1(3), 115–121.
- Fernando, L. H. (1977). Pemetikan Teh. *Warta Balai Penelitian Teh Dan Kina*, 3(4), 269–275.
- Field protocol on Radiation measurements and Leaf Area Index (LAI). (2009).
- Filella, I., Serrano, L., Serra, J., & Penuelas, J. (1995). Evaluating Wheat Nitrogen Status with Canopy Reflectance Indices and Discriminant Analysis. *Crop Science*, 35(5), 1400–1405.
- Forrest, B. G. I., & Bendall, D. S. (1969). The Distribution of Polyphenols in the Tea Plant (*Camellia sinensis* L .). *Biochem. J.*, (12), 741.
- Gamon, J. A., & Surfus, J. S. (1999). Assessing Leaf Pigmen Content and Activity with a Reflectometer. *New Phytologist*, 143(1), 105–117.
- Gausman, H. W., & Allen, W. a. (1973). Optical Parameters of Leaves of 30 Plant Species. *Plant Physiology*, 52(1), 57–62. Retrieved from http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=366438&tool=pmcentrez&render_type=abstract

- Gebbers, R., & Adamchuk, V. I. (2010). Precision Agriculture and Food Security. *Science*, 327(5967), 828–831. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/20150492>
- Gholizadeh, A., Amin, M. S. M., Anuar, A. R., & Amirun, W. (2009). Evaluation of SPAD Chlorophyll Meter in Two Different Rice Growth Stages and its Temporal Variability. *European Journal of Scientific Research*, 37(4), 591–598.
- Gillespie, A. R., Kahle, A. B., & Walker, R. E. (1986). Color enhancement of highly correlated images. I. Decorrelation and HSI contrast stretches. *Remote Sensing of Environment*, 20(3), 209–235. [https://doi.org/10.1016/0034-4257\(86\)90044-1](https://doi.org/10.1016/0034-4257(86)90044-1)
- Gillespie, A. R., Kahle, A. B., & Walker, R. E. (1987). Color enhancement of highly correlated images. II. Channel ratio and “chromaticity” transformation techniques. *Remote Sensing of Environment*, 22(3), 343–365. [https://doi.org/10.1016/0034-4257\(87\)90088-5](https://doi.org/10.1016/0034-4257(87)90088-5)
- Gitelson, A. A., Chivkunova, O. B., & Merzlyak, M. N. (2009). Nondestructive estimation of anthocyanins and chlorophylls in anthocyanic leaves. *American Journal of Botany*, 96(10), 1861–1868. <https://doi.org/10.3732/ajb.0800395>
- Gitelson, A. A., & Merzlyak, M. N. (1996). Signature Analysis of Leaf Reflectance Spectra: Algorithm Development for Remote Sensing of Chlorophyll. *J. Plant Physiol.*, 148, 494–500.
- Gitelson, A. A., Zur, Y., Chivkunova, O. B., & Merzlyak, M. N. (2002). Assessing carotenoid content in plant leaves with reflectance spectroscopy. *Photochemistry and Photobiology*, 75(3), 272–281. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11950093>
- Gitelson, A., & Merzlyak, M. N. (1994). Spectral Reflectance Changes Associated with Autumn Senescence of *Aesculus hippocastanum* L. and *Acer platanoides* L. Leaves. Spectral Features and Relation to Chlorophyll Estimation. *Journal of Plant Physiology*, 143(3), 286–292. [https://doi.org/10.1016/S0176-1617\(11\)81633-0](https://doi.org/10.1016/S0176-1617(11)81633-0)
- Govaerts, B., & Verhulst, N. (2010). The normalized difference vegetation index (NDVI) GreenSeeker TM handheld sensor : Toward the integrated evaluation of crop management. Part A : Concepts and case studies. Mexico; D.F.: CIMMYT.
- Graeff, S., Pfenning, J., Claupein, W., & Liebig, H.-P. (2008). Evaluation of Image Analysis to Determine the N-Fertilizer Demand of Broccoli Plants (*Brassica oleracea* convar. botrytis var. italica). *Advances in Optical Technologies*, 2008, 1–8. <https://doi.org/10.1155/2008/359760>
- Haboudane, D. (2004). Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture. *Remote Sensing of Environment*, 90(3), 337–352. <https://doi.org/10.1016/j.rse.2003.12.013>
- Hernita, D., Poerwanto, R., Susila, A. D., & Anwar, S. (2012). Penentuan Status Hara Nitrogen pada Bibit Duku. *J. Hort.*, 22(1), 29–36.
- Hoffmann, H., Jensen, R., Thomsen, A., Nieto, H., Rasmussen, J., & Friberg, T. (2016). Crop water stress maps for entire growing seasons from visible and thermal UAV imagery. *Biogeosciences Discussions*, (August), 1–30. <https://doi.org/10.5194/bg-2016-316>

- Honkavaara, E., Saari, H., Kaivosoja, J., Pölonen, I., Hakala, T., Litkey, P., ... Pesonen, L. (2013). Processing and Assessment of Spectrometric, Stereoscopic Imagery Collected Using a Lightweight UAV Spectral Camera for Precision Agriculture. *Remote Sensing*, 5(10), 5006–5039. <https://doi.org/10.3390/rs5105006>
- Hosoi, F., & Omasa, K. (2007). Factors contributing to accuracy in the estimation of the woody canopy leaf area density profile using 3D portable lidar imaging. *Journal of Experimental Botany*, 58(12), 3463–3473. <https://doi.org/10.1093/jxb/erm203>
- Hunt, E. R., Hively, W. D., Daughtry, C. S. T., Mccarty, G. W., Fujikawa, S. J., Ng, T. L., ... Yoel, D. W. (2008). Remote Sensing Of Crop Leaf Area Index Using Unmanned Airborne Vehicles. In *Pecora 17: The Future of Land imaging*.
- Hunt, E. R., Hively, W. D., Mccarty, G. W., Daughtry, C. S. T., Forrestal, P. J., Kratochvil, R. J., ... Miller, C. D. (2011). NIR-Green-Blue High-Resolution Digital Images for Assessment of Winter Cover Crop Biomass. *GI Science and Remote Sensing*, 48(1), 86–98. <https://doi.org/10.2747/1548-1603.48.1.86>
- Hunt Jr., E. R., Doraiswamy, P. C., McMurtrey, J. E., Daughtry, C. S. T., Perry, E. M., & Akhmedov, B. (2013). A Visible Band Index for Remote Sensing Leaf Chlorophyll Content at the Canopy Scale. *International Journal of Applied Earth Observation and Geoinformation*, 21, 103–112.
- Hussain, M. Z., Khan, S. A., & Thiyagarajan, T. M. (2009). Increasing Nitrogen Use Efficiency in Rice (*Oryza Sativa* L.) with Chlorophyll Meter and Leaf Color Chart. *The IUP Journal of Soil and Water Sciences Vol II No 4 Pp 3654 November 2009*. SSRN. <https://doi.org/10.2139/ssrn.1513199>
- İnanç, A. L. (2011). Chlorophyll: Structural Properties, Health Benefits and Its Occurrence in Virgin Olive Oils. *Akademik Gıda/Academic Food Journal*, 9(2), 90–344. <https://doi.org/10.1021/jp074249f>
- Ipinmoroti, R. R., Adeoye, G. O., & Makinde, E. A. (2008). Effects of Urea-Enriched Organic Manures on Soil Fertility, Tea Seedling Growth and Pruned Yield Nutrient Uptake in Ibadan, Nigeria. *Bulgarian Journal of Agricultural Science*, 14(6), 592–597.
- Isdiyanto, & Pasaribu, E. H. (2000). Pengaruh Dosis Nitrogen Terhadap Ketahanan Berbagai Klon Teh Pada *Helopeltis* sp. In *Prosiding pertemuan teknis teh nasional 1999* (pp. 243–248). Gambung: Puslit Teh dan Kina.
- Itle, R. A., & Kabelka, E. A. (2009). Correlation Between Lab Color Space Values and Carotenoid Content in Pumpkins and Squash (*Cucurbita* spp.). *HortScience*, 44(3), 633–637.
- Jaradat, A. A., Rinke, J., Ave, U. I., & Mn, M. (2012). Modeling sugar content of farmer-managed sugar beets (*Beta vulgaris* L.), (L), 23–34.
- Jia, L., Chen, X., Zhang, F., Buerkert, A., & Römheld, V. (2004). Use of Digital Camera to Assess Nitrogen Status of Winter Wheat in the Northern China Plain. *Journal of Plant Nutrition*, 27(3), 441–450. <https://doi.org/10.1081/pLN-120028872>

- Johan, M. E. (2005). Pengaruh Tinggi Pangkasan dan Tinggi Jendangan Terhadap Pertumbuhan dan Hasil Pucuk Basah pada Tanaman Teh Asal Biji. *Jurnal Penelitian Teh Dan Kina*, 8(1–2), 43–48.
- Johan, M. E. (2006). Pengaruh Istirahat Petik pada Pangkasan-Dalam Terhadap Pertumbuhan Tanaman dan Produktivitas Jendangan. *Jurnal Penelitian Teh Dan Kina*, 9(3), 63–68.
- Johan, M. E., Salim, A. A., & Rachmiati, Y. (2008). Pengaruh Cara Pemetikan Dengan Gunting dan Aplikasi Pemupukan Terhadap Peningkatan Produksi Pucuk Tanaman Teh Asal Biji. *Jurnal Penelitian Teh Dan Kina*, 11(1–2), 17–24.
- Judkins, W. P., & Wander, I. W. (1950). Correlation Between Leaf Color, Leaf Nitrogen Content, And Growth Of Apple, Peach, and Grape Plants. *Plant Physiology*, 25(1), 78–85.
- Kaleita, A. L., Tian, L. F., & Hirschi, M. C. (2005). Relationship Between Soil Moisture Content And Soil Surface Reflectance. *Transacations of ASAE*, 48(5), 1979–1986.
- Kawashima, S., & Nakatani, M. (1998). An Algorithm for Estimating Chlorophyll Content in Leaves Using a Video Camera. *Annals of Botany*, 81, 49–54.
- Kim, Y., Glenn, D. M., Park, J., Ngugi, H. K., & Lehman, B. L. (2011). Hyperspectral Image Analysis for Water Stress Detection of Apple Trees. *Computers and Electronics in Agriculture*, 77(2), 155–160. <https://doi.org/10.1016/j.compag.2011.04.008>
- Knipling, E. B. (1970). Physical and Physiological Basis for the Reflectance of Visible and Near-Infrared Radiation from Vegetation. *Remote Sensing of Environment*, 1(3), 155–159. [https://doi.org/10.1016/S0034-4257\(70\)80021-9](https://doi.org/10.1016/S0034-4257(70)80021-9).
- Koga, K., Suehiro, Y., Matsuoka, S.-T., & Takahashi, K. (2003). Evaluation of Growth Activity of Microbes in Tea Field Soil Using Microbial Calorimetry. *Journal of Bioscience and Bioengineering*, 95(5), 429–434. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16233435>
- Lebourgeois, V., Bégué, A., Labbé, S., Mallavan, B., Prévot, L., & Roux, B. (2008a). Can Commercial Digital Cameras Be Used as Multispectral Sensors? A Crop Monitoring Test. *Sensors*, 8(11), 7300–7322. <https://doi.org/10.3390/s8117300>
- Lebourgeois, V., Bégué, A., Labbé, S., Mallavan, B., Prévot, L., & Roux, B. (2008b). Can Commercial Digital Cameras Be Used as Multispectral Sensors? A Crop Monitoring Test. *Sensors*, 8(11), 7300–7322. <https://doi.org/10.3390/s8117300>
- Li, C., Li, F., Liu, Y., Li, X., Liu, P., & Xiao, B. (2012). Study on the Feasibility of RGB Substitute CIR for Automatic Removal Vegetation Occlusion Based on Ground Close-Range Building Images. *ISPRS - International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XXXIX-B3(September), 227–230. <https://doi.org/10.5194/isprsarchives-XXXIX-B3-227-2012>
- Liang, Y., Urano, D., Liao, K. L., Hedrick, T. L., Gao, Y., & Jones, A. M. (2017). A nondestructive method to estimate the chlorophyll content of Arabidopsis seedlings. *Plant Methods*, 13(1), 1–10. <https://doi.org/10.1186/s13007-017-0174-6>

- Little, C. R., & Summy, K. R. (2007). Accurate Spectral Measurements and Color Infrared Imagery of Excised Leaves Exhibiting Gaussian Curvature from Healthy and Stressed Plants. In D. Ventzas (Ed.), *Advanced Image Acquisition, Processing Techniques and Applications I* (pp. 123–142). Rijeka, Croatia; Shanghai, China: InTech. Retrieved from <http://www.intechopen.com/books/advanced-image-acquisition-processing-techniques-and-applications-i/accurate-spectral-measurements-and-color-infrared-imagery-of-excised-leaves-exhibiting-gaussian-curve>
- Liu, Z. A., Yang, J. P., & Yang, Z. C. (2012). Using a Chlorophyll Meter to Estimate Tea Leaf Chlorophyll and Nitrogen Contents. *Journal of Soil Science and Plant Nutrition*, 12(2), 339–348.
- Magambo, M. J. S., & Cannell, M. G. R. (1981). Dry Matter Production and Partition in Relation to Yield of Tea. *Experimental Agriculture*, 17(01), 33–38. Retrieved from http://journals.cambridge.org/abstract_S0014479700011200
- Mather, P. M. (1987). Computer processing of remotely-sensed images — An introduction. *Geocarto International*, 2(4), 64–64. <https://doi.org/10.1080/10106048709354125>
- McGeorge, W. T. (1949). A Study of Lime-Induced Chlorosis in Arizona Orchards. *University of Arizona Technical Bulletin*, 117(February), 341–386.
- Merzlyak, M. N., Solovchenko, A. E., & Gitelson, A. a. (2003). Reflectance Spectral Features and Non-Destructive Estimation of Chlorophyll, Carotenoid and Anthocyanin Content in Apple Fruit. *Postharvest Biology and Technology*, 27(2), 197–211. [https://doi.org/10.1016/S0925-5214\(02\)00066-2](https://doi.org/10.1016/S0925-5214(02)00066-2)
- Miguel, E. L., Eduardo, A. C., Miguel, E. B., & Juan, B. B. (2010). Commercial Digital Camera To Estimate Postharvest Leaf Area Index In *Vitis vinifera* L . CV Cabernet Sauvignon On A Vertical Trellis. *Chilean Journal of Agricultural Research*, 70(2), 315–322.
- Mirik, M., Michels, G. J., Kassymzhanova-Mirik, S., Elliott, N. C., Catana, V., Jones, D. B., & Bowling, R. (2006). Using Digital Image Analysis and Spectral Reflectance Data to Quantify Damage by Greenbug (Hemitera: Aphididae) in Winter Wheat. *Computers and Electronics in Agriculture*, 51(1–2), 86–98. <https://doi.org/10.1016/j.compag.2005.11.004>
- Miyama, D., Miyazaki, M., & Araki, T. (2001). Growth and Yield Sensing System for Precision Agriculture in Tea Cultivation. In *The International Conference on O-Cha (Tea) Culture and Science* (pp. 166–169). Shizuoka, Japan: World Green Tea Association.
- Mobasheria, M. R., Chahardolib, M., Jokarc, J., & Farajzadeh, M. (2008). Sugarcane Phenological Date Estimation Using Broad-Band Digital Cameras. In *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences* (pp. 971–978).
- Moghaddam, P. A., Derafshi, M. H., & Shayesteh, M. (2010). A New Method in Assessing Sugar Beet Leaf Nitrogen Status Through Color Image Processing and Artificial Neural Network. *Journal of Food, Agriculture & Environment*, 8(2), 485–489. Retrieved from <http://www.isfae.org/scientificjournal/2010/issue2/pdf/agriculture/a36.pdf>
- Mohotti, A. J., & Lawlor, D. W. (2002). Diurnal Variation of Photosynthesis and Photoinhibition in

Tea: Effects of Irradiance and Nitrogen Supply During Growth in the Field. *Journal of Experimental Botany*, 53(367), 313–322. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11807135>

- Mondal, P., Basu, M., & Bhadoria, P. B. S. (2011). Critical Review of Precision Agriculture Technologies and Its Scope of Adoption in India. *American Journal of Experimental Agriculture* 1(3): 49-68, 2011, 1(3), 49–68.
- Mudau, F. N., Soundy, P., & Toit, E. S. Du. (2007). Nitrogen, Phosphorus, and Potassium Nutrition Increases Growth and Total Polyphenol Concentrations of Bush Tea in a Shaded Nursery Environment. *HortTechnology*.
- Mullen, R. W., Freeman, K. W., Raun, W. R., Johnson, G. V., Stone, M. L., & Solie, J. B. (2003). Identifying an In-Season Response Index and the Potential to Increase Wheat Yield with Nitrogen. *Agronomy Journal*, 95(2), 347. <https://doi.org/10.2134/agronj2003.0347>
- Musalam, Y., & Mulyadi, D. (1991). Analisa Residu Pestisida Organofosfor Pada Pucuk Teh dengan Metode HPLC Sehubungan Dengan Periode Pemetikan. *Buletin Penelitian Teh Dan Kina*, 5(1–2), 37–48.
- Nath, U., Crawford, B. C. W., Carpenter, R., & Coen, E. (2003). Genetic Control of Surface Curvature. *Science (New York, N.Y.)*, 299(5611), 1404–1407. <https://doi.org/10.1126/science.1079354>
- Nouraki, A., Akhavan, S., & Rezaei, Y. (2017). Predicting the relative water content of sunflower plant using RGB reflectance. *Researcher*, 9(8), 1–13. <https://doi.org/10.7537/marsrsj090817.01>.Keywords
- Ollinger, S. V. (2011). Sources of Variability in Canopy Reflectance and the Convergent Properties of Plants. *The New Phytologist*, 189(2), 375–394. <https://doi.org/10.1111/j.1469-8137.2010.03536.x>
- Oppelt, N. (2002). *Monitoring of Plant Chlorophyll and Nitrogen Status Using the Airborne Imaging Spectrometer AVIS*. der Ludwig-Maximilians-Universität München.
- Owuor, P. O., Kamau, D. M., Kamunya, S. M., Msomba, S. W., Uwimana, M. A., Okal, A. W., & Kwach, B. O. (2011). Effects of Genotype, Environment and Management on Yields and Quality of Black Tea. In E. Lichtfouse (Ed.), *Genetics, Biofuels and Local Farming Systems: Sustainable Agriculture Reviews* (Vol. 7, pp. 277–307). Dordrecht: Springer Netherlands. <https://doi.org/10.1007/978-94-007-1521-9>
- Owuor, P. O., Ng'etich, W. K., & Obanda, M. (2000). Quality Response of Clonal Black Tea to Nitrogen Fertiliser, Plucking Interval and Plucking Standard. *Journal of the Science of Food and Agriculture*, 80, 439–446. Retrieved from <http://biriz.biz/cay/kalite/E20.pdf>
- Palta, J. P. (1990). Leaf chlorophyll content. *Remote Sensing Reviews*, 5(1), 207–213. <https://doi.org/10.1080/02757259009532129>
- Pekin, B., & Macfarlane, C. (2009). Measurement of Crown Cover and Leaf Area Index Using Digital Cover Photography and Its Application to Remote Sensing. *Remote Sensing*, 1(4),

- Percival, G. C., Keary, I. P., & Noviss, K. (2008). The Potential of a Chlorophyll Content SPAD Meter to Quantify Nutrient Stress in Foliar Tissue of Sycamore (*Acer pseudoplatanus*), English Oak (*Quercus robur*), and European Beech (*Fagus sylvatica*). *Arboriculture & Urban Forestry*, 34(2), 89–100. Retrieved from <http://joa.isa-arbor.com/request.asp?JournalID=1&ArticleID=3035&Type=2>
- Pérez-Patricio, M., Camas-Anzueto, J. L., Sanchez-Alegría, A., Aguilar-González, A., Gutiérrez-Miceli, F., Escobar-Gómez, E., ... Grajales-Coutiño, R. (2018). Optical method for estimating the chlorophyll contents in plant leaves. *Sensors (Switzerland)*, 18(2). <https://doi.org/10.3390/s18020650>
- Porter, W. M., Khalilian, A., Henderson, W., & Han, Y. (2010). Sensor-Based Site-Specific Nitrogen Management In Cotton. In *Proceeding of Beltwide Cotton Conferences*. New Orleans, Louisiana.
- Rabatel, G., Gorretta, N., & Labbe, S. (2011). Getting NDVI Spectral Bands from a Single Standard RGB Digital Camera : A Methodological Approach, (1), 333–342.
- Rachmiati, Y., & Salim, A. A. (2008). Konservasi Lahan dan Pemupukan Pada Areal Replanting. In J. Santoso, R. Suprihatini, A. I. Rosyadi, W. Widayat, & P. Rahardjo (Eds.), *Prosiding pertemuan teknis teh tahun 2008* (pp. 36–55). Bandung: Puslit Teh dan Kina.
- Rahman, F. (Research I. for T. and C.-G. (1981). Beberapa Pemikiran Tentang Penanaman Teh di Indonesia. *Warta Balai Penelitian Teh Dan Kina, Gambung*, 4(3–4), 273–281.
- Raper, T. B., Oosterhuis, D. M., Siddons, U., Purcell, L. C., & Mozaffari, M. (2011). Utilization of the Dark Green Color Index to Determine Cotton Nitrogen Status. In *Summaries of Arkansas Cotton Research* (pp. 62–66).
- Raper, T. B., Oosterhuis, D. M., Siddons, U., Purcell, L. C., & Mozaffari, M. (2012). Effectiveness Of The Dark Green Color Index In Determining Cotton Nitrogen Status From Multiple Camera Angles. *International Journal of Applied Science and Technology*, 2(1), 2010–2013.
- Raper, T. B., Varco, J. J., & Hubbard, K. J. (2013). Canopy-Based Normalized Difference Vegetation Index Sensors for Monitoring Cotton Nitrogen Status. *Agronomy Journal*, 105(5), 1345. <https://doi.org/10.2134/agronj2013.0080>
- Rodriguez, D., Fitzgerald, G. J., Belford, R., & Christensen, L. K. (2006). Detection of Nitrogen Deficiency in Wheat From Spectral Reflectance Indices and Basic Crop Eco-Physiological Concepts. *Australian Journal of Agricultural Research*, 57(7), 781. <https://doi.org/10.1071/AR05361>
- Rodriguez, I. R., & Miller, G. L. (2000). Using a Chlorophyll Meter to Determine the Chlorophyll Concentration , Nitrogen Concentration , and Visual Quality of St . Augustinegrass. *Horticulture Science*, 35(4), 751–754. Retrieved from <http://hortsci.ashspublications.org/content/35/4/751.full.pdf>
- Rorie, R. L., Purcell, L. C., Karcher, D. E., & King, C. A. (2011). The Assessment of Leaf Nitrogen

- Rorie, R. L., Purcell, L. C., Mozaffari, M., Karcher, D. E., King, C. A., Marsh, M. C., & Longer, D. E. (2011). Association of "Greenness" in Corn with Yield and Leaf Nitrogen Concentration. *Agronomy Journal*, 103(2), 529–535. <https://doi.org/10.2134/agronj2010.0296>
- Ruan, J., Gerendás, J., Härdter, R., & Sattelmacher, B. (2007). Effect of nitrogen form and root-zone pH on growth and nitrogen uptake of tea (*Camellia sinensis*) plants. *Annals of Botany*, 99(2), 301–310. <https://doi.org/10.1093/aob/mcl258>
- Ruan, J., Zhang, F., & Wong, M. H. (2000). Effect of nitrogen form and phosphorus source on the growth, nutrient uptake and rhizosphere soil property of *Camellia sinensis* L. *Plant and Soil*, 223(1–2), 63–71.
- Sakamoto, T., Gitelson, A. A., Nguy-Robertson, A. L., Arkebauer, T. J., Wardlow, B. D., Suyker, A. E., ... Shibayama, M. (2012). An Alternative Method Using Digital Cameras for Continuous Monitoring of Crop Status. *Agricultural and Forest Meteorology*, 154–155, 113–126. <https://doi.org/10.1016/j.agrformet.2011.10.014>
- Sarwar, S., Ahmad, F., Hamid, F. S., Khan, B. M., & Khurshid, F. (2007). Effect Of Different Nitrogenous Fertilizers On The Growth And Yield Of Three Years Old Tea (*Camellia sinensis*) Plants. *Sarhad J. Agric.*, 23(4), 907–910.
- Schmidt, J., Beegle, D., Zhu, Q., & Sripada, R. (2011). Improving in-season nitrogen recommendations for maize using an active sensor. *Field Crops Research*, 120(1), 94–101. <https://doi.org/10.1016/j.fcr.2010.09.005>
- Sedaghatthoor, S., Torkashvand, A. M., & Hashemabadi, D. (2009). Yield and Quality Response of Tea Plant to Fertilizers. *Journal of Agricultural Research*, 4(6), 568–570. Retrieved from [http://www.academicjournals.org/ajar/PDF/pdf/2009/Jun/Sedaghatthoor et al.pdf](http://www.academicjournals.org/ajar/PDF/pdf/2009/Jun/Sedaghatthoor%20et%20al.pdf)
- Sekulić, P., M., Gavrić, M., Martinov, M., & Konstantinović, M. (2004). GIS and GPS for Sustainable Agriculture and Traceability. In *Proceeding of EE&AE 2004, International Scientific Conference* (pp. 362–368). Rousse, Bulgaria.
- Sen, A., Srivastava, V. K., Singh, M. K., Singh, R. K., & Kumar, S. (2011). Leaf Colour Chart vis-a-vis Nitrogen Management in Different Rice Genotypes. *American Journal of Plant Sciences*, 02(02), 223–236. <https://doi.org/10.4236/ajps.2011.22024>
- Shanahan, J. F., Kitchen, N. R., Raun, W. R., & Schepers, J. S. (2008). Responsive In-season Nitrogen Management for Cereals. *Computers and Electronics in Agriculture*, 61(1), 51–62. <https://doi.org/10.1016/j.compag.2007.06.006>
- Shangguan, Z., Shao, M., & Dyckmans, J. (2000). Nitrogen nutrition and water stress effects on leaf photosynthetic gas exchange and water use efficiency in winter wheat. *Environmental and Experimental Botany*, 44(2), 141–149. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10996367>
- Sharma, R. K., Jat, M. L., Martin, K. L., Chandna, P., Choudhary, O. P., Gupta, R. K., ... Gupta,

- R. (2011). Assessment of the Nitrogen Management Strategy Using an Optical Sensor for Irrigated Wheat. *Agronomy for Sustainable Development*, 31(3), 589–603. <https://doi.org/10.1007/s13593-011-0005-5>
- Shibayama, M., Sakamoto, T., Takada, E., Inoue, A., Morita, K., Yamaguchi, T., ... Kimura, A. (2012). Estimating Rice Leaf Greenness (SPAD) Using Fixed-Point Continuous Observations of Visible Red and Near Infrared Narrow-Band Digital Images. *Plant Prod. Sci.*, 15(4), 293–309.
- Sims, D. A., & Gamon, J. A. (2002). Relationships Between Leaf Pigment Content and Spectral Reflectance Across a Wide Range of Species , Leaf Structures and Developmental Stages. *Remote Sensing of Environment*, 81, 337–354. [https://doi.org/0034-4257/02/\\$](https://doi.org/0034-4257/02/$)
- Singh, B., Singh, Y., Ladha, J. K., & Bronson, K. F. (2002). Chlorophyll meter- and leaf color chart-based nitrogen management for rice an ... *Agriculture*.
- Singh, H. P., Singh, G., Samuel, J. C., & Pathak, R. K. (Eds.). (2003). *Precision Farming in Horticulture*. Lucknow: NCPAH, DAC/PFDC, CISH.
- Sivapalan, K. (1975). Photosynthetic Assimilation of $^{14}\text{CO}_2$ by Mature Brown Stems of the Tea Plant (*Camellia sinensis* L.). *Ann. Bot.*, 39(2), 137–140. Retrieved from <http://aob.oxfordjournals.org/cgi/content/abstract/39/2/137>
- Slaton, M. R., Hunt Jr., E. R., & Smith, W. K. (2001). Estimating Near-Infrared Leaf Reflectance From Leaf Structural Characteristics. *American Journal of Botany*, 88(2), 278–284.
- Solari, F. (2006). *Developing A Crop Based Strategy For On-The-Go Nitrogen Management In Irrigated Cornfields*. University of Nebraska.
- Suehara, K., Hashimoto, M., & Kameoka, T. (2008). Prediction of Color Appearance Change of Digital Images under Different Lighting Conditions Based on Visible Spectral Data. In *World Conference on Agricultural Information and Technology* (pp. 1081–1086).
- Sun, B., Zhang, L., Yang, L., Zhang, F., Norse, D., & Zhu, Z. (2012). Agricultural Non-Point Source Pollution in China: Causes and Mitigation Measures. *Ambio*, 41(4), 370–379. <https://doi.org/10.1007/s13280-012-0249-6>
- Suwardi, E. (1991). Penentuan Saat Pemangkasan Pada Tanaman Teh Menghasilkan (TM). *Warta Teh Dan Kina*, 2(3–4), 32–36.
- Suwardi, E. (1999). Pemetikan teh. In *Prosiding Pertemuan Teknis Teh Nasional 1999* (pp. 229–234). Bandung: Pusat Penelitian Teh dan Kina Gambung, Bandung.
- Swinton, S. M., & Lowenberg-DeBoer, J. (1998). Evaluating the Profitability of Site-Specific Farming. *Journal of Production Agriculture*, 11(4), 439–446.
- Tanaka, S., Ishihara, M., Goto, S., Maki, M., Akiyama, T., Muramoto, Y., & Yoshida, K. (2008). Estimation Of Leaf Chlorophyll Concentration In Winter Wheat At Heading To Anthesis Using Ikonos Data. In *Asian Conference on Remote Sensing*. Retrieved from <http://www.a-a-r-s.org/acrs/proceeding/ACRS2008/Papers/PS 1.6.pdf>

- Tanton, T. W. (1979). Some Factors Limiting Yields of Tea (*Camellia sinensis*). *Experimental Agriculture*, 15(02), 187–191. Retrieved from http://journals.cambridge.org/abstract_S0014479700000594
- Tobing, E. L. (Marihat R. S. S. U. (1976). Pemupukan Tanaman Teh di Simalungun, Sumatera Utara. *Warta Balai Penelitian Teh Dan Kina*, 2(3–4), 241–256.
- Tripathi, N. K., Rajapakse, S. S., & Honda, K. (2004). Tea Yield Modeling Based on Satellite Derived LAI. *Geocarto International*, 19(3), 51–54. <https://doi.org/10.1080/10106040408542317>
- Varvel, G. E., Schepers, J. S., & Francis, D. D. (1997). Ability for In-Season Correction of Nitrogen Deficiency in Corn Using Chlorophyll Meters. *Soil Sci. Soc. Am. J.*, 61, 1233–1239.
- Vibhute, A., & Bodhe, S. K. (2013). Color Image Processing Approach for Nitrogen Estimation of Vineyard. *International Journal of Agricultural Science and Research*, 3(3), 189–196.
- Wallace, T. (2014). 114 Photos of Mineral Deficiencies in Plants for Visual Diagnosis. Retrieved January 28, 2014, from <http://customers.hbci.com/~wenonah/min-def/list.htm>
- Wang, J., Zhou, Y., Dong, C., Shen, Q., & Putheti, R. (2009). Effects of NH₄ + -N / NO₃ -N ratios on growth , nitrate uptake and organic acid levels of spinach (*Spinacia oleracea* L .). *African Journal of Biotechnology Vol.*, 8(15), 3597–3602.
- Wang, L. F., Park, S. C., Chung, J. O., Baik, J. H., & Park, S. K. (2004). The Compounds Contributing to the Greenness of Green Tea. *Journal of Food Science*, 69(8), s301–s305.
- Wang, Y., Wang, D., Shi, P., & Omasa, K. (2014). Estimating rice chlorophyll content and leaf nitrogen concentration with a digital still color camera under natural light. *Plant Methods*, 10(1), 36. <https://doi.org/10.1186/1746-4811-10-36>
- Widayat, W., & Darana, S. (2008). Penentuan Daur Petik yang Aman Setelah Menggunakan Fungisida Flusilazol untuk Pengendalian Cacar Teh. *Jurnal Penelitian Teh Dan Kina*, 11(1–2), 10–16.
- Wijeratne, M. A. (2003). Harvesting Policies of Tea (*Camellia sinensis* L .) for Higher Productivity and Quality. *Tropical Agricultural Research and Extension*, 6, 91–97.
- Wong, M. (2006). Mature Leaf Chlorosis and Necrosis. *Tropical Agriculture*, (May), 1–6.
- Woolfolk, W. T. M., & Friend, A. L. (2003). Growth response of cottonwood roots to varied NH₄:NO₃ ratios in enriched patches. *Tree Physiology*, 23(6), 427–432. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12642245>
- Woolley, J. T. (1971). Reflectance and Transmittance of Light by Leaves. *Plant Physiology*, 47(5), 656–662. Retrieved from http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=396745&tool=pmcentrez&render_type=abstract
- Yang, W., Peng, S., Huang, J., Sanico, A. L., Buresh, R. J., & Witt, C. (2003). Using Leaf Color

Charts to Estimate Leaf Nitrogen Status of Rice. *Agronomy Journal*, 95(3753), 212–217.

- Yang, W., Wang, S., Zhao, X., Zhang, J., & Feng, J. (2015). Greenness identification based on HSV decision tree. *Information Processing in Agriculture*, 2(3–4), 149–160. <https://doi.org/10.1016/j.inpa.2015.07.003>
- Yusroni, N., Kusumawati, R., & Khanifah. (2012). Kajian Ekonomi Industri Pada Usaha Produksi Perkebunan Teh Rakyat di Indonesia. In *Prosceeding of Eco-Entrepreneurship Seminar & Call for Paper "Improving Performance by Improving Environment" 2012*. Semarang: Fakultas Ekonomi, Universitas Negeri Semarang.
- Zakaluk, R., & Ranjan, R. S. (2008). Predicting the Leaf Water Potential of Potato Plants Using RGB Reflectance. *Canadian Biosystems Engineering*, 50, 7.1-7.12.
- Zeiss, M. R., & den Braber, K. (2001). Growth and Physiology of the Tea Plant. In *Tea IPM Ecological Guide* (pp. 30–37). Hanoi: CIDSE (Cooperation Internationale pour le Developpment et la Solidarite). Retrieved from http://www.vegetableipmasia.org/www.communityipm.org/docs/Tea_Eco-Guide/04_Physiology.PDF
- Zhang, Y., Chen, J. M., & Miller, J. R. (2005). Determining digital hemispherical photograph exposure for leaf area index estimation. *Agricultural and Forest Meteorology*, 133(1–4), 166–181. <https://doi.org/10.1016/j.agrformet.2005.09.009>
- Zhang, Y., Heipke, C., Butenuth, M., & Hu, X. (2006). Automatic extraction of wind erosion obstacles by integration of GIS data, DSM and stereo images. *International Journal of Remote Sensing*, 27(8), 1677–1690. <https://doi.org/10.1080/01431160500406896>
- Zhou, B., Zhang, X. G., Wang, F., & Wang, R. C. (2005). Soil Organic Matter Mapping by Decision Tree Modeling. *Pedosphere*, 15(1), 103–109.