

DAFTAR PUSTAKA

- Abdel Mohdy, F.A., Abdel-Halim, E.S., Abu-Ayana, Y.M., and El-Sawy, S.M.
2008. Rice Straw as A New Resource for Some Beneficial Uses.
Carbohydrate Polymers. 75: 44-51
- Achmadi. 1990. Kimia Kayu. Bahan Pengajaran Universitas Ilmu Hayati.
Institut Pertanian Bogor.
- Anonim, 2007. Pemanfaatan Ampas Tebu (bagasse) Untuk Bahan Baku Pulp dan
Kertas Masih Hadapi Kendala. http://www.dephut.go.id/informasi/HUMAS/2007/563_05htm. 2007. Diakses pada tanggal 30 April 2015.
- Anonim. 2010. Pabrik Ethanol dari Tandan Kosong Kelapa Sawit (elaeis guineensis) dengan Proses Fermentasi.
<http://webcache.googleusercontent.com/search?s1/SKRIPSIKU.docx%3Fnmid%3D175480615+Teknik+fermentasi+ethanol+dari+TKKS&cd=9&hl=id&ct=clnk&gl=id&client=firefox-a>. Diakses tanggal 30 April 2015.
- Anonim 2011. Apa Itu Enzim. <http://apa-itu-enzim.html>. di unduh 30 april 2015.
- Apriyantono, D. FA. 1989. Petunjuk Laboratorium Analisis Pangan. Departemen Pendidikan Dan Kebudayaan Direktorat Jenderal Pendidikan Tinggi Pusat Antar Universitas Pangan Dan Gizi IPB. Bogor
- Arifin, Y. 2009. Biobutanol sebagai biofuel generasi kedua di Indonesia.
http://yalun.wordpress.com/2008/10/01/biobutanol-sebagai-biofuel-generasi-kedua-di-indonesia/?referer=sphere_related_content/. Diakses tanggal 30 April 2015.
- Badger, P.C. 2002. Ethanol from cellulose: A general review. P 17-21 In: J. Janick and A. Whipkey Eds Trenin new crop and new uses. ASHS Press, Alexandria, VA., USA.

- Ballesteros, M.; Oliva, J.M.; Negro, M.J.; Manzanares, P. and Ballesteros, I. (2000). Ethanol from lignocellulosic materials by a simultaneous saccharification and fermentation process (SFS) with *Kluyveromyces marxianus* CECT 10875. *Process Biochemistry*, Vol.39, No.12, (October 2000), pp. 1843-1848, ISSN 1359-5113.
- BKPM, 2008. Sentra dan Wilayah Potensi Komoditi Tebu. <http://regionalinvestment.bkpm.go.id/newsipid/id/commodity.php>
- Brownell, H.H. and Sadler, J.N. 1986. Steam Pretreatment of Lignocellulosic Material for Enhanced Enzymatic Hydrolysis. *Biotechnology and Bioengineering* XXIX :228-235.
- Canettieri, E.V., de Moraes Rocha, G.J., de Car-valho Jr., J.A. and de Almeida and Silva, J.A. 2007. Optimization of acid hydrolysis from the hemicellulosic fraction of *Eucalyptus grandis* residue using response surface methodology. *Bioresource Technology* 98, 422-428.
- Cardona, C.A., Quintero, and J.A., Paz, I.C., 2010. Production of Bioethanol from Sugarcane Bagasse: Status and Perspectives, *Bioresour. Technol.* 101(13), 4754-66
- Carvalho, F., Esteves, M.P., Parajo, J.C., Pereira, H., and Girio, F.M. 2004. Production of Polysaccharides by Autohydrolysis of Brewery's Spent Grain. *Bioresources Technology* 91 (1) : 93-100
- Cheng, K., Ping Ge, J., Zhang, J., Ling, H., Zhou Y., Yang, M., and Ming Xu, J. 2007. Fermentation of pretreated sugarcane bagasse hemicellulose hydrolysate to ethanol by *Pachysolen tannophilus*. *Biotechnol Lett* 2007 29 : 1051-1055.
- Cheng, Y.S. 2002. Hydrolysis of Lignocellulosic materials for ethanol productions : review. *Biores. Technol* 83, 1-11.
- Chen, Hongzhang and Wenjie Sui. 2015. Water Transfer in Steam explosion Process on Corn Stalk. *Journal of Industrial Crops and Products* Vol 76 : 977-986.

- Chen, Hongzhang and Wenjie Sui. 2016. *Effects of Water States on Steam Explosion of Lignocellulosic Biomass*. *Journal of Bioresource Technology* 199, page 155-163.
- Chiaramonte, D., Prussi, M., Ferrero, S., Oriani, L., Ottonello, P., Torre, P., and Cherchi, F., 2012. Review of Pretreatment Processes for Lignocellulosic Ethanol Production, and Development of An Innovative Method. *Biomass Bioenergy* 46, 25–35.
- Cui., Zhong Liu., Lanfeng Hui., Neng Kang, and Ting Zhao. 2012. “*Steam Explosion of Wheat Straw*,” Influence of steam explosion pretreatment on the composition and structure of wheat straw. *BioResources* 7(3), 4202-4213. 4202.
- Datta, R 1981. Acidogenic fermentation of linocellulose acid yield and conversion of components. *Biotechno. Dioeng* 23. Hlm 2167-2170.
- Dirjenbun 2014. Statistik perkebunan tebu di Indonesia 2012-2014.
- Duff, S and Murray, W. 1996. Bioconversion of Forest Products Industry Waste Cellulosics to fuel ethanol: a review. *Bioresource Technol* 55:1–33
- Fan, S., Zhang, P., Li, F., Jin, S., Wang, S., dan Zhou S. 2016. A Review of Lignocellulose Change During Hydrothermal Pretreatment for Bioenergi Production. *Current Organic Chemistry* 20 : 1-11.
- Fengel, D. and Wegener, G. 1995. Kayu: Kimia, Ultrastruktur, Reaksi-reaksi. Diterjemahkan oleh Gajah Mada University Press. Yogyakarta. Hal 155-159.
- Gokhan, C., Burhan, A.M., Nisa, U, and Hatice, G. 2002. Some Properties of Crude Carboxymethyl Cellulase of *Aspergillus niger* Z10 Wild-Type Strain. *Biology* 26:209-213.
- Gomez, L.D., Steel-King, C.G., and Mc Queen-Mason, J. 2008. Sustainable liquid biofuels from biomass : the writing’s on the wall. *New Phytologist* 178 : 473-485.

- Hamelinck. 2005. Ethanol from lignocellulosic biomass: Techno-economic performance in short-, middle- and long-term.
- Handayani, S.U. 2008. Pemanfaatan Bioetanol Sebagai Bahan Bakar Pengganti Bensin. Jurnal Teknik UNDIP: 99-102.
- Hendrik, A.T., and Zeeman, G., 2009, Pretreatments to Enhance The Digestibility Of Lignocellulosic Biomass. Bioresource Technology, 100 : 10-18.
- Hermiati, E., Mangunwidjaya, D., Sunarti, T., and Prasetyo, B. 2010. Pemanfaatan Biomassa Lignoselulosa Ampas Tebu untuk Produksi Bioetanol. Jurnal Litbang Pertanian 29 (4) : 121-130.
- Hidayat, M. R. 2013. Teknologi Pretreatment Bahan Lignoselulosa Dalam Proses Produksi Bioethanol. Biopropal Industri 4,1 : 33-48.
- Husin 2007. Analisis Serat Bagas, <http://www.free.vlsm.org/>
- Howard, R. L., Abotsi, E., Jansen van Rensburg, E.L., and Howard, S. 2003. Lignocellulose biotechnology: issue of bioconvercion and enzyme production. African Journal of biotechnol. 2 (12) 602-619.
- Holtzapple, M.T. 2003. Hemicelluloses. In Encyclopedia of Food Sciences and Nutrition. pp. 3060-3071. Academic Press.
- Indriani and Sumiarsih. 1992. Pembudidayaan Tebu di Lahan Sawah dan Tegalan. Penebar Swadaya. Jakarta.
- Jaquet, N, Maniet G. Vanderghem, C. Delvine F., and Richel A. 2015. Application of Steam explosion As Pretreatment On Lignocellulosic Material : A Review. Ind. Eng. Che. Res.2015,54, 2593-2598.
- Kumar, D.M. Barrett, M.J. Delwiche,. P StroeveMethods for pretreatment of lignocellulosic biomass for efficient hydrolysis and biofuel production Ind. Eng. Chem. Res., 48 (8) 2009, pp. 3713-3729.
- Kuo, C. H. dan Lee, C. K. 2008, "Enhanced Enzymatic Hydrolysis of Sugarcane Bagasse by N-methylmorpholin-N-oxida Pretreatment, Bioresource Technology, Vol. 100. hal.866-871

- Ladisch, M.R., 1989. Hydrolysis. In: Hall, C.W., Kitani, O. (Eds.), Biomass Handbook. Gordon and Breach, London, pp. 434–451.
- Lai, L. and Idris, A. 2013. Disruption of oil palm trunks and fronds by microwave-alkali pretreatment. *BioResources* 8(2):2792-2804.
- Lay, A., Hutapea, R.T.P., Tuyuwale, J., Sondakh, J.O., Polakitan, A.L. 2004. Pengembangan Komoditas Aren di Daerah Minahasa Sulawesi Utara. Prosiding Seminar Nasional Pengembangan Tanaman Aren Tondano.
- Lehninger, A.L. 1993. Dasar-dasar biokimia. Jilid 1, 2, 3. Erlangga, Jakarta.
- Liu, W., Yuan, Z.R., Mao, C.B., Hou, Q.X., Li, K.C., 2012. Extracting hemicelluloses prior to aspen chemi-thermomechanical pulping: effects of pre-extraction on pulp properties.
- Mandels, M., Andreotti R.E., and Roche C. 1976. Measurement of Celullose. *Boitechnol.* 3: 153.
- Martín, C., Galbe, M., Nilvebrant, N.-O., and Jönsson, L. J. 2002. “Comparison of the fermentability of enzymatic hydrolysates of sugarcane bagasse pretreated by steam explosion using different impregnating agents,” *Appl. Biochem. Biotechn.*
- Martin, C., 2007. *Dilute Sulfuric Acid Pretreatment of Agriculture and Agro-Industrial Residues for Ethanol Production. Applied Biochemistry and Biotechnology* Vol 136-140.
- Menon V dan Rao M. 2012. Trends in bioconversion of lignocellulose: Biofuels, platform chemicals & biorefinery concept. *Progress in Energi and Combustion Science* 8(4): 522–550.
- Mosier, N., 2005. Features of Promising Technologies for Pretreatment of Lignocellulosic Biomass. *Bioresource Technology* 96: 673-686.
- Nugraha, N. 2008. Pengaruh Penambahan Inokulum Jamur Hasil Isolasi dari Sampah Organik terhadap Kecepatan Waktu Pengomposan Sampah

Organik Secara Aerobik. Skripsi sarjana pada FPMIPA UPI Bandung : tidak diterbitkan.

Overend, R.P dan Chornet, E. 1987. *Fractionation of Lignocellulosic By Steam Aqueous Steam Explosion*. Phil.Trans.R.Soc.Land A 321 :532-536.

Pandey, K.K. and Pitman, A.J. 2003 FTIR studies of the changes in wood chemistry following decay by brown-rot and white-rot fungi. *International Biodeterioration and Biodegradation*, 52, 151-160.

Palmsquist, E., and Hahn-Hagerdal, B. 2000. *Bioresource Technology*, 74, 25-33.

Poedjiati, A., 1994. *Dasar-Dasar Biokimia (Edisi Revisi)*. UI-Press. Jakarta.

Pramono, S.S 2004. *Studi Mengenai Komposisi Sampah Perkotaan di Negara-negara Berkembang*. Jakarta: Universitas Gunadarma.

Rachmaniah, O., Krisnanta W, A. dan Ricardo, D. 2009. *Acid Hydrolysis Perlakuan pendahuluan of Bagasse Lignocellulosic Material for Bioethanol Production*. ITS : Surabaya.

Ramos, L. P. 2003. *The Chemistry Involved in The Steam Treatment of Lignocellulosic Materials*. *Quin Nova* 26 (6) : 863-871.

Rocha, G. J. M., Goncalves, A. R., Oliveira, B. P., Olivares, E. G., and Rossell, C. E. V. 2012. “*Steam explosion pretreatment reproduction and alkaline delignification reactions performed on a pilot scale with sugarcane bagasse for bioethanol production*,” *Ind. Crop. Prod.* 35, 274-279. DOI: 10.1016/j.indcrop.2011.07.010

Ruiz, H.A., Rodriguez-Jasso, R.M., Fernandes, B.D., Vicente, A.A. dan Teixeira, J.A. 2013. Hydrothermal Processing as an alternative for upgrading agriculture residues and marine biomass according to the Biorefinery Concept : A review. *Renewable and Sustainable Revies* 21 : 35-51.

Samsuri, M., Gozan,M., Mardias,R., Baiquni, Hermansyah, Wijanarko, Prasetya dan Nasikin. 2007. *Pemanfaatan Selulosa Ampas Tebu untuk Produksi*

- Ethanol Melalui Sakarifikasi Dan Fermentasi Serentak dengan Enzim Xylanase. *Makara Teknologi*, 11 (1) :17:24.
- Samsuri, M., Gozan, M., Prasetya, B., dan Nasikin. 2009. Enzymatic hydrolysis of lignocellulosic baggase for bioethanol production. *biotechnol. Research in Tropical Region*. 2.
- Sen, D.C. 1989. *Ethanol Fermentation Biomass Handbook*. Gordon & Braeach.
- Simanjuntak, H. M. 1994. *Mempelajari Pengaruh Komposisi Larutan Pemasak dan Suhu Pemasakan pada Pengolahan Pulp Acetosolv Kayu Eucalyptus Deglupta*. Skripsi Fakultas Teknologi Pertanian IPB. Bogor.
- Sjostrom, E. 1981. *Kimia Kayu , Dasar-Dasar dan Penggunaan*. Diterjemah oleh Hardjonosastro Hamidjojo. Gajah Mada University Press. Yogyakarta.
- Sofiyanta. 2009. Indonesia sebagai Lumbung Bioenergi Dunia. www.briquette.co.cc. Diakses pada tanggal 30 April 2015.
- Soerawidjaja, H.T. 2009. Bioetanol Generasi Kedua. [http:// www.majarimagazine.com/2009/02/bioetanol-generasi-kedua](http://www.majarimagazine.com/2009/02/bioetanol-generasi-kedua)
- Sudiani, Y, Waluyo, J., Riandy, A.P., Primandaru, P. Dan Novia. 2015. Pengaruh dan Waktu Tinggal pada Perlakuan Awal Bagas Sorgum dengan Metode Steam Explosion. *Jurnal Teknik Kimia* 4 (21) : 47-56.
- Sulistyorini,L. 2005. Pengelolaan Sampah dengan Cara Menjadikannya Kompos : Kesehatan Lingkungan FKM Universitas Airlangga. 2 (1) : 77-82.
- Sumada, K., Tamara, P.E., dan Alkani, F. 2011. Isolation Study Of A Cellulose From Waste Plant Stem Manihot esculenta Crantz. *Jurnal Teknik Kimia UPN Veteran Jawa Timur* 5 (2) : 434-438.
- Sun, Y.; Cheng, J. (2002). Hydrolysis of Lignocellulosic Materials for Ethanol Production : A Review. *Bioresource technology* Y 83 (1) : 1-11.
- Sun, X.F.; Xu, F.; Sun, R.C.; Geng, Z.C.; Fowler, P. & Baird, M.S. 2005. Characteristics of degraded hemicellulosic polymers obtained from steam

- exploded wheat straw. *Carbohydrate Polymers*, Vol. 60, No. 1, pp. 15-26, ISSN 0144-8617.
- Sun, T.S., Wang, K., Yang, G.H., Yang, H.Y., dan Xu, F. 2014. Hydrothermal treatment and enzymatic Saccharification of Corn Cob. *Bioresources* 9 (2) : 3000-3013.
- Sutikno., Hidayati, S., Nawansih, O., Nurainy, F., Rizal, S., Marniza., dan Arion, R. 2010. Tingkat Degradasi Lignin Bagas Tebu Akibat Perlakuan Basa Pada Berbagai Kondisi. Disampaikan Dalam Seminar Nasional Teknologi Tepat Guna di Politeknik Negeri Lampung Pada Bulan April. <http://blog.unila.ac.id/sutiknounila/category/research-activities>.
- Syafii, W. 2000. Sifat Pulp Daun Kayu Lebar dengan Proses Organosolv. *Jurnal Teknik Industri Pertanian*.
- Taherzadeh, M.J., and Karimi, K. 2007. Acid-based hydrolysis processes for ethanol from lignocellulosic materials : A review. *BioResources* 2 (3) : 472-499.
- Ursula, Helga N. 2018. Steam Explosion Sebagai Perlakuan Pendahuluan Pada Isolasi Selulosa Pelepah Kelapa Sawit (*Elaeis Gueneensis* Jacq) Menggunakan Metode Alkali. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Winarno, F. G. 1984. Kimia Pangan dan Gizi. PT Gramedia Pustak Utama. Jakarta. 253 hlm.
- Wustenberg, T. 2012. Cellulose and Cellulose Derivatives in the Food Industry: Fundamentals dan Applications. Wiley-VCH Verlag GmbH dan Co KGaA. Weinheim. Germany.
- Xiao, X., Bian, J., Peng, X.P., Xu, H., Xiao, B., dan Sun, R.C. 2013. Autohydrolysis of Bamboo (*Dendrocalamus giganteus* Munro) culm for The production of xylo-oligosaccharides. *Bioresources Technology* 117 : 7-12.

- Yu, Zhengdao., Bailiang Zhang, Fuqiang Yu, Guizhuan Xu, Andong Song. 2012. A Real Explosion : The Requirement of Steam explosion Pretreatment. Journal Bioresource Technology 121 : 335 – 341.
- Yudiarto, M.A. 2006. Pemanfaatan sorgum sebagai bahan baku bioetanol. Balai Besar Teknologi Pati (B2TP), Badan Pengkajian dan Penerapan Teknologi (BPPT), Lampung.
- Zaldivar J., J. Nielsen dan L. Olsson. 2001. Fuel Ethanol Production from Lignocellulosa: A Challenge for Metabolic Engineering and Process Integration. Appl. Microbiol. Bioethanol.
- Zhu,J.Y., Pan, X.J., Wang, G.S., Gleisner, R., 2009. Sulfite pretreatment for robust enzymatic saccharification of spruce and redpine. Bioresour. Technol. 100, 2411–2418.
- Zhou, C. dan Wu, Q. 2012. Recent Development in Applications of CelluloseNanocrystals for Advanced Polymer-Based Nanocomposites by Novel Fabrication Strategies. Intech. Croatia.