



## DAFTAR PUSTAKA

- Ahmad, M.R., Hanna. 2014. Effect of Equiosmolar Solutions of Hypertonic Sodium Lactate Versus Mannitol in Craniectomy Patients With Moderate Traumatic Brain Injury. *Med J Indones.* 23(1):30-35
- Aiyagari, V., Deibert, E., Diringer, M.N. 2006. Hypernatremia in the Neurologic Intensive Care Unit: How High is too High?. *Journal of Critical Care.* 21, 163– 172
- Arifianto, M.R., Ma'ruf, A.Z., Ibrahim, A. 2016. Efficacy Comparison Of Mannitol And Hypertonic Saline For Traumatic Brain Injury (TBI) Treatment. *Bali Med J.* 5(3): 516-521
- Batubara, B.H., Umar, N., Mursin, C.M. 2016. Perbandingan Osmolaritas Plasma Setelah Pemberian Manitol 20% 3 mL/kgBB dengan Natrium Laktat Hipertonik 3 mL/kgBB pada Pasien Cedera Otak Traumatik Ringan - Sedang. *Jurnal Anestesi Perioperatif.* 4(3):154-61
- Bereczki, D., Liu, M., Proado, G. F., & Fekete, I. 2000. Cochrane Report: A Systemic Review of Mannitol Therapy for Acute Ischemic Stroke and Cerebral Parenchymal Hemorrhage. *Stroke.* 3(11), 2712-2722
- Betancur-Calderón, J.M., Veronesi-Zuluaga, L.A., Castan~ o-Tobón, H.F., 2017 Traumatic Brain Injury and Treatment with Hypertonic Sodium Lactate. Will It Become the Best Management Alternative?. *Rev Colomb Anestesiol.* 45 (S2): 51–57
- Bisri, D.Y., Bisri, T., 2015. Pengelolaan Perioperatif Cedera Otak Traumatik. Neuroanesthesia and Critical Care Course. *INA-SNACC.* Surabaya. P:73-77
- Bisri, D.Y., Bisri, T., 2018. Pengelolaan Perioperatif Cedera Otak Traumatik. *Fakultas kedokteran Univesitas Padjajaran.* 4th Ed. Bandung
- Bisri, T., Utomo, B.A., Fuadi, I. 2016. Exogenous Lactate Infusion Improved Neurocognitive Function of Patients with Mild Traumatic Brain Injury. *AJNS.* 11(2), 151-159



- Brallier, J.W. 2013. Intracranial Pressure Monitoring. A Practical Approach to Neuroanesthesia. *Lippincott Williams & Wilkins*. Philadelphia, USA. P:353-354
- Bruder, N.J., Ravussin, P.A. 2012. Anesthesia for Supratentorial Tumors. Handbook of Neuroanesthesia. *Lippincott Williams & Wilkins*. 5th Ed. Philadelphia, USA. P:121-122
- Butterworth, J.F., Mackey, D.C., Wasnick, J.D. 2018. Management of Patients with Fluid & Electrolyte Disturbances Morgan & Mikhail's Clinical Anesthesiology. *McGraw-Hill Education*. 6<sup>th</sup> edition. USA. P:1929-1941
- Chesnut, R.M. 2013. Intracranial Pressure. Monitoring in Neurocritical Care. *Elsevier Saunders*. Philadelphia, USA. P:228 -340
- Francony, G., Fauvage, B., Falcon, D., Canet, C., Dilou, H., Lavagne, P., et al. 2008. Equimolar Doses of Mannitol and Hypertonic Saline in the Treatment of Increased Intracranial Pressure. *Critical Care Med.* 36(3); 795-800
- Fried, J. H., Worth, D. B., Brice, A. K., Hankenson, F. C. 2015. Type, Duration, and Incidence of Pathologic Findings after Retroorbital Bleeding of Mice by Experienced and Novice Personnel. *Journal of the American Association for Laboratory Animal Science*. 54(3):317- 327
- Hebert, R., Chiang, V. 2014. Neurosurgical Critical Care. Fundamentals of Neuroanesthesia. *Oxford University Press*. Newyork, USA. P:332-346
- Hisam, M.Y., Sudadi, Rahardjo, S. 2015. Perbandingan Pemberian Mannitol 20 % Dosis 0.5g/Kgbb dengan Natrium Laktat Hipertonik Dosis 1.5 Ml/Kgbb Terhadap Efek Relaksasi Otak pada Pasien Cedera Otak Traumatik yang Dilakukan Kraniotomi. *Jurnal Komplikasi Anestesi*. 3(1):27-36
- Ichai, C., Armando, G., Orban, J.C., Berthier, F., Rami, L., Samat-Long, C., et al. 2009. Sodium Lactate Versus Mannitol in the Treatment of Intracranial Hypertensive Episodes in Severe Traumatic Brain - Injured Patients. *Intensive Care Med.* 35:471–479
- Ichai, C., Payen, J.F., Orban, J.C., Quintard, H., Roth, H., Legrand, R., Leverve, X. M. 2013. Half-molar Sodium Lactate Infusion to Prevent Intracranial



- Hypertensive Episodes in Severe Traumatic Brain Injured Patients: a Randomized Controlled Trial. *Intensive Care Med.* 39(8). 1413–1422
- Jameson, L.C. 2014. Therapeutic Control of Brain Volume. Fundamentals of Neuroanesthesia. *Oxford University Press*. Newyork, USA. P:16-17
- Kolmodin, L., Sekhon, M., S., Henderson, W., R., Turgeon, A., F., Griesdale, D., E., G. 2013. Hypernatremia in Patients With Severe Traumatic Brain Injury: a Systematic Review. *Annals of Intensive Care*. 3:35
- Li, M., Hu, Y. H., Chen, G. 2013. Hypernatremia Severity and the Risk of Death After Traumatic Brain Injury, *Injury, Int. J. Care Injured.* 44(9), 1213–1218
- Liamis, G., Milionis, H. J., Elisaf, M., 2009. A Review of Drug-induced Hypernatremia. *Clinical Kidney Journal*. 2(5):339-346
- McGuill MW, Rowan AN. 1989. Biological Effects of Blood Loss: Implications for sampling volumes and techniques. *ILAR News* 31:5-20
- McKinley, M. J., Denton, D. A., Thomas, C. J., Woods, R. L., Mathai, M. L., 2006. Differential Effects of Aging on Fluid Intake in Response to Hypovolemia, Hypertonicity, and Hormonal Stimuli in Munich Wistar Rats. *Proceeding of the National Academy Sciences*. 103(9):3450-3455
- Millet, A., Cuisinier, A., Bouzat, P., Batandier, C., Lemasson, B., Stupar, V., Payen, J. F. 2018. Hypertonic Sodium Lactate Reverses Brain Oxygenation and Metabolism Dysfunction After Traumatic Brain Injury. *BJA*. 120(6), 1295–1303
- Nau, R., Desel, H., Lassek, C., Thiel, A., Schinschke, S., Rossing, R., et al. 1997. Slow Elimination Of Mannitol From Human Cerebrospinal Fluid. *European Journal of Clinical Pharmacology*. 53, 271-274.
- Novara, T. 2009. Perbandingan Antara Laktat Hipertonik dan NaCl 0,9% Sebagai Cairan Pengganti Perdarahan Pada Bedah Caesar: Kajian Terhadap Hemodinamik, Dan Strong Ions Difference
- Paisansathan, C. Baughman, V.L. 2013. Brain Metabolism, Cerebral Blood Flow, and Cerebrospinal Fluid. A Practical Approach to Neuroanesthesia. *Lippincott Williams & Wilkins*. Philadelphia, USA. P:8-10



- Raabe, B. M., Artwohl, J. E., Purcell, J. E., Lovaglio, J., Fortman, J. D., 2011. Effects of Weekly Blood Collection in C57BL/6 Mice. *Journal of the American Association for Laboratory Animal Science*. 50(5): 680 -685
- Rachman, I.A., Rahardjo, S., Saleh, S.C. 2015. Terapi Hiperosmolar pada Cedera Otak Traumatis. *JNI*. 4(2): 119–33
- Rafiq, M.F.A., Ahmed, N., Khan, A.A. 2013. Serum Electrolyte Derangements in Patients With Traumatic Brain Injury. *Ayub Med Coll Abbottabad*. 25(1-2) : 162–4
- Rahardjo, S., Suryono, B., 2015. Pengelolaan Cairan dan Transfusi Darah pada Pasien Bedah Saraf. Neuroanesthesia and Critical Care Course. *INA-SNACC*. Surabaya. P:155-168
- Rahman, M., Kohler, N., Bihorac, A. 2013. Water and Electrolyte Management in Neurological Disease. Textbook of Neurointensive Care. *Springer*. 2<sup>nd</sup> Ed. Philadelphia, USA. P:366-367
- Roquilly, A., Mahe, P.J., Dit Latte, D.D., Loutrel, O., Champin, P., Di Falco, C., etc. 2011. Continuous Controlled-Infusion of Hypertonic Saline Solution in Traumatic Brain-Injured Patients: a 9-year Retrospective Study. *Crit Care BioMed Central Ltd*. 15:R260
- Schilte, C., Bouzat, P., Millet, A., Boucheix, P., Pernet-Gallay, K., Lemasson, K., et al. 2015. Mannitol Improves Brain Tissue Oxygenation in a Model of Diffuse Traumatic Brain Injury. *Critical Care Medicine*. 43(10); 2212-2218
- Seo, W., & Oh, H. 2010. Alterations in Serum Osmolality, Sodium, and Potassium Levels After Repeated Mannitol Administration. *Journal of Neuroscience Nursing*, 42(4):201–207
- Shawkat, H., Westwood, M., Mortimer, A.. 2012. Mannitol: a Review of Its Clinical Uses. *Continuing Education in Anaesthesia, Critical Care & Pain*. 12(2):82-85
- Shehata, M., Khaled, M., Ragab, D., Hegazy, M.M. 2010. Impact of Hypernatremia on Patients with Traumatic Brain Injury. *Med. J. Cairo Univ.*78(1): 317-321
- Takei, Y. 2016. Atrial Natriuretic Peptide. *Handbook of Hormones*. P:281-282



- Teig M., Smith M., 2011. Systemic Complication of Neurological Disease. Core Topics in Neuroanaesthesia and Neurointensive Care. *Cambridge University Press*. Cambridge, United Kingdom. P:296
- Teilmann, A. C., Madsen, A. N., Holst, B., Hau, J., Rozell, B., *et al.* 2014. Physiological and Pathological Impact of Blood Sampling by Retro-Bulbar Sinus Puncture and Facial Vein Phlebotomy in Laboratory Mice. *PLoS ONE* 9(11): e113225
- Tommasino, C., Picozzi, V. 2013. Fluid Management During Neurosurgical Procedure. A Practical Approach to Neuroanesthesia. *Lippincott Williams & Wilkins*. Philadelphia, USA. P:22-35
- Tyagi, R., Donaldson, K., Loftus, C. M., & Jallo, J. 2007. Hypertonic saline: a clinical review. *Neurosurgical Review*. 30(4):277–290
- Van Herck, H., Baumans, V., Brandt, C. J. W. M., Boere, H. A. G., Hesp, A. P. M., Lith, H. A., *et al.* 2001. Blood Sampling from the retro-orbital plexus, the saphenous vein and the tail vein in rats: comparative effects on selected behavioural and blood variables. *Laboratory Animals*. 35(2): 131-139
- Wang, L.C., Papangelou, A., Lin, C., Mirski, M.A., Gottschalk, A., Toung, T.J.K. 2013. Comparison of Equivolume, Equiosmolar Solutions of Mannitol and Hypertonic Saline with or without Furosemide on Brain Water Content in Normal Rats. *the American Society of Anesthesiologists, Inc*. Lippincott Williams & Wilkins. Anesthesiology 118. P:903–13
- Wirawijaya, D.M., Sitanggang, R.H., Bisri, T. 2018. Perbandingan Mannitol 20%, NaCl 3% dan Natrium Laktat Hipertonik terhadap Osmolaritas dan Brain Relaxation Score Pasien Tumor Otak yang menjalani Kraniotomi Pengangkatan Tumor. *JNI*. 7(1):1–10
- WHO. 2015. *Indonesia : WHO statistical profile*. Retrieved from <http://www.who.int/gho/countries/idn.pdf?ua=1> access at 07.53am 29/09/2018
- Zanos, P., Moaddel, R., Morris, P.J., Riggs, L.M., Highland, J.N., Georgiou, P., *et al.* 2018. Ketamine and Ketamine Metabolite Pharmacology: Insights into Therapeutic Mechanisms. *Pharmacol Rev*. 70:621-660



**PERUBAHAN KADAR NATRIUM SERUM PADA PEMBERIAN MANITOL 20% DAN NATRIUM LAKTAT  
INTRAVENA HIPERTONIK  
PADA TIKUS JANTAN WISTAR**

NIKO PAMILIAN A, dr. Juni Kurniawaty, SpAn, KAKV; Dr. dr. Sudadi, SpAn, KNA, KAR

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhu, Y., Xie, C., Wang, D.H. 2007. TRPV1-Mediated Diuresis and Natriuresis  
Induced by Hypertonic Saline Perfusion of the Renal Pelvis. *Am J Nephrol.*  
27:530–537