

DAFTAR PUSTAKA

- Ahmadi, N., Poursalehi, R., & Farshi, M. K. M. (2015). The Interparticle Coupling Effect on Plasmon Resonance Properties of Magnetite@Au Magnetoplasmonic Nanoparticles. *Procedia Materials Science*, 11, 254–258.
- Amirjani, A., & Haghshenas, D. F. (2018). Ag nanostructures as the surface plasmon resonance (SPR)-based sensors: A mechanistic study with an emphasis on heavy metallic ions detection. *Sensors and Actuators, B: Chemical*, 273 (November 2017), 1768–1779.
- Anam, M. K., Narindra, R., T, T., & Abraha, K. (2016). Deteksi Formalin Menggunakan Surface Plasmon Resonance (SPR) Berbasis Nanopartikel Perak sebagai Pengembangan Awal Teknologi Food Safety. *Indonesian journal of applied physics*, 3(02), 201.
- Arifin, M., (2011). Kajian Fenomena Surface Plasmon Resonance (SPR) pada Sistem Logam/Polimer Konduktif sebagai Sensor Gas. Tesis, Program Studi Ilmu Fisika FMIPA UGM, Yogyakarta.
- Baida. (2009). Quantitative determination of the size dependence of surface plasmon resonance damping in single Ag@SiO₂nanoparticles. *Nanoletters* 9, Issue 10, 3463-3469.
- Barbosa, L., Michelle, T., & Cordeiro, G. (2018). Microstructural Assessment of Magnetite Nanoparticles (Fe₃O₄) Obtained by Chemical Precipitation Under Different Synthesis Conditions. 21(2).
- Chaffin, E. A., Bhana, S., O'Connor, R. T., Huang, X., & Wang, Y. (2014). Impact of core dielectric properties on the localized surface plasmonic spectra of gold-coated magnetic core-shell nanoparticles. *Journal of Physical Chemistry B*, 118(49), 14076–14084.
- Chatterjee, K., Sarkar, S., Jagajjanani Rao, K., & Paria, S. (2014). Core/shell nanoparticles in biomedical applications. In *Advances in Colloid and Interface Science* (Vol. 209, pp. 8–39). Elsevier B.V.
- Chen, H., Qi, F., Zhou, H., Jia, S., Gao, Y., Koh, K., & Yin, Y. (2015). Fe₃O₄@Au nanoparticles as a means of signal enhancement in surface plasmon resonance spectroscopy for thrombin detection. *Sensors and Actuators, B: Chemical*, 212, 505–511.
- Chen, Y., & Ming, H. (2012). Review of surface plasmon resonance and localized surface plasmon resonance sensor? In *Photonic Sensors* (Vol. 2, Issue 1, pp. 37–49).
- Chettier, U.K dan Engheta, N. (2012). Internal homogenization:Effective permittivity pf coated sphere. *Optics Express* 20, 22976.
- Copel, W. (1993). Biosensoren: Biosensors: Theory and Applications. Von D. G. Buerk. Technomic Publishing Company, Lancaster, 1993. 219 S., geb., SFr. 187,-. ISBN 0-87762-975-7. *Nachrichten Aus Chemie, Technik Und Laboratorium*, 41(10), 1156–1157.
- Cullity, B. D. (Bernard D., & Graham, C. D. (Chad D. . (2009). Introduction to magnetic materials. IEEE/Wiley.



UNIVERSITAS
GADJAH MADA

- Cullity, B. D., & Graham, C. D. (2008). *Introduction to Magnetic Materials* (2nd ed.). John Wiley & Sons, Inc.
- Du, J., & Jing, C. (2011). Preparation of thiol modified Fe₃O₄@Ag magnetic SERS probe for PAHs detection and identification. *Journal of Physical Chemistry C*, 115(36), 17829–17835.
- Endo, T., Yanagida, Y., & Hatsuzawa, T. (2008). Quantitative determination of hydrogen peroxide using polymer coated Ag nanoparticles. *Measurement: Journal of the International Measurement Confederation*, 41(9), 1045–1053.
- Farjami, S dan Saie, M. (2015). The Effect of Surface Plasmon Resonance on Optical Response in Dielectric (core)-metal (shell) Nanoparticle, *Pramana Journal of Physics* **85**, 1245-1255.
- German, R., 2014, *Sintering from Empirical Observations to Scientific Principles*, Elsevier, United State of America.
- Ghasemi, A., Ekhlesi, S., & Mousavinia, M. (2014). Effect of Cr and Al substitution cations on the structural and magnetic properties of Ni_{0.6}Zn_{0.4}Fe_{2-x}Cr_x/2Alx/2O₄ nanoparticles synthesized using the sol-gel auto-combustion method. *Journal of Magnetism and Magnetic Materials*, 354, 136–145.
- Guo, X. (2014). Fe₃O₄@Au nanoparticles enhanced surface plasmon resonance for ultrasensitive immunoassay. *Sensors and Actuators, B: Chemical*, 205, 276–280.
- Hamouda, R. A., Hussein, M. H., Abo-elmagd, R. A., & Bawazir, S. S. (2019). Synthesis and biological characterization of silver nanoparticles derived from the cyanobacterium *Oscillatoria limnetica*. January, 1–17.
- Hirsch, L. R., Gobin, A. M., Lowery, A. R., Tam, F., Drezek, R. A., Halas, N. J., & West, J. L. (2006a). Metal nanoshells. *Annals of Biomedical Engineering*, 34(1), 15–22.
- Hirsch, L. R., Gobin, A. M., Lowery, A. R., Tam, F., Drezek, R. A., Halas, N. J., & West, J. L. (2006b). Metal Nanoshells. *Annals of Biomedical Engineering*, 34(1), 15–22.
- Homola, J., & Piliarik, M. (2006). *Surface Plasmon Resonance (SPR) Sensors* (pp. 45–67).
- Homola, J., Yee, S. S., & Gauglitz, G. (1999). Surface plasmon resonance sensors: review. *Sensors and Actuators, B: Chemical*, 54(1), 3–15.
- Jia, Y., Peng, Y., Bai, J., Zhang, X., Cui, Y., Ning, B., Cui, J., & Gao, Z. (2018). Magnetic nanoparticle enhanced surface plasmon resonance sensor for estradiol analysis. *Sensors and Actuators, B: Chemical*, 254, 629–635.
- Kareem, S.H., Ati, A.A., Shamsuddin, M., dan Lee, S.L., 2015, Nanostructural, Morphological and Magnetic Studies of PEG/Mn_{1-x}Zn_xFe₂O₄ Nanoparticles Synthesized by Coprecipitation, *Ceramic International*, 41, 11702–11709.
- Kora, A. J., & Arunachalam, J. (2012). Green fabrication of silver nanoparticles by gum tragacanth (astragalus gummifer): A dual functional reductant and stabilizer. *Journal of Nanomaterials*, 2012.
- Larkin, P. (2011). *Infrared and Raman Spectroscopy: Principles and Spectral Interpretation*. In Elsevier.



UNIVERSITAS
GADJAH MADA

- Li, Q., Kartikowati, C. W., Horie, S., Ogi, T., Iwaki, T., & Okuyama, K. (2017). Correlation between particle size/domain structure and magnetic properties of highly crystalline Fe_3O_4 nanoparticles. *Scientific Reports*, 7(1), 1–4.
- Liang, R. P., Yao, G. H., Fan, L. X., & Qiu, J. D. (2012). Magnetic $\text{Fe}_3\text{O}_4@ \text{Au}$ composite-enhanced surface plasmon resonance for ultrasensitive detection of magnetic nanoparticle-enriched α -fetoprotein. *Analytica Chimica Acta*, 737, 22–28.
- Liu, Y., Han, T., Chen, C., Bao, N., Yu, C. M., & Gu, H. Y. (2011). A novel platform of hemoglobin on core-shell structurally $\text{Fe}_3\text{O}_4@ \text{Au}$ nanoparticles and its direct electrochemistry. *Electrochimica Acta*, 56(9), 3238–3247.
- Magnetic Hysteresis in Novel Magnetic Materials. (1997). In G. C. Hadjipanayis (Ed.), *Magnetic Hysteresis in Novel Magnetic Materials*. Springer Netherlands.
- Mahmoudpour, M., Ezzati, J., Dolatabadi, N., & Torbati, M. (2019). Biosensors and Bioelectronics Nanomaterials based surface plasmon resonance signal enhancement for detection of environmental pollutions. *Biosensors and Bioelectronic*, 127(October 2018), 72–84.
- Mahmudin, L., Ulum, M. S., Farhamsa, D., Suharyadi, E., Utomo, A. B. S., & Abraha, K. (2019). The effect of variation of reducing agent concentration on optical properties of silver nanoparticles as active materials in surface plasmon resonance (SPR) biosensor. *Journal of Physics: Conference Series*, 1242(1).
- Mathew, D.S., dan Juang, R.S., 2007, An Overview of the Structure and Magnetism of Spinel Ferrite Nanoparticle and Their Synthesis in Microemulsions, *Chemical Engineering Journal*, 129, 51 – 65.
- Meyer, S. A., Le Ru, E. C., & Etchegoin, P. G. (2011). Combining Surface Plasmon Resonance (SPR) spectroscopy with surface-enhanced Raman scattering (SERS). *Analytical Chemistry*, 83(6), 2337–2344.
- Moskowitz, B. M. (n.d.). *Hitchhiker's Guide to Magnetism*.
- Nadeem, K., Rahman, S., & Mumtaz, M. (2015). Effect of annealing on properties of Mg doped Zn-ferrite nanoparticles. *Progress in Natural Science: Materials International*, 25(2), 111–116.
- Nuzully, Seveny (2013). Karakteristik sifat kemagnetan pada polyethylene glycol (peg) – coated nanopartikel magnetit (Fe_3O_4) untuk pengikat dna. Tesis, Program Studi Ilmu Fisika FMIPA UGM, Yogyakarta.
- Oktivina, Mawar (2016). Pengaruh konsentrasi nanopartikel magnetik Fe_3O_4 terhadap respon surface plasmon resonance (spr) pada lapisan tipis emas dalam konfigurasi kretschmann. Tesis, Program Studi Ilmu Fisika FMIPA UGM, Yogyakarta.
- Pachla, A., Moszy, D., & Markowska-szczupak, A. (2016). Synthesis and antibacterial properties of Fe_3O_4 -Ag nanostructures. December.
- Proenca, M., Rodrigues, M. S., Borges, J., & Vaz, F. (2020). Optimization of Au : CuO Nanocomposite Thin Films for Gas Sensing with Optimization of Au : CuO Nanocomposite

Thin Films for Gas Sensing with High-Resolution Localized Surface Plasmon Resonance.

- Quynh, L. M., Dung, C. T., Mai, B. T., Huy, H. Van, Loc, N. Q., Hoa, N. Q., Thach, P. T., Anh, B. V., Thao, C. T., Nam, N. H., Thi, H., Nhung, M., Long, N. N., & Vu, L. Van. (2018). Development of $\text{Fe}_3\text{O}_4/\text{Ag}$ core / shell-based multifunctional immunomagnetic nanoparticles for isolation and detection of CD34 + stem cells. *Journal of Immunoassay and Immunochemistry*, 39(3), 308–322.
- Rath, C., Anand, S., dan Das, R.P., 2001, Dependence on Cation Distribution of Particle Size, Lattice Parameter, and Magnetic Properties in Nanosize Mn-Zn Ferrite, *Journal of Applied Physics*, 91 2211 – 2215.
- Fachry Rasyidi, Juliyadi Tumanggor , Ni Putu Endah Yuni L (2008). *PENGARUH WAKTU KRISTALISASI DENGAN PROSES PENDINGINAN DARI LARUTANNYA A* . Pendahuluan, I., & Kimia, J. T. *Jurusan Teknik Kimia Fakultas Teknik Universitas Sriwijaya*. 15(April), 9–16.
- Reimer, L., & Kohl, H. (n.d.). (No Title).
- Riyanto, A., & Suharyadi, D. E. (2012). Sintesis nanopartikel Fe_3O_4 (magnetit) dan potensinya sebagai material aktif pada permukaan sensing biosensor berbasis surface plasmon resonance (SPR).
- Sahu, R. P., Abdalla, A. M., Fattah, A. R. A., Ghosh, S., & Puri, I. K. (2018). Synthesis, Characterization, and Applications of Carbon Nanotubes Functionalized with Magnetic Nanoparticles. In *Advances in Nanomaterials* (Vol. 4, pp. 37–57). Springer International Publishing.
- SHAYESTEH, S. F., & SAIE, M. (2015). The effect of surface plasmon resonance on optical response in dielectric (core)–metal (shell) nanoparticles. *Pramana*, 85(6), 1245–1255. <https://doi.org/10.1007/s12043-015-0950-7>
- Sihombing, Y. A., & Abraha, K. (2017). Kajian Pengaruh Nanopartikel Magnetik Fe_3O_4 Pada Deteksi Biosensor Berbasis Surface Plasmon Resonance (SPR). *JURNAL ILMU FISIKA | UNIVERSITAS ANDALAS*, 9(2), 121–131.
- Soelberg, S. D., Stevens, R. C., Limaye, A. P., & Furlong, C. E. (2009). Surface Plasmon Resonance Detection Using Antibody-Linked Magnetic Nanoparticles for Analyte Capture, Purification, Concentration, and Signal Amplification. *Analytical Chemistry*, 81(6), 2357–2363.
- Sun, H. L., Xu, M. M., Guo, Q. H., Yuan, Y. X., Shen, L. M., Gu, R. A., & Yao, J. L. (2013). Surface enhanced Raman spectroscopic studies on magnetic $\text{Fe}_3\text{O}_4/\text{AuAg}$ alloy core-shell nanoparticles. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 114, 579–585.
- Supardianingsih, (2018). Kajian magneto-optic surface plasmon resonance (MO-SPR) pada nanopartikel magnetik Fe_3O_4 . Tesis, Program Studi Ilmu Fisika FMIPA UGM, Yogyakarta.
- Testa-Anta, M., Ramos-Docampo, M. A., Comesaña-Hermo, M., Rivas-Murias, B., & Salgueiriño, V. (2019). Raman spectroscopy to unravel the magnetic properties of iron oxide nanocrystals

for bio-related applications. *Nanoscale Advances*, 1(6), 2086–2103.

- Tuersun, P., & Han, X. (2013). Optical absorption analysis and optimization of gold nanoshells. *Applied Optics*, 52(6), 1325–1329.
- Velmurugan, K., Sangli, V., & Venkatachalapathy, K. (2010). Synthesis of Nickel Zinc Iron Nanoparticles by Coprecipitation Technique 2 . Experimental Procedure. *Particle Characterization*, 13(3), 299–303.
- Wang, J., Song, D., Zhang, H., Zhang, J., Jin, Y., Zhang, H., Zhou, H., & Sun, Y. (2013). Studies of Fe₃O₄/Ag/Au composites for immunoassay based on surface plasmon resonance biosensor. *Colloids and Surfaces B: Biointerfaces*, 102, 165–170.
- Wang, Y., Dostalek, J., & Knoll, W. (2011). Magnetic nanoparticle-enhanced biosensor based on grating-coupled surface plasmon resonance. *Analytical Chemistry*, 83(16), 6202–6207.
- Watt, I. M. (1997). The principles and practice of electron microscopy. In *The principles and practice of electron microscopy*. Cambridge University Press.
- Widayanti, Abraha, K., & Utomo, A. B. S. (2018). Computational study of sensitivity enhancement in surface plasmon resonance (SPR) biosensors by using the inclusion of the core-shell for biomaterial sample detection. *Biosensors*, 8(3).
- Wilcoxon, J. P., Martin, J. E., & Provencio, P. (2001). Shape effects in plasmon resonance of individual colloidal silver nanoparticles. *The Journal of Chemical Physics*, 115, 164705.
- Wu, L., Chu, H. S., Koh, W. S., & Li, E. P. (2010). Highly sensitive graphene biosensors based on surface plasmon resonance. *Optics Express*, 18(14), 14395.
- Xavier, S., Thankachan, S., Jacob, B. P., & Mohammed, E. M. (2013). Effect of Samarium Substitution on the Structural and Magnetic Properties of Nanocrystalline Cobalt Ferrite. *Journal of Nanoscience*, 2013(September), 1–7.
- Xiong, Y., Wang, Z., Wu, Y., Xu, P., Ding, Y., Chang, C., & Ma, C. (2019). Performance enhancement of bromide salt by nano-particle dispersion for high-temperature heat pipes in concentrated solar power plants. *Applied Energy*, 237(January), 171–179.
- Yamamoto, M. (n.d.). *Surface Plasmon Resonance (SPR) Theory: Tutorial*.
- Yang, Y., Li, Z. W., Neo, C. P., & Ding, J. (2014). Model design on calculations of microwave permeability and permittivity of Fe/SiO₂ particles with core/shell structure. *Journal of Physics and Chemistry of Solids*, 75(2), 230–235.
- Yao, G. H., Liang, R. P., Huang, C. F., Wang, Y., & Qiu, J. D. (2013). Surface plasmon resonance sensor based on magnetic molecularly imprinted polymers amplification for pesticide recognition. *Analytical Chemistry*, 85(24), 11944–11951.
- You, A., Be, M. A. Y., & In, I. (2015). Maximizing surface-enhanced Raman scattering sensitivity of surfactant-free Ag-Fe₃O₄ nanocomposites through optimization of silver nanoparticle density and magnetic self-assembly. *261105*(2014).
- Zheng, H., Zou, B., Chen, L., Wang, Y., Zhang, X., & Zhou, S. (2015). Gel-assisted synthesis of oleate-modified Fe₃O₄@Ag composite microspheres as magnetic SERS probe for thiram



UNIVERSITAS
GADJAH MADA

KAJIAN PENGARUH NANOPARTIKEL CORE-SHELL $\text{Fe}_3\text{O}_4@\text{Ag}$ TERHADAP FENOMENA SURFACE PLASMON RESONANCE (SPR)

JUHARNI, Dr.Eng. Edi Suharyadi, S.Si., M.Sc.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

detection. *CrystEngComm*, 17(33), 6393–6398.

Zhichuan Xu., Yanglong Hou., dan Shoueng Sun., 2007, Magnetic Core/Shell $\text{Fe}_3\text{O}_4/\text{Au}$ and $\text{Fe}_3\text{O}_4/\text{Au}/\text{Ag}$ Nanoparticles with Tunable Plasmonic Properties, American Chemical Society, 10.1021/ja073057v.

Zhu, J. (2009). Surface plasmon resonance from bimetallic interface in Au-Ag core-shell structure nanowires. *Nanoscale Research Letters*, 4(9), 977–981.