

DAFTAR PUSTAKA

- Abdin, E., Chong, S. A., Seow, E., Peh, C. X., Tan, J. H., & Liu, J. (2019). A Comparison of the Reliability and Validity of SF-6D, EQ-5D and HUI3. *Psychiatry Research*, 400 - 408.
- Anagnostopoulos, F., Niakas, D., & Pappa, E. (2005). Construct Validation of the Greek SF-36 Health Survey. *Quality of Life Research*, 1959-1965.
- Andayani, T. M. (2013). *Farmakoekonomi: Prinsip dan Metodologi*. Yogyakarta: Bursa Ilmu.
- Andayani, T. M., Kristina, S. A., & Endarti, D. (2019). Translation, Cultural Adaptation, and Validation of the Quality of Well Being Self-administered Questionnaire in General Population in Indonesia. *Journal of Basic and Clinical Physiology and Pharmacology*.
- Anggoro, W. J., & Widhiarso, W. (2010). Konstruksi dan Identifikasi Properti Psikometris Instrumen Pengukuran Kebahagiaan Berbasis Pendekatan Indigenous Psychology : Studi Multitrait-Multimethod. *Jurnal Psikologi*, 176 - 188.
- Anonim. (2017). Efektivitas Klinis dan Evaluasi Ekonomi. In Anonim, *Buku Panduan Penilaian Teknologi Kesehatan*. Jakarta: Kementerian Kesehatan RI.
- Arnold, R. J. (2010). *Pharmacoeconomics From Theory to Practice*. Boca Raton: CRC Press.
- Azwar, S. (2006). *Penyusunan Skala Psikologis*. Yogyakarta: Pustaka Pelajar.
- Banta, D. (2009). What Is Technology Assessment? *International Journal of Technology Assessment in Health Care*, 7-9.
- Baxter, S., Sanderson, K., Venn, A., Otahal, P., & Palmer, A. J. (2019). Construct Validity of SF-6D Health State Utility Values in a Employed Population. *Quality of Life Research*, 851 - 870.
- Berg, B. v. (2012). SF-6D Population Norms. *Health Economics*.
- Bharmal, M., & Thomas, J. (2006). Comparing the EQ-5D and the SF-6D Descriptive Systems to Assess Their Ceiling Effects in the US General Population. *VALUE IN HEALTH*, 262 - 271.
- Bland, J. M., & Altman, D. G. (1999). *Bland-Altman Plot and Analysis*. NCSS.
- Bonsaken, T. (2012). Exploring Gender Differences in Quality of Life. *Mental Health Review Journal*.
- Bryan, S., & Longworth, L. (2005). Measuring Health-Related Utility: Why the Disparity Between EQ-5D and SF-6D? *The European Journal of Health Economics*, 253-260.

- Campolina, A. G., Lopez, R. V., Nardi, E. P., & Ferraz, M. B. (2018). Internal Consistency of the SF-6D as a Health Status Index in the Brazilian Urban Population. *Science Direct*, 74 - 80.
- Chen, J., Wong, C. K., McGhee, S. M., Pang, P. K., & Yu, W.-C. (2014). A Comparison between the EQ-5D and the SF-6D in Patients with Chronic Obstructive Pulmonary Disease (COPD). *PLoS One*.
- Chung, K. C., Pillsbury, M. S., & Hayward, R. A. (1998). Reliability and Validity Testing of the Michigan Hand Outcomes Questionnaire. *J Hand Surg Am*, 575-587.
- Cicchetti, D. V. (1994). Guidelines, Criteria, and Rules of Thumb for Evaluating Normed and Standardized Assessment Instrument in Psychology. *Psychological Assessment*, 284-290.
- Ciconelli, R. M., Ferraz, M. B., Kowalski, S., Pinheiro, G. d., & Sato, E. I. (2015). Brazilian Urban Population Norms Derived From the Health-Related Quality of Life SF-6D. *Quality of Life Research*, 2559-2564.
- Cohen, J. (1988). *Statistical Power Analysis for the Behavioral Sciences*. New York: Lawrence Erlbaum Associates, Publishers.
- Cohen, R. D. (1999). Validation of Health-Related Quality of Life Instruments. *Hepatology*, 75-85.
- Cooke, P. J., Melchert, T. P., & Connor, K. (2016). Measuring Well-Being: A Review of Instruments. *The Counseling Psychologist*, 730-757.
- Craig, B. M., Pickard, A. S., Stolk, E., & Brazier, J. E. (2013). US Valuation of the SF-6D. *Medical Decision Making*, 793-803.
- de Vaus, D. (2002). *Analyzing Social Science Data*. London: SAGE Publications.
- Den Berg, B. V. (2012). SF-6D Populations Norms. *Health Economic Letters*, 1508 - 1512.
- Devlin, N. J., Shah, K. K., Feng, Y., Mulhern, B., & Hout, B. v. (2017). Valuing Health-Related Quality of Life: An EQ-5D-5L Value Set. *Health Economics*, 1-16.
- Dritsaki, M., Petrou, S., William, M., & Lamb, S. E. (2017). An Empirical Evaluation of the SF-12, SF-6D, EQ-5D and Michigan Hand Outcome Questionnaire in Patients with Rheumatoid Arthritis of the Hand. *Health and Quality of Life Outcome*, 15 - 20.
- Endarti, D., Kristina, S. A., Noorizati, R., Nugraha, A. E., Maharani, F., Putri, K. A., . . . Yustikarini, Y. (2019). Comparison of EQ-5D-3L and EQ-5D-5L for Health-Related Quality Of Life Measurement In Indonesian Population With Several Conditions. *International Research Journal of Pharmacy*, 25-31.
- Fayers, P., & Hays, R. (2005). *Assessing Quality of Life in Clinical Trials: Methods and Practice (2nd Edition)*. Oxford University Press.

- Feeny, D., Furlong, W., Torrance, G., Goldsmith, C., Zhu, Z., Depauw, S., . . . Michael Boyle. (2002). Multiattribute and Single-Attribute Utility Functions for the Health Utilities Index Mark 3 System. *Medical Care*, 113-128.
- Feng, Y., Devlin, N., & Herdman, M. (2015). Assessing the Health of the General Population in England: How Do the Three- and Five-level Versions of EQ-5D Compare? *Health and Quality of Life Outcome*, 13 - 171.
- Ferreira, L. N., Ferreira, P. L., Pereira, L. N., & Brazier, J. (2008). An Application of the SF-6D to Create Health Values in Portuguese Working Age Adults. *Journal of Medical Economics*, 215-233.
- Fitzpatrick, R., Davey, C., Buxton, M. J., & Jones, D. R. (1998). *Evaluating Patient-based Outcome Measures For Use in Clinical Trials: A Review*. England: University of York.
- Fleiss, J. L. (1999). *The Design and Analysis of Clinical Experiments*. John Wiley & Sons, Inc.
- García-Gordillo, M. A., Pozo-Cruz, B. D., Adsuar, J., Cordero-Ferrera, J., Abellán-Perpiñán, J., & Sánchez-Martínez, F. (2015). Validation and Comparison of EQ-5D-3L and SF-6D Instruments in a Spanish Parkinson's Disease Population Sample. *Nutricion Hospitalaria*, 2808 - 2821.
- Gaujoux-Viala, C., Rat, A.-C., Guillemin, F., Flipo, R.-M., Fardellone, P., Bourgeois, P., & Fautrel, B. (2012). Responsiveness of EQ-5D and SF-6D in Patients with Early Arthritis: Results from the ESPOIR Cohort. *Clinical and epidemiological research*, 1478 - 1483.
- Gundle, K. R., Cizik, A. M., Punt, S. E., Conrad, E. U., & Davidson, D. J. (2014). Validation of the SF-6D Health State Utilities Measure in Lower Extremity Sarcoma. *Sarcoma*.
- Han, K.-T., Park, E.-C., Kim, J.-H., Kim, S. J., & Park, S. (2014). Is Marital Status Associated with Quality of Life? *Health and Quality of Life Outcomes*, 109-119.
- Haris, R. N. (2018). Pengukuran Kualitas Hidup pada Populasi Umum di Kota Yogyakarta Menggunakan Instrumen Short Form-6 Dimension (SF-6D) Versi Indonesia. Yogyakarta.
- Haris, R. N., Makmur, R., Andayani, T. M., & Kristina, S. A. (2019). Penilaian Properti Psikometrik Instrumen Kualitas Hidup (HRQoL) pada Populasi Umum: Tinjauan Sistematis. *JMPF*, 65-75.
- Hays, R. D., Anderson, R., & Revicki, D. (1993). Psychometric Considerations in Evaluating Health-Related Quality of Life Measures. *Quality of Life Research*, 441-449.
- Hunger, M., Sabariego, C., Stollenwerk, B., Cieza, A., & Leidl, R. (2011). Validity, Reliability and Responsiveness of the EQ-5D in German Stroke Patients Undergoing Rehabilitation. *Qual Life Res.*

- Huppertz-Hauss, G., Aas, E., Lie Høivik, M., & Langholz, E. (2016). Comparison of the Multiattribute Utility Instruments EQ-5D and SF-6D in a Europe-Wide Population-Based Cohort of Patients with Inflammatory Bowel Disease 10 Years after Diagnosis. *Gastroenterology Research and Practice*.
- Jacobson, N. S., & Gurman, A. S. (1995). *Clinical Handbook of Couple Therapy*. New York: Guilford Press.
- Jia, Y. X., Cui, F. Q., Li, L., Zhang, D. L., Zhang, G. M., Wang, G. M., . . . Gong, X. H. (2014). Comparison Between the EQ-5D-5L and the EQ-5D-3L in Patients with Hepatitis B. *Quality of Life Research*, 2355-2363.
- Jin, H., Wang, B., Gao, Q., Chao, J., Wang, S., Tian, L., & Liu, P. (2012). Comparison between EQ-5D and SF-6D Utility in Rural Residents of Jiangsu Province, China. *PLoS ONE*, 7(7).
- Karimi, M., & Brazier, J. (2016). Health, Health-Related Quality of Life, and Quality of Life : What is the Difference? *Pharmaco Economic*.
- Karyani, A. K., Rashidian, A., Sefiddashti, S. E., & Sari, A. A. (2016). Self-reported Health-related Quality of Life (HRQoL) and Factors Affecting HRQoL among Individuals with Health Insurance in Iran. *Epidemiology and Health*, 38.
- Khanna, D., Furst, D. E., Wong, W. K., Tsevat, J., Clements, J. P., Park, G. S., . . . Ahmed, M. (2007). Reliability, Validity, and Minimally Important Differences of the SF-6D in Systemic Sclerosis. *Qual Life Res*, 16, 1083-1092.
- Khoiriyah, S. D., & Lestari, K. (2018). Kajian Farmakoekonomi yang Mendasari Pemilihan Pengobatan di Indonesia. *Farmaka*, 16.
- Kontodimopoulos, N., Argiriou, M., Theakos, N., & Niakas, D. (2011). The Impact of Disease Severity on EQ-5D and SF-6D Utility Discrepancies in Chronic Heart Failure. *Eur J Health Econ*, 12, 283-291.
- Kontodimopoulos, N., Evelina, P., Papadopoulos, A. A., Tountas, Y., & Niakas, D. (2009). Comparing SF-6D and EQ-5D Utilities Across Groups Differing in Health Status. *Qual Life Res*, 87-97.
- Kumar, S., & Baldi, A. (2013). Pharmacoeconomics: Principles, Methods and Economic Evaluation of Drug Therapies. *Pharm Tech Medica*, 362-369.
- Lam, C. L., Brazier, J., & McGhee, S. M. (2008). Valuation of the SF-6D Health States Is Feasible, Acceptable, Reliable, and Valid in a Chinese Population. *Value In Health*, 11, 295-303.
- Lamu, A. N., & Olsen, J. A. (2018). Testing Alternative Regression Models to Predict Utilities: Mapping the QLQ-C30 Onto the EQ-5D-5L and the SF-6D. *Qual Life Res*, 2823-2839.
- Lemeshow, S., Hosmer Jr, W. D., Klar, J., & Lwanga, S. K. (1990). *Adequacy of Sample Size Iin Health Studies*. England: John Wiley & Sons.

- Liu, X., Gu, S., Duan, S., Wu, Y., Ye, C., Wang, J., & Dong, H. (2017). Comparative Study on Health-Related Quality of Life of Farmers and Workers. *Value Health in Regional Issues*.
- McCaffrey, N., Kaambwa, B., Currow, D. C., & Ratcliffe, J. (2016). Health-Related Quality of Life Measured Using the EQ-5D-5L: South Australian Population Norms. *Health and Quality of Life Outcomes*, 14, 133.
- Mulhern, B., & Meadows, K. (2014). The Construct Validity and Responsiveness of the EQ-5D, SF-6D and Diabetes Health Profile-18 in Type 2 Diabetes. *Health and Quality of Life Outcomes*, 42.
- Nguyen, L. H., Tran, B. X., Hoang, Q. N., Tran, T. T., & Latkin, C. A. (2017). Quality of Life Profile of General Vietnamese Population using EQ-5D-5L. *Health and Quality of Life Outcomes*, 15, 199.
- Nguyen, V. T., Nguyen, V. H., Nguyen, D. T., & Nguyen, P. T. (2017). Difference in Quality of Life and Associated Factors Among the Elderly in Rural Vietnam. *J Prev Med HYG*, 63-71.
- Norman, R., Church, J., Berg, B. v., & Goodall, S. (2013). Australian Health-Related Quality of Life Population Norms Derived from the SF-6D. *Australian and New Zealand Journal of Public Health*, 17-23.
- Novitasari, L., Perwitasari, D. A., & Khouirunisa, S. (2016). Validity of Short Form 36 (SF-36) Indonesian Version on Rheumatoid Arthritis Patients. *Kedokteran dan Kesehatan Indonesia*, 80-86.
- Obradovic, M., Lal, A., & Liedgens, H. (2013). Validity and Responsiveness of EuroQol-5 Dimension (EQ-5D) versus Short Form-6 Dimension (SF-6D) Questionnaire in Chronic Pain. *Health and Quality of Life Outcomes*, 110.
- Orion. (1997). *Pharmacoeconomics Primer and Guide Introduction to Economic Evaluation*.
- Palfreyman, S., & Mulhern, B. (2015). The Psychometric Performance of Generic Preference-based Measures for Patients with Pressure Ulcers. *Health and Quality of Life Outcomes*, 117.
- Pattanaphesaj, J. (2014). Health-related Quality of Life Measure (EQ-5D-5L): Measurement Property Testing and It's reference-based Score in Thai Population. *HiTAP*.
- Petrou, S., & Hockley, C. (2005). An Investigation into the Empirical Validity of the EQ-5D and SF-6D based on Hypothetical Preferences in a General Population. *Health Economics*, 1169-1189.
- Price, P., & Harding, K. (2013). Acute and Chronic Wounds: Differences in Self-Reported Health-Related Quality of Life. *Journal of Wound Care*, 9.
- Purba, F. D. (2017). The Indonesian EQ-5D-5L Value Set. *Pharmacoeconomics*.

- Quah, J. H., Luo, N., Ng, W. Y., How, C. H., & Tay, E. G. (2011). Health-related Quality of Life is Associated with Diabetic Complications, but not with Short-term Diabetic Control in Primary Care. *Ann Acad Med Singapore*, 276-286.
- Rachmawati, Y., Perwitasari, D. A., & Adnan. (2014). Validasi Kuesioner SF-36 Versi Indonesia terhadap Pasien Hipertensi di Puskesmas Yogyakarta. *Pharmacy*, 14-25.
- Rai, M., & Goyal, R. (2018). Pharmaceutical Medicine and Translational Clinical Research. *Pharmacoeconomics in Healthcare*, 465-472.
- Rezaei, S., Hajizadeh, M., Kazemi, A., Khosravipour, M., Khosravi, F., & Rezaeian, S. (2017). Determinants of Health-Related Quality of Life in Iranian Adults: Evidence from a Cross-Sectional Study. *Epidemiology and Health*.
- Safita, N., Islam, S. M., Clow, C. K., Niessen, L., Lechner, A., Holle, R., & Laxy, M. (2016). The Impact of Type 2 Diabetes on Health Related Quality of Life in Bangladesh. *Health and Quality of Life Outcomes*, 14, 129.
- Safnurbaiti, D. P., Andayani, T. M., & Irijanto, F. (2018). Analisis Biaya dan Nilai Utilitas Pasien Hemodialisa yang Diberikan Terapi Sevelamer Karbonat. *Oceana Biomedicina Jurnal*, 79-89.
- Salkind, N. J. (2010). Ceiling effect. In N. J. Salkind, *Encyclopedia of Research Design*. SAGE Publications, Inc.
- Shiroiwa, T., Fukuda, T., Ikeda, S., Igarashi, A., Noto, S., Saito, S., & Shimoizuma, K. (2016). Japanese Population Norms for Preference-based Measures: EQ-5D-3L, EQ-5D-5L, and SF-6D. *Qual Life Res*, 707-719.
- Soogard, R., Christensen, F. B., Videbaek, T. S., Bunger, C., & Christiansen, T. (2009). Interchangeability of the EQ-5D and the SF-6D in Long-Lasting Low Back Pain. *Value in Health*, 606-612.
- Soosova, M. S. (2016). Determinants of Quality of Life in The Elderly. *Central European Journal of Nursing and Midwifery*, 484-493.
- Stiggelbout, A., & de Haes, J. (2001). Patient Preference for Cancer Therapy: An Overview of Measurement Approaches. *Journal of Clinical Oncology*, 220-230.
- Terwee, C. B., Bot, S. D., Boer, M. R., Windt, D. A., Knol, D. L., Dekker, J., . . . Vet, H. C. (2007). Quality Criteria Were Proposed for Measurement Properties of Health Status Questionnaires. *Clinical Epidemiology*, 34-42.
- Thavorncharoensap, M., Teerawattananon, Y., Natanant, S., Kulpeng, W., Yothasamut, J., & Werayingyong, P. (2013). Estimating the Willingness to Pay for a Quality-Adjusted Life Year in Thailand: Does the Context of Health Gain Matter? *Clinicoecon Outcomes Res*, 29-36.
- Walters, S. J. (2009). *Quality of Life Outcomes in Clinical Trials and Health-Care Evaluation: A Practical Guide to Analysis and Interpretation*. UK: John Wiley & Sons.

- WHO. (1997). Program on Mental Health.
- WHO. (2020). Health Technology Assessment. In *Medical Devices*.
- Wong, C. K., Mulhern, B., Cheng, G. H., & Lam, C. L. (2018). SF-6D Population Norms for the Hong Kong Chinese General Population. *Quality of Life Research*, 2349-2359.
- Wu, J., Han, Y., Zhao, F.-L., Zhou, J., Chen, Z., & Sun, H. (2014). Validation and Comparison of EuroQoL-5 dimension (EQ-5D) and Short Form-6 dimension (SF-6D) Among Stable Angina Patients. *Health and Quality of Life Research*, 156.
- Ye, Z., Sun, L., & Wang, Q. (2019). A Head-to-Head Comparison of EQ-5D-5 L and SF-6D in Chinese Patients with Low Back Pain. *Health and Quality of Life Outcomes*, 57.
- Yuliauw. (2009, Februari 2). *Hubungan Karakteristik Individu dengan Kualitas Hidup Dimensi Fisik pasien Gagal Ginjal Kronis di RS Dr. Kariadi Semarang*. Retrieved from digilib.unimus.ac.id: digilib.unimus.ac.id/files/disk1
- Zar, J. H. (1996). *Biostatistical Analysis*. Prentice-Hall: Upper Saddle River.
- Zhao, L., Liu, X., Liu, D., He, Y., Liu, Z., & Li, N. (2019). Comparison of the Psychometric Properties of the EQ-5D-3L and SF-6D in the General Population of Chengdu City in China. *Medicine*, 11.