

## DAFTAR PUSTAKA

- Adyanti, V.V.A., Bestari, A.N. & Sulaiman, T.N.S., 2016, Optimasi Formula Floating Tablet Famotidin dengan Kombinasi Polimer Hidroksi Propil Metil Selulosa K100M dan Etil Selulosa, *Majalah Farmaseutik*, **12**(2): 466 – 479.
- Ainurofiq, A. & Choiri, S., 2013, Perbandingan Model dan Pelepasan Obat Sukar Larut dari Matriks Berbasis Natural-Gum pada Sediaan Tablet Lepas Lambat, *Pharmacy*, **10**(2): 170-180.
- Akbar, H.F., Sugiyartono. & Setiawan, D., 2012, Pengaruh Penambahan Manitol terhadap Pelepasan Ranitidin HCl dari Tablet Floating dengan HPMC K100M sebagai Matriks, *PharmaScientia*, **1**(1): 30 – 45.
- Astuti, W.T., 2019, Optimasi Formulasi Tablet Floating Levofloksasin dengan Kombinasi Matriks HPMC K100M dan Xanthan Gum, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Bae, K, S., & Yim, D, S., 2016, R-based Reproduction of the estimation process hidden behind NONMEM part 2: First-Order Conditional Estimation, *Transl Clinical Pharmacol*, **24**(4): 161 – 168.
- Chauhan, B, S., Jaimini, M., Sharma, S., & Bajaj, R., 2014, Effect of Formulation Variables on the Swelling Index of Acyclovir Sustained Release Tablets Using Xanthan Gum dan Sodium Alginate, *Research Journal of Pharmaceutical Sciences*, **3**(1): 1 – 7.
- Cohen, J, L., Hubert, B, B., Leeson, L, J., Rhodes, C, T., Robinson, J, R., Roseman, T, J., & Shefter, E., 1990, The Development of USP Dissolution and Drug Release Standards, *Pharmaceutical Research*, **7**(10): 983 – 987.
- Costa, P., & Lobo, J, M, S., 2000, Modeling and Comparison of Dissolution Profiles, *European Journal of Pharmaceutical Sciences*, **13**: 123 – 133.
- de Velde, F., Mouton, J.W., de Winter, B.C.M., van Gelder, T. & Koch, B.C.P., 2018, Clinical Applications of Population Pharmacokinetic Models of Antibiotics: Challenges and Perspectives, *Pharmacological Research*, **134**: 280 – 288.
- Departemen Kesehatan, 2014, *Farmakope Indonesia*, Edisi V, 164 – 165, 413 – 415, 805 – 806, 1526 – 1528, 1605 – 1607, Departemen Kesehatan Republik Indonesia, Jakarta.
- Dey, S.K., De, P.K., De, A., Ojha, S., De, R., Kumar, A. & Mukhopadyay, S.A., 2016, Floating Alginate Beads of Amoxicillin Trihydrate: A Facile Approach for H. pylori Eradication, *International Journal of Biological Macromolecules*, **89**: 622-631.
- El-Zahaby, S.A., Kassem, A.A., dan El-Kamel, A.H., 2014, Design and Evaluation of Gastroretentive Levofloxacin Floating Mini-Tablets-in-Capsule System for Eradication of *Helicobacter pylori*, *Saudi Pharmaceutical Journal*, **22**: 570 – 579.
- Fidler, M., Wilkins, J, J., Hooijmaijers, R., Post, T, M., Schoemaker, R., Trame, M, N., Xiong, Y., & Wang, W., 2019, Nonlinier Mixed-Effect Model

- Development and Simulation Using NLMIXR and Related R Open-Source Packages, *Pharmacometrics & System Pharmacology*, **20**: 1 – 13.
- Fox, J., & Andersen, R., 2005, *Using the R Statistical Computing Environment to Teach Social Statistical Courses*, McMaster University, Canada.
- Gad, S, C., 2008, *Pharmaceutical Manufacturing Handbook Production and Processes*, A John Wiley & Sons Inc Hoboken: New Jersey.
- Garg, G. & Gupta, G, D., 2008, Progress in Controlled GAstroretentive Delivery Systems, *Tropical Journal of Pharmaceutical Research*, **7**(3): 1055 – 1066.
- Hadisoewigno, L. & Fudholi, A., 2007, Studi Pelepasan In Vitro Ibuprofen dari Matriks Gum Xanthan yang Dikombinasikan dengan Suatu Crosslinking Agent, *Majalah Farmasi Indonesia*, **18**(3): 133-140.
- Hao, L., Okano, K., Zhang, C., Zhang, Z., Lei, Z., Feng, C., Utsumi, M., Ihara, I., Maseda, H. & Shimizu, K., 2019. Effect of Levofloxacin Exposure on Sequencing Batch Reactor (SBR) Behavior and Microbial Community Changes, *Science of The Total Environment*, **672**: 227-238.
- Harmita, 2004, Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya, *Majalah Ilmu Kefarmasian*, **1**(3): 117 – 134.
- Horkovics-Kovats, S., Brunovsky, P., Pichler, A., & Bulitta, J, B., 2015, Population Data Analysis of Dissolution Time Profiles: Assessment of Physicochemical Properties of the Drug, Drug Particles and the Pharmaceutical Formulation, *European Journal of Pharmaceutical Sciences*, **78**: 245 – 254.
- Jank, W., 2005, *Implementing and Diagnosing the Stochastic Approximation EM algorithm*, Department of Decision and Information Technologies, University of Maryland, Amerika.
- Kiang, T.K.L., Sherwin, C.M.T., Spigarelli, M.G. & Ensom, M.H.H., 2012, Fundamentals of Population Pharmacokinetic Modelling, *Clin Pharmacokinet*, **51**(8): 515 – 525.
- Kumar, T.M., Srikanth, G., Rao, V. & Rao, K.R.S.S., 2011, Development and Validation of HPLC-UV Method for the Estimation of Levofloxacin in Human Plasma. *International Journal of Pharmacy and Pharmaceutical Sciences*, **3**(2): 247 – 250.
- Kumar, A., Verma, A., Sharma, G., Saini, R., Sharma, S., Singh, S., Jain, U.K. & Sharma, M., 2013, Formulation and Characterization of Effervescent Floating Matrix Tablet of Famotidine Hydrochloride, *Asian Journal of Biomedical and Pharmaceutical Sciences*, **3**(25): 43 – 47.
- Lachman, L, H, A., Lieberman., & Kanig, J, L., 2008, *Teori dan Praktek Farmasi Industri edisi Ketiga*, Universitas Indonesia, Jakarta.
- Maggio, R, M., Castellano, P, M., Kaufman, T, S., 2008, A New Principal Component Analysis-based Approach for Testing “Similarity” of Drug Dissolution Profiles, *European Journal of Pharmaceutical Sciences*, **34**(1): 66 – 77.
- Mould, D, R., & Upton, R, N., 2012, Basic Concept in Population Modeling, Simulation and Model-Based Drug Development, *Pharmacometrics & System Pharmacology*, **6**: 1 – 14.

- Mouzan, M.I., Dehghan, M.H.G., Asif, A., Sahuji T. & Chudiwal, P., 2011, Preparation of a Novel Floating Ring Capsule-Type Dosage Form for Stomach Specific Delivery, *Saudi Pharmaceutical Journal*, **19**: 85 – 93.
- Narang, N., 2010, An Update Review On: Floating Drug Delivery System (FDDS), *International Journal of Applied Pharmaceutics*, **3**(1): 1 – 7.
- Nelson, M., Lever, M, S., Dean, R, E., Pearce, P, C., Stevens, D, J., & Simpson, A, J, H., 2010, Bioavailability an Efficacy of Levofloxacin against *Francisella tularensis* in the Common Marmoset (*Callithrix jacchus*), *American Society for Microbiology*, **54**(9): 3922 – 3926.
- Notario, D., Martono, S., Ikawati, Z., Hakim, A, R., Jannah, F. & Lukitaningsih, E., 2017, A Rapid and Simple High-performance Liquid Chromatographic Method for Determination of Levofloxacin in Human Plasma, *Indonesian Journal Chemical*, **17**(1): 54 – 62.
- Nugroho, A, K., 2016, Aplikasi Modeling Kompartemen Berbasis Populasi Dalam Therapeutic Drug Monitoring Rifampisin sebagai Obat Tuberkulosis Menggunakan Software Nonmem dan Monolix, *Laporan Penelitian*, Fakultas Farmasi, Universitas Gadjah Mada.
- Nugroho, A, K., 2017, Population-Based Approach to Analyze Sparse Sampling Data in Biopharmaceutic and Pharmacokinetic Studies Using NONMEM and Monolix, *Indonesian Journal of Pharmacy*, **28**(4): 205 – 212.
- Prajapati, B.G. & Patel, B., 2010, Formulation, Evaluation, and Optimization of Orally Disintegrating Tablet Piroxicam, *International Journal of PharTech Research*, **2**(3): 1893 – 1899.
- Retnani, N.I.D., Utami, P.I. & Setiawan, D., 2010, Analisis Kuantitatif Tablet Levofloksasin Merk dan Generik dalam Plasma Manusia secara In Vitro dengan Metode Spektrofotometri Ultraviolet-visibel, *Pharmacy*, **7**(1): 119 – 127.
- Rivai, H., Yanti, R., dan Chandra, B., 2018, Pengembangan dan Validasi Metode Analisis Levofloksasin Tablet dengan Metode Absorbansi dan Luas Daerah di Bawah Kurva secara Spektrofotometri Ultraviolet, Universitas Andalas, Sumatra Barat.
- Roth, H.J. & Gottfried, B., 1998, *Analisis Farmasi*, Sarjono, K.& Slamet, L., penerjemah, Gadjah Mada University Press, Yogyakarta.
- Sagita, E., Anwar, E. & Surini, S., 2013, Pembuatan Sediaan Tablet Mengapung Famotidin Menggunakan Kompleks Polielektrolit Kitosan-Pektin sebagai Bahan Matriks, *Majalah Ilmu Kefarmasian*, **8**(1): 1 – 56.
- Sari, F, K., 2017, Profil Disolusi Rifampisin dalam Tablet dengan pengisi Laktosa dan Analisis Modeling Pelepasan Obatnya, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Satidekakar, R.S. & Shallusandhan., 2015, Gastroretentive Drug Delivery System: A Review, *African Journal of Pharmacy and Pharmacology*, **12**: 405-417.
- Schoemaker, R., Fidler, M., Laveille, C., Wilkins, J, J., Hooijmaijers, R., Post, T, M., Trame, M., Xiong, Y., & Wang, W., 2019, Performance of the SAEM and FOCEI Algorithms in the Open-Source, Nonlinier Mixed Effect Modeling Tool NLMIXR, *Pharmacometrics & System Pharmacology*, **20**: 1 – 8.

- Siewert, S., 2006, Validation of a Levofloxacin HPLC Assay in Plasma and Dialysate for Pharmacokinetic Studies, *Jurnal of Pharmaceutical and Biomedical Analysis*, **41**: 1360 – 1362.
- Siswanto, A., Fudholi, A., Nugroho, A, K., & Martono, S., 2014, Pengaruh Medium Dissolusi dan Penggunaan Sinker terhadap Profil Disolusi Tablet Floating Aspirin, *Pharmacy*, **11**(2): 1 – 13.
- Stefanovski, D., Moate, P, J., & Boston, R, C., 2003, WinSAAM: A Windows-Based Compartmental Modeling System, *Metabolism*, **52**: 1153 – 1166.
- Sulaiman, T, N, S., Syukri, Y. & Utami, R., 2007, Profil Pelepasan Propranolol HCl dari Tablet Lepas Lambat dengan Sistem Floating menggunakan Matriks Methocel K15M, *Majalah Farmasi Indonesia*, **18**(1): 48 – 55.
- Sulaiman, T, N, S., 2012, Optimasi Formula Tablet Lepas Lambat Ranitidin HCl dengan Sistem Floating dan Korelasi In Vitro-InVivo, *Disertasi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- United States Pharmacopeial Convention, 2014, *The United States Pharmacopeia: The National Formulary*, United States Pharmacopeial Convention Inc., Rockville.
- Wilson, D., Wren, S., & Reynold, G., 2011, Linking Dissolution to Disintegration in Immediate Release Tablets Using Image Analysis and a Population Balance Modelling Approach, *Pharmaceutical Research*, **29**: 198 – 208.
- Yahya, I, R, E., & Abdassah, M., 2019, Review: Matriks Polimer yang Digunakan pada Tablet Sustained Release, *Majalah Farmasetika*, **4**(3): 79 – 86.