

## REFERENCES

- (ISO), I. O. for S. (2005). *ISO/IEC 17025:2005 General Requirements for the Competence of Testing and calibration Laboratories* (Vol 2005). ISO.
- Alagöz, S., Türkyılmaz, M., Tağı, Ş., & Özkan, M. (2015). Effects of different sorbic acid and moisture levels on chemical and microbial qualities of sun-dried apricots during storage. *Food Chemistry*, 174, 356–364. <https://doi.org/https://doi.org/10.1016/j.foodchem.2014.11.075>
- Ambarsari, I. (2009). Application of standards for the use of artificial sweeteners in food products. *Standardization Journal*, 11(1), 46–56.
- Amini, T., & Hashemi, P. (2018). Preconcentration and GC–MS determination of caffeine in tea and coffee using homogeneous liquid–liquid microextraction based on solvents volume ratio alteration. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 1092(March), 252–257. <https://doi.org/10.1016/j.jchromb.2018.06.020>
- AOAC. (2016). Appendix F: Guidelines for Standard Method Performance Requirements. *AOAC International*, 1–17.
- Bae, I. K., Ham, H. M., Jeong, M. H., Kim, D. H., & Kim, H. J. (2015). Simultaneous determination of 15 phenolic compounds and caffeine in teas and mate using RP-HPLC/UV detection: Method development and optimization of extraction process. *Food Chemistry*, 172, 469–475. <https://doi.org/https://doi.org/10.1016/j.foodchem.2014.09.050>
- Bagir, M. (2014). *Validation and Determination of Potassium Asesulfam, Caffeine, Aspartame Content in the preparation of Sachet Coffee Powder Drink by HPLC with a UV detector*. Gadjah Mada University.
- Bas, D., & Boyaci, I. H. (2007). Modelling and Optimization I: Usability of Response Surface Methodology. *Journal of Food Engineering*, 78, 836–845. <https://doi.org/10.1016/j.jfoodeng.2005.11.024>
- Belguidoum, K., Amira-guebailia, H., Boulmouk, Y., & Houache, O. (2014). HPLC coupled to UV – vis detection for quantitative determination of phenolic compounds and caffeine in different brands of coffee in the Algerian market. *Journal of the Taiwan Institute of Chemical Engineers*, 45(4), 1314–1320. <https://doi.org/10.1016/j.jtice.2014.03.014>
- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., & Escaleira, L. A. (2008). Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Talanta*, 76, 965–977. <https://doi.org/https://doi.org/10.1016/j.talanta.2008.05.019>
- Bian, X., Chi, L., Gao, B., Tu, P., Ru, H., & Lu, K. (2017). The artificial sweetener acesulfame potassium affects the gut microbiome and body weight gain in CD-1 mice. *PLoS ONE*, 12(6), 1–16. <https://doi.org/10.1371/journal.pone.0178426>

- Bruno, S. N. F., Cardoso, C. R., Mosca, M., Maciel, A., Vokac, L., Ademário, I., & Junior, S. (2014). Selective identification and quantification of saccharin by liquid chromatography and fluorescence detection. *FOOD CHEMISTRY*, 159, 309–315. <https://doi.org/10.1016/j.foodchem.2014.03.001>
- Cahyadi, W. (2012). *Analysis and Health Aspects of Food Additives* (Second). Bumi Aksara.
- Carocho, M., Morales, P., & Ferreira, I. C. F. R. (2017). Sweeteners as food additives in the XXI century: A review of what is known, and what is to come. *Food and Chemical Toxicology*, 107, 302–317. <https://doi.org/https://doi.org/10.1016/j.fct.2017.06.046>
- D, P. S. P., D, R., Ahuja, S., Ph, D., S, K. S. M. B. B., & S, F. A. C. (2013). Non-nutritive sweeteners : Review and uDADte. *Nutrition*, 29(11–12), 1293–1299. <https://doi.org/10.1016/j.nut.2013.03.024>
- Ding, M., Liu, W., Peng, J., Liu, X., & Tang, Y. (2018). Simultaneous determination of seven preservatives in food by dispersive liquid-liquid microextraction coupled with gas chromatography-mass spectrometry. *Food Chemistry*, 269(July), 187–192. <https://doi.org/10.1016/j.foodchem.2018.07.002>
- Ding, M., Peng, J., Ma, S., & Zhang, Y. (2015). An environment-friendly procedure for the high performance liquid chromatography determination of benzoic acid and sorbic acid in soy sauce. *FOOD CHEMISTRY*, 183, 26–29. <https://doi.org/10.1016/j.foodchem.2015.03.025>
- Dos Santos, T. C., Zocolo, G. J., Morales, D. A., Umbuzeiro, G. de A., & Zanoni, M. V. B. (2014). Assessment of the breakdown products of solar/UV induced photolytic degradation of food dye tartrazine. *Food and Chemical Toxicology*, 68, 307–315. <https://doi.org/10.1016/j.fct.2014.03.025>
- Edgar Y., Ordoñez, Rodil, R., Quintana, J. B., & Cela, R. (2015). Determination of artificial sweeteners in beverages with green mobile phases and high temperature liquid chromatography–tandem mass spectrometry. *Food Chemistry*, 169, 162–168. <https://doi.org/https://doi.org/10.1016/j.foodchem.2014.07.132>
- FDA. (2015). *Analytical Procedures and Methods Validation for Drugs and Biologies, Guidance for Industry: 2-10*.
- Fernandes, F. A. N., Rodrigues, S., Law, C. L., & Mujumdar, A. S. (2011). Drying of Exotic Tropical Fruits: A Comprehensive Review. *Food and Bioprocess Technology*, 4(2), 163–185. <https://doi.org/10.1007/s11947-010-0323-7>
- Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brand, G. C., Silva, E. G. P., Reis, P. S., Souza, A. S., & Santos, W. N. L. (2007). *Box-Behnken design : An alternative for the optimization of analytical methods*. 597, 179–186. <https://doi.org/10.1016/j.aca.2007.07.011>

- Fujiyoshi, T., Ikami, T., Kikukawa, K., Kobayashi, M., Takai, R., Kozaki, D., & Yamamoto, A. (2018). Direct quantitation of the preservatives benzoic and sorbic acid in processed foods using derivative spectrophotometry combined with micro dialysis. *Food Chemistry*, 240(January 2017), 386–390. <https://doi.org/10.1016/j.foodchem.2017.07.108>
- Gómez, M., Arancibia, V., Rojas, C., & Nagles, E. (2012). Adsorptive stripping voltammetric determination of tartrazine and sunset yellow in gelatins and soft drink powder in the presence of cetylpyridinium bromide. *International Journal of Electrochemical Science*, 7(8), 7493–7502.
- Guarino, C., Fuselli, F., Mantia, A. La, & Longo, L. (2011). Development of an RP-HPLC method for the simultaneous determination of benzoic acid , sorbic acid , natamycin and lysozyme in hard and pasta filata cheeses. *Food Chemistry*, 127(3), 1294–1299. <https://doi.org/10.1016/j.foodchem.2011.01.086>
- Hadjmohammadi, M., & Sharifi, V. (2012). Simultaneous optimization of the resolution and analysis time of flavonoids in reverse phase liquid chromatography using Derringer's desirability function. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 880(1), 34–41. <https://doi.org/10.1016/j.jchromb.2011.11.012>
- Himri, I., Bellahcen, S., Souna, F., Belmakki, F., Aziz, M., Bnouham, M., Zoheir, J., Berkia, Z., Mekhfi, H., & Saalaoui, E. (2011). A 90-day oral toxicity study of Tartrazine, a synthetic food dye, in Wistar rats. *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(SUPPL. 3), 159–169.
- Hussien, E. M. (2014). HPLC method validation for modernization of the tetracycline hydrochloride capsule USP monograph. *Bulletin of Faculty of Pharmacy, Cairo University*, 52(2), 239–244. <https://doi.org/10.1016/j.bfopcu.2014.08.002>
- ICH. (2005). *VALIDATION OF ANALYTICAL PROCEDURES: TEXT AND METHODOLOGY Q2(R1)* (Vol 2005). ICH.
- Islam, M. A., Alam, M. R., & Hannan, M. O. (2012). Multiresponse optimization based on statistical response surface methodology and desirability function for the production of particleboard. *Composites Part B: Engineering*, 43(3), 861–868. <https://doi.org/10.1016/j.compositesb.2011.11.033>
- Iverson, C. D., Gu, X., & Lucy, C. A. (2016). The hydrophilicity vs. ion interaction selectivity plot revisited: The effect of mobile phase pH and buffer concentration on hydrophilic interaction liquid chromatography selectivity behavior. *Journal of Chromatography A*, 1458, 82–89. <https://doi.org/10.1016/j.chroma.2016.06.061>
- Lennerz, B. S., Vafai, S. B., Delaney, N. F., Clish, C. B., Deik, A. A., Pierce, K. A., Ludwig, D. S., & Mootha, V. K. (2015). Effects of sodium benzoate, a widely used food preservative, on glucose homeostasis and metabolic profiles in humans. *Molecular Genetics and Metabolism*, 114, 73–79.

<https://doi.org/https://doi.org/10.1016/j.ymgme.2014.11.010>

- Lim, H. S., Hwang, J. Y., Choi, E. A., Lee, G., Yoon, S. S., & Kim, M. K. (2018). Development and validation of HPLC method for the determination of ferrocyanide ion in food grade salts. *Food Chemistry*, 239, 1167–1174. <https://doi.org/https://doi.org/10.1016/j.foodchem.2017.07.070>
- Lindquist, E., & Yang, Y. (2011). Degradation of benzoic acid and its derivatives in subcritical water. *Journal of Chromatography A*, 1218(15), 2146–2152. <https://doi.org/10.1016/j.chroma.2010.08.054>
- Lino, C. M., & Pena, A. (2010). Occurrence of caffeine , saccharin , benzoic acid and sorbic acid in soft drinks and nectars in Portugal and subsequent exposure assessment. *Food Chemistry*, 121(2), 503–508. <https://doi.org/10.1016/j.foodchem.2009.12.073>
- Lorenzo, R. A., Pena, M. T., Fernandez, P., Gonzalez, P., & Carro, A. M. (2015). Artificial sweeteners in beverages by ultra performance liquid chromatography with photodiode array and liquid chromatography tandem mass spectrometry. *Food Control*, 47, 43–53. <https://doi.org/10.1016/j.foodcont.2014.06.035>
- M.Saifullah, Y.A.Yusof, N.L.Chin, M.G.Aziz, M.A.P.Mohammed, & N.A.Aziz. (2016). Dissolution profiling and its comparison of natural fruit powder effervescent tablets. *Journal of Food Engineering*, 178, 60–70. <https://doi.org/https://doi.org/10.1016/j.jfoodeng.2016.01.007>
- Miller, J. . (2005). *Chromatography: Concept and Contrast*. John Wiley and Sons.
- Minten, J., Adolfsson-Erici, M., Björlenius, B., & Alsberg, T. (2011). A method for the analysis of sucralose with electrospray LC/MS in recipient waters and in sewage effluent subjected to tertiary treatment technologies. *International Journal of Environmental Analytical Chemistry*, 91(4), 357–366. <https://doi.org/10.1080/03067310903582333>
- Moffat, A. C., Osselton, M. D., Widdop, B., & Watts, J. (2011). *Clarke's Analysis of Drugs and Poison* (Fourth edi). The School of Pharmacy, University of London.
- Molognoni, L., Valese, A. C., Lorenzetti, A., Daguer, H., & De Dea Lindner, J. (2016). Development of a LC-MS/MS method for the simultaneous determination of sorbic acid, natamycin and tylosin in Dulce de leche. *Food Chemistry*, 211, 748–756. <https://doi.org/10.1016/j.foodchem.2016.05.105>
- Montgomery, D. . (1997). *Design and Analysis of Experiments* (Fourth Edi). John Willey&Sons.
- Nabors, L. (2012). *Alternative Sweeteners* (Fourth edi). CRC Press. Taylor & Francis Group.
- NADFC. (2013a). *National Agency of Drug and Food Control (NADFC) Regulation No.36 of 2013 concerning the Maximum Limit for the Use of Preservative Food Additives*. National Agency Drug and Food Control

Republic of Indonesia.

NADFC. (2013b). *National Agency of Drug and Food Control (NADFC) Regulation No.37 of 2013 concerning the Maximum Limit for the Use of Colorant Food Additives*. National Agency Drug and Food Control Republic of Indonesia.

NADFC. (2014). *National Agency of Drug and Food Control (NADFC) Regulation No.4 of 2014 concerning the Maximum Limit in the Use of Sweetener Food Additives*. National Agency Drug and Food Control Republic of Indonesia.

NADFC. (2016). *National Agency of Drug and Food Control (NADFC) Regulation No.22 of 2016 concerning the Maximum Limit in the Use of Flavor Food Additives*.

NADFC. (2018). *National Agency of Drug and Food Control (NADFC) Regulation No. 31 of 2018 concerning The Food Labelling*. NADFC.

O'Donnell, K. dan K. M. (2012). *Sweeteners and Sugar Alternative in Food Technology* (2th editio). John Willey and Sons, Ltd.

Ohtsuki, T., Sato, K., Abe, Y., Sugimoto, N., & Akiyama, H. (2015). Quantification of acesulfame potassium in processed foods by quantitative <sup>1</sup>H NMR. *Talanta*, 131, 712–718.  
<https://doi.org/10.1016/j.talanta.2014.08.002>

Ong, M. Y., Yusof, Y. A., Aziz, M. G., Chin, N. L., & Amin, N. A. M. (2014). Characterisation of fast dispersible fruit tablets made from green and ripe mango fruit powders. *Journal of Food Engineering*, 125(1), 17–23.  
<https://doi.org/10.1016/j.jfoodeng.2013.10.014>

Pane, D. D. Q., Dias, C. B., Meinhardt, A. D., Ballus, C. A., & Godoy, H. T. (2015). *Evaluation of the sweetener content in diet / light / zero foods and drinks by HPLC-DAD*. 52(November), 6900–6913.  
<https://doi.org/10.1007/s13197-015-1816-1>

Paula Arbeláez, Borrul, F., Pocurull, E., & Marcé, R. M. (2015). Determination of high-intensity sweeteners in river water and wastewater by solid-phase extraction and liquid chromatography–tandem mass spectrometry. *Journal of Chromatography A*, 1393, 106–114.  
<https://doi.org/https://doi.org/10.1016/j.chroma.2015.03.035>

Purba, N., Rohman, A., & Martono, S. (2019). Optimization of HPLC for Quantitative Analysis Of Acid Orange 7 And Sudan II in Cosmetic Products Using Box Behnken Design. *International Journal of Applied Pharmaceutics*, 11(2), 130–137.  
<https://doi.org/10.22159/ijap.2019v11i2.31285>

Purnomo, D. . (2013). *Validation of High Performance Liquid Chromatography Methods for Determination of Sodium Benzoate, Aspartame, Potassium Asesulfam, Cyclamate Sodium and Caffeine in Energy Drinks*. Gadjah Mada



University.

- Qiu, P., Cui, M., Kang, K., Park, B., Son, Y., Khim, E., Jang, M., & Khim, J. (2014). Application of Box-Behnken design with response surface methodology for modeling and optimizing ultrasonic oxidation of arsenite with H<sub>2</sub>O<sub>2</sub>. *Central European Journal of Chemistry*, 12(2), 164–172. <https://doi.org/10.2478/s11532-013-0360-y>
- Ravichandran, V., Sahlini, S., Sundram, K. M., & Rajak, H. (2010). Validation of analytical methods—strategies & importance. *Journal of Pharmacy and Pharmaceutical Science*, 12 (3), 18–22.
- Ren, L., Meng, M., Wang, P., Xu, Z., Eremin, S. A., Zhao, J., Yin, Y., & Xi, R. (2014). Determination of sodium benzoate in food products by fluorescence polarization immunoassay. *Talanta*, 121, 136–143. <https://doi.org/https://doi.org/10.1016/j.talanta.2013.12.035>
- Rohman, A. (2011). *Food Material Analysis*. Pustaka Pelajar.
- Rus, V., Gherman, C., Miclăuş, V., Mihalca, A., & Nadăş, G. C. (2010). Comparative toxicity of food dyes on liver and kidney in guinea pigs: A histopathological study. *Annals of the Romanian Society for Cell Biology*, 15(1), 161–165.
- Sahu, P. K., Ramiseti, N. R., Cecchi, T., Swain, S., Patro, C. S., & Panda, J. (2018). An overview of experimental designs in HPLC method development and validation. *Journal of Pharmaceutical and Biomedical Analysis*, 147, 590–611. <https://doi.org/https://doi.org/10.1016/j.jpba.2017.05.006>
- Samanidou, V., Michaelidou, K., Kabir, A., G., K., & Furton. (2017). Fabric phase sorptive extraction of selected penicillin antibiotic residues from intact milk followed by high performance liquid chromatography with diode array detection. *Food Chemistry*, 224, 131–138. <https://doi.org/https://doi.org/10.1016/j.foodchem.2016.12.024>
- Setyaningsih, W., Saputro, I. E., Carrera, C. A., Palma, M., & García-Barroso, C. (2019). Fast Determination of Phenolic Compounds in Rice Grains by Ultrapformance Liquid Chromatography Coupled to Photodiode Array Detection: Method Development and Validation. *Journal of Agricultural and Food Chemistry*, 67(10), 3018–3027. <https://doi.org/10.1021/acs.jafc.8b05430>
- Setyaningsih, Widiastuti, Saputro, I. E., Carrera, C. A., Palma, M., & Barroso, C. G. (2017). Multiresponse optimization of a UPLC method for the simultaneous determination of tryptophan and 15 tryptophan-derived compounds using a Box-Behnken design with a desirability function. *Food Chemistry*, 225, 1–9. <https://doi.org/10.1016/j.foodchem.2016.12.034>
- Snyder, L. R., & Dolan, J. W. (2013). Optimizing selectivity during reversed-phase high performance liquid chromatography method development: Prioritizing experimental conditions. *Journal of Chromatography A*, 1302, 45–54. <https://doi.org/10.1016/j.chroma.2013.05.082>

- Snyder LR, Kirkland JJ, D. J. (2010). *Introduction to modern liquid chromatography* (3rd editio). John Wiley & Sons Inc.
- Summa, S., Magro, S. Lo, Armentano, A., & Muscarella, M. (2015). Development and validation of an HPLC/DAD method for the determination of 13 sulphonamides in eggs. *Food Chemistry*, 187, 477–484.  
<https://doi.org/https://doi.org/10.1016/j.foodchem.2015.04.070>
- Sun, X.-D., Wu, H.-L., Liu, Z., Chen, Y., Liu, Q., Ding, Y.-J., & Yu, R.-Q. (2019). Rapid and Sensitive Detection of Multi-Class Food Additives in Beverages for Quality Control by Using HPLC-DAD and Chemometrics Methods. *Food Analytical Methods*, 12, 381–393.  
<https://doi.org/https://doi.org/10.1007/s12161-018-1370-3>
- Sun, X., Wu, H., Liu, Z., Chen, Y., Liu, Q., Ding, Y., & Yu, R. (2019). Rapid and Sensitive Detection of Multi-Class Food Additives in Beverages for Quality Control by Using HPLC-DAD and Chemometrics Methods. *Food Analytical Methods*, 12, 381–393.
- Supriyanto. (2014). *Development of Simultaneous Determination of Concentration Levels of Sweeteners, Preservatives, and Dyes in Essence Syrup by Using High Performance Liquid Chromatography Food Material Analysis*. North Sumatera University, Medan.
- Tighrine, A., Amir, Y., Alfaro, P., Mamou, M., & Nerín, C. (2019). Simultaneous extraction and analysis of preservatives and artificial sweeteners in juices by salting out liquid-liquid extraction method prior to ultra-high performance liquid chromatography. *Food Chemistry*, 277(October 2018), 586–594.  
<https://doi.org/10.1016/j.foodchem.2018.10.107>
- Tontul, I., & Topuz, A. (2017). Spray-drying of fruit and vegetable juices: Effect of drying conditions on the product yield and physical properties. *Trends in Food Science and Technology*, 63, 91–102.  
<https://doi.org/10.1016/j.tifs.2017.03.009>
- Vera Candiotti, L., De Zan, M. M., Cámara, M. S., & Goicoechea, H. C. (2014). Experimental design and multiple response optimization. Using the desirability function in analytical methods development. *Talanta*, 124, 123–138. <https://doi.org/10.1016/j.talanta.2014.01.034>
- Viana, C., Zemolin, G. M., Dal Molin, T. R., Gobo, L., Ribeiro, S. M., Leal, G. C., Marcon, G. Z., & de Carvalho, L. M. (2018). Detection and determination of undeclared synthetic caffeine in weight loss formulations using HPLC-DAD and UHPLC-MS/MS. *Journal of Pharmaceutical Analysis*, 8(6), 366–372. <https://doi.org/10.1016/j.jpha.2017.12.004>
- Wei, Q., Wang, X., Cheng, J.-H., Zeng, G., & Sun, D.-W. (2018). Synthesis and antimicrobial activities of novel sorbic and benzoic acid amide derivatives. *Food Chemistry*, 268, 220–232.  
<https://doi.org/https://doi.org/10.1016/j.foodchem.2018.06.071>
- Winarno, F. (2009). *Food and Nutrition Chemistry*. M Brio Press.

- Yadav, A., Kumar, A., Das, M., & Tripathi, A. (2016). Sodium benzoate, a food preservative, affects the functional and activation status of splenocytes at non cytotoxic dose. *Food and Chemical Toxicology*, 88, 40–47.  
<https://doi.org/https://doi.org/10.1016/j.fct.2015.12.016>
- Zea, L. P., Yusof, Y. A., Aziz, M. G., Ling, C. N., & Amin, N. A. M. (2013). Compressibility and dissolution characteristics of mixed fruit tablets made from guava and pitaya fruit powders. *Powder Technology*, 247, 112–119.  
<https://doi.org/10.1016/j.powtec.2013.06.032>