



DAFTAR PUSTAKA

- Abdul, Q. A., R. J. Choi, H. A. Jung and J. S. Choi. 2016. Health benefit of fucosterol from marine algae: A review. *Journal of the Science of Food and Agriculture*. 96(6) : 1856-1866. doi: 10.1002/jsfa.7489.
- Adilakshmi, T., P. D. Ayling and C. Ratledge. 2000. Polyadenylation in mycobacteria: Evidence for oligo(dT)-primed cDNA synthesis. *Microbiology*. 146(3): 633-638. doi: 10.1099/00221287-146-3-633.
- Balamurugan, R., V. Duraipandiyan and S. Ignacimuthu. 2011. Antidiabetic activity of -sitosterol isolated from Lippia nodiflora L. in streptozotocin induced diabetic rats. *European Journal of Pharmacology*. 667(163): 410-418. doi: 10.1016/j.ejphar.2011.05.025.
- Benveniste, P. 2002. Sterol Metabolism. *The Arabidopsis Book*, 1, p. e0004. doi: 10.1199/tab.0004.
- Bourgaud, F., A. Gravot, S. Milesi and E. Gontier. 2001. Production of plant secondary metabolites: A historical perspective. *Plant Science*. 161(5): 839-851. doi: 10.1016/S0168-9452(01)00490-3.
- Bustin, S. A. 2000. Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays. *Journal of Molecular Endocrinology*. 25(2): 169-193. doi: 10.1677/jme.0.0250169.
- Damayanti, F. 2019. *Peningkatan Biosintesis Terpenoid pada Kultur Sel Lini Jeruk Purut (*Citrus hystrix DC.*) dengan Elisitasi dan Pemberian Prekursor*. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Dertyasasa, E. D. and W. A. S. Tunjung. 2017. Volatile Organic Compounds of Kaffir Lime (*Citrus hystrix DC.*) Leaves Fractions and their Potency as Traditional Medicine. *Biosciences, Biotechnology Research Asia*. 14(4): 1235-1250. doi: 10.13005/bbra/2566.
- Desjardins, P. and D. Conklin. 2010. NanoDrop microvolume quantitation of nucleic acids. *Journal of Visualized Experiments*. (45): 164. doi: 10.3791/2565.
- Dewick, P. M. 2002. The biosynthesis of C5-C25 terpenoid compounds. *Nat. Prod. Rep.* 19: 181-222.
- Dorak, M.T. 2006. *Real - Time PCR*. Taylor and Francis Group. Oxford, p. 24-25.
- Fairell, R.E. 2005. *RNA Methodologies: A Laboratory Guide for Isolation and Characterization*. New York: Elsevier Academic Press.
- Fajarina, S. 2019. *Profil Senyawa Bioaktif dan Sitotoksitas Kalus Jeruk Purut (*Citrus hystrix DC.*) Pasca Penyimpanan*. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Fedriana, V. 2019. *Ekspresi Gen Phytoene Synthase dan Lycopene-β-Cyclase Dalam Jalur Biosintesis Karoten Pada Lima Tahap Perkembangan Biji Beras Hitam (*Oryza sativa L. 'Cempo Ireng'*)*. Skripsi. Universitas Gadjah Mada.
- Figueiró, A. de A., C. M. Correa, L. V. Astarita and E. R. Santarém. 2010. Long-term maintenance of in vitro cultures affects growth and secondary metabolism of St. John's Wort. A manutenção prolongada de culturas in vitro afeta o crescimento e o metabolismo. *Ciência Rural*. 40(10): 211-216.



2121.

- Fortin, H., C. Vigor, F. Loh'ezic-Le D'ev'ehat, V. Robin, B. Le Bossé, J. Boustie and M. Amoros. 2002. In vitro antiviral activity of thirty-six plants from La Réunion Island. *Fitoterapia*. 73(4): 346-350. doi: 10.1016/S0367-326X(02)00080-1.
- Fu, X. and J. Liu. 2013. Transcriptional profiling of cancer-resistant transgenic sweet exogenous isopentenyl diphosphate isomerase gene enhances isoprenoid biosynthesis in *Escherichia coli*. *Biochemical Journal*. 324(2): 421-426.
- George, F. E. and P. D. Sherrington. 1984. *Plant Propagation by Tissue Culture*. Exegetics ltd. Eversly. Basingstoke, Hants. England.
- Gunaherath, G. M. K. B. and A. A. L. Gunatilaka. 2014. Plant Steroids: Occurrence, Biological Significance and their Analysis. *Encyclopedia of Analytical Chemistry*, (Table 1), pp. 1626. doi: 10.1002/9780470027318.a9931.
- Harjoko, D. 1999. *Pengaruh Macam-macam Auksin terhadap Poliploidisasi Kalus Tanaman Semangka pada Kultur in Vitro*. Surakarta: Fakultas Pertanian UNS.
- Hutadilok-Towatana, N., P. Chaiyamutti, K. Panthong, W. Mahabusarakam and V. Rukachaisirikul. 2006. Antioxidative and free radical scavenging activities of some plants used in Thai folk medicine. *Pharmaceutical Biology*. 44(3): 221-228. doi: 10.1080/13880200600685592.
- Indrianto, A. 2003. *Kultur Jaringan Tumbuhan*. Fakultas Biologi, Universitas Gadjah Mada. Yogyakarta, hal : 71-74.
- Jan, T., B. Naqvi, R. Qadri and M. Nisar. 2015. Effect of age of cultures and hormones on the synthesis of secondary metabolites from callus of salvia santolinifolia (boiss), a medicinal herb. *European Journal of Biotechnology and Bioscience Online Issue*. 3(11): 2321-9122.
- Jedinák, A., J. Faragó, I. P-enáková and T. Maliar. 2004. Approaches to flavonoid production in plant tissue cultures. *Biologia - Section Cellular and Molecular Biology*. 59(6): 697-710.
- Kim, T. D., J. Y. Han, G. H. Huh and Y. E. Choi. 2011. Expression and functional characterization of three squalene synthase genes associated with saponin biosynthesis in panax ginseng. *Plant and Cell Physiology*. 52(1): 125-137. doi: 10.1093/pcp/pcq179.
- Leonard, E. 2018. *Pengujian Tingkat Ekspresi Gen CDKN2A Terhadap Penuaan Sel Pada Human Umbilical Cord Mesenchymal Stem Cells (hUCMSC) dan Human Bone Marrow Mesenchymal Stem Cells (hBMSC)*. Skripsi. Universitas Gadjah Mada.
- Lin, J. and C. Redies. 2012. Histological evidence: Housekeeping genes beta-actin and GAPDH are of limited value for normalization of gene expression. *Development, Genes and Evolution*. 222(6): 369-376. doi: 10.1007/s00427-012-0420-x.
- Livak, K. J. and T. D. Schmittgen. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2^{-ΔΔCT} method. *Methods*. 25(4): 402-408. doi: 10.1006/meth.2001.1262.
- Manner, H. I., R. S. Buker, V. E. Smith, D. Ward and C. R. Elevitch. 2006. Citrus (citrus) and Fortunella (kumquat). *Distribution*. Ver. 2.1. (April).



- Moss, G. P. 1989. International union of pure and applied chemistry and international union of biochemistry: Joint commission on biochemical nomenclature: Nomenclature of steroids. *Pure and Applied Chemistry*. 61(10): 1783–1822. doi: 10.1351/pac198961101783.
- Nam, D. K., S. Lee, G. Zhou, X. Cao, C. Wang, T. Clark, J. Chen, J. D. Rowley and S. M. Wang. 2002. Oligo(dT) primer generates a high frequency of truncated cDNAs through internal poly(A) priming during reverse transcription. *Proceedings of the National Academy of Sciences of the United States of America*. 99(9): 6152–6156. doi: 10.1073/pnas.092140899.
- Okada, S., T. P. Devarenne, and J. Chappell. 2000. Molecular characterization of squalene synthase from the green microalga *Botryococcus braunii*, race B. *Archives of Biochemistry and Biophysics*. 373(2): 307–317. doi: 10.1006/abbi.1999.1568.
- Olusegun, A., R. A. Hussein and A. A. El-Anssary. 2012. Plants Secondary Metabolites: The Key Drivers of the Pharmacological Actions of Medicinal Plants. *InTech*, i(tourism), p. 38. doi: 10.1016/j.colsurfa.2011.12.014.
- Opik, H. and S. A. Rolfe. 2005. *The Physiology of Flowering Plants 4th Ed.* Cambridge University Press. New York. pp. 100–106.
- Priyanto, D., W. A. S. Tunjung, A. Indriyanto. 2018. Extract of Elicited Kaffir Lime (*Citrus hystrix* DC.) Cells Suspension by *Saccharomyces cereviseae* H. and Its Citotoxicity against T47D Cells. *Indian Journal of Physiotherapy and Occupational Therapy*. 12(4): 2026–209.
- Rees, H. H., L. J. Goad and T. W. Goodwin. 1969. 2,3- Oxidosqualene cycloartenol cyclase from *Ochromonas malhamensis*. *Biochimica et Biophysica Acta (BBA)/Lipids and Lipid Metabolism*. 176(4): 892–894. doi: 10.1016/0005-2760(69)90274-4.
- Robinson, G. W., Y. H. Tsay, B. K. Kienzle, C. A. Smith-Monroy, R. W. Bishop. 1993. Conservation between human and fungal squalene synthetases: similarities in structure, function, and regulation. *Mol. Cell. Biol.* 13: 2706–2717.
- Salvador, J. A. R., J. F. S. Carvalho, M. A. C. Neves, S. M. Silvestre, A. J. Leitao, M. M. C. Silva and M. L. Sa e Melo. 2013. *Anticancer steroids: Linking natural and semi-synthetic compounds*. *Natural Product Reports*. doi: 10.1039/c2np20082a.
- Sathyaranayana, B. N. and D. B. Varghese. 2007. *Plant Tissue Culture: Practices and New Experimental Protocols*. I.K. International Pvt. Ltd. New Delhi. p. 110.
- Schmittgen, T. D. and B. A. Zakrajsek, B. A. 2000. Effect of experimental treatment on housekeeping gene expression: Validation by real-time, quantitative RT-PCR. *Journal of Biochemical and Biophysical Methods*. 46(162): 69–81. doi: 10.1016/S0165-022X(00)00129-9.
- Setiawati, T., A. Ayalla, M. Nurzaman, V. A. Kusumaningtyas and I. Bari. 2020. Analysis of Secondary Metabolites of Shoot, Callus Culture and Field Plant of *Chrysanthemum morifolium* Ramat. *Jurnal ILMU DASAR*. 21(1): 1–9. doi: 10.19184/jid.v21i1.8665.
- Shirazi, Z., A. Aalami, M. Tohidfar and M. M. Sohani. 2019. Triterpenoid gene



- expression and phytochemical content in Iranian licorice under salinity stress. *Protoplasma*. 256: 8276837.
- Stella, A. B. 2014. Reverse transcriptase-quantitative polymerase chain reaction (RT-qPCR) and its usefulness in soil microbial ecological studies - A review. *African Journal of Biotechnology*. 13(6): 7236728. doi: 10.5897/ajbx2013.13563.
- Sundarraj, S., R. Thangam, V. Sreevani, K. Kaveri, P. Gunasekaran, S. Achiraman and S. Kannan. 2012. -Sitosterol from *Acacia nilotica* L. induces G2/M cell cycle arrest and apoptosis through c-Myc suppression in MCF-7 and A549 cells. *Journal of Ethnopharmacology*. 141(3): 8036 809. doi: 10.1016/j.jep.2012.03.014.
- Thellin, O., W. Zhorzi, B. Lakaye, B. De Borman, B. Coumans, G. Hennen, T. Grisar, A. Igout and E. Heinen. 1999. Housekeeping genes as internal standards: use and. *Journal of biotechnology*. 75: 2916295.
- Tripoli, E., M. La Guardia, S. Giannanco, D. Di Majo and M. Giannanco. 2007. Citrus flavonoids: Molecular structure, biological activity and nutritional properties: A review. *Food Chemistry*. 104(2): 4666479. doi: 10.1016/j.foodchem.2006.11.054.
- Tunjung, W. A. S., V. Fatonah, G. P. Christy, S. Triono, L. Hidayati, D. Priyanto, Y. A. Purwestri, A. B. Sasongko, Hennisa, N. Faizah and A. Indrianto. 2020. Effect of Growth Factor In Callus Induction and Bioactive Compounds In Seed Explant of Kaffir Lime (*Citrus hystrix DC.*). 31(2): 61668. doi: 10.14499/indonesianjpharm31iss2pp61.
- Tunjung, W. A. S., J. Cinatl jr. M. Michaelis and C. M. Smales. 2015. Anti-Cancer Effect of Kaffir Lime (*Citrus Hystrix DC*) Leaf Extract in Cervical Cancer and Neuroblastoma Cell Lines. *Procedia Chemistry*. 14: 4656468. doi: 10.1016/j.proche.2015.03.062.
- Wacker, M. J. and M. P. Godard. 2005. Analysis of one-step and two- step real-time RT-PCR using superscript III. *Journal of Biomolecular Techniques*, 16(3): 2666271.
- Wang, C., B. Kaltenboeck and M. Freeman. 2012. Veterinary PCR diagnostics. *Veterinary PCR Diagnostics*. (March 2012): 2617. doi: 10.2174/97816080534831120101.
- Wang, J. D. Chen, Y. Lei, J. Chang, B. H. Hao, F. Xing, S. Li, Q. Xu, X. X. Deng, L. L. Chen. 2014. *Citrus sinensis* Annotation Project (CAP): A comprehensive database for sweet orange genome. *PLoS ONE*. 9(1): e87723. doi: 10.1371/journal.pone.0087723.
- Widyasari, A. F. 2020. *Karakterisasi Senyawa Bioaktif dan Morfologi Tiga Generasi Kalus (*Citrus hystrix DC.*) dengan Tiga Variasi Konsentrasi Zat Pengatur Tumbuh*. Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Woyengo, T. A., V. R. Ramprasath and P. J. H. Jones. 2009. Anticancer effects of phytosterols. *European Journal of Clinical Nutrition*. 63(7): 8136820. doi: 10.1038/ejcn.2009.29.
- Ying, S. Y. 2004. Complementary DNA libraries: An overview. *Applied Biochemistry and Biotechnology - Part B Molecular Biotechnology*. 27(3): 2456252. doi: 10.1385/MB:27:3:245.
- Yousefian, Z., B. Hosseini, H. Rezadoost, J. Palazon and M. H. Mirjalili. 2018. Production of the anticancer compound withaferin a from genetically



UNIVERSITAS
GADJAH MADA

**EKSPRESI GEN SQS1 DAN CAS1 UNTUK SINTESIS SENYAWA STEROID PADA KULTUR KALUS
JERUK PURUT (*Citrus
hystrix DC.*)**

ALFA NADIYA, Woro Anindito Sri Tunjung, S.Si., M.Sc., Ph.D
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

transformed hairy root cultures of *withania somnifera*. *Natural Product Communications*. 13(8): 9436948. doi: 10.1177/1934578x1801300806.

Zhao, H., Q. Tang, C. Mo, L. Bai, D. Tu and X. Ma. 2017. Cloning and characterization of squalene synthase and cycloartenol synthase from *Siraitia grosvenorii*. *Acta Pharmaceutica Sinica B*. 7(2): 2156222. doi: 10.1016/j.apsb.2016.06.012.