



Daftar pustaka

- Banerjee, R. & Kamrava, M., 2014. Brachytherapy in the treatment of cervical cancer : a review. *Bernarjee*, pp. 555-564.
- Bhat, S. & Himaldev, 2013. Comparison of effi cacy and safety of ropivakain. *Anesthesia: Essays and Researches*, 08-12, pp. 381-385.
- Bogaert, V., 2000. lumbar lordosis and the spread of sub-aracnoid hyperbaric at cesarean section. *international Journal Gynaecology Obstetry*, Volume 71, pp. 65-66.
- Bromage, P., 1965. Comparison of the hydrochloride and carbondioxide salt of lidocaine and prilocarpine in epidural anesthesia. *Anaesthesiol scand supp*, Volume 66, pp. 651-655.
- Casey, W., 2000. Spinal Anaesthesia- A Practical Guide. *Update in Anaesthesia*, Volume 12, pp. 21-23.
- Christine, H., Daniel, G. & Chu, C., 2018. Brachytherapy: A critical component of primary radiation therapy for. *ELSEIVER*, pp. 1-10.
- Fanelli, F. & Casati, A., 2003. Unilateral spinal anesthesia. Dalam: *Highlights in Reegional Anesthesia and Pain Therapy*. s.l.:Limassol: cyprint Ltd, pp. 20-23.
- Glaser, C., Marhofer, P. & Thage, B., 2002. Levobupivakain versus racemic bupivakain for spinal anesthesia. *Anesthesi Analg*, Volume 94, pp. 194-198.
- Gratadour, P., Viale, J. & Parlow, J., 1997. Sympatovagal effect of spinal anesthesia assesed by spontaneous cardiac baroreflex. Dalam: *Anesthesiology*. s.l.:s.n., pp. 1359-1367.
- Hadzic, A., 2017. *Hadzic's Textbook of regional Anesthesia and acute Pain Management*. 2 penyunt. Genk, Belgium: Mc Graw Hill Education.
- Haus, N. J., Kambarami, T. C. & Dyer, T. C., 2013. Spinal anaesthesia for brachytherapy for. *Southern African Journal of Anaesthesia and Analgesia*, Volume 3, pp. 154-159.
- Hocking, G. & Wildsmith, J., 2004. Intrathekal Drug Spread. *British Journal of Anaesthesia*, Volume 93, pp. 568-578.
- Jaffe, R. A., 2014. INTERSTITIAL PERINEAL IMPLANTS. Dalam: B. Brown, penyunt. *ANESTHESIOLOGIST MANUAL OF SURGICAL PROCEDURE*. CALIFORNIA: Wolters Kluwer Health, pp. 829-832.



Jain, S., Bendwal, H. P., Deodhar, P. & Bhambhani, P., 2017. Comparative study of ripivacaine (0,5%) plain versus levobupivakain (0,5%) plain in gynecological surgeries. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, Volume 6(4), pp. 1573-1577.

Manazir, A., Syed, M. A., Shahna, A. & Kashmiri, D., 2016. Levobupivakain or ropivakain: A randomised double blind controlled trial using equipotent doses in spinal anaesthesia. *Colombian Journal of Anesthesiology*, 44(2), pp. 97-104.

Mantouvalou, M., Ralli, S., Tziris, G. & Papadopoulos, G., 2008. Spinal anesthesia: comparison of plain ropivakain, bupivakain and levobupivakain for lower abdominal surgery.. *Acta Anaesthesiologica Belgia*, Volume 59(2), pp. 65-71.

Miller, 2010. *Miller's Anesthesia*. 7 penyunt. United States of America: Elsevier.

Morgan, E. & Mikhail, M., 2013. Regional Anesthesia. Dalam: F. Butterworth & D. Mackey, penyunt. *Morgan's and Michail Clinical Anesthesiology*. s.l.:lange medical book, pp. 937-975.

Raj, P., 2003. *Textbook of Regional Anesthesia*. 2003 EDITION penyunt. Philadelphia, Pennsylvania: CHURCHILL LIVINGSTONE.

RI, K. K., 2019. *Hari Kanker Sedunia 2019*. [Online] Available at: <http://www.depkes.go.id/article/view/19020100003/hari-kanker-sedunia-2019.html>

Roessler, B., Six, L. M. & Burkhard, G., 2008. Anaesthesia for brachytherapy. *Lippincott Williams and wilkins*, Volume 21, pp. 514-518.

Sauberer, A., Langenecker, S. & Heinzl, H., 2008. Sauberer, A; Langenecker, Sibylle; Heinzl, Harald;. *Regional Anesthesia and Pain Medicine*, January–February, pp. 4-9.

Schmidt, A., Schwagmeir, R. & Broja, E., 1990. the effect of Volume ad Dosage of isobaric bupivakain on the spread of spinal anesthesia. *regional Anesthesia*, Volume 12, pp. 159-162.

Sciffer, E. G. Z., 1999. Influence of sex on cerebrospinal fluid density in adult. *br J Anaesth*, Volume 83, pp. 93-94.

Singh, G. et al., 2017. COMPARISON OF ISOBARIC LEVOBUPIVAKAIN 0.5% AND ISOBARIC ROPIVAKAIN 0.5% FOR SPINAL ANAESTHESIA



UNIVERSITAS
GADJAH MADA

PERBANDINGAN WAKTU PULIH MOTORIK ANTARA BLOK SUBARAKNOID ROPIVAKAIN ISOBARIK 0,5 % 10 mg DENGAN LEVOBUPIVAKAIN ISOBARIK 0,5% 10 mg PADA PASIEN BRAKITERAPI DI RSUP DR. SARDJITO APRIYANTO, dr. Calcarina Fitriani RW Sp.An, KIC; Dr. dr. Yusmein Uyun Sp.An, KAO

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

IN LOWER LIMB SURGERIES. *WORLD JOURNAL OF PHARMACEUTICAL*, pp. 2017,3(1), 448-453.

Smith, M. D., Todd, J. G. & Symond, R. P., 2002. Analgesia for pelvic brachytherapy. *British Journal of Anaesthesia*, Volume 88(2), pp. 270-276.

Stoelting, s., Flood, P., Rathmell, J. & Shafer, S., 2015. *Pharmacology and Physiology in Anesthetic Practice*. 5 penyunt. Palo Alto, California: Wolters Kluwer.