



## Daftar Pustaka

- Abdi, G. R., H. Salehi & M. Khosh-Khui. 2008. Nano silver: A Novel Nanomaterial for Removal of Bacterial Contaminants in Valerian (*Valeriana officinalis L.*) Tissue Culture. *Acta Physiologia Plant.* 2008; 30: 709-714.
- Acquaah, G. 2004. *Agricultural Production System, Principles of Crop Production, Theories, Techniques and Technology*. Prentice Hall, Upper Saddle River
- Anjali AK, SM Kelkar, MG Watve & KV Khrisnamurthy (2007). Characterization and control of endophytic bacterial contaminants in *in vitro* cultures of *Piper* spp., *Taxus baccata* subsp. *Wallichiana*, and *Withania somnifera*. *Canadian J Microbiol* 53, 63-74.
- Ardiansyah, Rhomi., Supriyanto, Wulandari, Arum Sekar., Subandy, Benny., Fitriani, Yuli. 2014. Teknis Sterilisasi Eksplan dan Induksi Tunas Dalam Mikropropagasi Tembesu (*Fagraea fragrans ROXB*). *Jurnal Silvikultur Tropika*, Vol. 05 No. 3
- Babaoglu, M. & M. Yorgancilar. 2000. TDZ-specific Plant Regeneration In Salad Burnet. *Plant Cell Tissue Organ Culture*. 440:31-34.
- Barlow, B.A. 1983. *The Casuarinas-a taxonomic and biogeographic review*. In: Midgley, S.J.; Turnbull, R.D.; Johnston, R.D., eds. *Casuarina ecology, management and utilization: Proceedings of a workshop; 1981 August 17-21; Canberra, Australia*. Melbourne: Commonwealth Scientific and Industrial Research Organization: 10-18.
- Bonga, J.M & Durzan, D.J. 1982. *Tissue Culture In Forestry*. Springer Science+Business Media Dordrecht : USA
- Chonglu, Z., Z. Yong, C. Yu, C. Zhen, J. Qingbin, K. Pinyopasarak, C. Franche. 2015. Potential Casuarina species and suitable techniques for the GGW. <https://www.researchgate.net/publication/280637750>
- Cobrado, J., & Fernandez, A. 2016. Common Fungi Contamination Affecting Tissue-cultured Abaca (*Musa textilis Nee*) during Initial Stage of Micropropagation. *Asian Research Journal of Agriculture*, 1(2), 1-7
- Compton, Michael E & Koch, Jennifer, M. 2001. Influence of *Plant Preservative Mixture* (PPM) on Adventitious Organogenesis in Melon, Petunia, and Tobacco. *In vitro Cell. Dev. Biol. Plant* 37: 259-261
- Dahab, Abou A.M., A.M., Habib., M.K., El-Bahr., & Gabr, A.M.M. 2010. Establishment of an *in vitro* propagation protocol for *Taxodium distichum* and *Taodium distichum* var. 'distichum'. *Nature and Science*; 8(9)
- Debergh, P.C. & Maene, L.J. 1981. A Scheme for the Commercial Propagation of Ornamental Plants by Tissue Culture. *Science of Horticulture*. 14; 335-345
- Direktoret Perbenihan Tanaman Hutan, 2001. *Casuarina equisetifolia L. Informasi Singkat Benih* No. 6 Maret 2001. Indonesia Forest Seed Project : Bandung, Indonesia
- Dodds, J.H. & L.W. Roberts, 1985. *Experiments in Plant Tissue Culture*. Second Edition. Cambridge: Cambridge University
- Edi, S. (2004). Sterilisasi Eksplan Tanaman Padi untuk Kultur In Vitro. *Jurnal Sain Indonesia*. 2824, 172-176.



- Ervin GN, Wetzel RG. 2002. Effects of Sodium Hypochlorite Sterilization and Dry Cold Storage on Germination of *Juncus effusus* L. *Wetlands*. 22(1): 191–195.
- Farooq SA, Farooq TT, Rao TV. 2002. Micropropagation of *Annonasquamosa* L. using nodal explants. *Pakistan Journal of Biological Sciences* 5(1): 43-46.
- Geary, Thomas F. 1985. *Casuarina equisetifolia* L. Forestry Consultan : Washington, DC
- George, Mary.W. & Tripepi, Robert R. 2001. *Plant Preservative Mixture* Can Affect Shoot Regeneration From Leaf Explants of Chrysanthemum, European Birch and Rhododendron. *Hort Science* 36 (4): 768-769
- George, E.F. & P.D. Sherrington. 1984. *Plant Propagation by Tissue Culture. Hand Book and Directory of Comercial Laboratories*. Eastern Press, Reading, Berks: England.
- Guha, S.R.D & Karira, B.G. 1981. Chemical, Semi-chemical, and Chemi-mechanical apulp from Casuarina equisetifolia. *Indian Forester* Vol. 107.
- Guri, A. Z. & Patel, K. N. 1998. *Compositions and Methods to Prevent Microbial Contamination of Plant Tissue Culture Media*. United States Patent 5, 750,402
- Hendaryono, D.P. & Wijayanti, A. 1994. *Teknik Kultur Jaringan : Pengenalan dan Petunjuk Perbanyakan secara Vegetatif-Modern*. Yogyakarta; Kanisius.
- Herawan, T; et al. 2017. Pengaruh Jenis dan Konsentrasi Zat Pengatur Tumbuh Pada Induksi Kalus Embriogenik Klon Cendana (*Santalum album* Linn). *Jurnal Pemuliaan Tanaman Hutan* Vol. 11 no 2, hal. 151-158
- Herawan, Toni, Mohammad Na’iem, Sapto Indrioko, & Ari Indrianto. 2015. Kultur Jaringan Cendana (*Santalum album* L.) Menggunakan Eksplan Mata Tunas. *Jurnal Pemuliaan Tanaman Hutan*, 9(3);177-188
- Hussain, A., Ahmed, I., Nazir, H., & Ullah, I. (2012). *Plant Tissue Culture: Current Status and Opportunities*. Recent Advances in Plant *in vitro*Culture.
- Hutami, S. 2006. Penggunaan arang aktif dalam kultur *in vitro*. *Berita Biologi* 8(1):83-89.
- Hutami, Sri. 2008. Ulasan : Masalah Pencokelatan pada Kultur Jaringan. *Jurnal AgroBiogen* 4(2):83-88
- Jasmine, S. 2017. Skripsi : *Induksi Tunas Honje Hijau (etlingera elatior, Jack) Asal Sukabumi dengan Penambahan Sukrosa dan BAP (Benzyl Amino Purine) secara In Vitro*. UINSGD: Bandung
- Jessup, L.W. 2003. *Queensland Herbarium. Flora of South-Eastern Queensland. Brisbane Botanic*. Gardens Mt Coot-tha. Australia
- Kulkarni, A. A., S. M. Kelkar, M. G. Watve, K. V. Krishnamurthy. 2007. Characterization and Control of Endophytic Bacterial Contaminants *in vitro*Cultures of *Piper* spp., *Taxusbaccata* subsp. *wallichiana*, and *Withaniasomnifera*. *Can J Microbiol*. 53:63-74.
- Kusuma, R., Kustiawan, W., & Ruchaemi, A. 2016. Sterilization Method For *In vitro*Propagation Explant Embryo Of *Durio kutejensis* (Hassk.) & Becc From Kalimantan. *International Journal of Scientific & Technology Research*, 5(10), 1–6.



Larasati, Kunti.2017.Skripsi : *Perbandingan Potensi Biosida Ekstrak Akar dan Batang Pisang Ambon untuk Mencegah Kontaminasi pada Kultur In Vitro*.UMS:Surakarta.

Lata, H., Chandra, S., Khan, I., & ElSohly, M., 2009. Propagation through alginate encapsulation of axillary buds of Cannabis sativa L.—an important medicinal plant. *Physiol. Mol. Biol. Plant.* 15, 79–86.

Leifert, C., & A. C. Cassells. 2001. Microbial Hazards in Plant Tissue and Cell Cultures. *In vitro Cell Dev Biol Plant.* 37(2): 133-138.

Leifert, C., Morris, C.E. & Waites, W.M. 1994. Ecology of Microbial Saprophytes and Pathogens in Tissue Culture and Field-grown Plants: reasons for contamination problems in-vitro. *Critical Reviews in Plant Science.*, 13; 139-182

Maan, P., Kadam, A., Kumar, A., Kumar, S., & Dutt, D. 2018. Pulp from Casuarina equisetifolia. *BioResources* 13(4), 8802-8813.

Mbah EI & SM Wakil.2012. Elimination of bacteria from *in vitroyam* tissue cultures using antibiotics. *J Plant Pathol* 94 (1), 53-58

Misra P, N Gupta, DD Toppo, V Pandey, MK Mishra & R Tuli.2010. Establishment of Long-term Proliferating Shoot Cultures of Elite Jatropha curcas L. by Controlling Endophytic Bacterial Contamination. *Plant Cell Tissue Org Cult* 100, 189-197.

Miyazaki J, Tan BH, & Errington SG.2010. Eradication of endophytic bacteria via treatment for axillary buds of Petunia hybrida using plant preservative mixture (PPMTM). *Plant Cell Tissue Org* 102:365-372

Niedz, R.P. & Sink, K.C.1988.Multifactor Analysisi of Environmental Preconditioning of Tomato Seddlings on Protoplast Culture and Development.J. *Plant Physical* Vol 133,pp.385-391

Nisa, C & Rodinah. 2005. Kultur Jaringan Beberapa Kultivar Buah Pisang (*Musa paradisiaca* L.) dengan pemberian campuran NAA dan Kinetin. *Jurnal Bioscientiae*. Vol.2, No.2: 23-36.

Odutayo, O. I., N. A. Amusa, O. O. Okutade, & Y. R. Ogunsanwo. 2007. Sources of Microbial Contamination in Tissue Culture Laboratories in Southwestern Nigeria. *African J. Biotechnol.* 2: 67-72.

Oyebanji, O.B.,Nweke, O., Odebunmi, O.,Galadima, N.B.,Idris, M.S.,Nnodi, U.N., Afolabi & Ogbadu, G.H.2009.Simple Effective and Economical Explant-surface Sterilization Protocol for Cowpea, Rice and Sorghum Seeds.African *Journal of Biotechnology* Vol. 8 (20)

Ozyigit, I.I., 2008. Phenolic changes during *in vitro* organogenesis of cotton (*Gossypiumhirsutum* L.) shoot tips. Afr. J. Biotechnol. 7, 1145–1150.

Parrotta, John A.1993. *Casuarina equisetifolia* L. Ex J.R.&G. Forst. *Casuarina, Australian pine*.International Institutepf Tropical Forestry, U.S.

Plant Cell Technology, Incorporation. 1998. PPM: A Powerful Technology to Prevent and Eliminate microbial Contamination in Plant Tissue Culture.  
<http://mktechnology.com/ppmweb2.htm#what>



- Putri, A.I. 2009. Kajian Glycocalyx Bakteri Pada Kontaminasi Ulin (*Eusideroxylon zwageri*) In-vitro. *Jurnal Pemuliaan Tanaman Hutan*, 3(1); 33-42
- Putri, A. I. 2017. Balai Besar Penelitian dan Pengembangan Bioteknologi dan Pemuliaan Tanaman Hutan (Proses Publikasi).
- Putri, A. I., Herawan, T., Prastyono., & Haryjanto, L. 2017. Pengaruh Teknik Sterilisasi Eksplan Terhadap Tingkat Perolehan Kultur Jaringan Aksenik Ramin (*Gonostylus bancanus*). *Jurnal Pemuliaan Tanaman Hutan* Vol, 11 No. 2, p. 131-138
- Putri, A.I., Prastyono, Haryjanto, L., Herawan, T., Fauzi, A., Izudin, E. 2020. Pengaruh Methylisothiazolinone Biosida dalam Sterilisasi Kultur Jaringan *Casuarina equisetifolia*. *Jurnal Seri : Ilmu Bumi dan Lingkungan* 522 (2020) 012008.
- Putri, V.S.I.S. 2007. *Studi Fenologi Pembungaan, Penyerbukan dan Uji Viabilitas Benih Casuarina equisetifolia Linn var. Incana di Pantai Pandansimo, Yogyakarta*. Tesis. Program Studi Ilmu Kehutanan, UGM Yogyakarta. (Tidak diterbitkan).
- Quambusch, Mona and Winkelmann, Traud. 2018. Bacterial Endophytes in Plant Tissue Culture: Mode of Action, Detection, and Control. *Plant Cell Culture Protocols* pp 69-88
- Rai, R.S. Vinaya; Natarajan, N. 1988. Studies on Nursery Technology and Planting Density in *Casuarina equisetifolia*. *Indian Journal of Forestry*. 11(1):60-62.
- Rihan, H.Z. et al. 2012. The Effect of Using PPM (*Plant Preservative Mixture*) On The Development of Cauliflower Microshoots and The Quality of Artificial Sedd Produced. *Scientia Horticulturae* 141: 47-52.
- Santoso, U. dan F. Nursandi. 2003. *Kultur Jaringan Tanaman*. Universitas Muhammadiyah Malang Press. Malang.
- Sette, L. D., M. R. Z. Passarini, C. Delarmelina, F. Salati, M. C. T. Duarte. 2006. Molecular Characterization and Antimicrobial Activity of Endophytic Fungi From Coffee Plants. *World J MicrobiolBiotechnol.* 22:1185-1195.
- Sharaf, E. MA., & Weathers, P. 2006. Movement and Containment of Microbial Contamination in The Nutrient Mist Bioreactor. *In vitroCell & Developmental Biology-Plant Volume* 42(6). Pp: 553-557.
- Shofiyani, Anis & Damajanti, Neni. 2015. Pengembangan Metode Sterilisasi pada Berbagai Eksplan Guna Meningkatkan Keberhasilan Kultur Kalus Kencur (Kaemferia galangal L.). *Agritech* : vol. XVII No 1.
- Silmia, Betha. 2018. Skripsi : Inisiasi Tunas Aksiler pada Kultur Jaringan Klon Unggul Kayu Putih dengan Variasi Perlakuan Sterilisasi eksplan pada Media Tumbuh. Penelitian Skripsi Fakultas Kehutanan UGM : Yogyakarta
- Singh SR, Dalal S, Singh R, Dhawan AK, Kalia RK. 2011. Micropagation of *Dendrocalamus asper* (Schult. & Schult. F. Backer ex K Heyne): An Exotic Edible Bamboo. *Journal of Plant Biochemical and Biotechnology*, 21:220–228
- Sinta, Masna Maya, Riyadi, Imron, & Sumaryono. 2014. Identifikasi dan Pencegahan Kontaminasi pada Kultur Cair Sistem Perendaman Sesaat. *Jurnal Menara Perkebunan* 82(2), 64-69



Sjahril, R., Sengin, E.L., Musa, Y., Dachlan, A., Mantja, K., & Feranita.2011. *Bahan Ajar Mata Kuliah: Pembibakan In Vitro*. Makassar : Fakultas Pertanian Universitas Hasanuddin.

Smith, Roberta H. 2013. *Plant Tissue Culture, 3<sup>rd</sup> Edition*. California Academic Press.

Suhardi. 2005. *Casuarina Efektif Cegah Empasan Tsunami*.Kompas: 29 April 2005. Hal: 6, kolom: 2-5.

Sulistiani E, Yani SA. 2012. *Produksi Bibit Tanaman dengan Menggunakan Teknik Kultur Jaringan*. Bogor (ID): Seameo-Biotrop.

Suryowinoto, M.1991. *Pemuliaan Tanaman secara In Vitro*.Kanisisus:Yogyakarta

Thain, M& Hickman, M. 1994. *Dictionary of Biology, Penguin Books, 9th edition*. London, UK.

Thakur R & A Sood.2007. An Efficient Method for Explant Sterilization for Reduced Contamination. *Plant Cell Tiss Org Cult* 84, 369-371.

Thomas, P.,Agrawal, M.,Bharathkumar, CB.2017. Use of *Plant Preservative Mixture<sup>TM</sup>* for Establishing *in vitro*Cultures From Field Plants: Experience with Papaya Reveals Several PPM<sup>TM</sup> Tolerant Endophytic Bacteria.*Plant Cell Reports*, Springer

Titov S, SK Bhowmik, MS Alam & SN Uddin.2007.Control of endogenous bacterial contamination and micropropagation of a traditional table banana (*Musa* spp cv. Kathali) of Bangladesh. *Chinese J Biotechnol* 23(6), 1042-1048.

Viss, Peter R., Brooks, Edward M., & Driver, John A.1990. *Technical Note: A Simplified Method for The Control Of Bacterial Contamination In Woody Plant Tissue Culture*. *In vitroCell. Dev. Biol* 27P :4.1991 Tissue Clture Association

Webb, Derek B.;Wood, Peter J.; Smith, Julie P.; Henman, G. Sian.1984.A Guide to Species Selection for Tropical and Sub-Tropical Plantations.2nd ed.Trop. For. Pap. 15. Xford, UK : University of Oxford, Commonwealth, Forestry Institute, Unit of Tropical Silviculture. 256 p

Wojtania A & J Pulawska.2005. Identification and elimination of bacterial contaminants from Pelargonium tissue cultures. *J Fruit Ornamental Plant Res* 13, 101-108.