

DAFTAR PUSTAKA

- Alonso, M., Rozados, M.J., Vega, J.A., Perez-Gorostiaga, P., Cuinas, P., Fonturbel, M.T., and Fernandez, C. 2002. Biochemical responses of *Pinus pinaster* trees to fire-induced trunk girdling and crown scorch: secondary metabolites and pigments as needle chemical indicators. *Journal of Chemical Ecology*. 28(4): 687-700.
- Anda, R.R., Koch, G., Richter, H.G., Talavera, F.J.F., Guzman, J.A.S., and Satyanarayana, K.G. 2019. Formation of Heartwood, chemical composition of extractives and natural durability of plantation-grown teak wood from Mexico. *Holzforschung*. 73(6): 547-557.
- Anggraini, E., Primiani, C.N., and Widyanto, J. 2017. Kajian Observasi Tanaman Family Lamiaceae. Prosiding Seminar Nasional SIMBIOSIS II. Madiun. (Hlm. 469-477).
- Anoube, J.B.S., F.B. Niamke, M. Faustin, D. Virieux, J.L. Pirat, A.A. Adima, S.K. Coulibaly and N. Amussant. 2018. The role of extractives in the natural durability of the heartwood of *Dicorynia guianensis* Amsh: new insights in antioxidant and antifungal properties. *Annals of Forest Science*. 75(15).
- ASTM. 2002. Annual book of ASTM standars. Section Four Construction Volume 04.10 Wood. Baltimore.
- Ayadi, N., Lejeune, F., Charrier, F., Charrier, B., and Merlin, A. 2003. Color stability of heat-treated wood during artificial weathering. *Holz als Roh-und Werkstoff*. 61(3): 221-226.
- Basri, E., and Wahyudi, I. 2013. Sifat dasar kayu jati plus Perhutani dari berbagai umur dan kaitannya dengan sifat dan kualitas pengeringan. *Jurnal Penelitian Hasil Hutan*. 31(2): 93-102
- Basri, E., Yuniarti, K., Wahyudi, I., and Damayanti, R. 2015. Effects of girdling on wood properties and drying characteristics of *Acacia mangium*. *Journal of Tropical Forest Science*. 498-505

- Bhat, K.M., Thulasidas, P.K., Floerence, E.J.M., and Jayaraman, K. 2005. Wood durability of home-garden teak against brown-rot and white-rot fungi. *Trees*. 19: 654-660.
- Bowyer, J.L., Shmulsky, R., and Haygreen, J.G. 2007. *Forest Product and Wood Science an Introduction Fifth Edition*. Blackwell Publishing Professional. Iowa.
- Butterfield, B.G. 1993. The structure of wood: an overview. Chapter dalam J.C.F. Walker (Ed.) *Primary Wood Processing, Principles and Practice*. Chapman and Hall. Melbourne.
- Chirinos, R., Betalleuz-Pallardel, I., Huaman, A., Arbizu, C., Pedreschi, R., and Campos, D. 2009. HPLC-DAD characterization of phenolic compounds from Andean oca (*Oxalis tuberosa* Mol.) *Food Chemical*. 113: 1243-1251.
- Da Costa, E.W.B.; P. Rudman; F.J. Gay. 1958. Investigations on the Durability of *Tectona grandis*. *Empirical Forestry Review* 37: 291-298.
- Datta, S.K., and Kumar, A. 1987. Histochemical studies of the transition from sapwood to heartwood in *Tectona grandis*. *IAWA Journal*. 8(4): 363-368.
- Desch, H.E., J.M. Dinwoodie. 1981. *Timber Its Structure, Properties and Utilisation* 6th Edition. MacMillan Education LTD. London.
- Fahey, T.D., Snellgrove, T.A., and Plank, M.E. 1986. Changes in product recovery between live and dead lodgepole pine: a compendium. USDA, Forest Service, Pacific Northwest Research Station, Portland, OR. Pp. 1-25.
- Fengel, D., and Wenger. 1989. *Wood chemistry, ultrastructure, reaction*. New York.
- Fernandes, F.H.A., and Salgado, H.R.N. 2016. Gallic acid: review of the methods of determination and quantification. *Critical Reviews in Analytical Chemistry*. 46(3): 257-265.
- Gao, H., Shupe, T.F., Hse, C.Y., and Eberhardt, T.L. 2006. Antioxidant activity of extracts from the bark of *Chamaecyparis lawsoniana* (A. Murray) Parl. *Holzforschung*. 60(4): 459-562.

- Gierlinger, N., Jacques, D., Grabner, M., Wimmer, R., Schwanninger, M., Rozenberg, P., and Paques, L.E. 2004. Colour of larch heartwood and relationship to extractives and brown-rot decay resistance. *Trees*. 18(1): 102-108.
- Goenadi, D.H., and Prasetya, B. 1995. Peluang Biopulping dalam Industri Pulp di Indonesia. (Makalah). Lembaga Ilmu Pengetahuan Indonesia.
- Hauch, S., and Magel, E. 1998. Extractable activities and protein content of sucrose-phosphate synthase, sucrose synthase and neutral invertase in trunk tissues of *Robinia pseudoacacia* L. are related to cambial wood production and heartwood formation. *Planta*. 207(2): 266-274
- Haupt, M., Leithoff, H., Meier, D., Puls, J., Richter, H.G., and Faix, O. 2003. Heartwood extractives and natural durability of plantation-grown teakwood (*Tectona grandis* L.) – a case study. *Holz als Roh-und Werkstoff*. 61(6): 473-474.
- Heim, K.E., Tagliaferro, A.R., Bobilya, D.J. 2002. *Flavonoid : Chemistry, Metabolisme and Structure-activity Relationships*, University of New Hampshire.
- Hon, D.N.S., Shiraishi, N. 1991. *Wood and Cellulosic Chemistry*. Marcel Dekker, Inc., New York. 26-65.
- Huang, D., Ou, B., and Prior, R.L. 2005. The chemistry behind antioxidant capacity assays. *Journal of Agricultural and Food Chemistry*. 53(6): 1841 – 1856.
- Juta, E.H.P. 1954. *Pemungutan Hasil Hutan*. Timun Mas, CV. Jakarta.
- Khoddami, A., Wilkes, M.A., & Roberts, T.H. 2013. Techniques for analysis of plant phenolic compounds. *Molecules*. 18(2): 2328-2375.
- Koch, P. 1996. *Lodgepole pine in North America* Madison, Wisconsin, Forest Products Society.
- Kokutse, A.D., Stoes, A., Bailleres, H., Kokou, K., Baudasse, C. 2006. Decay resistance of Togolese teak (*Tectona grandis* L.f.) heartwood and relationship with colour. *Trees*. 20: 219-223.

- Koyani, R.D., and Rajput, K.S. 2014. Light microscopic analysis of *Tectona grandis* Lf wood inoculated with *Irpex lacteus* and *Phanerocheate chrysosporium*. *European Journal of Wood and Wood Products*. 72(2): 157 – 164.
- Labosky, J.P., Baldwin, R.C., and Zhang, J. 1990. Chemical composition of gypsy moth-killed red oak. *Wood and Fiber Science*. 22(2): 217-226.
- Lukmandaru, G. 2009. Perubahan warna pada kayu teras jati (*Tectona grandis*) doreng melalui ekstraksi berturutan. *Jurnal Ilmu dan Teknologi Hasil Hutan*. 2(1): 15-20.
- Lukmandaru, G. 2011. Variability in the natural termite resistance of plantation teak wood and its relations with wood extractive content and color properties. *Journal Forest Research*. 8(1): 17-31.
- Lukmandaru, G., and Takahashi, K. 2008. Variation in the natural termite Resistance of Teak (*Tectona grandis* L. f.) wood as a function of tree age. *Annals of Forest Science*. 65(7): 708p1-8
- Lukmandaru, G., and Takahashi, K. 2009. Radial distribution of quinones in plantation of teak (*Tectona grandis* L.f.). *Annals of Forest Science*. 66(6): 605 p1-p9.
- Mandang, Y.L. and Pandit, I.K.N. 2002. *Seri Manual: Pedoman Identifikasi Jenis Kayu Lapangan*. Bogor. PROSEA Indonesia.
- Martawijaya, A., Kartasujana, I., Kadir, K., & Prawira, S.A. 2005. *Atlas kayu Indonesia Jilid I*. Badan Penelitian dan Pengembangan Kehutanan. CV. Miranti. Bogor.
- Mihara, R. R., Barry, K.M., Mohammed, C.L., and Mitsunaga, T. 2005. Comparison of antifungal and antioxidant activities of *Acacia mangium* and *A. auriculiformis* heartwood extracts. *Journal of Chemical Ecology*. 31(4): 789 – 804.
- Niamke, F.B., Adima, A.A., Seraphin, K.C., Amusant, N., and Jay-Allemand, C. 2018. Heartwood formation process in teak (*Tectona grandis* Lf): fate of non-

strucural carbohydrates and characterization of forsythoside B. International Journal of Biological and Chemical Science. 12(3): 1102 – 1112.

Niamke, F.B., Amusant, N., Kokutse, A., Chaix, G., Charpentier, J.P., Adima, A.A., and Jay-Allemand, C. 2010. Radial distribution of non-structural carbohydrates in Malaysian teak. International Journal of Biological and Chemical Science. 4(3).

Niamke, F.B., Amusant, N., Charpentier, J.P., Chaix, G., Baissac, Y., Boutahar, N., Adima, A.A, Kati-Coulibaly, S., and Jay-Allemand, C. 2011. Relationships between biochemical attributes (non-structural carbohydrates and phenolics) and natural durability against fungi in dry teak wood (*Tectona grandis* L.f.). Annals of Forest Science. 68:201-211.

Nobuchi, T., Okada, N., Nishida, M., Siripatanadilok, S., Veenin, T., Tobing, T. L., and Sahri, M. H. 2005. Some characteristic of wood formation in teak (*Tectona grandis*) with special reference to water conditions. Quality Timber Products of Teak from Sustainable Forest Management. India. 495 – 499.

Noel, A.RA. 1970. The Girdled Tree. Botanical Review, Vol. 36, No. 2, pp 162-195. Springer on behalf of New York Botanical Garden Press.

Pandey, K.K., and Pitman, A.J. 2003. FTIR studies of the changes in wood chemistry following decay by brown-rot and white-rot fungi. International Biodeterioration & Biodegradation. 52(3): 151 – 160.

Paul, E.A. 1992. Organic Matter Decomposition. Encyclopedia of Microbiology, Vol.3. Academic Press. Inc.

Perhutani. 2014. www.puslitbangperhutani.com _____. 2014. Suara Rimba. (<http://www.bumn.go.id/perhutani/halaman/144>

Pramasari, D.A., Wahyuni, I., Adi, D.S., Amin, Y., Darmawan, T., and Dwianto, W. 2014. Effect of age on chemical component of platinum teak wood-a fast growing teak wood from LIPI. In The 6th International Symposium of Indonesian Wood Research Society. (p.211).

- Prawirohatmodjo, S. 1977. Kimia Kayu. Yogyakarta: Yayasan Pembina Fakultas Kehutanan Universitas Gadjah Mada
- Prawirohatmodjo, S. 2004. Kimia kayu. Universitas Gadjah Mada. Yogyakarta. (Tidak diterbitkan)
- Pudjiono, S. 2014. Produksi Bibit Jati Unggul dari Klon dan Budidaya. IPB Press.
- Purwanta, S., Sumantoro, P., Setyaningrum, H.D., and Suparinto, C. 2015. Budidaya dan bisnis kayu jati. Penebaran Swadaya. Jakarta.
- Rahmawati, H., Iriantono, D., Hansen, C.P. 2002. Informasi Singkat Benih. Bandung: Direktorat Perbenihan Tanaman Hutan
- Rayner, A.D.M. and Boddy. 1988. Fungal Decomposition of Wood. It's Biology and Ecology. John Wiley and sons. New York.
- Retnaningrum, N.I. 2012. Studi keawetan alami terhadap rayap dihubungkan dengan komposisi ekstraktif kayu jati dari hutan rakyat Kulon Progo. Skripsi. Fakultas Kehutanan UGM. Yogyakarta (Tidak diterbitkan).
- Scheffer, T.C. and J.J. Morrell. 1998. Natural Durability of Wood: A Worldwide Checklist of Species. Forest Research Laboratory, Oregon State University. Research Contribution 22. 58p.
- Shamoun, S.F., and Levi, M.P. 1985. A chemical and microscope study of decayed earlywood dan latewood of loblolly pine killed by the Southern pine beetle. Wood and Fiber Science. 17(1): 22-28.
- Shrimpton, D.M. 1973. Extractives associated with wound response of Lodgepole pine attacked by the mountain pine beetle and associated with microorganisms. Canadian J. Botany. 51: 527 – 533.
- Simard, S., Giovannelli, A., Treydte, K., Traversi, M. L., King, G. M., Frank, D., and Fonti, P. 2013. Intra-annual dynamics of non-structural carbohydrates in the cambium of mature conifer trees reflects radial growth demands. Tree Physiology. 33(9): 913 – 923.

- Sjostrom, E. 1993. Kimia kayu: dasar-dasar dan penggunaan. Edisi 2. Sastrohamidjojo H, penerjemah. Yogyakarta: UGM Press. Terjemah dari Wood Chemistry: Fundamentals and Applications.
- Sjostrom, E. 1998. Kimia Kayu: Dasar-Dasar Penggunaan. Gajah Mada University Press (terjemahan). Yogyakarta. Hal. 9,12, 13, dan 15.
- Sumarna, Yana. 2003. Budidaya Jati. Penerbit Swadaya. Jakarta.
- Taylor, A., and Cooper, P. 2002. The effect of stem girdling on wood quality. Wood and Fiber Science. 34(2): 212-220.
- Thulasidas, P.K., and Bath, K.M.. 2007. Chemical extractive compounds determining the brown-rot decay resistance of teak wood. Holz als roh-und Werkstoff. 65(2): 121-124.
- Willfor, S., Sundberg, A., Pranovich, A., and Holmbom, B. 2005. Polysaccharides in some industrially important hardwood species. Wood Science and Technology. 39(8): 601 – 617.
- Windeisen, E., Klassen, A., and Wegener, G. 2003. On the chemical characterization of plantation Teakwood from Panama. Holz als Roh- und Werkstoff. 61(6): 416-418.
- Wissam, Z., Ghada, B., Wassim, A., and Warid, K. 2012. Effective extraction of polyphenols and proanthocyanidins from pomegranate's peel. International Journal of Pharmacy and Pharmaceutical Science. 4(3): 675-682.
- Woo, K. L., Watson, P., and Mansfield, S. D. 2005. The effects of mountain pine beetle attack on lodgepole pine wood morphology and chemistry: Implications for wood and fiber quality. Wood and Fiber Science. 37(1): 112 – 126.