

REFERENSI

- [1] “SiPongi - Karhutla Monitoring Sistem.”
http://sipongi.menlhk.go.id/hotspot/luas_kebakaran (accessed Jul. 04, 2020).
- [2] V. Huijnen *et al.*, “Fire carbon emissions over maritime southeast Asia in 2015 largest since 1997,” *Sci. Rep.*, vol. 6, p. 26886, 2016, doi: 10.1038/srep26886.
- [3] “ROS.org | Powering the world’s robots.” <https://www.ros.org/> (accessed Jun. 08, 2020).
- [4] “ROS/Introduction - ROS Wiki.” <http://wiki.ros.org/ROS/Introduction> (accessed Aug. 05, 2020).
- [5] “ROS.org | Integration.” <https://www.ros.org/integration/> (accessed Aug. 06, 2020).
- [6] “mavros - ROS Wiki.” <http://wiki.ros.org/mavros> (accessed Aug. 06, 2020).
- [7] “melodic - ROS Wiki.” <http://wiki.ros.org/melodic> (accessed Aug. 05, 2020).
- [8] “dev.px4.io.” [Online]. Available: <https://dev.px4.io/v1.9.0/en/>.
- [9] “Simulation · PX4 v1.9.0 Developer Guide.” <https://dev.px4.io/v1.9.0/en/simulation/> (accessed Jul. 20, 2020).
- [10] “dev.px4.io.” .
- [11] “Gazebo.” <http://gazebo.org/> (accessed Jun. 09, 2020).
- [12] “Tutorial: Gazebo Simulation — Fetch & Freight Research Edition Melodic documentation.” <https://docs.fetchrobotics.com/gazebo.html> (accessed Aug. 11, 2020).
- [13] “Gazebo : Tutorial : ROS overview.” http://gazebo.org/tutorials?tut=ros_overview (accessed Aug. 06, 2020).
- [14] “rosservice - ROS Wiki.” <http://wiki.ros.org/rosservice> (accessed Jul. 14, 2020).
- [15] “ROS.org | Core Components.” <https://www.ros.org/core-components/> (accessed Jul. 14, 2020).
- [16] “Qt | Cross-platform software development for embedded & desktop.” <https://www.qt.io/> (accessed Jul. 11, 2020).
- [17] “Qt Designer Manual.” <https://doc.qt.io/qt-5/qtdesigner-manual.html> (accessed Jul. 11, 2020).
- [18] “Getting to Know Qt Designer | Qt Designer Manual.” <https://doc.qt.io/qt-5/designer-to-know.html> (accessed Jul. 11, 2020).
- [19] V. Usenko, L. von Stumberg, A. Pangercic, and D. Cremers, “Real-Time Trajectory Replanning for MAVs using Uniform B-splines and a 3D Circular Buffer,” Mar. 2017, doi: 10.1109/IROS.2017.8202160.

- [20] J. Amanatides, J. Amanatides, and A. Woo, "A Fast Voxel Traversal Algorithm for Ray Tracing," *EUROGRAPHICS '87*, pp. 3--10, 1987, Accessed: Jun. 08, 2020. [Online]. Available: <https://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.42.3443>.
- [21] A. Hornung, K. M. Wurm, M. Bennewitz, C. Stachniss, and W. Burgard, "OctoMap: An efficient probabilistic 3D mapping framework based on octrees," *Auton. Robots*, vol. 34, no. 3, pp. 189–206, Apr. 2013, doi: 10.1007/s10514-012-9321-0.
- [22] B. Siciliano, L. Sciavicco, L. Villani, and G. Oriolo, "Trajectory planning," in *Robotics: Modelling, Planning and Control*, no. 9781846286414, Springer International Publishing, 2009, pp. 161–189.
- [23] S. M. LaValle and S. M. LaValle, "Sampling-Based Planning Under Differential Constraints," in *Planning Algorithms*, Cambridge University Press, 2009, pp. 651–711.
- [24] S. Karaman and E. Frazzoli, "Sampling-based algorithms for optimal motion planning," in *International Journal of Robotics Research*, Jun. 2011, vol. 30, no. 7, pp. 846–894, doi: 10.1177/0278364911406761.
- [25] B. Siciliano, L. Sciavicco, L. Villani, and G. Oriolo, "Motion planning," in *Robotics: Modelling, Planning and Control*, no. 9781846286414, Springer International Publishing, 2009, pp. 523–559.
- [26] L. E. Kavraki and S. M. LaValle, "Motion Planning," in *Springer Handbook of Robotics*, Springer Berlin Heidelberg, 2008, pp. 109–131.
- [27] S. M. LaValle and S. M. LaValle, "Introduction," in *Planning Algorithms*, Cambridge University Press, 2009, pp. 3–22.
- [28] S. M. LaValle and J. J. Kuffner, "Randomized Kinodynamic Planning," *Int. J. Rob. Res.*, vol. 20, no. 5, pp. 378–400, May 2001, doi: 10.1177/02783640122067453.
- [29] J. D. Gammell, S. S. Srinivasa, and T. D. Barfoot, "Informed RRT*: Optimal Sampling-based Path Planning Focused via Direct Sampling of an Admissible Ellipsoidal Heuristic," *IEEE Int. Conf. Intell. Robot. Syst.*, pp. 2997–3004, Apr. 2014, doi: 10.1109/IROS.2014.6942976.
- [30] S. J. Lee, S. H. Baek, and J. H. Kim, "Arm trajectory generation based on RRT* For humanoid robot," in *Advances in Intelligent Systems and Computing*, 2015, vol. 345, pp. 373–383, doi: 10.1007/978-3-319-16841-8_34.
- [31] S. Karaman, M. R. Walter, A. Perez, E. Frazzoli, and S. Teller, "Anytime motion planning using the RRT," in *Proceedings - IEEE International Conference on Robotics and Automation*, 2011, pp. 1478–1483, doi: 10.1109/ICRA.2011.5980479.
- [32] K. Naderi, J. Rajamaki, and P. Hamalainen, "RT-RRT*: A real-time path planning

- algorithm based on RRT*,” in *Proceedings of the 8th ACM SIGGRAPH Conference on Motion in Games, MIG 2015*, Nov. 2015, pp. 113–118, doi: 10.1145/2822013.2822036.
- [33] F. A. Rahman, I. Ardiyanto, and A. I. Cahyadi, “Real-Time Kinodynamic Motion Planning for Omnidirectional Mobile Robot Soccer using Rapidly-Exploring Random Tree in Dynamic Environment with Moving Obstacles,” May 2019, Accessed: Jun. 08, 2020. [Online]. Available: <http://arxiv.org/abs/1905.04762>.
- [34] J. D. Gammell and T. D. Barfoot, “The Probability Density Function of a Transformation-based Hyperellipsoid Sampling Technique,” Apr. 2014, Accessed: Jun. 08, 2020. [Online]. Available: <http://arxiv.org/abs/1404.1347>.
- [35] C. de Boor, “On calculating with B-splines,” *J. Approx. Theory*, vol. 6, no. 1, pp. 50–62, Jul. 1972, doi: 10.1016/0021-9045(72)90080-9.
- [36] M. G. COX, “The Numerical Evaluation of B-Splines,” *IMA J. Appl. Math.*, vol. 10, no. 2, pp. 134–149, Oct. 1972, doi: 10.1093/imamat/10.2.134.
- [37] M. W. Achtelik, S. Lynen, S. Weiss, M. Chli, and R. Siegwart, “Motion- and uncertainty-aware path planning for micro aerial vehicles,” *J. F. Robot.*, vol. 31, no. 4, pp. 676–698, 2014, doi: 10.1002/rob.21522.
- [38] K. Qin, “General matrix representations for B-splines,” in *Proceedings - Pacific Conference on Computer Graphics and Applications*, 1998, pp. 37–43, doi: 10.1109/PCCGA.1998.731996.
- [39] G. Farin, “8 - B-Spline Curves,” in *The Morgan Kaufmann Series in Computer Graphics*, G. B. T.-C. and S. for C. (Fifth E. Farin, Ed. San Francisco: Morgan Kaufmann, 2002, pp. 119–146.
- [40] A. P. Aguiar and J. P. Hespanha, “Trajectory-tracking and path-following of underactuated autonomous vehicles with parametric modeling uncertainty,” *IEEE Trans. Automat. Contr.*, vol. 52, no. 8, pp. 1362–1379, Aug. 2007, doi: 10.1109/TAC.2007.902731.
- [41] Nguyen, N. Xuan Mung, and Hong, “Actuator Fault Detection and Fault-Tolerant Control for Hexacopter,” *Sensors*, vol. 19, p. 4721, 2019, doi: 10.3390/s19214721.
- [42] T. Lee, M. Leok, and N. H. McClamroch, “Geometric tracking control of a quadrotor UAV on SE(3),” in *Proceedings of the IEEE Conference on Decision and Control*, 2010, pp. 5420–5425, doi: 10.1109/CDC.2010.5717652.
- [43] J. Lim, “mavros_controllers - Aggressive trajectory tracking using mavros for PX4 enabled vehicles.” Mar. 2019, doi: 10.5281/zenodo.2652888.
- [44] D. Brescianini, M. Hehn, and R. D’Andrea, “Nonlinear Quadcopter Attitude Control.

- Technical Report,” Eidgenössische Technische Hochschule Zürich, Departement Maschinenbau und Verfahrenstechnik, Zürich, 2013. doi: 10.3929/ethz-a-009970340.
- [45] M. Faessler, A. Franchi, and D. Scaramuzza, “Differential Flatness of Quadrotor Dynamics Subject to Rotor Drag for Accurate Tracking of High-Speed Trajectories,” *IEEE Robot. Autom. Lett.*, vol. 3, no. 2, pp. 620–626, 2018, doi: 10.1109/LRA.2017.2776353.
- [46] “Special Interest Group | Pixhawk.” <https://pixhawk.org/sig/> (accessed Jun. 08, 2020).
- [47] N. A. S. Ortiz, E. Laroche, R. Kiefer, and S. Durand, “Controller Tuning Strategy for Quadrotor MAV Carrying a Cable-suspended Load,” 2017.
- [48] “Gazebo Simulation · PX4 v1.9.0 Developer Guide.” <https://dev.px4.io/v1.9.0/en/simulation/gazebo.html> (accessed Jun. 09, 2020).
- [49] “Gazebo : Tutorial : Gazebo plugins in ROS.” http://gazebosim.org/tutorials?tut=ros_gzplugins (accessed Jul. 20, 2020).