



REFERENCES

- [1] M. D. Maiello, Mark L. ; Hoover, *Radioactive Air Sampling Methods*, vol. 101, no. 6. 2011.
- [2] P. Kulkarni, P. A. Baron, and K. Willeke, *Aerosol Measurement: Principles, Techniques, and Applications: Third Edition*, vol. 53, no. 9. Hoboken, NJ, USA: John Wiley & Sons, Inc., 2011.
- [3] C. Papastefanou, *Radioactive Aerosols*. 2008.
- [4] M. F. L'Annunziata, *Handbook of Radioactivity Analysis*, no. 11. Elsevier, 2003.
- [5] G. F. Knoll and H. W. Kraner, *Radiation Detection and Measurement*, vol. 69, no. 4. 1981.
- [6] A. Das, T. Ferbel, and N. Gauthier, *Introduction to Nuclear and Particle Physics*, vol. 62, no. 5. 1994.
- [7] J. L. Basdevant, J. Rich, and M. Spiro, *Fundamentals in nuclear physics: From nuclear structure to cosmology*. 2005.
- [8] N. Tsoulfanidis, “Measurement and Detection of Radiation,” *Nucl. Technol.*, 1995, doi: 10.13182/nt84-a33542.
- [9] A. El-Hussein, “Unattached fractions, attachment and deposition rates of radon progeny in indoor air,” *Appl. Radiat. Isot.*, vol. 47, no. 5–6, pp. 515–523, 1996, doi: 10.1016/0969-8043(96)00001-2.
- [10] J. A. Díaz-Francés, M. A. Cortés-Giraldo, M. C. Jiménez-Ramos, and S. Hurtado-Bermúdez, “Simulation of the response of a PIPS detector using GEANT4 code,” *Nucl. Instruments Methods Phys. Res. Sect. A Accel. Spectrometers, Detect. Assoc. Equip.*, vol. 875, no. June, pp. 21–26, 2017, doi: 10.1016/j.nima.2017.08.033.
- [11] A. El-Hussein and A. A. Ahmed, “Unattached fraction and size distribution of aerosol-attached radon progeny in the open air,” *Appl. Radiat. Isot.*, vol. 46, no. 12, pp. 1393–1399, 1995, doi: 10.1016/0969-8043(95)00219-4.
- [12] L. Zhengyong and J. J. Whicker, “Considerations for data processing by continuous air monitors based on accumulation sampling techniques,” *Health Phys.*, vol. 94, no. 2 SUPPL. 1, 2008, doi: 10.1097/01.HP.0000286517.19932.c7.
- [13] R. B. Hayes and M. L. Beekman, “Alpha CAM alarm set points in a salt dust environment,” *Health Phys.*, vol. 82, no. 6, pp. 887–897, 2002, doi: 10.1097/00004032-200206000-00019.
- [14] M. E. Moore, A. R. McFarland, and J. C. Rodgers, “Factors that affect alpha particle detection in continuous air monitor applications,” *Health Phys.*, vol. 65, no. 1, pp. 69–81, 1993, doi: 10.1097/00004032-199307000-00008.
- [15] R. Hayes and H. C. Chiou, “Preliminary evaluation of real time false CAM alarm prediction through continuous radon monitoring,” *Health Phys.*, vol. 84, no. 5



SUPPL., pp. 89–92, 2003, doi: 10.1097/00004032-200305001-00012.

- [16] S. Agostinelli *et al.*, “GEANT4 - A simulation toolkit,” *Nucl. Instruments Methods Phys. Res. Sect. A Accel. Spectrometers, Detect. Assoc. Equip.*, vol. 506, no. 3, pp. 250–303, 2003, doi: 10.1016/S0168-9002(03)01368-8.
- [17] G. Dedes and K. Parodi, “Monte Carlo Simulations of Particle Interactions with Tissue in Carbon Ion Therapy,” *Int. J. Part. Ther.*, vol. 2, no. 3, pp. 447–458, 2015, doi: 10.14338/ijpt-15-00021.
- [18] A. Nahum, *Monte Carlo Techniques in Radiation Therapy*, vol. 42, no. 8. 2015.
- [19] X-5 Monte Carlo Team, “A General Monte Carlo N-Particle Transport Code,” vol. 836, 2008.
- [20] J. W. Luetzelschwab, C. Storey, K. Zraly, and D. Dussinger, “Self absorption of alpha and beta particles in a fiberglass filter,” *Health Phys.*, vol. 79, no. 4, pp. 425–430, 2000, doi: 10.1097/00004032-200010000-00012.